






DH5-Ant0-2480-0~Reference-PASS



DH5-Ant0-2480-30~1000-PASS



DH5-Ant0-2480-1000~26500-PASS




2DH5-Ant0-2402-0~Reference-PASS




2DH5-Ant0-2402-30~1000-PASS



2DH5-Ant0-2402-1000~26500-PASS




2DH5-Ant0-2441-0~Reference-PASS



2DH5-Ant0-2441-30~1000-PASS



2DH5-Ant0-2441-1000~26500-PASS




2DH5-Ant0-2480-0~Reference-PASS




2DH5-Ant0-2480-30~1000-PASS



2DH5-Ant0-2480-1000~26500-PASS







Duty Cycle Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	Ant0	2402	2.89	3.75	77.07	1.13
DH5	Ant0	2441	2.89	3.75	77.07	1.13
DH5	Ant0	2480	2.89	3.75	77.07	1.13
2DH5	Ant0	2402	2.89	3.75	77.07	1.13
2DH5	Ant0	2441	2.90	3.76	77.13	1.13
2DH5	Ant0	2480	2.89	3.75	77.07	1.13
3DH5	Ant0	2402	2.89	3.75	77.07	1.13
3DH5	Ant0	2441	2.89	3.75	77.07	1.13
3DH5	Ant0	2480	2.89	3.76	76.86	1.14

Test Graphs






Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	BT_DH5	Band:	-
Bandwidth	-	Channel	0
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	61.67	46.39	-26.61	19.78	40.00	20.22	PK	Horizontal	PASS
2	121.96	50.87	-30.34	20.53	43.50	22.97	PK	Horizontal	PASS
3	144.99	57.02	-30.41	26.61	43.50	16.89	PK	Horizontal	PASS
4	267.36	49.11	-24.68	24.43	46.00	21.57	PK	Horizontal	PASS
5	310.14	57.88	-23.35	34.53	46.00	11.47	PK	Horizontal	PASS
6	359.22	56.37	-20.99	35.38	46.00	10.62	PK	Horizontal	PASS

Project Information

Mode:	BT_DH5	Band:	-
Bandwidth	-	Channel	0
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	38.58	50.81	-29.23	21.58	40.00	18.42	PK	Vertical	PASS
2	43.68	50.17	-27.05	23.12	40.00	16.88	PK	Vertical	PASS
3	61.04	56.81	-26.61	30.20	40.00	9.80	PK	Vertical	PASS
4	144.07	54.02	-30.32	23.70	43.50	19.80	PK	Vertical	PASS
5	311.83	54.46	-23.31	31.15	46.00	14.85	PK	Vertical	PASS
6	359.46	48.80	-20.94	27.86	46.00	18.14	PK	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	BT_DH5	Band:	-
Bandwidth	-	Channel	0
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7207.00	42.99	-0.56	42.43	54.00	11.57	RMS	Horizontal	PASS
2	11620.00	34.47	6.49	40.96	54.00	13.04	RMS	Horizontal	PASS
3	15310.00	31.56	12.07	43.63	54.00	10.37	RMS	Horizontal	PASS
4	2402.13	98.75	1.82	100.57	-	-	PK	Horizontal	NA
5	7205.50	48.06	-0.57	47.49	74.00	26.51	PK	Horizontal	PASS
6	11452.50	42.51	6.69	49.20	74.00	24.80	PK	Horizontal	PASS
7	15353.50	39.64	11.73	51.37	74.00	22.63	PK	Horizontal	PASS

Project Information

Mode:	BT_DH5	Band:	-
Bandwidth	-	Channel	0
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4804.50	44.67	-7.20	37.47	54.00	16.53	RMS	Vertical	PASS
2	7206.00	52.62	-0.57	52.05	54.00	1.95	RMS	Vertical	PASS
3	16856.50	31.59	12.58	44.17	54.00	9.83	RMS	Vertical	PASS
4	2401.80	105.20	1.82	107.02	-	-	PK	Vertical	NA
5	4804.50	49.37	-7.20	42.17	74.00	31.83	PK	Vertical	PASS
6	7205.50	55.35	-0.57	54.78	74.00	19.22	PK	Vertical	PASS
7	17018.00	37.73	14.68	52.41	74.00	21.59	PK	Vertical	PASS

Project Information

Mode:	BT_DH5	Band:	-
Bandwidth	-	Channel	39
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4882.50	46.65	-6.31	40.34	54.00	13.66	RMS	Horizontal	PASS
2	7323.50	41.37	-0.18	41.19	54.00	12.81	RMS	Horizontal	PASS
3	16623.00	31.69	12.84	44.53	54.00	9.47	RMS	Horizontal	PASS
4	2440.87	97.97	2.23	100.20	-	-	PK	Horizontal	NA
5	4882.00	50.65	-6.32	44.33	74.00	29.67	PK	Horizontal	PASS
6	7323.00	46.58	-0.19	46.39	74.00	27.61	PK	Horizontal	PASS
7	16437.00	39.91	12.58	52.49	74.00	21.51	PK	Horizontal	PASS

Project Information

Mode:	BT_DH5	Band:	-
Bandwidth	-	Channel	39
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4882.50	47.85	-6.31	41.54	54.00	12.46	RMS	Vertical	PASS
2	7323.50	47.74	-0.18	47.56	54.00	6.44	RMS	Vertical	PASS
3	17415.50	30.85	14.22	45.07	54.00	8.93	RMS	Vertical	PASS
4	2440.87	105.25	2.23	107.48	-	-	PK	Vertical	NA
5	4882.50	50.62	-6.31	44.31	74.00	29.69	PK	Vertical	PASS
6	7323.50	51.82	-0.18	51.64	74.00	22.36	PK	Vertical	PASS
7	17043.50	39.07	14.40	53.47	74.00	20.53	PK	Vertical	PASS

Project Information

Mode:	BT_DH5	Band:	-
Bandwidth	-	Channel	78
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4960.50	44.77	-6.01	38.76	54.00	15.24	RMS	Horizontal	PASS
2	7441.00	42.77	0.19	42.96	54.00	11.04	RMS	Horizontal	PASS
3	17222.50	31.62	14.30	45.92	54.00	8.08	RMS	Horizontal	PASS
4	2480.13	96.96	2.65	99.61	-	-	PK	Horizontal	NA
5	4960.00	48.39	-6.01	42.38	74.00	31.62	PK	Horizontal	PASS
6	7440.00	48.15	0.18	48.33	74.00	25.67	PK	Horizontal	PASS
7	17312.50	39.09	13.99	53.08	74.00	20.92	PK	Horizontal	PASS

Project Information

Mode:	BT_DH5	Band:	-
Bandwidth	-	Channel	78
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4960.50	46.26	-6.01	40.25	54.00	13.75	RMS	Vertical	PASS
2	7440.00	50.89	0.18	51.07	54.00	2.93	RMS	Vertical	PASS
3	15823.50	31.99	11.52	43.51	54.00	10.49	RMS	Vertical	PASS
4	2479.87	105.76	2.65	108.41	-	-	PK	Vertical	NA
5	4959.50	50.62	-6.01	44.61	74.00	29.39	PK	Vertical	PASS
6	7439.50	53.10	0.18	53.28	74.00	20.72	PK	Vertical	PASS
7	15306.00	38.82	12.10	50.92	74.00	23.08	PK	Vertical	PASS

Test Result Above 18GHz (worst)

Project Information			
Mode:	BT_DH5	Band:	
Bandwidth		Channel	0
IMEI:	865842061688270	Engineer:	Tian shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	18705.29	50.33	-7.73	42.60	74.00	31.40	Horizontal	PASS
2	21443.47	50.47	-7.53	42.94	74.00	31.06	Horizontal	PASS
3	23983.90	48.10	-4.75	43.35	74.00	30.65	Horizontal	PASS
4	18794.89	41.63	-7.77	33.86	54.00	20.14	Horizontal	PASS
5	21362.27	40.65	-7.72	32.93	54.00	21.07	Horizontal	PASS
6	23770.74	39.80	-5.05	34.75	54.00	19.25	Horizontal	PASS

Project Information

Mode:	BT_DH5	Band:	
Bandwidth		Channel	0
IMEI:	865842061688270	Engineer:	Tian shuo
Remark:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	18668.18	51.37	-7.81	43.56	74.00	30.44	Vertical	PASS
2	21847.74	50.20	-7.09	43.11	74.00	30.89	Vertical	PASS
3	23720.69	48.57	-5.11	43.46	74.00	30.54	Vertical	PASS
4	18803.29	42.04	-7.80	34.24	54.00	19.76	Vertical	PASS
5	21842.84	40.56	-7.09	33.47	54.00	20.53	Vertical	PASS
6	23857.19	40.38	-4.97	35.41	54.00	18.59	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	BT_DH5	Band:	-
Bandwidth	-	Channel	0
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2370.09	37.56	1.65	39.21	54.00	14.79	RMS	Horizontal	PASS
2	2380.71	37.77	1.70	39.47	54.00	14.53	RMS	Horizontal	PASS
3	2388.52	37.86	1.74	39.60	54.00	14.40	RMS	Horizontal	PASS
4	2368.93	48.60	1.65	50.25	74.00	23.75	PK	Horizontal	PASS
5	2382.00	49.28	1.71	50.99	74.00	23.01	PK	Horizontal	PASS
6	2387.51	49.00	1.74	50.74	74.00	23.26	PK	Horizontal	PASS

Project Information

Mode:	BT_DH5	Band:	-
Bandwidth	-	Channel	0
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2375.35	37.83	1.68	39.51	54.00	14.49	RMS	Vertical	PASS
2	2382.72	37.97	1.71	39.68	54.00	14.32	RMS	Vertical	PASS
3	2388.55	38.36	1.74	40.10	54.00	13.90	RMS	Vertical	PASS
4	2374.91	49.28	1.68	50.96	74.00	23.04	PK	Vertical	PASS
5	2382.78	49.42	1.71	51.13	74.00	22.87	PK	Vertical	PASS
6	2387.23	49.56	1.74	51.30	74.00	22.70	PK	Vertical	PASS

Project Information

Mode:	BT_DH5	Band:	-
Bandwidth	-	Channel	78
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.10	37.71	2.70	40.41	54.00	13.59	RMS	Horizontal	PASS
2	2484.78	37.70	2.70	40.40	54.00	13.60	RMS	Horizontal	PASS
3	2486.10	37.66	2.71	40.37	54.00	13.63	RMS	Horizontal	PASS
4	2483.61	51.36	2.68	54.04	74.00	19.96	PK	Horizontal	PASS
5	2484.78	50.22	2.70	52.92	74.00	21.08	PK	Horizontal	PASS
6	2485.63	49.98	2.71	52.69	74.00	21.31	PK	Horizontal	PASS

Project Information

Mode:	BT_DH5	Band:	-
Bandwidth	-	Channel	78
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.93	39.66	2.69	42.35	54.00	11.65	RMS	Vertical	PASS
2	2484.99	39.34	2.70	42.04	54.00	11.96	RMS	Vertical	PASS
3	2485.91	38.94	2.71	41.65	54.00	12.35	RMS	Vertical	PASS
4	2483.58	60.41	2.68	63.09	74.00	10.91	PK	Vertical	PASS
5	2484.30	55.71	2.70	58.41	74.00	15.59	PK	Vertical	PASS
6	2485.00	53.61	2.70	56.31	74.00	17.69	PK	Vertical	PASS

Project Information

Mode:	BT_2DH5	Band:	-
Bandwidth	-	Channel	0
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2371.59	37.58	1.66	39.24	54.00	14.76	RMS	Horizontal	PASS
2	2379.90	37.96	1.70	39.66	54.00	14.34	RMS	Horizontal	PASS
3	2386.13	37.71	1.73	39.44	54.00	14.56	RMS	Horizontal	PASS
4	2371.43	48.42	1.66	50.08	74.00	23.92	PK	Horizontal	PASS
5	2381.50	48.98	1.71	50.69	74.00	23.31	PK	Horizontal	PASS
6	2387.64	49.01	1.74	50.75	74.00	23.25	PK	Horizontal	PASS

Project Information			
Mode:	BT_2DH5	Band:	-
Bandwidth	-	Channel	0
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2374.51	37.65	1.68	39.33	54.00	14.67	RMS	Vertical	PASS
2	2381.40	37.78	1.71	39.49	54.00	14.51	RMS	Vertical	PASS
3	2388.86	38.79	1.75	40.54	54.00	13.46	RMS	Vertical	PASS
4	2373.19	49.09	1.67	50.76	74.00	23.24	PK	Vertical	PASS
5	2381.34	48.76	1.71	50.47	74.00	23.53	PK	Vertical	PASS
6	2388.36	49.62	1.74	51.36	74.00	22.64	PK	Vertical	PASS

Project Information

Mode:	BT_2DH5	Band:	-
Bandwidth	-	Channel	78
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.06	37.64	2.69	40.33	54.00	13.67	RMS	Horizontal	PASS
2	2486.31	37.71	2.72	40.43	54.00	13.57	RMS	Horizontal	PASS
3	2488.44	37.83	2.73	40.56	54.00	13.44	RMS	Horizontal	PASS
4	2483.88	49.47	2.69	52.16	74.00	21.84	PK	Horizontal	PASS
5	2485.81	49.30	2.71	52.01	74.00	21.99	PK	Horizontal	PASS
6	2488.18	49.63	2.73	52.36	74.00	21.64	PK	Horizontal	PASS

Project Information

Mode:	BT_2DH5	Band:	-
Bandwidth	-	Channel	78
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.61	39.09	2.68	41.77	54.00	12.23	RMS	Vertical	PASS
2	2485.56	39.06	2.70	41.76	54.00	12.24	RMS	Vertical	PASS
3	2487.66	38.60	2.73	41.33	54.00	12.67	RMS	Vertical	PASS
4	2483.77	53.59	2.69	56.28	74.00	17.72	PK	Vertical	PASS
5	2485.78	49.86	2.71	52.57	74.00	21.43	PK	Vertical	PASS
6	2487.50	50.12	2.73	52.85	74.00	21.15	PK	Vertical	PASS

Project Information			
Mode:	BT_3DH5	Band:	-
Bandwidth	-	Channel	0
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2365.26	37.60	1.63	39.23	54.00	14.77	RMS	Horizontal	PASS
2	2378.02	37.98	1.69	39.67	54.00	14.33	RMS	Horizontal	PASS
3	2386.89	37.98	1.74	39.72	54.00	14.28	RMS	Horizontal	PASS
4	2369.27	49.06	1.65	50.71	74.00	23.29	PK	Horizontal	PASS
5	2378.77	49.09	1.70	50.79	74.00	23.21	PK	Horizontal	PASS
6	2389.17	49.16	1.75	50.91	74.00	23.09	PK	Horizontal	PASS

Project Information

Mode:	BT_3DH5	Band:	-
Bandwidth	-	Channel	0
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2370.40	37.86	1.65	39.51	54.00	14.49	RMS	Vertical	PASS
2	2376.95	37.85	1.69	39.54	54.00	14.46	RMS	Vertical	PASS
3	2386.54	38.52	1.74	40.26	54.00	13.74	RMS	Vertical	PASS
4	2371.40	48.89	1.66	50.55	74.00	23.45	PK	Vertical	PASS
5	2379.18	49.43	1.70	51.13	74.00	22.87	PK	Vertical	PASS
6	2387.42	49.86	1.74	51.60	74.00	22.40	PK	Vertical	PASS

Project Information

Mode:	BT_3DH5	Band:	-
Bandwidth	-	Channel	78
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.83	37.72	2.69	40.41	54.00	13.59	RMS	Horizontal	PASS
2	2486.10	37.62	2.71	40.33	54.00	13.67	RMS	Horizontal	PASS
3	2488.65	37.80	2.74	40.54	54.00	13.46	RMS	Horizontal	PASS
4	2483.99	49.48	2.69	52.17	74.00	21.83	PK	Horizontal	PASS
5	2485.88	49.41	2.71	52.12	74.00	21.88	PK	Horizontal	PASS
6	2488.40	50.21	2.73	52.94	74.00	21.06	PK	Horizontal	PASS

Project Information

Mode:	BT_3DH5	Band:	-
Bandwidth	-	Channel	78
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.05	38.95	2.69	41.64	54.00	12.36	RMS	Vertical	PASS
2	2485.81	38.59	2.71	41.30	54.00	12.70	RMS	Vertical	PASS
3	2488.08	38.88	2.73	41.61	54.00	12.39	RMS	Vertical	PASS
4	2483.73	52.87	2.68	55.55	74.00	18.45	PK	Vertical	PASS
5	2485.71	49.96	2.71	52.67	74.00	21.33	PK	Vertical	PASS
6	2487.73	50.18	2.73	52.91	74.00	21.09	PK	Vertical	PASS

~The End~