


Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4824.50	53.97	-6.96	47.01	54.00	6.99	RMS	Horizontal	PASS
2	15339.00	32.34	11.84	44.18	54.00	9.82	RMS	Horizontal	PASS
3	17471.50	30.90	14.52	45.42	54.00	8.58	RMS	Horizontal	PASS
4	2415.27	98.80	1.96	100.76	-	-	PK	Horizontal	NA
5	4823.00	59.99	-6.98	53.01	74.00	20.99	PK	Horizontal	PASS
6	15338.50	39.67	11.85	51.52	74.00	22.48	PK	Horizontal	PASS
7	17793.00	37.34	16.25	53.59	74.00	20.41	PK	Horizontal	PASS

Project Information

Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4824.50	56.16	-6.96	49.20	54.00	4.80	RMS	Vertical	PASS
2	15352.00	32.12	11.74	43.86	54.00	10.14	RMS	Vertical	PASS
3	17951.50	30.27	16.60	46.87	54.00	7.13	RMS	Vertical	PASS
4	2412.73	105.28	1.93	107.21	-	-	PK	Vertical	NA
5	4821.50	62.34	-6.99	55.35	74.00	18.65	PK	Vertical	PASS
6	15324.50	39.60	11.96	51.56	74.00	22.44	PK	Vertical	PASS
7	17755.00	37.66	15.94	53.60	74.00	20.40	PK	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4825.50	52.43	-6.95	45.48	54.00	8.52	RMS	Horizontal	PASS
2	11694.50	34.27	6.36	40.63	54.00	13.37	RMS	Horizontal	PASS
3	17015.00	30.22	14.72	44.94	54.00	9.06	RMS	Horizontal	PASS
4	2414.27	98.11	1.95	100.06	-	-	PK	Horizontal	NA
5	4817.50	59.24	-7.04	52.20	74.00	21.80	PK	Horizontal	PASS
6	11526.50	42.09	6.69	48.78	74.00	25.22	PK	Horizontal	PASS
7	17048.50	38.47	14.34	52.81	74.00	21.19	PK	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4823.50	53.98	-6.97	47.01	54.00	6.99	RMS	Vertical	PASS
2	6432.50	44.61	-2.22	42.39	54.00	11.61	RMS	Vertical	PASS
3	16554.50	31.28	12.85	44.13	54.00	9.87	RMS	Vertical	PASS
4	2415.80	104.90	1.96	106.86	-	-	PK	Vertical	NA
5	4822.50	61.59	-6.98	54.61	74.00	19.39	PK	Vertical	PASS
6	6432.00	49.18	-2.23	46.95	74.00	27.05	PK	Vertical	PASS
7	15958.50	40.37	11.27	51.64	74.00	22.36	PK	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4908.00	49.15	-6.11	43.04	54.00	10.96	RMS	Horizontal	PASS
2	11726.00	34.37	6.45	40.82	54.00	13.18	RMS	Horizontal	PASS
3	17453.50	30.65	14.43	45.08	54.00	8.92	RMS	Horizontal	PASS
4	2450.73	95.75	2.33	98.08	-	-	PK	Horizontal	NA
5	4907.50	56.16	-6.11	50.05	74.00	23.95	PK	Horizontal	PASS
6	12179.50	40.94	7.34	48.28	74.00	25.72	PK	Horizontal	PASS
7	17331.50	38.63	14.01	52.64	74.00	21.36	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4897.00	53.87	-6.16	47.71	54.00	6.29	RMS	Vertical	PASS
2	6539.00	44.72	-2.32	42.40	54.00	11.60	RMS	Vertical	PASS
3	17245.50	31.74	14.19	45.93	54.00	8.07	RMS	Vertical	PASS
4	2454.87	103.78	2.38	106.16	-	-	PK	Vertical	NA
5	4896.50	60.00	-6.17	53.83	74.00	20.17	PK	Vertical	PASS
6	6538.50	48.54	-2.33	46.21	74.00	27.79	PK	Vertical	PASS
7	17805.50	38.29	16.27	54.56	74.00	19.44	PK	Vertical	PASS

Test Result Above 18GHz (worst)

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	865842061688270	Engineer:	Tian shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	18834.44	49.93	-8.11	41.82	74.00	32.18	Horizontal	PASS
2	21729.44	48.97	-7.25	41.72	74.00	32.28	Horizontal	PASS
3	24040.60	48.17	-4.72	43.45	74.00	30.55	Horizontal	PASS
4	18708.09	41.80	-7.74	34.06	54.00	19.94	Horizontal	PASS
5	21392.37	40.34	-7.71	32.63	54.00	21.37	Horizontal	PASS
6	24285.61	39.33	-4.76	34.57	54.00	19.43	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	865842061688270	Engineer:	Tian shuo
Remark:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	18718.94	50.20	-7.74	42.46	74.00	31.54	Vertical	PASS
2	21087.15	49.28	-7.77	41.51	74.00	32.49	Vertical	PASS
3	24116.56	48.48	-4.78	43.70	74.00	30.30	Vertical	PASS
4	18693.03	41.67	-7.76	33.91	54.00	20.09	Vertical	PASS
5	21281.41	41.43	-7.77	33.66	54.00	20.34	Vertical	PASS
6	23924.40	39.41	-4.87	34.54	54.00	19.46	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2365.68	39.21	1.63	40.84	54.00	13.16	RMS	Horizontal	PASS
2	2379.02	39.88	1.70	41.58	54.00	12.42	RMS	Horizontal	PASS
3	2386.60	39.97	1.74	41.71	54.00	12.29	RMS	Horizontal	PASS
4	2365.50	50.07	1.63	51.70	74.00	22.30	PK	Horizontal	PASS
5	2377.71	51.33	1.69	53.02	74.00	20.98	PK	Horizontal	PASS
6	2388.50	51.04	1.74	52.78	74.00	21.22	PK	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2379.58	38.66	1.70	40.36	54.00	13.64	RMS	Vertical	PASS
2	2383.68	38.91	1.72	40.63	54.00	13.37	RMS	Vertical	PASS
3	2388.91	39.45	1.75	41.20	54.00	12.80	RMS	Vertical	PASS
4	2384.28	57.30	1.73	59.03	74.00	14.97	PK	Vertical	PASS
5	2387.31	59.59	1.74	61.33	74.00	12.67	PK	Vertical	PASS
6	2389.66	60.47	1.75	62.22	74.00	11.78	PK	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.91	39.22	2.69	41.91	54.00	12.09	RMS	Horizontal	PASS
2	2486.91	39.85	2.72	42.57	54.00	11.43	RMS	Horizontal	PASS
3	2490.28	39.76	2.76	42.52	54.00	11.48	RMS	Horizontal	PASS
4	2483.89	52.04	2.69	54.73	74.00	19.27	PK	Horizontal	PASS
5	2486.17	51.11	2.71	53.82	74.00	20.18	PK	Horizontal	PASS
6	2488.93	52.21	2.75	54.96	74.00	19.04	PK	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.20	39.75	2.70	42.45	54.00	11.55	RMS	Vertical	PASS
2	2487.18	39.22	2.73	41.95	54.00	12.05	RMS	Vertical	PASS
3	2490.83	38.95	2.76	41.71	54.00	12.29	RMS	Vertical	PASS
4	2483.74	60.85	2.68	63.53	74.00	10.47	PK	Vertical	PASS
5	2487.85	61.50	2.73	64.23	74.00	9.77	PK	Vertical	PASS
6	2490.23	58.22	2.76	60.98	74.00	13.02	PK	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2376.89	39.42	1.69	41.11	54.00	12.89	RMS	Horizontal	PASS
2	2387.23	40.27	1.74	42.01	54.00	11.99	RMS	Horizontal	PASS
3	2389.58	43.56	1.75	45.31	54.00	8.69	RMS	Horizontal	PASS
4	2379.76	50.38	1.70	52.08	74.00	21.92	PK	Horizontal	PASS
5	2387.08	51.46	1.74	53.20	74.00	20.80	PK	Horizontal	PASS
6	2389.73	55.95	1.75	57.70	74.00	16.30	PK	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2383.42	39.69	1.72	41.41	54.00	12.59	RMS	Vertical	PASS
2	2387.94	44.89	1.74	46.63	54.00	7.37	RMS	Vertical	PASS
3	2389.96	49.56	1.75	51.31	54.00	2.69	RMS	Vertical	PASS
4	2383.27	61.37	1.71	63.08	74.00	10.92	PK	Vertical	PASS
5	2384.21	63.50	1.73	65.23	74.00	8.77	PK	Vertical	PASS
6	2388.76	68.48	1.75	70.23	74.00	3.77	PK	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.67	39.71	2.68	42.39	54.00	11.61	RMS	Horizontal	PASS
2	2485.81	38.90	2.71	41.61	54.00	12.39	RMS	Horizontal	PASS
3	2489.96	38.88	2.75	41.63	54.00	12.37	RMS	Horizontal	PASS
4	2484.13	58.88	2.70	61.58	74.00	12.42	PK	Horizontal	PASS
5	2485.81	56.24	2.71	58.95	74.00	15.05	PK	Horizontal	PASS
6	2490.61	56.51	2.76	59.27	74.00	14.73	PK	Horizontal	PASS

Project Information

Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.82	45.58	2.69	48.27	54.00	5.73	RMS	Vertical	PASS
2	2485.30	42.60	2.70	45.30	54.00	8.70	RMS	Vertical	PASS
3	2488.52	41.08	2.73	43.81	54.00	10.19	RMS	Vertical	PASS
4	2483.70	64.28	2.68	66.96	74.00	7.04	PK	Vertical	PASS
5	2485.45	66.16	2.70	68.86	74.00	5.14	PK	Vertical	PASS
6	2490.23	61.65	2.76	64.41	74.00	9.59	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2381.29	39.82	1.71	41.53	54.00	12.47	RMS	Horizontal	PASS
2	2387.49	41.43	1.74	43.17	54.00	10.83	RMS	Horizontal	PASS
3	2389.66	45.87	1.75	47.62	54.00	6.38	RMS	Horizontal	PASS
4	2382.94	51.98	1.71	53.69	74.00	20.31	PK	Horizontal	PASS
5	2387.53	55.33	1.74	57.07	74.00	16.93	PK	Horizontal	PASS
6	2389.55	58.97	1.75	60.72	74.00	13.28	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	1
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2383.50	40.29	1.72	42.01	54.00	11.99	RMS	Vertical	PASS
2	2387.75	46.92	1.74	48.66	54.00	5.34	RMS	Vertical	PASS
3	2389.81	51.87	1.75	53.62	54.00	0.38	RMS	Vertical	PASS
4	2383.20	56.88	1.71	58.59	74.00	15.41	PK	Vertical	PASS
5	2387.83	64.26	1.74	66.00	74.00	8.00	PK	Vertical	PASS
6	2389.73	65.92	1.75	67.67	74.00	6.33	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.74	40.57	2.68	43.25	54.00	10.75	RMS	Horizontal	PASS
2	2486.39	38.87	2.72	41.59	54.00	12.41	RMS	Horizontal	PASS
3	2488.69	38.61	2.74	41.35	54.00	12.65	RMS	Horizontal	PASS
4	2484.32	53.41	2.70	56.11	74.00	17.89	PK	Horizontal	PASS
5	2487.20	53.65	2.73	56.38	74.00	17.62	PK	Horizontal	PASS
6	2488.45	56.13	2.73	58.86	74.00	15.14	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	11
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.65	47.32	2.68	50.00	54.00	4.00	RMS	Vertical	PASS
2	2485.76	43.48	2.71	46.19	54.00	7.81	RMS	Vertical	PASS
3	2488.33	40.81	2.73	43.54	54.00	10.46	RMS	Vertical	PASS
4	2483.50	67.79	2.68	70.47	74.00	3.53	PK	Vertical	PASS
5	2486.36	66.18	2.72	68.90	74.00	5.10	PK	Vertical	PASS
6	2488.74	65.23	2.74	67.97	74.00	6.03	PK	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	3
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2385.84	41.79	1.73	43.52	54.00	10.48	RMS	Horizontal	PASS
2	2388.21	41.96	1.74	43.70	54.00	10.30	RMS	Horizontal	PASS
3	2389.49	43.45	1.75	45.20	54.00	8.80	RMS	Horizontal	PASS
4	2385.88	52.16	1.73	53.89	74.00	20.11	PK	Horizontal	PASS
5	2388.13	52.74	1.74	54.48	74.00	19.52	PK	Horizontal	PASS
6	2388.96	53.35	1.75	55.10	74.00	18.90	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	3
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2384.65	45.92	1.73	47.65	54.00	6.35	RMS	Vertical	PASS
2	2385.79	45.76	1.73	47.49	54.00	6.51	RMS	Vertical	PASS
3	2389.45	49.48	1.75	51.23	54.00	2.77	RMS	Vertical	PASS
4	2384.56	55.36	1.73	57.09	74.00	16.91	PK	Vertical	PASS
5	2385.53	55.91	1.73	57.64	74.00	16.36	PK	Vertical	PASS
6	2388.35	58.52	1.74	60.26	74.00	13.74	PK	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.71	44.86	2.68	47.54	54.00	6.46	RMS	Horizontal	PASS
2	2484.08	44.33	2.69	47.02	54.00	6.98	RMS	Horizontal	PASS
3	2485.10	43.69	2.70	46.39	54.00	7.61	RMS	Horizontal	PASS
4	2483.81	55.54	2.69	58.23	74.00	15.77	PK	Horizontal	PASS
5	2484.90	54.92	2.70	57.62	74.00	16.38	PK	Horizontal	PASS
6	2485.47	54.92	2.70	57.62	74.00	16.38	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	9
IMEI:	865842061688270	Engineer:	Oushuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.54	49.44	2.68	52.12	54.00	1.88	RMS	Vertical	PASS
2	2484.11	49.05	2.70	51.75	54.00	2.25	RMS	Vertical	PASS
3	2484.59	48.39	2.70	51.09	54.00	2.91	RMS	Vertical	PASS
4	2484.28	59.86	2.70	62.56	74.00	11.44	PK	Vertical	PASS
5	2484.83	60.23	2.70	62.93	74.00	11.07	PK	Vertical	PASS
6	2486.87	57.53	2.72	60.25	74.00	13.75	PK	Vertical	PASS

~The End~