


Appendix-C Field Strength of Spurious Radiation-LTE

For LTE:

Project Information			
Mode:	LTE	Band:	B2
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.20	101.51	-84.97	16.54	-	-	Horizontal	NA
2	1967.80	39.01	-84.84	-45.83	-	-	Horizontal	NA
3	3742.00	59.75	-107.43	-47.68	-13.00	34.68	Horizontal	PASS
4	5613.50	52.15	-101.19	-49.04	-13.00	36.04	Horizontal	PASS
5	9355.50	45.78	-93.24	-47.46	-13.00	34.46	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B2
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	110.12	-84.97	25.15	-	-	Vertical	NA
2	1967.40	42.89	-84.83	-41.94	-	-	Vertical	NA
3	3742.00	63.00	-107.43	-44.43	-13.00	31.43	Vertical	PASS
4	5613.50	57.25	-101.19	-43.94	-13.00	30.94	Vertical	PASS
5	9355.00	48.21	-93.24	-45.03	-13.00	32.03	Vertical	PASS

Project Information

Mode:	LTE	Band:	B4
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	105.16	-85.28	19.88	-	-	Horizontal	NA
2	2138.80	37.92	-84.57	-46.65	-	-	Horizontal	NA
3	3447.00	59.59	-107.30	-47.71	-13.00	34.71	Horizontal	PASS
4	5170.50	47.86	-102.05	-54.19	-13.00	41.19	Horizontal	PASS
5	6894.00	49.32	-97.40	-48.08	-13.00	35.08	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B4
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	111.98	-85.28	26.70	-	-	Vertical	NA
2	2139.40	40.81	-84.58	-43.77	-	-	Vertical	NA
3	3447.00	59.57	-107.30	-47.73	-13.00	34.73	Vertical	PASS
4	5171.00	58.23	-102.05	-43.82	-13.00	30.82	Vertical	PASS
5	6894.50	61.46	-97.40	-35.94	-13.00	22.94	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B5
Bandwidth:	10MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	51.19	-114.12	-62.93	-13.00	49.93	Horizontal	PASS
2	2496.27	55.45	-111.37	-55.92	-13.00	42.92	Horizontal	PASS
3	3328.53	56.17	-108.29	-52.12	-13.00	39.12	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B5
Bandwidth:	10MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.27	54.69	-114.12	-59.43	-13.00	46.43	Vertical	PASS
2	2496.27	56.75	-111.37	-54.62	-13.00	41.62	Vertical	PASS
3	3328.53	57.08	-108.29	-51.21	-13.00	38.21	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B7
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.00	101.10	-83.04	18.06	-	-	Horizontal	NA
2	5052.00	57.55	-102.82	-45.27	-25.00	20.27	Horizontal	PASS
3	7578.00	39.18	-96.58	-57.40	-25.00	32.40	Horizontal	PASS
4	10104.50	50.72	-92.07	-41.35	-25.00	16.35	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B7
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2525.90	102.44	-83.05	19.39	-	-	Vertical	NA
2	5052.00	63.90	-102.82	-38.92	-25.00	13.92	Vertical	PASS
3	7578.50	41.67	-96.57	-54.90	-25.00	29.90	Vertical	PASS
4	10104.50	54.22	-92.07	-37.85	-25.00	12.85	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B12
Bandwidth:	10MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.23	51.41	-114.33	-62.92	-13.00	49.92	Horizontal	PASS
2	2109.27	50.22	-113.21	-62.99	-13.00	49.99	Horizontal	PASS
3	2812.30	51.90	-109.81	-57.91	-13.00	44.91	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B12
Bandwidth:	10MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.23	52.52	-114.33	-61.81	-13.00	48.81	Vertical	PASS
2	2109.50	61.74	-113.21	-51.47	-13.00	38.47	Vertical	PASS
3	2812.30	52.79	-109.81	-57.02	-13.00	44.02	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B13
Bandwidth:	10MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.10	50.84	-114.07	-63.23	-13.00	50.23	Horizontal	PASS
2	2332.57	61.91	-112.39	-50.48	-13.00	37.48	Horizontal	PASS
3	3110.50	58.02	-108.58	-50.56	-13.00	37.56	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B13
Bandwidth:	10MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.33	51.43	-114.07	-62.64	-13.00	49.64	Vertical	PASS
2	2332.57	61.45	-112.39	-50.94	-13.00	37.94	Vertical	PASS
3	3110.27	57.73	-108.58	-50.85	-13.00	37.85	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B14
Bandwidth:	10MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.27	53.78	-114.18	-60.40	-40.00	20.40	Horizontal	PASS
2	2365.70	63.83	-112.42	-48.59	-13.00	35.59	Horizontal	PASS
3	3154.13	57.47	-108.34	-50.87	-13.00	37.87	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B14
Bandwidth:	10MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.03	53.70	-114.18	-60.48	-40.00	20.48	Vertical	PASS
2	2365.70	64.41	-112.42	-48.01	-13.00	35.01	Vertical	PASS
3	3154.37	57.31	-108.34	-51.03	-13.00	38.03	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B25
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	101.56	-84.97	16.59	-	-	Horizontal	NA
2	1965.40	36.86	-84.81	-47.95	-	-	Horizontal	NA
3	3747.00	60.64	-107.43	-46.79	-13.00	33.79	Horizontal	PASS
4	5620.50	49.01	-101.10	-52.09	-13.00	39.09	Horizontal	PASS
5	9368.00	46.74	-93.27	-46.53	-13.00	33.53	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B25
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	110.40	-84.97	25.43	-	-	Vertical	NA
2	1966.20	43.12	-84.82	-41.70	-	-	Vertical	NA
3	3747.00	64.64	-107.43	-42.79	-13.00	29.79	Vertical	PASS
4	5621.00	56.83	-101.09	-44.26	-13.00	31.26	Vertical	PASS
5	9368.00	49.55	-93.27	-43.72	-13.00	30.72	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B26(814-824)
Bandwidth:	10MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.33	52.46	-114.17	-61.71	-13.00	48.71	Horizontal	PASS
2	2444.00	57.34	-111.24	-53.90	-13.00	40.90	Horizontal	PASS
3	3258.67	58.44	-108.46	-50.02	-13.00	37.02	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B26(814-824)
Bandwidth:	10MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.07	56.52	-114.17	-57.65	-13.00	44.65	Vertical	PASS
2	2443.73	59.93	-111.26	-51.33	-13.00	38.33	Vertical	PASS
3	3258.40	59.64	-108.46	-48.82	-13.00	35.82	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B26(824-849)
Bandwidth:	15MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.73	52.79	-114.11	-61.32	-13.00	48.32	Horizontal	PASS
2	2489.33	57.52	-111.34	-53.82	-13.00	40.82	Horizontal	PASS
3	3319.47	56.62	-108.25	-51.63	-13.00	38.63	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B26(824-849)
Bandwidth:	15MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.73	57.55	-114.11	-56.56	-13.00	43.56	Vertical	PASS
2	2489.60	60.43	-111.34	-50.91	-13.00	37.91	Vertical	PASS
3	3319.47	58.76	-108.25	-49.49	-13.00	36.49	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B30
Bandwidth:	10MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	111.57	-94.19	17.38	-	-	Horizontal	NA
2	4611.00	50.64	-103.83	-53.19	-40.00	13.19	Horizontal	PASS
3	9222.50	41.79	-92.57	-50.78	-40.00	10.78	Horizontal	PASS
4	17365.00	33.13	-82.98	-49.85	-40.00	9.85	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B30
Bandwidth:	10MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.50	114.27	-94.19	20.08	-	-	Vertical	NA
2	4611.00	57.96	-103.83	-45.87	-40.00	5.87	Vertical	PASS
3	9222.50	47.33	-92.57	-45.24	-40.00	5.24	Vertical	PASS
4	13833.50	38.95	-86.79	-47.84	-40.00	7.84	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B66
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	104.82	-85.18	19.64	-	-	Horizontal	NA
2	2140.80	37.59	-84.59	-47.00	-	-	Horizontal	NA
3	3472.00	64.13	-107.15	-43.02	-13.00	30.02	Horizontal	PASS
4	5208.50	52.92	-102.19	-49.27	-13.00	36.27	Horizontal	PASS
5	6944.50	51.88	-97.81	-45.93	-13.00	32.93	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B66
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.20	112.02	-85.18	26.84	-	-	Vertical	NA
2	2149.40	42.71	-84.67	-41.96	-	-	Vertical	NA
3	3472.00	66.73	-107.15	-40.42	-13.00	27.42	Vertical	PASS
4	5208.00	59.94	-102.19	-42.25	-13.00	29.25	Vertical	PASS
5	6944.50	57.22	-97.81	-40.59	-13.00	27.59	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B71
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.00	50.11	-114.21	-64.10	-13.00	51.10	Horizontal	PASS
2	2014.53	49.88	-113.51	-63.63	-13.00	50.63	Horizontal	PASS
3	2686.30	55.57	-110.49	-54.92	-13.00	41.92	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B71
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.00	50.92	-114.21	-63.29	-13.00	50.29	Vertical	PASS
2	2014.77	54.90	-113.51	-58.61	-13.00	45.61	Vertical	PASS
3	2686.53	58.57	-110.49	-51.92	-13.00	38.92	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B38
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.20	100.51	-82.41	18.10	-	-	Horizontal	NA
2	5172.50	56.19	-102.06	-45.87	-25.00	20.87	Horizontal	PASS
3	7758.00	40.49	-96.44	-55.95	-25.00	30.95	Horizontal	PASS
4	10344.50	45.36	-91.52	-46.16	-25.00	21.16	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B38
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.10	103.12	-82.41	20.71	-	-	Vertical	NA
2	5172.00	64.67	-102.06	-37.39	-25.00	12.39	Vertical	PASS
3	7758.00	43.60	-96.44	-52.84	-25.00	27.84	Vertical	PASS
4	10344.00	49.75	-91.52	-41.77	-25.00	16.77	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	96.08	-82.40	13.68	-	-	Horizontal	NA
2	5168.00	49.99	-102.04	-52.05	-25.00	27.05	Horizontal	PASS
3	10336.50	53.95	-91.51	-37.56	-25.00	12.56	Horizontal	PASS
4	12920.50	40.70	-90.16	-49.46	-25.00	24.46	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	102.68	-82.40	20.28	-	-	Vertical	NA
2	5168.50	58.42	-102.05	-43.63	-25.00	18.63	Vertical	PASS
3	10336.50	57.94	-91.51	-33.57	-25.00	8.57	Vertical	PASS
4	12920.50	43.28	-90.16	-46.88	-25.00	21.88	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B42(3450-3550MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3490.95	94.56	-78.52	16.04	-	-	Horizontal	NA
2	6982.23	47.16	-97.14	-49.98	-13.00	36.98	Horizontal	PASS
3	10473.25	35.90	-90.92	-55.02	-13.00	42.02	Horizontal	PASS
4	13964.27	35.78	-87.30	-51.52	-13.00	38.52	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B42(3450-3550MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3490.95	96.91	-78.52	18.39	-	-	Vertical	NA
2	6982.23	49.40	-97.14	-47.74	-13.00	34.74	Vertical	PASS
3	10473.25	37.56	-90.92	-53.36	-13.00	40.36	Vertical	PASS
4	13964.27	42.54	-87.30	-44.76	-13.00	31.76	Vertical	PASS

Project Information			
Mode:	LTE	Band:	B43(3600-3700MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3641.10	101.30	-88.55	12.75	-	-	Horizontal	NA
2	6363.05	31.53	-80.01	-48.48	-40.00	8.48	Horizontal	PASS
3	7282.03	37.92	-96.25	-58.33	-40.00	18.33	Horizontal	PASS
4	17977.38	31.69	-81.80	-50.11	-40.00	10.11	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	B43(3600-3700MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	P10625088557D9E	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3641.10	108.90	-88.55	20.35	-	-	Vertical	NA
2	6358.38	31.35	-79.96	-48.61	-40.00	8.61	Vertical	PASS
3	7282.03	43.07	-96.25	-53.18	-40.00	13.18	Vertical	PASS
4	14564.45	42.09	-87.84	-45.75	-40.00	5.75	Vertical	PASS

~The End~