


713.5 MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	40.74	-94.16	27.43	6.94	0.00	-59.79	-13.00	-46.79	Peak
2	445.13	-93.30	25.99	9.35	0.00	-57.96	-13.00	-44.96	Peak
3	1424.51	-63.16	37.00	4.21	36.63	-58.58	-13.00	-45.58	Peak
4	1750.70	-60.18	36.54	4.68	37.37	-56.33	-13.00	-43.33	Peak
5	2135.22	-60.16	40.39	5.21	37.43	-51.99	-13.00	-38.99	Peak
6	3200.50	-64.82	41.37	6.46	37.11	-54.10	-13.00	-41.10	Peak

713.5 MHz

Polarization: Vertical




Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	93.74	-93.77	25.84	7.46	0.00	-60.47	-13.00	-47.47	Peak
2	506.98	-93.81	26.09	9.58	0.00	-58.14	-13.00	-45.14	Peak
3	1424.51	-61.50	37.76	4.21	36.63	-56.16	-13.00	-43.16	Peak
4	2135.22	-59.11	40.66	5.21	37.43	-50.67	-13.00	-37.67	Peak
5	2500.25	-60.73	39.23	5.66	37.28	-53.12	-13.00	-40.12	Peak
6	3200.50	-66.46	41.48	6.46	37.11	-55.63	-13.00	-42.63	Peak

Band 17

710 MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	35.89	-94.47	27.16	6.88	0.00	-60.43	-13.00	-47.43	Peak
2	357.93	-87.54	24.16	8.97	0.00	-54.41	-13.00	-41.41	Peak
3	1063.00	-55.56	33.23	3.64	37.03	-55.72	-13.00	-42.72	Peak
4	1413.67	-61.28	37.07	4.19	36.65	-56.67	-13.00	-43.67	Peak
5	1750.70	-59.44	36.54	4.68	37.37	-55.59	-13.00	-42.59	Peak
6	3200.50	-64.44	41.37	6.46	37.11	-53.72	-13.00	-40.72	Peak

710MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	96.76	-93.71	25.79	7.48	0.00	-60.44	-13.00	-47.44	Peak
2	351.69	-90.83	24.48	8.95	0.00	-57.40	-13.00	-44.40	Peak
3	1065.71	-54.41	33.09	3.64	37.03	-54.71	-13.00	-41.71	Peak
4	1420.89	-60.39	37.76	4.20	36.64	-55.07	-13.00	-42.07	Peak
5	2135.22	-59.98	40.66	5.21	37.43	-51.54	-13.00	-38.54	Peak
6	2500.25	-61.19	39.23	5.66	37.28	-53.58	-13.00	-40.58	Peak

706.5 MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamplifier dB	Level dBm	Limit dBm	Over limit	Remark
1	38.78	-93.86	27.60	6.92	0.00	-59.34	-13.00	-46.34	Peak
2	354.17	-88.56	24.11	8.96	0.00	-55.49	-13.00	-42.49	Peak
3	1057.60	-59.86	33.08	3.63	37.05	-60.20	-13.00	-47.20	Peak
4	1406.50	-60.85	37.12	4.18	36.61	-56.16	-13.00	-43.16	Peak
5	2500.25	-62.82	39.27	5.66	37.28	-55.17	-13.00	-42.17	Peak
6	3200.50	-63.96	41.37	6.46	37.11	-53.24	-13.00	-40.24	Peak

706.5 MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamplifier dB	Level dBm	Limit dBm	Over limit	Remark
1	102.36	-94.34	25.43	7.54	0.00	-61.37	-13.00	-48.37	Peak
2	438.91	-92.19	25.60	9.32	0.00	-57.27	-13.00	-44.27	Peak
3	1057.60	-59.68	32.85	3.63	37.05	-60.25	-13.00	-47.25	Peak
4	1410.08	-59.37	37.76	4.19	36.63	-54.05	-13.00	-41.05	Peak
5	2500.25	-61.05	39.23	5.66	37.28	-53.44	-13.00	-40.44	Peak
6	3200.50	-65.49	41.48	6.46	37.11	-54.66	-13.00	-41.66	Peak

713.5 MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	40.03	-95.28	27.77	6.93	0.00	-60.58	-13.00	-47.58	Peak
2	357.93	-85.92	24.16	8.97	0.00	-52.79	-13.00	-39.79	Peak
3	1071.15	-52.77	33.45	3.65	37.01	-52.68	-13.00	-39.68	Peak
4	1424.51	-60.07	37.00	4.21	36.63	-55.49	-13.00	-42.49	Peak
5	2500.25	-62.78	39.27	5.66	37.28	-55.13	-13.00	-42.13	Peak
6	3200.50	-64.42	41.37	6.46	37.11	-53.70	-13.00	-40.70	Peak

713.5 MHz

Polarization: Vertical




Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	95.74	-93.91	25.81	7.48	0.00	-60.62	-13.00	-47.62	Peak
2	357.93	-86.92	24.31	8.97	0.00	-53.64	-13.00	-40.64	Peak
3	1068.42	-50.64	33.17	3.65	37.02	-50.84	-13.00	-37.84	Peak
4	1424.51	-59.04	37.76	4.21	36.63	-53.70	-13.00	-40.70	Peak
5	1786.72	-60.51	36.44	4.74	37.14	-56.47	-13.00	-43.47	Peak
6	2500.25	-61.09	39.23	5.66	37.28	-53.48	-13.00	-40.48	Peak

Band 66

1745 MHZ


Polarization: Horizontal




Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	32.99	-65.19	26.67	6.85	30.92	-62.59	-13.00	-49.59	Peak
2	366.85	-67.57	24.48	9.01	30.15	-64.23	-13.00	-51.23	Peak
3	1701.87	-65.96	36.36	12.88	27.53	-44.25	-13.00	-31.25	Peak
4	2208.03	-68.60	40.92	14.05	28.36	-41.99	-13.00	-28.99	Peak
5	3471.72	-57.99	40.61	6.76	37.08	-47.70	-13.00	-34.70	Peak
6	5210.74	-48.85	43.96	9.01	34.43	-30.31	-13.00	-17.31	Peak

1745 MHZ

Polarization: Vertical




Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	35.89	-48.58	19.87	6.88	30.92	-52.75	-13.00	-39.75	Peak
2	400.56	-66.67	25.25	9.19	30.09	-62.32	-13.00	-49.32	Peak
3	1701.87	-62.37	36.24	12.88	27.53	-40.78	-13.00	-27.78	Peak
4	2200.76	-68.93	41.72	14.03	28.35	-41.53	-13.00	-28.53	Peak
5	5210.74	-48.85	43.93	9.01	34.43	-30.34	-13.00	-17.34	Peak
6	8681.66	-69.40	48.49	11.78	30.13	-39.26	-13.00	-26.26	Peak



1755 MHZ


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	31.96	-66.58	26.49	6.83	30.92	-64.18	-13.00	-51.18	Peak
2	800.80	-72.26	29.86	10.56	29.43	-61.27	-13.00	-48.27	Peak
3	1764.70	-65.41	36.59	13.00	26.56	-42.38	-13.00	-29.38	Peak
4	2212.88	-68.65	40.89	14.06	28.36	-42.06	-13.00	-29.06	Peak
5	3491.92	-57.28	40.89	6.78	37.09	-46.70	-13.00	-33.70	Peak
6	5241.06	-53.79	43.98	9.15	34.34	-35.00	-13.00	-22.00	Peak

1755MHZ


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	31.96	-60.87	18.56	6.83	30.92	-66.40	-13.00	-53.40	Peak
2	449.85	-67.31	25.28	9.37	30.18	-62.84	-13.00	-49.84	Peak
3	1764.70	-65.85	36.39	13.00	26.56	-43.02	-13.00	-30.02	Peak
4	2210.45	-69.09	41.60	14.06	28.37	-41.80	-13.00	-28.80	Peak
5	3491.92	-57.81	40.99	6.78	37.09	-47.13	-13.00	-34.13	Peak
6	5241.06	-54.82	43.96	9.15	34.34	-36.05	-13.00	-23.05	Peak

1770 MHZ


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	52.47	-54.51	23.79	7.07	30.84	-54.49	-13.00	-41.49	Peak
2	829.47	-78.98	29.92	10.67	29.35	-67.74	-13.00	-54.74	Peak
3	1465.68	-68.71	36.75	12.33	28.78	-48.41	-13.00	-35.41	Peak
4	2774.89	-71.85	40.49	16.25	24.35	-39.46	-13.00	-26.46	Peak
5	3522.44	-57.28	41.32	6.81	37.08	-46.23	-13.00	-33.23	Peak
6	5279.20	-46.78	44.00	9.33	34.28	-27.73	-13.00	-14.73	Peak

1770 MHZ

Polarization: Vertical




Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	51.56	-55.31	22.36	7.06	30.85	-56.74	-13.00	-43.74	Peak
2	908.88	-79.24	29.82	10.88	29.32	-67.86	-13.00	-54.86	Peak
3	1521.46	-69.00	37.76	12.47	28.45	-47.22	-13.00	-34.22	Peak
4	2384.53	-68.71	39.50	14.72	27.41	-41.90	-13.00	-28.90	Peak
5	3522.44	-59.99	41.46	6.81	37.08	-48.80	-13.00	-35.80	Peak
6	5279.20	-52.34	44.00	9.33	34.28	-33.29	-13.00	-20.29	Peak

Band 71

683 MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	36.92	-94.50	27.32	6.89	0.00	-60.29	-13.00	-47.29	Peak
2	337.16	-88.74	23.71	8.89	0.00	-56.14	-13.00	-43.14	Peak
3	1010.23	-47.99	31.75	3.55	36.87	-49.56	-13.00	-36.56	Peak
4	1346.93	-53.13	37.05	4.10	36.30	-48.28	-13.00	-35.28	Peak
5	2018.93	-45.10	39.29	5.04	37.26	-38.03	-13.00	-25.03	Peak
6	3367.66	-59.43	39.86	6.66	37.35	-50.26	-13.00	-37.26	Peak

683 MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	90.82	-93.62	25.88	7.43	0.00	-60.31	-13.00	-47.31	Peak
2	337.16	-91.28	24.57	8.89	0.00	-57.82	-13.00	-44.82	Peak
3	1346.93	-46.02	37.53	4.10	36.30	-40.69	-13.00	-27.69	Peak
4	2024.07	-52.58	38.74	5.05	37.27	-46.06	-13.00	-33.06	Peak
5	2500.25	-60.71	39.23	5.66	37.28	-53.10	-13.00	-40.10	Peak
6	5518.20	-72.04	43.98	9.36	32.46	-51.16	-13.00	-38.16	Peak

673 MHZ


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	39.89	-94.76	27.76	6.93	0.00	-60.07	-13.00	-47.07	Peak
2	449.85	-92.46	25.95	9.37	0.00	-57.14	-13.00	-44.14	Peak
3	1326.51	-51.04	37.01	4.07	36.42	-46.38	-13.00	-33.38	Peak
4	1993.40	-57.87	39.03	5.01	37.22	-51.05	-13.00	-38.05	Peak
5	2500.25	-63.33	39.27	5.66	37.28	-55.68	-13.00	-42.68	Peak
6	3200.50	-64.39	41.37	6.46	37.11	-53.67	-13.00	-40.67	Peak

673 MHZ


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	60.40	-91.18	23.58	7.15	0.00	-60.45	-13.00	-47.45	Peak
2	489.46	-92.60	25.99	9.52	0.00	-57.09	-13.00	-44.09	Peak
3	1326.51	-47.21	37.44	4.07	36.42	-42.12	-13.00	-29.12	Peak
4	1750.70	-61.20	36.36	4.68	37.37	-57.53	-13.00	-44.53	Peak
5	2500.25	-61.80	39.23	5.66	37.28	-54.19	-13.00	-41.19	Peak
6	3579.82	-68.03	42.32	6.88	37.00	-55.83	-13.00	-42.83	Peak

688MHZ


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	35.89	-69.95	27.16	6.88	0.00	-35.91	-13.00	-22.91	Peak
2	339.54	-85.44	23.88	8.90	0.00	-52.66	-13.00	-39.66	Peak
3	1017.98	-47.38	31.98	3.56	36.94	-48.78	-13.00	-35.78	Peak
4	1357.25	-51.18	37.07	4.11	36.35	-46.35	-13.00	-33.35	Peak
5	2034.41	-50.68	39.44	5.06	37.30	-43.48	-13.00	-30.48	Peak
6	3200.50	-64.23	41.37	6.46	37.11	-53.51	-13.00	-40.51	Peak



688 MHz

Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	90.82	-94.30	25.88	7.43	0.00	-60.99	-13.00	-47.99	Peak
2	344.35	-89.51	24.69	8.93	0.00	-55.89	-13.00	-42.89	Peak
3	1007.67	-47.76	31.32	3.54	36.85	-49.75	-13.00	-36.75	Peak
4	1357.25	-46.78	37.57	4.11	36.35	-41.45	-13.00	-28.45	Peak
5	2034.41	-53.63	38.92	5.06	37.30	-46.95	-13.00	-33.95	Peak
6	2500.25	-61.87	39.23	5.66	37.28	-54.26	-13.00	-41.26	Peak

6. TEST SETUP PHOTOS OF THE EUT



7. EXTERNAL AND INTERNAL PHOTOS OF THE EUT

Refere to the test report No.: CHTEW21110239

8. APPENDIX REPORT