





GSM850\_190




GSM850\_251




GSM850\_251




GPRS850\_128




GPRS850\_128



GPRS850\_190




GPRS850\_190



GPRS850\_251




GPRS850\_251



EGPRS850\_128




EGPRS850\_128



EGPRS850\_190




EGPRS850\_190



EGPRS850\_251




EGPRS850\_251



GSM1900\_512




GSM1900\_512



GSM1900\_661




GSM1900\_661



GSM1900\_810




GSM1900\_810



GPRS1900\_512




GPRS1900\_512



GPRS1900\_661




GPRS1900\_661



GPRS1900\_810




GPRS1900\_810



EGPRS1900\_512




EGPRS1900\_512



EGPRS1900\_661



EGPRS1900\_661



EGPRS1900\_810



EGPRS1900\_810



## 8.6 Appendix F: Frequency Stability

### Test Result

| Voltage   |         |               |                  |                |                 |             |         |
|-----------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band      | Channel | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| GSM850    | 128     | VL            | TN               | 2.20           | 0.002664        | 2.5         | PASS    |
| GSM850    | 128     | VN            | TN               | 3.81           | 0.004622        | 2.5         | PASS    |
| GSM850    | 128     | VH            | TN               | 4.84           | 0.005876        | 2.5         | PASS    |
| GSM850    | 190     | VL            | TN               | 3.55           | 0.004245        | 2.5         | PASS    |
| GSM850    | 190     | VN            | TN               | 2.97           | 0.003550        | 2.5         | PASS    |
| GSM850    | 190     | VH            | TN               | -0.45          | -0.000540       | 2.5         | PASS    |
| GSM850    | 251     | VL            | TN               | 1.97           | 0.002320        | 2.5         | PASS    |
| GSM850    | 251     | VN            | TN               | 3.39           | 0.003994        | 2.5         | PASS    |
| GSM850    | 251     | VH            | TN               | 6.33           | 0.007455        | 2.5         | PASS    |
| GPRS850   | 128     | VL            | TN               | 11.98          | 0.014533        | 2.5         | PASS    |
| GPRS850   | 128     | VN            | TN               | 13.27          | 0.016100        | 2.5         | PASS    |
| GPRS850   | 128     | VH            | TN               | 14.59          | 0.017706        | 2.5         | PASS    |
| GPRS850   | 190     | VL            | TN               | 17.82          | 0.021303        | 2.5         | PASS    |
| GPRS850   | 190     | VN            | TN               | 16.11          | 0.019257        | 2.5         | PASS    |
| GPRS850   | 190     | VH            | TN               | 17.14          | 0.020492        | 2.5         | PASS    |
| GPRS850   | 251     | VL            | TN               | 15.05          | 0.017725        | 2.5         | PASS    |
| GPRS850   | 251     | VN            | TN               | 15.27          | 0.017992        | 2.5         | PASS    |
| GPRS850   | 251     | VH            | TN               | 16.82          | 0.019817        | 2.5         | PASS    |
| EGPRS850  | 128     | VL            | TN               | 18.11          | 0.021976        | 2.5         | PASS    |
| EGPRS850  | 128     | VN            | TN               | 20.60          | 0.024992        | 2.5         | PASS    |
| EGPRS850  | 128     | VH            | TN               | 20.95          | 0.025423        | 2.5         | PASS    |
| EGPRS850  | 190     | VL            | TN               | 20.79          | 0.024853        | 2.5         | PASS    |
| EGPRS850  | 190     | VN            | TN               | 21.15          | 0.025278        | 2.5         | PASS    |
| EGPRS850  | 190     | VH            | TN               | 21.28          | 0.025432        | 2.5         | PASS    |
| EGPRS850  | 251     | VL            | TN               | 21.50          | 0.025333        | 2.5         | PASS    |
| EGPRS850  | 251     | VN            | TN               | 22.57          | 0.026588        | 2.5         | PASS    |
| EGPRS850  | 251     | VH            | TN               | 20.70          | 0.024382        | 2.5         | PASS    |
| GSM1900   | 512     | VL            | TN               | -6.36          | -0.003438       | 2.5         | PASS    |
| GSM1900   | 512     | VN            | TN               | 2.97           | 0.001605        | 2.5         | PASS    |
| GSM1900   | 512     | VH            | TN               | -2.68          | -0.001448       | 2.5         | PASS    |
| GSM1900   | 661     | VL            | TN               | -9.69          | -0.005152       | 2.5         | PASS    |
| GSM1900   | 661     | VN            | TN               | -6.52          | -0.003469       | 2.5         | PASS    |
| GSM1900   | 661     | VH            | TN               | -6.59          | -0.003503       | 2.5         | PASS    |
| GSM1900   | 810     | VL            | TN               | -10.94         | -0.005731       | 2.5         | PASS    |
| GSM1900   | 810     | VN            | TN               | -7.94          | -0.004159       | 2.5         | PASS    |
| GSM1900   | 810     | VH            | TN               | -8.43          | -0.004412       | 2.5         | PASS    |
| GPRS1900  | 512     | VL            | TN               | 4.88           | 0.002635        | 2.5         | PASS    |
| GPRS1900  | 512     | VN            | TN               | 2.78           | 0.001501        | 2.5         | PASS    |
| GPRS1900  | 512     | VH            | TN               | 9.20           | 0.004973        | 2.5         | PASS    |
| GPRS1900  | 661     | VL            | TN               | -0.16          | -0.000086       | 2.5         | PASS    |
| GPRS1900  | 661     | VN            | TN               | 1.07           | 0.000567        | 2.5         | PASS    |
| GPRS1900  | 661     | VH            | TN               | 3.87           | 0.002061        | 2.5         | PASS    |
| GPRS1900  | 810     | VL            | TN               | 5.26           | 0.002756        | 2.5         | PASS    |
| GPRS1900  | 810     | VN            | TN               | -0.48          | -0.000254       | 2.5         | PASS    |
| GPRS1900  | 810     | VH            | TN               | -2.10          | -0.001099       | 2.5         | PASS    |
| EGPRS1900 | 512     | VL            | TN               | 1.07           | 0.000576        | 2.5         | PASS    |
| EGPRS1900 | 512     | VN            | TN               | 4.20           | 0.002268        | 2.5         | PASS    |
| EGPRS1900 | 512     | VH            | TN               | 3.71           | 0.002007        | 2.5         | PASS    |



|           |     |    |    |       |           |     |      |
|-----------|-----|----|----|-------|-----------|-----|------|
| EGPRS1900 | 661 | VL | TN | -2.13 | -0.001133 | 2.5 | PASS |
| EGPRS1900 | 661 | VN | TN | 0.10  | 0.000052  | 2.5 | PASS |
| EGPRS1900 | 661 | VH | TN | 3.42  | 0.001820  | 2.5 | PASS |
| EGPRS1900 | 810 | VL | TN | 3.52  | 0.001843  | 2.5 | PASS |
| EGPRS1900 | 810 | VN | TN | 4.23  | 0.002215  | 2.5 | PASS |
| EGPRS1900 | 810 | VH | TN | 2.03  | 0.001065  | 2.5 | PASS |



| Temperature |         |               |                  |                |                 |             |         |
|-------------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band        | Channel | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| GSM850      | 128     | VN            | -30              | 1.07           | 0.001293        | 2.5         | PASS    |
| GSM850      | 128     | VN            | -20              | 6.46           | 0.007834        | 2.5         | PASS    |
| GSM850      | 128     | VN            | -10              | 3.75           | 0.004544        | 2.5         | PASS    |
| GSM850      | 128     | VN            | 0                | 2.32           | 0.002820        | 2.5         | PASS    |
| GSM850      | 128     | VN            | 10               | 4.42           | 0.005367        | 2.5         | PASS    |
| GSM850      | 128     | VN            | 20               | 5.59           | 0.006777        | 2.5         | PASS    |
| GSM850      | 128     | VN            | 30               | 3.07           | 0.003721        | 2.5         | PASS    |
| GSM850      | 128     | VN            | 40               | 2.55           | 0.003095        | 2.5         | PASS    |
| GSM850      | 128     | VN            | 50               | 2.42           | 0.002938        | 2.5         | PASS    |
| GSM850      | 190     | VN            | -30              | 1.74           | 0.002084        | 2.5         | PASS    |
| GSM850      | 190     | VN            | -20              | 0.74           | 0.000888        | 2.5         | PASS    |
| GSM850      | 190     | VN            | -10              | 0.03           | 0.000039        | 2.5         | PASS    |
| GSM850      | 190     | VN            | 0                | -0.26          | -0.000309       | 2.5         | PASS    |
| GSM850      | 190     | VN            | 10               | -0.94          | -0.001119       | 2.5         | PASS    |
| GSM850      | 190     | VN            | 20               | 0.06           | 0.000077        | 2.5         | PASS    |
| GSM850      | 190     | VN            | 30               | 2.45           | 0.002933        | 2.5         | PASS    |
| GSM850      | 190     | VN            | 40               | 0.52           | 0.000617        | 2.5         | PASS    |
| GSM850      | 190     | VN            | 50               | 2.13           | 0.002547        | 2.5         | PASS    |
| GSM850      | 251     | VN            | -30              | 5.84           | 0.006885        | 2.5         | PASS    |
| GSM850      | 251     | VN            | -20              | 0.10           | 0.000114        | 2.5         | PASS    |
| GSM850      | 251     | VN            | -10              | 2.16           | 0.002548        | 2.5         | PASS    |
| GSM850      | 251     | VN            | 0                | 3.94           | 0.004641        | 2.5         | PASS    |
| GSM850      | 251     | VN            | 10               | 1.10           | 0.001293        | 2.5         | PASS    |
| GSM850      | 251     | VN            | 20               | 2.07           | 0.002434        | 2.5         | PASS    |
| GSM850      | 251     | VN            | 30               | -0.55          | -0.000647       | 2.5         | PASS    |
| GSM850      | 251     | VN            | 40               | 0.61           | 0.000723        | 2.5         | PASS    |
| GSM850      | 251     | VN            | 50               | -0.68          | -0.000799       | 2.5         | PASS    |
| GPRS850     | 128     | VN            | -30              | 17.40          | 0.021114        | 2.5         | PASS    |
| GPRS850     | 128     | VN            | -20              | 18.56          | 0.022524        | 2.5         | PASS    |
| GPRS850     | 128     | VN            | -10              | 17.47          | 0.021192        | 2.5         | PASS    |
| GPRS850     | 128     | VN            | 0                | 17.14          | 0.020801        | 2.5         | PASS    |
| GPRS850     | 128     | VN            | 10               | 16.98          | 0.020605        | 2.5         | PASS    |
| GPRS850     | 128     | VN            | 20               | 18.05          | 0.021897        | 2.5         | PASS    |
| GPRS850     | 128     | VN            | 30               | 17.69          | 0.021466        | 2.5         | PASS    |
| GPRS850     | 128     | VN            | 40               | 15.98          | 0.019390        | 2.5         | PASS    |
| GPRS850     | 128     | VN            | 50               | 14.53          | 0.017628        | 2.5         | PASS    |
| GPRS850     | 190     | VN            | -30              | 15.46          | 0.018485        | 2.5         | PASS    |
| GPRS850     | 190     | VN            | -20              | 15.95          | 0.019064        | 2.5         | PASS    |
| GPRS850     | 190     | VN            | -10              | 16.34          | 0.019527        | 2.5         | PASS    |
| GPRS850     | 190     | VN            | 0                | 18.40          | 0.021997        | 2.5         | PASS    |
| GPRS850     | 190     | VN            | 10               | 16.95          | 0.020261        | 2.5         | PASS    |
| GPRS850     | 190     | VN            | 20               | 16.05          | 0.019180        | 2.5         | PASS    |
| GPRS850     | 190     | VN            | 30               | 17.69          | 0.021148        | 2.5         | PASS    |
| GPRS850     | 190     | VN            | 40               | 15.92          | 0.019026        | 2.5         | PASS    |
| GPRS850     | 190     | VN            | 50               | 17.11          | 0.020454        | 2.5         | PASS    |
| GPRS850     | 251     | VN            | -30              | 15.30          | 0.018030        | 2.5         | PASS    |
| GPRS850     | 251     | VN            | -20              | 14.92          | 0.017573        | 2.5         | PASS    |
| GPRS850     | 251     | VN            | -10              | 16.43          | 0.019361        | 2.5         | PASS    |
| GPRS850     | 251     | VN            | 0                | 15.82          | 0.018638        | 2.5         | PASS    |
| GPRS850     | 251     | VN            | 10               | 16.59          | 0.019551        | 2.5         | PASS    |
| GPRS850     | 251     | VN            | 20               | 16.01          | 0.018866        | 2.5         | PASS    |



|          |     |    |     |        |           |     |      |
|----------|-----|----|-----|--------|-----------|-----|------|
| GPRS850  | 251 | VN | 30  | 14.50  | 0.017079  | 2.5 | PASS |
| GPRS850  | 251 | VN | 40  | 14.56  | 0.017155  | 2.5 | PASS |
| GPRS850  | 251 | VN | 50  | 16.47  | 0.019399  | 2.5 | PASS |
| EGPRS850 | 128 | VN | -30 | 20.44  | 0.024796  | 2.5 | PASS |
| EGPRS850 | 128 | VN | -20 | 22.31  | 0.027068  | 2.5 | PASS |
| EGPRS850 | 128 | VN | -10 | 20.34  | 0.024679  | 2.5 | PASS |
| EGPRS850 | 128 | VN | 0   | 20.60  | 0.024992  | 2.5 | PASS |
| EGPRS850 | 128 | VN | 10  | 19.79  | 0.024013  | 2.5 | PASS |
| EGPRS850 | 128 | VN | 20  | 23.60  | 0.028635  | 2.5 | PASS |
| EGPRS850 | 128 | VN | 30  | 22.28  | 0.027029  | 2.5 | PASS |
| EGPRS850 | 128 | VN | 40  | 20.66  | 0.025070  | 2.5 | PASS |
| EGPRS850 | 128 | VN | 50  | 21.79  | 0.026441  | 2.5 | PASS |
| EGPRS850 | 190 | VN | -30 | 20.76  | 0.024814  | 2.5 | PASS |
| EGPRS850 | 190 | VN | -20 | 19.79  | 0.023657  | 2.5 | PASS |
| EGPRS850 | 190 | VN | -10 | 20.18  | 0.024120  | 2.5 | PASS |
| EGPRS850 | 190 | VN | 0   | 21.92  | 0.026204  | 2.5 | PASS |
| EGPRS850 | 190 | VN | 10  | 19.95  | 0.023850  | 2.5 | PASS |
| EGPRS850 | 190 | VN | 20  | 19.98  | 0.023888  | 2.5 | PASS |
| EGPRS850 | 190 | VN | 30  | 19.82  | 0.023695  | 2.5 | PASS |
| EGPRS850 | 190 | VN | 40  | 20.37  | 0.024351  | 2.5 | PASS |
| EGPRS850 | 190 | VN | 50  | 19.15  | 0.022885  | 2.5 | PASS |
| EGPRS850 | 251 | VN | -30 | 21.15  | 0.024914  | 2.5 | PASS |
| EGPRS850 | 251 | VN | -20 | 21.31  | 0.025104  | 2.5 | PASS |
| EGPRS850 | 251 | VN | -10 | 19.95  | 0.023507  | 2.5 | PASS |
| EGPRS850 | 251 | VN | 0   | 19.86  | 0.023393  | 2.5 | PASS |
| EGPRS850 | 251 | VN | 10  | 22.28  | 0.026246  | 2.5 | PASS |
| EGPRS850 | 251 | VN | 20  | 20.53  | 0.024192  | 2.5 | PASS |
| EGPRS850 | 251 | VN | 30  | 19.60  | 0.023088  | 2.5 | PASS |
| EGPRS850 | 251 | VN | 40  | 19.27  | 0.022708  | 2.5 | PASS |
| EGPRS850 | 251 | VN | 50  | 21.41  | 0.025219  | 2.5 | PASS |
| GSM1900  | 512 | VN | -30 | 1.45   | 0.000785  | 2.5 | PASS |
| GSM1900  | 512 | VN | -20 | -1.65  | -0.000890 | 2.5 | PASS |
| GSM1900  | 512 | VN | -10 | -5.78  | -0.003124 | 2.5 | PASS |
| GSM1900  | 512 | VN | 0   | -6.94  | -0.003752 | 2.5 | PASS |
| GSM1900  | 512 | VN | 10  | -6.59  | -0.003560 | 2.5 | PASS |
| GSM1900  | 512 | VN | 20  | -5.88  | -0.003176 | 2.5 | PASS |
| GSM1900  | 512 | VN | 30  | -0.97  | -0.000523 | 2.5 | PASS |
| GSM1900  | 512 | VN | 40  | -3.33  | -0.001797 | 2.5 | PASS |
| GSM1900  | 512 | VN | 50  | -3.39  | -0.001832 | 2.5 | PASS |
| GSM1900  | 661 | VN | -30 | -11.53 | -0.006131 | 2.5 | PASS |
| GSM1900  | 661 | VN | -20 | -14.69 | -0.007814 | 2.5 | PASS |
| GSM1900  | 661 | VN | -10 | -7.97  | -0.004242 | 2.5 | PASS |
| GSM1900  | 661 | VN | 0   | -11.24 | -0.005976 | 2.5 | PASS |
| GSM1900  | 661 | VN | 10  | -7.97  | -0.004242 | 2.5 | PASS |
| GSM1900  | 661 | VN | 20  | -6.97  | -0.003709 | 2.5 | PASS |
| GSM1900  | 661 | VN | 30  | -10.98 | -0.005839 | 2.5 | PASS |
| GSM1900  | 661 | VN | 40  | -5.20  | -0.002765 | 2.5 | PASS |
| GSM1900  | 661 | VN | 50  | -12.49 | -0.006646 | 2.5 | PASS |
| GSM1900  | 810 | VN | -30 | -4.00  | -0.002096 | 2.5 | PASS |
| GSM1900  | 810 | VN | -20 | -12.62 | -0.006610 | 2.5 | PASS |
| GSM1900  | 810 | VN | -10 | -6.23  | -0.003263 | 2.5 | PASS |
| GSM1900  | 810 | VN | 0   | -14.14 | -0.007405 | 2.5 | PASS |
| GSM1900  | 810 | VN | 10  | -8.78  | -0.004598 | 2.5 | PASS |
| GSM1900  | 810 | VN | 20  | -11.36 | -0.005951 | 2.5 | PASS |
| GSM1900  | 810 | VN | 30  | -6.72  | -0.003516 | 2.5 | PASS |



|           |     |    |     |        |           |     |      |
|-----------|-----|----|-----|--------|-----------|-----|------|
| GSM1900   | 810 | VN | 40  | -9.56  | -0.005004 | 2.5 | PASS |
| GSM1900   | 810 | VN | 50  | -10.98 | -0.005748 | 2.5 | PASS |
| GPRS1900  | 512 | VN | -30 | 2.13   | 0.001152  | 2.5 | PASS |
| GPRS1900  | 512 | VN | -20 | 0.84   | 0.000454  | 2.5 | PASS |
| GPRS1900  | 512 | VN | -10 | -0.52  | -0.000279 | 2.5 | PASS |
| GPRS1900  | 512 | VN | 0   | 2.32   | 0.001256  | 2.5 | PASS |
| GPRS1900  | 512 | VN | 10  | 0.65   | 0.000349  | 2.5 | PASS |
| GPRS1900  | 512 | VN | 20  | 1.00   | 0.000541  | 2.5 | PASS |
| GPRS1900  | 512 | VN | 30  | 4.16   | 0.002251  | 2.5 | PASS |
| GPRS1900  | 512 | VN | 40  | 4.97   | 0.002687  | 2.5 | PASS |
| GPRS1900  | 512 | VN | 50  | 4.26   | 0.002303  | 2.5 | PASS |
| GPRS1900  | 661 | VN | -30 | 2.84   | 0.001511  | 2.5 | PASS |
| GPRS1900  | 661 | VN | -20 | 5.39   | 0.002868  | 2.5 | PASS |
| GPRS1900  | 661 | VN | -10 | 4.58   | 0.002439  | 2.5 | PASS |
| GPRS1900  | 661 | VN | 0   | -0.42  | -0.000223 | 2.5 | PASS |
| GPRS1900  | 661 | VN | 10  | 6.39   | 0.003400  | 2.5 | PASS |
| GPRS1900  | 661 | VN | 20  | 2.36   | 0.001254  | 2.5 | PASS |
| GPRS1900  | 661 | VN | 30  | 1.97   | 0.001048  | 2.5 | PASS |
| GPRS1900  | 661 | VN | 40  | 3.00   | 0.001597  | 2.5 | PASS |
| GPRS1900  | 661 | VN | 50  | 7.68   | 0.004087  | 2.5 | PASS |
| GPRS1900  | 810 | VN | -30 | 2.23   | 0.001166  | 2.5 | PASS |
| GPRS1900  | 810 | VN | -20 | -0.55  | -0.000287 | 2.5 | PASS |
| GPRS1900  | 810 | VN | -10 | 1.13   | 0.000592  | 2.5 | PASS |
| GPRS1900  | 810 | VN | 0   | 0.58   | 0.000304  | 2.5 | PASS |
| GPRS1900  | 810 | VN | 10  | 1.87   | 0.000981  | 2.5 | PASS |
| GPRS1900  | 810 | VN | 20  | 0.16   | 0.000085  | 2.5 | PASS |
| GPRS1900  | 810 | VN | 30  | -0.36  | -0.000186 | 2.5 | PASS |
| GPRS1900  | 810 | VN | 40  | 3.45   | 0.001809  | 2.5 | PASS |
| GPRS1900  | 810 | VN | 50  | 2.87   | 0.001505  | 2.5 | PASS |
| EGPRS1900 | 512 | VN | -30 | 4.29   | 0.002321  | 2.5 | PASS |
| EGPRS1900 | 512 | VN | -20 | -0.81  | -0.000436 | 2.5 | PASS |
| EGPRS1900 | 512 | VN | -10 | -0.16  | -0.000087 | 2.5 | PASS |
| EGPRS1900 | 512 | VN | 0   | -0.45  | -0.000244 | 2.5 | PASS |
| EGPRS1900 | 512 | VN | 10  | -4.16  | -0.002251 | 2.5 | PASS |
| EGPRS1900 | 512 | VN | 20  | 2.00   | 0.001082  | 2.5 | PASS |
| EGPRS1900 | 512 | VN | 30  | -1.45  | -0.000785 | 2.5 | PASS |
| EGPRS1900 | 512 | VN | 40  | 1.78   | 0.000960  | 2.5 | PASS |
| EGPRS1900 | 512 | VN | 50  | 4.00   | 0.002164  | 2.5 | PASS |
| EGPRS1900 | 661 | VN | -30 | -0.61  | -0.000326 | 2.5 | PASS |
| EGPRS1900 | 661 | VN | -20 | 0.90   | 0.000481  | 2.5 | PASS |
| EGPRS1900 | 661 | VN | -10 | -1.36  | -0.000721 | 2.5 | PASS |
| EGPRS1900 | 661 | VN | 0   | -2.94  | -0.001563 | 2.5 | PASS |
| EGPRS1900 | 661 | VN | 10  | -1.71  | -0.000910 | 2.5 | PASS |
| EGPRS1900 | 661 | VN | 20  | -2.20  | -0.001168 | 2.5 | PASS |
| EGPRS1900 | 661 | VN | 30  | -1.07  | -0.000567 | 2.5 | PASS |
| EGPRS1900 | 661 | VN | 40  | 4.00   | 0.002129  | 2.5 | PASS |
| EGPRS1900 | 661 | VN | 50  | -3.29  | -0.001752 | 2.5 | PASS |
| EGPRS1900 | 810 | VN | -30 | -1.07  | -0.000558 | 2.5 | PASS |
| EGPRS1900 | 810 | VN | -20 | -3.52  | -0.001843 | 2.5 | PASS |
| EGPRS1900 | 810 | VN | -10 | 0.00   | 0.000000  | 2.5 | PASS |
| EGPRS1900 | 810 | VN | 0   | 0.42   | 0.000220  | 2.5 | PASS |
| EGPRS1900 | 810 | VN | 10  | -2.52  | -0.001319 | 2.5 | PASS |
| EGPRS1900 | 810 | VN | 20  | -0.48  | -0.000254 | 2.5 | PASS |
| EGPRS1900 | 810 | VN | 30  | 1.39   | 0.000727  | 2.5 | PASS |
| EGPRS1900 | 810 | VN | 40  | -0.03  | -0.000017 | 2.5 | PASS |



Report No.: TRE1809007001

Issued: 2018-10-09

---

|           |     |    |    |       |           |     |      |
|-----------|-----|----|----|-------|-----------|-----|------|
| EGPRS1900 | 810 | VN | 50 | -0.06 | -0.000034 | 2.5 | PASS |
|-----------|-----|----|----|-------|-----------|-----|------|

-----End of the Report -----