



## Peak to Average Ratio

12.4 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:4, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




## 12.5 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:5, Channel:133297, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 680.5                 | 0.1             | 20        | 3.98     | 13               | Pass    |




## 12.6 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:6, Channel:133297, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 680.5                 | 0.1             | 20        | 4.97     | 13               | Pass    |




## 12.7 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:7, Channel:133297, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 680.5                 | 0.1             | 20        | 5.11     | 13               | Pass    |




## 12.8 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:8, Channel:133297, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 680.5                 | 0.1             | 20        | 5.86     | 13               | Pass    |




## 12.9 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:9, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 688                   | 0.1             | 20        | 4.12     | 13               | Pass    |




## 12.10 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:10, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 688                   | 0.1             | 20        | 5.06     | 13               | Pass    |




## 12.11 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:11, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 688                   | 0.1             | 20        | 4.97     | 13               | Pass    |




## 12.12 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:12, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 688                   | 0.1             | 20        | 5.91     | 13               | Pass    |




## 13. LTE\_Band38

### 13.1 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:1, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




### 13.2 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:2, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2580                  | 0.1             | 20        | 9.14     | 13               | Pass    |




### 13.3 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:3, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2580                  | 0.1             | 20        | 9.33     | 13               | Pass    |




### 13.4 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:4, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2580                  | 0.1             | 20        | 9.89     | 13               | Pass    |




### 13.5 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:5, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2595                  | 0.1             | 20        | 9.09     | 13               | Pass    |




### 13.6 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:6, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2595                  | 0.1             | 20        | 9.19     | 13               | Pass    |




### 13.7 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:7, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2595                  | 0.1             | 20        | 9.7      | 13               | Pass    |




### 13.8 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:8, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2595                  | 0.1             | 20        | 9.89     | 13               | Pass    |




### 13.9 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:9, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2610                  | 0.1             | 20        | 9.42     | 13               | Pass    |




### 13.10 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:10, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2610                  | 0.1             | 20        | 9.28     | 13               | Pass    |




### 13.11 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:11, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2610                  | 0.1             | 20        | 9.56     | 13               | Pass    |




### 13.12 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:12, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2610                  | 0.1             | 20        | 9.98     | 13               | Pass    |




## 14. LTE\_Band41 full

14.1 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




## 14.2 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:2, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2506                  | 0.1             | 20        | 9        | 13               | Pass    |




### 14.3 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:3, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2506                  | 0.1             | 20        | 9.23     | 13               | Pass    |




#### 14.4 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:4, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2506                  | 0.1             | 20        | 9.75     | 13               | Pass    |




# 14.5 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:5, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2593                  | 0.1             | 20        | 8.81     | 13               | Pass    |




# 14.6 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:6, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2593                  | 0.1             | 20        | 9.09     | 13               | Pass    |




### 14.7 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:7, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2593                  | 0.1             | 20        | 9.52     | 13               | Pass    |




# 14.8 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:8, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2593                   | 0.1             | 20        | 9.89     | 13               | Pass    |




### 14.9 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:9, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2680                  | 0.1             | 20        | 9.09     | 13               | Pass    |




# 14.10 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:10, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2680                  | 0.1             | 20        | 9.23     | 13               | Pass    |




# 14.11 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:11, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2680                  | 0.1             | 20        | 9.56     | 13               | Pass    |




# 14.12 LTE Peak to Average Ratio\_Part22-24-27(NTLV)(Subtest:12, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2680                  | 0.1             | 20        | 9.98     | 13               | Pass    |




## 1. LTE\_Band26(part90)

### 1.1 LTE Peak to Average Ratio\_Part90(NTLV)(Subtest:1, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




## 1.2 LTE Peak to Average Ratio\_Part90(NTLV)(Subtest:2, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 819                   | 0.1             | 10        | 5.02     | 13               | Pass    |




### 1.3 LTE Peak to Average Ratio\_Part90(NTLV)(Subtest:3, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 819                   | 0.1             | 10        | 4.36     | 13               | Pass    |



# 1.4 LTE Peak to Average Ratio\_Part90(NTLV)(Subtest:4, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 819                   | 0.1             | 10        | 5.86     | 13               | Pass    |



---

--BLANK BELOW--

