


Spurious Emission at Antenna Terminals


2.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.64	-13	64.64	Pass	401
0.15	30	0.01	RMS	0.17	-78.1	-13	65.1	Pass	2986
30	1000	0.1	RMS	938.859	-69.72	-13	56.72	Pass	9701
1000	1700	1	RMS	1690	-57.92	-13	44.92	Pass	701
1700	1765	1	RMS	1752.163	18.71	60	41.29	Pass	401
1765	3000	1	RMS	2993	-54.24	-13	41.24	Pass	1236
3000	12000	1	RMS	11892	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	19308	-34.86	-13	21.86	Pass	8001




2.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.42	-13	65.42	Pass	401
0.15	30	0.01	RMS	0.15	-77.53	-13	64.53	Pass	2986
30	1000	0.1	RMS	992.695	-69.7	-13	56.7	Pass	9701
1000	1700	1	RMS	1700	-56.93	-13	43.93	Pass	701
1700	1765	1	RMS	1710.238	19.17	60	40.83	Pass	401
1765	3000	1	RMS	2999	-54.2	-13	41.2	Pass	1236
3000	12000	1	RMS	11902	-43.02	-13	30.02	Pass	9002
12000	20000	1	RMS	19399	-34.83	-13	21.83	Pass	8001




2.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.18	-13	65.18	Pass	401
0.15	30	0.01	RMS	0.15	-76.68	-13	63.68	Pass	2986
30	1000	0.1	RMS	947.165	-69.65	-13	56.65	Pass	9701
1000	1700	1	RMS	1700	-57.23	-13	44.23	Pass	701
1700	1765	1	RMS	1710.238	18.41	60	41.59	Pass	401
1765	3000	1	RMS	2994	-54.15	-13	41.15	Pass	1236
3000	12000	1	RMS	11890	-43.01	-13	30.01	Pass	9002
12000	20000	1	RMS	19370	-34.86	-13	21.86	Pass	8001




2.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-79.09	-13	66.09	Pass	401
0.15	30	0.01	RMS	0.15	-77	-13	64	Pass	2986
30	1000	0.1	RMS	830.2	-69.77	-13	56.77	Pass	9701
1000	1700	1	RMS	1700	-57.91	-13	44.91	Pass	701
1700	1765	1	RMS	1730.388	19.32	60	40.68	Pass	401
1765	3000	1	RMS	2998	-54.18	-13	41.18	Pass	1236
3000	12000	1	RMS	11993	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19363	-34.87	-13	21.87	Pass	8001




2.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.7	-13	64.7	Pass	401
0.15	30	0.01	RMS	0.16	-76.72	-13	63.72	Pass	2986
30	1000	0.1	RMS	994.396	-69.72	-13	56.72	Pass	9701
1000	1700	1	RMS	1698	-57.9	-13	44.9	Pass	701
1700	1765	1	RMS	1730.388	18.35	60	41.65	Pass	401
1765	3000	1	RMS	2995	-54.17	-13	41.17	Pass	1236
3000	12000	1	RMS	11994	-42.96	-13	29.96	Pass	9002
12000	20000	1	RMS	19377	-34.86	-13	21.86	Pass	8001




2.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.33	-13	65.33	Pass	401
0.15	30	0.01	RMS	0.15	-77.67	-13	64.67	Pass	2986
30	1000	0.1	RMS	999.3	-69.69	-13	56.69	Pass	9701
1000	1700	1	RMS	1675	-57.93	-13	44.93	Pass	701
1700	1765	1	RMS	1750.375	19.35	60	40.65	Pass	401
1765	3000	1	RMS	3000	-54.22	-13	41.22	Pass	1236
3000	12000	1	RMS	11999	-42.99	-13	29.99	Pass	9002
12000	20000	1	RMS	19389	-34.84	-13	21.84	Pass	8001




2.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.97	-13	63.97	Pass	401
0.15	30	0.01	RMS	0.17	-77.29	-13	64.29	Pass	2986
30	1000	0.1	RMS	898.633	-69.79	-13	56.79	Pass	9701
1000	1700	1	RMS	1698	-57.92	-13	44.92	Pass	701
1700	1765	1	RMS	1750.375	18.78	60	41.22	Pass	401
1765	3000	1	RMS	2994	-54.13	-13	41.13	Pass	1236
3000	12000	1	RMS	12000	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19382	-34.85	-13	21.85	Pass	8001




2.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.03	-13	65.03	Pass	401
0.15	30	0.01	RMS	0.15	-78.21	-13	65.21	Pass	2986
30	1000	0.1	RMS	981.388	-69.78	-13	56.78	Pass	9701
1000	1700	1	RMS	1693	-51.94	-13	38.94	Pass	701
1700	1765	1	RMS	1710.563	19.49	60	40.51	Pass	401
1765	3000	1	RMS	3000	-54.2	-13	41.2	Pass	1236
3000	12000	1	RMS	11999	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	19409	-34.86	-13	21.86	Pass	8001




2.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.99	-13	64.99	Pass	401
0.15	30	0.01	RMS	0.16	-77.45	-13	64.45	Pass	2986
30	1000	0.1	RMS	935.857	-69.59	-13	56.59	Pass	9701
1000	1700	1	RMS	1693	-54.93	-13	41.93	Pass	701
1700	1765	1	RMS	1710.563	18.85	60	41.15	Pass	401
1765	3000	1	RMS	3000	-54.17	-13	41.17	Pass	1236
3000	12000	1	RMS	11898	-43.01	-13	30.01	Pass	9002
12000	20000	1	RMS	19387	-34.86	-13	21.86	Pass	8001




2.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.22	-13	65.22	Pass	401
0.15	30	0.01	RMS	0.15	-76.84	-13	63.84	Pass	2986
30	1000	0.1	RMS	942.962	-69.74	-13	56.74	Pass	9701
1000	1700	1	RMS	1697	-57.88	-13	44.88	Pass	701
1700	1765	1	RMS	1728.113	19.47	60	40.53	Pass	401
1765	3000	1	RMS	2974	-54.24	-13	41.24	Pass	1236
3000	12000	1	RMS	12000	-42.95	-13	29.95	Pass	9002
12000	20000	1	RMS	19329	-34.86	-13	21.86	Pass	8001




2.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.35	-13	64.35	Pass	401
0.15	30	0.01	RMS	0.16	-77.26	-13	64.26	Pass	2986
30	1000	0.1	RMS	967.278	-69.82	-13	56.82	Pass	9701
1000	1700	1	RMS	1699	-57.88	-13	44.88	Pass	701
1700	1765	1	RMS	1728.113	18.73	60	41.27	Pass	401
1765	3000	1	RMS	3000	-54.2	-13	41.2	Pass	1236
3000	12000	1	RMS	11899	-43.02	-13	30.02	Pass	9002
12000	20000	1	RMS	19312	-34.85	-13	21.85	Pass	8001




2.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.8	-13	64.8	Pass	401
0.15	30	0.01	RMS	0.15	-77.66	-13	64.66	Pass	2986
30	1000	0.1	RMS	907.339	-69.77	-13	56.77	Pass	9701
1000	1700	1	RMS	1681	-57.92	-13	44.92	Pass	701
1700	1765	1	RMS	1745.5	19.8	60	40.2	Pass	401
1765	3000	1	RMS	2999	-54.19	-13	41.19	Pass	1236
3000	12000	1	RMS	11898	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19354	-34.77	-13	21.77	Pass	8001




2.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.35	-13	65.35	Pass	401
0.15	30	0.01	RMS	0.2	-77.7	-13	64.7	Pass	2986
30	1000	0.1	RMS	927.052	-69.7	-13	56.7	Pass	9701
1000	1700	1	RMS	1680	-57.92	-13	44.92	Pass	701
1700	1765	1	RMS	1745.5	19.28	60	40.72	Pass	401
1765	3000	1	RMS	2992	-54.23	-13	41.23	Pass	1236
3000	12000	1	RMS	11898	-42.95	-13	29.95	Pass	9002
12000	20000	1	RMS	19383	-34.81	-13	21.81	Pass	8001




2.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.22	-13	65.22	Pass	401
0.15	30	0.01	RMS	0.15	-77.78	-13	64.78	Pass	2986
30	1000	0.1	RMS	932.956	-69.76	-13	56.76	Pass	9701
1000	1700	1	RMS	1698	-45.22	-13	32.22	Pass	701
1700	1765	1	RMS	1710.888	19.35	60	40.65	Pass	401
1765	3000	1	RMS	2972	-54.2	-13	41.2	Pass	1236
3000	12000	1	RMS	11999	-43.03	-13	30.03	Pass	9002
12000	20000	1	RMS	19305	-34.85	-13	21.85	Pass	8001




2.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.14	-13	65.14	Pass	401
0.15	30	0.01	RMS	0.17	-77.69	-13	64.69	Pass	2986
30	1000	0.1	RMS	994.096	-69.75	-13	56.75	Pass	9701
1000	1700	1	RMS	1698	-45.5	-13	32.5	Pass	701
1700	1765	1	RMS	1710.888	18.77	60	41.23	Pass	401
1765	3000	1	RMS	2998	-54.16	-13	41.16	Pass	1236
3000	12000	1	RMS	11998	-42.98	-13	29.98	Pass	9002
12000	20000	1	RMS	19325	-34.84	-13	21.84	Pass	8001




2.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.58	-13	64.58	Pass	401
0.15	30	0.01	RMS	0.15	-77.26	-13	64.26	Pass	2986
30	1000	0.1	RMS	977.185	-69.77	-13	56.77	Pass	9701
1000	1700	1	RMS	1699	-52	-13	39	Pass	701
1700	1765	1	RMS	1725.838	19.5	60	40.5	Pass	401
1765	3000	1	RMS	2998	-54.18	-13	41.18	Pass	1236
3000	12000	1	RMS	11998	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19386	-34.89	-13	21.89	Pass	8001




2.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.11	-13	64.11	Pass	401
0.15	30	0.01	RMS	0.15	-77.26	-13	64.26	Pass	2986
30	1000	0.1	RMS	942.362	-69.72	-13	56.72	Pass	9701
1000	1700	1	RMS	1699	-53.01	-13	40.01	Pass	701
1700	1765	1	RMS	1725.838	18.55	60	41.45	Pass	401
1765	3000	1	RMS	2997	-54.21	-13	41.21	Pass	1236
3000	12000	1	RMS	11999	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19335	-34.86	-13	21.86	Pass	8001




2.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.51	-13	65.51	Pass	401
0.15	30	0.01	RMS	0.17	-77.72	-13	64.72	Pass	2986
30	1000	0.1	RMS	949.867	-69.61	-13	56.61	Pass	9701
1000	1700	1	RMS	1687	-57.87	-13	44.87	Pass	701
1700	1765	1	RMS	1740.788	19.82	60	40.18	Pass	401
1765	3000	1	RMS	1768	-41.05	-13	28.05	Pass	1236
3000	12000	1	RMS	12000	-43	-13	30	Pass	9002
12000	20000	1	RMS	19396	-34.81	-13	21.81	Pass	8001




2.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.88	-13	64.88	Pass	401
0.15	30	0.01	RMS	0.15	-76.52	-13	63.52	Pass	2986
30	1000	0.1	RMS	992.295	-69.79	-13	56.79	Pass	9701
1000	1700	1	RMS	1700	-57.87	-13	44.87	Pass	701
1700	1765	1	RMS	1740.788	19.4	60	40.6	Pass	401
1765	3000	1	RMS	1767	-41.39	-13	28.39	Pass	1236
3000	12000	1	RMS	11999	-42.96	-13	29.96	Pass	9002
12000	20000	1	RMS	19369	-34.84	-13	21.84	Pass	8001




2.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.62	-13	65.62	Pass	401
0.15	30	0.01	RMS	0.15	-77.28	-13	64.28	Pass	2986
30	1000	0.1	RMS	988.793	-69.76	-13	56.76	Pass	9701
1000	1700	1	RMS	1693	-47.34	-13	34.34	Pass	701
1700	1765	1	RMS	1711.05	19.36	60	40.64	Pass	401
1765	3000	1	RMS	2997	-54.18	-13	41.18	Pass	1236
3000	12000	1	RMS	11992	-43	-13	30	Pass	9002
12000	20000	1	RMS	19347	-34.85	-13	21.85	Pass	8001




2.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.1	-13	65.1	Pass	401
0.15	30	0.01	RMS	0.16	-77.43	-13	64.43	Pass	2986
30	1000	0.1	RMS	969.08	-69.81	-13	56.81	Pass	9701
1000	1700	1	RMS	1693	-47.51	-13	34.51	Pass	701
1700	1765	1	RMS	1711.05	18.86	60	41.14	Pass	401
1765	3000	1	RMS	2996	-54.19	-13	41.19	Pass	1236
3000	12000	1	RMS	11998	-42.96	-13	29.96	Pass	9002
12000	20000	1	RMS	19386	-34.85	-13	21.85	Pass	8001




2.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.37	-13	65.37	Pass	401
0.15	30	0.01	RMS	0.15	-77.07	-13	64.07	Pass	2986
30	1000	0.1	RMS	955.771	-69.76	-13	56.76	Pass	9701
1000	1700	1	RMS	1697	-57.6	-13	44.6	Pass	701
1700	1765	1	RMS	1723.563	19.5	60	40.5	Pass	401
1765	3000	1	RMS	2994	-54.21	-13	41.21	Pass	1236
3000	12000	1	RMS	12000	-42.98	-13	29.98	Pass	9002
12000	20000	1	RMS	19361	-34.87	-13	21.87	Pass	8001




2.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.76	-13	64.76	Pass	401
0.15	30	0.01	RMS	0.16	-77.92	-13	64.92	Pass	2986
30	1000	0.1	RMS	929.353	-69.67	-13	56.67	Pass	9701
1000	1700	1	RMS	1697	-57.65	-13	44.65	Pass	701
1700	1765	1	RMS	1723.563	18.64	60	41.36	Pass	401
1765	3000	1	RMS	2996	-54.24	-13	41.24	Pass	1236
3000	12000	1	RMS	11898	-43.02	-13	30.02	Pass	9002
12000	20000	1	RMS	19391	-34.88	-13	21.88	Pass	8001




2.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.84	-13	65.84	Pass	401
0.15	30	0.01	RMS	0.16	-77.54	-13	64.54	Pass	2986
30	1000	0.1	RMS	928.853	-69.74	-13	56.74	Pass	9701
1000	1700	1	RMS	1700	-50.84	-13	37.84	Pass	701
1700	1765	1	RMS	1736.075	19.96	60	40.04	Pass	401
1765	3000	1	RMS	1772	-36.82	-13	23.82	Pass	1236
3000	12000	1	RMS	11998	-43.01	-13	30.01	Pass	9002
12000	20000	1	RMS	19437	-34.79	-13	21.79	Pass	8001



2.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.47	-13	65.47	Pass	401
0.15	30	0.01	RMS	0.15	-77.11	-13	64.11	Pass	2986
30	1000	0.1	RMS	939.96	-69.83	-13	56.83	Pass	9701
1000	1700	1	RMS	1700	-53.09	-13	40.09	Pass	701
1700	1765	1	RMS	1736.075	18.69	60	41.31	Pass	401
1765	3000	1	RMS	1772	-39.22	-13	26.22	Pass	1236
3000	12000	1	RMS	11995	-43.01	-13	30.01	Pass	9002
12000	20000	1	RMS	19308	-34.86	-13	21.86	Pass	8001



3. LTE_Band5


3.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.66	-13	64.66	Pass	401
0.15	30	0.01	RMS	0.17	-78.11	-13	65.11	Pass	2986
30	814	0.1	RMS	813.6	-68.7	-13	55.7	Pass	7841
814	860	0.1	RMS	824.3	16.66	60	43.34	Pass	461
860	1000	0.1	RMS	973.5	-69.96	-13	56.96	Pass	1401
1000	3000	1	RMS	1648	-49.86	-13	36.86	Pass	2001
3000	10000	1	RMS	9702	-45.5	-13	32.5	Pass	7001




3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.58	-13	64.58	Pass	401
0.15	30	0.01	RMS	0.16	-77.63	-13	64.63	Pass	2986
30	814	0.1	RMS	813.6	-69.07	-13	56.07	Pass	7841
814	860	0.1	RMS	824.3	15.73	60	44.27	Pass	461
860	1000	0.1	RMS	990	-69.83	-13	56.83	Pass	1401
1000	3000	1	RMS	1648	-50.83	-13	37.83	Pass	2001
3000	10000	1	RMS	9704	-45.5	-13	32.5	Pass	7001




3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.72	-13	65.72	Pass	401
0.15	30	0.01	RMS	0.15	-77.53	-13	64.53	Pass	2986
30	814	0.1	RMS	813.2	-70.25	-13	57.25	Pass	7841
814	860	0.1	RMS	836.1	16.43	60	43.57	Pass	461
860	1000	0.1	RMS	895.3	-69.98	-13	56.98	Pass	1401
1000	3000	1	RMS	1672	-50.82	-13	37.82	Pass	2001
3000	10000	1	RMS	9700	-45.52	-13	32.52	Pass	7001




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.33	-13	65.33	Pass	401
0.15	30	0.01	RMS	0.17	-77.64	-13	64.64	Pass	2986
30	814	0.1	RMS	813.5	-70.07	-13	57.07	Pass	7841
814	860	0.1	RMS	836.1	15.5	60	44.5	Pass	461
860	1000	0.1	RMS	971.6	-69.86	-13	56.86	Pass	1401
1000	3000	1	RMS	1672	-51.77	-13	38.77	Pass	2001
3000	10000	1	RMS	9702	-45.55	-13	32.55	Pass	7001




3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.47	-13	64.47	Pass	401
0.15	30	0.01	RMS	0.16	-77.29	-13	64.29	Pass	2986
30	814	0.1	RMS	813.7	-70.35	-13	57.35	Pass	7841
814	860	0.1	RMS	847.9	16.5	60	43.5	Pass	461
860	1000	0.1	RMS	991	-69.81	-13	56.81	Pass	1401
1000	3000	1	RMS	1695	-50.58	-13	37.58	Pass	2001
3000	10000	1	RMS	9702	-45.43	-13	32.43	Pass	7001




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.04	-13	65.04	Pass	401
0.15	30	0.01	RMS	0.16	-78.11	-13	65.11	Pass	2986
30	814	0.1	RMS	811	-70.34	-13	57.34	Pass	7841
814	860	0.1	RMS	847.9	15.73	60	44.27	Pass	461
860	1000	0.1	RMS	869.3	-69.9	-13	56.9	Pass	1401
1000	3000	1	RMS	1695	-51.43	-13	38.43	Pass	2001
3000	10000	1	RMS	9696	-45.5	-13	32.5	Pass	7001




3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.93	-13	64.93	Pass	401
0.15	30	0.01	RMS	0.16	-77.61	-13	64.61	Pass	2986
30	814	0.1	RMS	813.6	-68.72	-13	55.72	Pass	7841
814	860	0.1	RMS	824.3	16.29	60	43.71	Pass	461
860	1000	0.1	RMS	1000	-70	-13	57	Pass	1401
1000	3000	1	RMS	1648	-50.2	-13	37.2	Pass	2001
3000	10000	1	RMS	9700	-45.52	-13	32.52	Pass	7001




3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.29	-13	65.29	Pass	401
0.15	30	0.01	RMS	0.15	-77.36	-13	64.36	Pass	2986
30	814	0.1	RMS	813.6	-69.3	-13	56.3	Pass	7841
814	860	0.1	RMS	824.3	15.42	60	44.58	Pass	461
860	1000	0.1	RMS	949.4	-69.94	-13	56.94	Pass	1401
1000	3000	1	RMS	1648	-51.26	-13	38.26	Pass	2001
3000	10000	1	RMS	9702	-45.5	-13	32.5	Pass	7001




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.2	-13	64.2	Pass	401
0.15	30	0.01	RMS	0.15	-77.77	-13	64.77	Pass	2986
30	814	0.1	RMS	813.3	-70.15	-13	57.15	Pass	7841
814	860	0.1	RMS	835.3	16.44	60	43.56	Pass	461
860	1000	0.1	RMS	928.2	-69.88	-13	56.88	Pass	1401
1000	3000	1	RMS	1670	-50.09	-13	37.09	Pass	2001
3000	10000	1	RMS	9700	-45.5	-13	32.5	Pass	7001




3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.23	-13	64.23	Pass	401
0.15	30	0.01	RMS	0.15	-78.36	-13	65.36	Pass	2986
30	814	0.1	RMS	812.5	-70.21	-13	57.21	Pass	7841
814	860	0.1	RMS	835.3	15.46	60	44.54	Pass	461
860	1000	0.1	RMS	999.6	-69.78	-13	56.78	Pass	1401
1000	3000	1	RMS	1670	-51.01	-13	38.01	Pass	2001
3000	10000	1	RMS	9699	-45.51	-13	32.51	Pass	7001




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.65	-13	64.65	Pass	401
0.15	30	0.01	RMS	0.15	-77.22	-13	64.22	Pass	2986
30	814	0.1	RMS	812.4	-70.22	-13	57.22	Pass	7841
814	860	0.1	RMS	846.3	16.28	60	43.72	Pass	461
860	1000	0.1	RMS	945.3	-69.91	-13	56.91	Pass	1401
1000	3000	1	RMS	1692	-49.5	-13	36.5	Pass	2001
3000	10000	1	RMS	9703	-45.54	-13	32.54	Pass	7001




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.09	-13	65.09	Pass	401
0.15	30	0.01	RMS	0.15	-78.08	-13	65.08	Pass	2986
30	814	0.1	RMS	813.6	-70.17	-13	57.17	Pass	7841
814	860	0.1	RMS	846.3	15.45	60	44.55	Pass	461
860	1000	0.1	RMS	976	-69.84	-13	56.84	Pass	1401
1000	3000	1	RMS	1692	-51.15	-13	38.15	Pass	2001
3000	10000	1	RMS	9701	-45.52	-13	32.52	Pass	7001




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.78	-13	64.78	Pass	401
0.15	30	0.01	RMS	0.15	-77.91	-13	64.91	Pass	2986
30	814	0.1	RMS	813.7	-69.03	-13	56.03	Pass	7841
814	860	0.1	RMS	824.4	16.24	60	43.76	Pass	461
860	1000	0.1	RMS	944.5	-69.73	-13	56.73	Pass	1401
1000	3000	1	RMS	1648	-50.76	-13	37.76	Pass	2001
3000	10000	1	RMS	9700	-45.54	-13	32.54	Pass	7001




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-79.29	-13	66.29	Pass	401
0.15	30	0.01	RMS	0.16	-78.45	-13	65.45	Pass	2986
30	814	0.1	RMS	813.6	-69.42	-13	56.42	Pass	7841
814	860	0.1	RMS	824.4	15.15	60	44.85	Pass	461
860	1000	0.1	RMS	862.5	-70	-13	57	Pass	1401
1000	3000	1	RMS	1648	-52.05	-13	39.05	Pass	2001
3000	10000	1	RMS	9699	-45.45	-13	32.45	Pass	7001




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.91	-13	65.91	Pass	401
0.15	30	0.01	RMS	0.16	-77.29	-13	64.29	Pass	2986
30	814	0.1	RMS	810	-70.23	-13	57.23	Pass	7841
814	860	0.1	RMS	834.4	16.05	60	43.95	Pass	461
860	1000	0.1	RMS	977.5	-69.86	-13	56.86	Pass	1401
1000	3000	1	RMS	1668	-51.14	-13	38.14	Pass	2001
3000	10000	1	RMS	9703	-45.41	-13	32.41	Pass	7001




3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.82	-13	65.82	Pass	401
0.15	30	0.01	RMS	0.17	-78.02	-13	65.02	Pass	2986
30	814	0.1	RMS	810.4	-70.29	-13	57.29	Pass	7841
814	860	0.1	RMS	834.4	15.79	60	44.21	Pass	461
860	1000	0.1	RMS	913	-69.88	-13	56.88	Pass	1401
1000	3000	1	RMS	1668	-51.11	-13	38.11	Pass	2001
3000	10000	1	RMS	9700	-45.47	-13	32.47	Pass	7001




3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.03	-13	65.03	Pass	401
0.15	30	0.01	RMS	0.23	-78.31	-13	65.31	Pass	2986
30	814	0.1	RMS	812.5	-70.18	-13	57.18	Pass	7841
814	860	0.1	RMS	844.4	16.21	60	43.79	Pass	461
860	1000	0.1	RMS	981.3	-69.78	-13	56.78	Pass	1401
1000	3000	1	RMS	1688	-50.45	-13	37.45	Pass	2001
3000	10000	1	RMS	9707	-45.52	-13	32.52	Pass	7001




3.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.79	-13	64.79	Pass	401
0.15	30	0.01	RMS	0.16	-77.97	-13	64.97	Pass	2986
30	814	0.1	RMS	812.5	-70.23	-13	57.23	Pass	7841
814	860	0.1	RMS	844.4	15.3	60	44.7	Pass	461
860	1000	0.1	RMS	919.9	-69.96	-13	56.96	Pass	1401
1000	3000	1	RMS	1688	-51.77	-13	38.77	Pass	2001
3000	10000	1	RMS	9699	-45.49	-13	32.49	Pass	7001




3.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.28	-13	65.28	Pass	401
0.15	30	0.01	RMS	0.16	-78.05	-13	65.05	Pass	2986
30	814	0.1	RMS	811.4	-68.34	-13	55.34	Pass	7841
814	860	0.1	RMS	824.6	16.51	60	43.49	Pass	461
860	1000	0.1	RMS	871.7	-69.85	-13	56.85	Pass	1401
1000	3000	1	RMS	1649	-50.35	-13	37.35	Pass	2001
3000	10000	1	RMS	9707	-45.54	-13	32.54	Pass	7001




3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.11	-13	65.11	Pass	401
0.15	30	0.01	RMS	0.15	-77.89	-13	64.89	Pass	2986
30	814	0.1	RMS	811.4	-68.9	-13	55.9	Pass	7841
814	860	0.1	RMS	824.6	15.5	60	44.5	Pass	461
860	1000	0.1	RMS	996.3	-69.9	-13	56.9	Pass	1401
1000	3000	1	RMS	1649	-51.55	-13	38.55	Pass	2001
3000	10000	1	RMS	9699	-45.48	-13	32.48	Pass	7001




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.84	-13	64.84	Pass	401
0.15	30	0.01	RMS	0.16	-77.86	-13	64.86	Pass	2986
30	814	0.1	RMS	814	-69.48	-13	56.48	Pass	7841
814	860	0.1	RMS	832.1	16.48	60	43.52	Pass	461
860	1000	0.1	RMS	969.2	-69.81	-13	56.81	Pass	1401
1000	3000	1	RMS	1664	-49.91	-13	36.91	Pass	2001
3000	10000	1	RMS	9704	-45.49	-13	32.49	Pass	7001




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.27	-13	65.27	Pass	401
0.15	30	0.01	RMS	0.16	-78.23	-13	65.23	Pass	2986
30	814	0.1	RMS	812.9	-69.64	-13	56.64	Pass	7841
814	860	0.1	RMS	832.1	16.15	60	43.85	Pass	461
860	1000	0.1	RMS	938.4	-69.86	-13	56.86	Pass	1401
1000	3000	1	RMS	1664	-50.35	-13	37.35	Pass	2001
3000	10000	1	RMS	9699	-45.47	-13	32.47	Pass	7001




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-79.18	-13	66.18	Pass	401
0.15	30	0.01	RMS	0.15	-77.55	-13	64.55	Pass	2986
30	814	0.1	RMS	813.8	-70.09	-13	57.09	Pass	7841
814	860	0.1	RMS	839.6	16.48	60	43.52	Pass	461
860	1000	0.1	RMS	971.8	-69.85	-13	56.85	Pass	1401
1000	3000	1	RMS	1679	-50.73	-13	37.73	Pass	2001
3000	10000	1	RMS	9698	-45.52	-13	32.52	Pass	7001



3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.01	-13	65.01	Pass	401
0.15	30	0.01	RMS	0.15	-77.98	-13	64.98	Pass	2986
30	814	0.1	RMS	807.9	-70.16	-13	57.16	Pass	7841
814	860	0.1	RMS	839.6	15.7	60	44.3	Pass	461
860	1000	0.1	RMS	992.9	-69.89	-13	56.89	Pass	1401
1000	3000	1	RMS	1679	-51.41	-13	38.41	Pass	2001
3000	10000	1	RMS	9704	-45.45	-13	32.45	Pass	7001



4. LTE_Band7


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.08	-25	53.08	Pass	401
0.15	30	0.01	RMS	0.15	-77.32	-25	52.32	Pass	2986
30	1000	0.1	RMS	539.7	-68.25	-25	43.25	Pass	9701
1000	2490	1	RMS	2490	-53.7	-25	28.7	Pass	1491
2490	2580	1	RMS	2500.35	19.57	60	40.43	Pass	401
2580	3000	1	RMS	2999	-54.33	-25	29.33	Pass	421
3000	12000	1	RMS	5001	-63.22	-25	38.22	Pass	9002
12000	26000	1	RMS	25495	-56.71	-25	31.71	Pass	14002




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-79.09	-25	54.09	Pass	401
0.15	30	0.01	RMS	0.25	-78.17	-25	53.17	Pass	2986
30	1000	0.1	RMS	539.7	-68.71	-25	43.71	Pass	9701
1000	2490	1	RMS	2490	-54.38	-25	29.38	Pass	1491
2490	2580	1	RMS	2500.35	18.23	60	41.77	Pass	401
2580	3000	1	RMS	2992	-54.32	-25	29.32	Pass	421
3000	12000	1	RMS	11906	-64	-25	39	Pass	9002
12000	26000	1	RMS	25505	-56.74	-25	31.74	Pass	14002




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.71	-25	53.71	Pass	401
0.15	30	0.01	RMS	0.15	-77.94	-25	52.94	Pass	2986
30	1000	0.1	RMS	572.2	-69.54	-25	44.54	Pass	9701
1000	2490	1	RMS	2485	-55.49	-25	30.49	Pass	1491
2490	2580	1	RMS	2532.75	19.49	60	40.51	Pass	401
2580	3000	1	RMS	3000	-54.3	-25	29.3	Pass	421
3000	12000	1	RMS	11897	-64.02	-25	39.02	Pass	9002
12000	26000	1	RMS	25495	-56.75	-25	31.75	Pass	14002




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.42	-25	53.42	Pass	401
0.15	30	0.01	RMS	0.15	-77.62	-25	52.62	Pass	2986
30	1000	0.1	RMS	572.2	-69.7	-25	44.7	Pass	9701
1000	2490	1	RMS	2487	-55.54	-25	30.54	Pass	1491
2490	2580	1	RMS	2532.75	18.94	60	41.06	Pass	401
2580	3000	1	RMS	2996	-54.29	-25	29.29	Pass	421
3000	12000	1	RMS	11999	-63.99	-25	38.99	Pass	9002
12000	26000	1	RMS	25509	-56.66	-25	31.66	Pass	14002




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.76	-25	53.76	Pass	401
0.15	30	0.01	RMS	0.16	-78.06	-25	53.06	Pass	2986
30	1000	0.1	RMS	604.7	-69.46	-25	44.46	Pass	9701
1000	2490	1	RMS	2489	-55.01	-25	30.01	Pass	1491
2490	2580	1	RMS	2565.375	19.48	60	40.52	Pass	401
2580	3000	1	RMS	2999	-54.3	-25	29.3	Pass	421
3000	12000	1	RMS	5131	-60.88	-25	35.88	Pass	9002
12000	26000	1	RMS	25501	-56.69	-25	31.69	Pass	14002




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.18	-25	52.18	Pass	401
0.15	30	0.01	RMS	0.15	-78.05	-25	53.05	Pass	2986
30	1000	0.1	RMS	604.7	-69.4	-25	44.4	Pass	9701
1000	2490	1	RMS	2489	-54.94	-25	29.94	Pass	1491
2490	2580	1	RMS	2565.375	18.72	60	41.28	Pass	401
2580	3000	1	RMS	2998	-54.3	-25	29.3	Pass	421
3000	12000	1	RMS	5131	-61.34	-25	36.34	Pass	9002
12000	26000	1	RMS	25501	-56.65	-25	31.65	Pass	14002




4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.35	-25	53.35	Pass	401
0.15	30	0.01	RMS	0.16	-77.14	-25	52.14	Pass	2986
30	1000	0.1	RMS	540	-68.12	-25	43.12	Pass	9701
1000	2490	1	RMS	2483	-50.39	-25	25.39	Pass	1491
2490	2580	1	RMS	2500.575	19.57	60	40.43	Pass	401
2580	3000	1	RMS	2995	-54.3	-25	29.3	Pass	421
3000	12000	1	RMS	11999	-64	-25	39	Pass	9002
12000	26000	1	RMS	25503	-56.7	-25	31.7	Pass	14002




4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.84	-25	51.84	Pass	401
0.15	30	0.01	RMS	0.19	-77.86	-25	52.86	Pass	2986
30	1000	0.1	RMS	540	-68.52	-25	43.52	Pass	9701
1000	2490	1	RMS	2483	-50.95	-25	25.95	Pass	1491
2490	2580	1	RMS	2500.575	18.83	60	41.17	Pass	401
2580	3000	1	RMS	2996	-54.3	-25	29.3	Pass	421
3000	12000	1	RMS	11906	-63.97	-25	38.97	Pass	9002
12000	26000	1	RMS	25501	-56.71	-25	31.71	Pass	14002




4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-79.04	-25	54.04	Pass	401
0.15	30	0.01	RMS	0.21	-77.98	-25	52.98	Pass	2986
30	1000	0.1	RMS	570	-69.34	-25	44.34	Pass	9701
1000	2490	1	RMS	2490	-55.43	-25	30.43	Pass	1491
2490	2580	1	RMS	2530.5	19.57	60	40.43	Pass	401
2580	3000	1	RMS	2988	-54.3	-25	29.3	Pass	421
3000	12000	1	RMS	5061	-63.54	-25	38.54	Pass	9002
12000	26000	1	RMS	25503	-56.63	-25	31.63	Pass	14002




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.65	-25	53.65	Pass	401
0.15	30	0.01	RMS	0.21	-78.04	-25	53.04	Pass	2986
30	1000	0.1	RMS	570	-69.61	-25	44.61	Pass	9701
1000	2490	1	RMS	2490	-55.49	-25	30.49	Pass	1491
2490	2580	1	RMS	2530.5	18.88	60	41.12	Pass	401
2580	3000	1	RMS	2990	-54.32	-25	29.32	Pass	421
3000	12000	1	RMS	5061	-63.46	-25	38.46	Pass	9002
12000	26000	1	RMS	25501	-56.61	-25	31.61	Pass	14002




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.75	-25	52.75	Pass	401
0.15	30	0.01	RMS	0.15	-77.89	-25	52.89	Pass	2986
30	1000	0.1	RMS	600	-69.04	-25	44.04	Pass	9701
1000	2490	1	RMS	2484	-54.91	-25	29.91	Pass	1491
2490	2580	1	RMS	2560.65	19.71	60	40.29	Pass	401
2580	3000	1	RMS	2994	-54.32	-25	29.32	Pass	421
3000	12000	1	RMS	5121	-61.52	-25	36.52	Pass	9002
12000	26000	1	RMS	25501	-56.68	-25	31.68	Pass	14002




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.97	-25	52.97	Pass	401
0.15	30	0.01	RMS	0.15	-77.86	-25	52.86	Pass	2986
30	1000	0.1	RMS	600	-69.03	-25	44.03	Pass	9701
1000	2490	1	RMS	2484	-55.16	-25	30.16	Pass	1491
2490	2580	1	RMS	2560.65	18.72	60	41.28	Pass	401
2580	3000	1	RMS	2999	-54.3	-25	29.3	Pass	421
3000	12000	1	RMS	5121	-62.36	-25	37.36	Pass	9002
12000	26000	1	RMS	25510	-56.73	-25	31.73	Pass	14002




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.97	-25	52.97	Pass	401
0.15	30	0.01	RMS	0.16	-77.5	-25	52.5	Pass	2986
30	1000	0.1	RMS	540.2	-67.92	-25	42.92	Pass	9701
1000	2490	1	RMS	2488	-43.7	-25	18.7	Pass	1491
2490	2580	1	RMS	2500.8	19.76	60	40.24	Pass	401
2580	3000	1	RMS	2997	-54.31	-25	29.31	Pass	421
3000	12000	1	RMS	5002	-63.72	-25	38.72	Pass	9002
12000	26000	1	RMS	25508	-56.72	-25	31.72	Pass	14002




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.47	-25	52.47	Pass	401
0.15	30	0.01	RMS	0.16	-77.76	-25	52.76	Pass	2986
30	1000	0.1	RMS	540.2	-69.03	-25	44.03	Pass	9701
1000	2490	1	RMS	2488	-46.5	-25	21.5	Pass	1491
2490	2580	1	RMS	2500.8	18.78	60	41.22	Pass	401
2580	3000	1	RMS	2997	-54.3	-25	29.3	Pass	421
3000	12000	1	RMS	11997	-63.98	-25	38.98	Pass	9002
12000	26000	1	RMS	25491	-56.7	-25	31.7	Pass	14002




4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.84	-25	53.84	Pass	401
0.15	30	0.01	RMS	0.15	-77.64	-25	52.64	Pass	2986
30	1000	0.1	RMS	567.7	-69.28	-25	44.28	Pass	9701
1000	2490	1	RMS	2490	-53.12	-25	28.12	Pass	1491
2490	2580	1	RMS	2528.25	19.49	60	40.51	Pass	401
2580	3000	1	RMS	3000	-54.3	-25	29.3	Pass	421
3000	12000	1	RMS	5057	-61.63	-25	36.63	Pass	9002
12000	26000	1	RMS	25482	-56.68	-25	31.68	Pass	14002




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.13	-25	52.13	Pass	401
0.15	30	0.01	RMS	0.16	-77.96	-25	52.96	Pass	2986
30	1000	0.1	RMS	951.168	-69.7	-25	44.7	Pass	9701
1000	2490	1	RMS	2490	-53.46	-25	28.46	Pass	1491
2490	2580	1	RMS	2528.25	19.13	60	40.87	Pass	401
2580	3000	1	RMS	2997	-54.3	-25	29.3	Pass	421
3000	12000	1	RMS	5057	-61.99	-25	36.99	Pass	9002
12000	26000	1	RMS	25504	-56.68	-25	31.68	Pass	14002




4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.24	-25	53.24	Pass	401
0.15	30	0.01	RMS	0.18	-77.47	-25	52.47	Pass	2986
30	1000	0.1	RMS	595.2	-69.1	-25	44.1	Pass	9701
1000	2490	1	RMS	2479	-55.36	-25	30.36	Pass	1491
2490	2580	1	RMS	2555.925	19.5	60	40.5	Pass	401
2580	3000	1	RMS	2582	-43.19	-25	18.19	Pass	421
3000	12000	1	RMS	5112	-61.93	-25	36.93	Pass	9002
12000	26000	1	RMS	25510	-56.68	-25	31.68	Pass	14002




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.48	-25	53.48	Pass	401
0.15	30	0.01	RMS	0.17	-77.72	-25	52.72	Pass	2986
30	1000	0.1	RMS	595.2	-69.68	-25	44.68	Pass	9701
1000	2490	1	RMS	2479	-55.36	-25	30.36	Pass	1491
2490	2580	1	RMS	2555.925	18.33	60	41.67	Pass	401
2580	3000	1	RMS	2582	-42.94	-25	17.94	Pass	421
3000	12000	1	RMS	5112	-62.86	-25	37.86	Pass	9002
12000	26000	1	RMS	25501	-56.64	-25	31.64	Pass	14002




4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-79.08	-25	54.08	Pass	401
0.15	30	0.01	RMS	0.17	-77.98	-25	52.98	Pass	2986
30	1000	0.1	RMS	540.5	-68.53	-25	43.53	Pass	9701
1000	2490	1	RMS	2483	-44.62	-25	19.62	Pass	1491
2490	2580	1	RMS	2501.025	19.45	60	40.55	Pass	401
2580	3000	1	RMS	2993	-54.3	-25	29.3	Pass	421
3000	12000	1	RMS	12000	-63.94	-25	38.94	Pass	9002
12000	26000	1	RMS	25506	-56.68	-25	31.68	Pass	14002



4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.09	-25	53.09	Pass	401
0.15	30	0.01	RMS	0.16	-78.12	-25	53.12	Pass	2986
30	1000	0.1	RMS	540.5	-68.77	-25	43.77	Pass	9701
1000	2490	1	RMS	2483	-45.93	-25	20.93	Pass	1491
2490	2580	1	RMS	2501.025	18.76	60	41.24	Pass	401
2580	3000	1	RMS	2997	-54.29	-25	29.29	Pass	421
3000	12000	1	RMS	11996	-63.91	-25	38.91	Pass	9002
12000	26000	1	RMS	25498	-56.61	-25	31.61	Pass	14002



4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.29	-25	53.29	Pass	401
0.15	30	0.01	RMS	0.16	-77.83	-25	52.83	Pass	2986
30	1000	0.1	RMS	565.5	-69.24	-25	44.24	Pass	9701
1000	2490	1	RMS	2488	-53.5	-25	28.5	Pass	1491
2490	2580	1	RMS	2526	19.48	60	40.52	Pass	401
2580	3000	1	RMS	3000	-54.3	-25	29.3	Pass	421
3000	12000	1	RMS	5052	-61.45	-25	36.45	Pass	9002
12000	26000	1	RMS	25509	-56.67	-25	31.67	Pass	14002

