


Spurious Emission at Antenna Terminals


4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.49	-25	53.49	Pass	401
0.15	30	0.01	RMS	0.15	-78.29	-25	53.29	Pass	2986
30	1000	0.1	RMS	986.791	-69.76	-25	44.76	Pass	9701
1000	2490	1	RMS	2488	-54.33	-25	29.33	Pass	1491
2490	2580	1	RMS	2526	18.18	60	41.82	Pass	401
2580	3000	1	RMS	2998	-54.32	-25	29.32	Pass	421
3000	12000	1	RMS	5052	-62.36	-25	37.36	Pass	9002
12000	26000	1	RMS	25528	-56.74	-25	31.74	Pass	14002




4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.72	-25	53.72	Pass	401
0.15	30	0.01	RMS	0.15	-77.59	-25	52.59	Pass	2986
30	1000	0.1	RMS	590.5	-69.04	-25	44.04	Pass	9701
1000	2490	1	RMS	2490	-55.46	-25	30.46	Pass	1491
2490	2580	1	RMS	2550.975	19.16	60	40.84	Pass	401
2580	3000	1	RMS	2586	-44.79	-25	19.79	Pass	421
3000	12000	1	RMS	5102	-62.59	-25	37.59	Pass	9002
12000	26000	1	RMS	25501	-56.63	-25	31.63	Pass	14002



4.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.72	-25	52.72	Pass	401
0.15	30	0.01	RMS	0.15	-78.38	-25	53.38	Pass	2986
30	1000	0.1	RMS	590.5	-69.38	-25	44.38	Pass	9701
1000	2490	1	RMS	2486	-55.41	-25	30.41	Pass	1491
2490	2580	1	RMS	2550.975	18.42	60	41.58	Pass	401
2580	3000	1	RMS	2586	-45.85	-25	20.85	Pass	421
3000	12000	1	RMS	5102	-63.53	-25	38.53	Pass	9002
12000	26000	1	RMS	25498	-56.6	-25	31.6	Pass	14002



5. LTE_Band12


5.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.43	-13	65.43	Pass	401
0.15	30	0.01	RMS	0.15	-78.45	-13	65.45	Pass	2986
30	689	0.1	RMS	688.6	-69.7	-13	56.7	Pass	6591
689	726	0.1	RMS	699.268	16.57	60	43.43	Pass	401
726	1000	0.1	RMS	977.6	-69.51	-13	56.51	Pass	2741
1000	3000	1	RMS	1398	-49.92	-13	36.92	Pass	2001
3000	10000	1	RMS	9702	-45.48	-13	32.48	Pass	7001




5.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.07	-13	65.07	Pass	401
0.15	30	0.01	RMS	0.16	-78.46	-13	65.46	Pass	2986
30	689	0.1	RMS	688.6	-69.92	-13	56.92	Pass	6591
689	726	0.1	RMS	699.268	15.29	60	44.71	Pass	401
726	1000	0.1	RMS	989.2	-69.55	-13	56.55	Pass	2741
1000	3000	1	RMS	1398	-51.44	-13	38.44	Pass	2001
3000	10000	1	RMS	9696	-45.45	-13	32.45	Pass	7001




5.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.06	-13	65.06	Pass	401
0.15	30	0.01	RMS	0.86	-78.67	-13	65.67	Pass	2986
30	689	0.1	RMS	676.3	-70.69	-13	57.69	Pass	6591
689	726	0.1	RMS	707.038	15.75	60	44.25	Pass	401
726	1000	0.1	RMS	998.1	-69.41	-13	56.41	Pass	2741
1000	3000	1	RMS	1414	-52.05	-13	39.05	Pass	2001
3000	10000	1	RMS	9698	-45.4	-13	32.4	Pass	7001




5.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.92	-13	64.92	Pass	401
0.15	30	0.01	RMS	0.17	-78.66	-13	65.66	Pass	2986
30	689	0.1	RMS	622.5	-70.85	-13	57.85	Pass	6591
689	726	0.1	RMS	707.038	15.47	60	44.53	Pass	401
726	1000	0.1	RMS	976.5	-69.66	-13	56.66	Pass	2741
1000	3000	1	RMS	1414	-52.26	-13	39.26	Pass	2001
3000	10000	1	RMS	9701	-45.39	-13	32.39	Pass	7001




5.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.28	-13	65.28	Pass	401
0.15	30	0.01	RMS	0.15	-78.3	-13	65.3	Pass	2986
30	689	0.1	RMS	637.2	-70.87	-13	57.87	Pass	6591
689	726	0.1	RMS	714.9	16.03	60	43.97	Pass	401
726	1000	0.1	RMS	918.8	-69.64	-13	56.64	Pass	2741
1000	3000	1	RMS	1429	-50.22	-13	37.22	Pass	2001
3000	10000	1	RMS	9699	-45.4	-13	32.4	Pass	7001




5.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.44	-13	65.44	Pass	401
0.15	30	0.01	RMS	0.17	-77.35	-13	64.35	Pass	2986
30	689	0.1	RMS	652.7	-70.88	-13	57.88	Pass	6591
689	726	0.1	RMS	714.9	15.21	60	44.79	Pass	401
726	1000	0.1	RMS	999.7	-69.61	-13	56.61	Pass	2741
1000	3000	1	RMS	1429	-51.07	-13	38.07	Pass	2001
3000	10000	1	RMS	9700	-45.46	-13	32.46	Pass	7001




5.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.19	-13	65.19	Pass	401
0.15	30	0.01	RMS	0.15	-78.01	-13	65.01	Pass	2986
30	689	0.1	RMS	688.6	-70.1	-13	57.1	Pass	6591
689	726	0.1	RMS	699.268	16.19	60	43.81	Pass	401
726	1000	0.1	RMS	969.8	-69.5	-13	56.5	Pass	2741
1000	3000	1	RMS	1398	-50.44	-13	37.44	Pass	2001
3000	10000	1	RMS	9703	-45.44	-13	32.44	Pass	7001




5.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.21	-13	64.21	Pass	401
0.15	30	0.01	RMS	0.17	-78.1	-13	65.1	Pass	2986
30	689	0.1	RMS	688.6	-70.17	-13	57.17	Pass	6591
689	726	0.1	RMS	699.268	15.29	60	44.71	Pass	401
726	1000	0.1	RMS	957.2	-69.54	-13	56.54	Pass	2741
1000	3000	1	RMS	1398	-51.67	-13	38.67	Pass	2001
3000	10000	1	RMS	9707	-45.42	-13	32.42	Pass	7001




5.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.63	-13	64.63	Pass	401
0.15	30	0.01	RMS	0.19	-78.36	-13	65.36	Pass	2986
30	689	0.1	RMS	682.5	-70.87	-13	57.87	Pass	6591
689	726	0.1	RMS	706.298	15.98	60	44.02	Pass	401
726	1000	0.1	RMS	929.9	-69.6	-13	56.6	Pass	2741
1000	3000	1	RMS	1412	-48.84	-13	35.84	Pass	2001
3000	10000	1	RMS	9701	-45.42	-13	32.42	Pass	7001




5.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.88	-13	65.88	Pass	401
0.15	30	0.01	RMS	0.15	-77.9	-13	64.9	Pass	2986
30	689	0.1	RMS	620	-70.89	-13	57.89	Pass	6591
689	726	0.1	RMS	706.298	15.32	60	44.68	Pass	401
726	1000	0.1	RMS	896.8	-69.28	-13	56.28	Pass	2741
1000	3000	1	RMS	1412	-49.58	-13	36.58	Pass	2001
3000	10000	1	RMS	9705	-45.43	-13	32.43	Pass	7001




5.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.66	-13	65.66	Pass	401
0.15	30	0.01	RMS	0.22	-77.94	-13	64.94	Pass	2986
30	689	0.1	RMS	653.7	-70.82	-13	57.82	Pass	6591
689	726	0.1	RMS	713.235	16.11	60	43.89	Pass	401
726	1000	0.1	RMS	955.5	-69.53	-13	56.53	Pass	2741
1000	3000	1	RMS	1426	-53.54	-13	40.54	Pass	2001
3000	10000	1	RMS	9703	-45.42	-13	32.42	Pass	7001




5.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.24	-13	65.24	Pass	401
0.15	30	0.01	RMS	0.15	-77.93	-13	64.93	Pass	2986
30	689	0.1	RMS	624.9	-70.86	-13	57.86	Pass	6591
689	726	0.1	RMS	713.235	14.84	60	45.16	Pass	401
726	1000	0.1	RMS	995	-69.46	-13	56.46	Pass	2741
1000	3000	1	RMS	2991	-54.27	-13	41.27	Pass	2001
3000	10000	1	RMS	9700	-45.41	-13	32.41	Pass	7001




5.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.67	-13	65.67	Pass	401
0.15	30	0.01	RMS	0.2	-78.09	-13	65.09	Pass	2986
30	689	0.1	RMS	688.7	-70.06	-13	57.06	Pass	6591
689	726	0.1	RMS	699.36	15.93	60	44.07	Pass	401
726	1000	0.1	RMS	996.1	-69.48	-13	56.48	Pass	2741
1000	3000	1	RMS	1398	-50.94	-13	37.94	Pass	2001
3000	10000	1	RMS	9698	-45.44	-13	32.44	Pass	7001




5.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.49	-13	64.49	Pass	401
0.15	30	0.01	RMS	0.16	-77.68	-13	64.68	Pass	2986
30	689	0.1	RMS	688.6	-70.38	-13	57.38	Pass	6591
689	726	0.1	RMS	699.36	15.14	60	44.86	Pass	401
726	1000	0.1	RMS	982.5	-69.52	-13	56.52	Pass	2741
1000	3000	1	RMS	1398	-52.16	-13	39.16	Pass	2001
3000	10000	1	RMS	9701	-45.42	-13	32.42	Pass	7001




5.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.13	-13	65.13	Pass	401
0.15	30	0.01	RMS	0.21	-78.4	-13	65.4	Pass	2986
30	689	0.1	RMS	582.2	-70.88	-13	57.88	Pass	6591
689	726	0.1	RMS	705.373	15.81	60	44.19	Pass	401
726	1000	0.1	RMS	920.6	-69.59	-13	56.59	Pass	2741
1000	3000	1	RMS	1410	-50.61	-13	37.61	Pass	2001
3000	10000	1	RMS	9704	-45.42	-13	32.42	Pass	7001




5.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.84	-13	64.84	Pass	401
0.15	30	0.01	RMS	0.15	-78.29	-13	65.29	Pass	2986
30	689	0.1	RMS	513.6	-70.81	-13	57.81	Pass	6591
689	726	0.1	RMS	705.373	15.71	60	44.29	Pass	401
726	1000	0.1	RMS	886.3	-69.72	-13	56.72	Pass	2741
1000	3000	1	RMS	1410	-50.38	-13	37.38	Pass	2001
3000	10000	1	RMS	9706	-45.48	-13	32.48	Pass	7001




5.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.93	-13	64.93	Pass	401
0.15	30	0.01	RMS	0.16	-78.56	-13	65.56	Pass	2986
30	689	0.1	RMS	612.6	-70.74	-13	57.74	Pass	6591
689	726	0.1	RMS	711.385	15.69	60	44.31	Pass	401
726	1000	0.1	RMS	968.5	-69.56	-13	56.56	Pass	2741
1000	3000	1	RMS	1422	-52.28	-13	39.28	Pass	2001
3000	10000	1	RMS	9707	-45.44	-13	32.44	Pass	7001




5.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.24	-13	65.24	Pass	401
0.15	30	0.01	RMS	0.15	-77.58	-13	64.58	Pass	2986
30	689	0.1	RMS	617.4	-70.82	-13	57.82	Pass	6591
689	726	0.1	RMS	711.385	14.79	60	45.21	Pass	401
726	1000	0.1	RMS	985.4	-69.59	-13	56.59	Pass	2741
1000	3000	1	RMS	1422	-54.2	-13	41.2	Pass	2001
3000	10000	1	RMS	9701	-45.4	-13	32.4	Pass	7001




5.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.47	-13	65.47	Pass	401
0.15	30	0.01	RMS	0.15	-77.98	-13	64.98	Pass	2986
30	689	0.1	RMS	688.9	-69.7	-13	56.7	Pass	6591
689	726	0.1	RMS	699.638	16.25	60	43.75	Pass	401
726	1000	0.1	RMS	996	-69.59	-13	56.59	Pass	2741
1000	3000	1	RMS	1399	-49.59	-13	36.59	Pass	2001
3000	10000	1	RMS	9700	-45.38	-13	32.38	Pass	7001




5.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78	-13	65	Pass	401
0.15	30	0.01	RMS	0.16	-77.94	-13	64.94	Pass	2986
30	689	0.1	RMS	688.9	-70.03	-13	57.03	Pass	6591
689	726	0.1	RMS	699.638	15.21	60	44.79	Pass	401
726	1000	0.1	RMS	931.2	-69.59	-13	56.59	Pass	2741
1000	3000	1	RMS	1399	-51.77	-13	38.77	Pass	2001
3000	10000	1	RMS	9699	-45.41	-13	32.41	Pass	7001




5.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.84	-13	64.84	Pass	401
0.15	30	0.01	RMS	0.18	-78.48	-13	65.48	Pass	2986
30	689	0.1	RMS	683.5	-70.76	-13	57.76	Pass	6591
689	726	0.1	RMS	703.153	15.78	60	44.22	Pass	401
726	1000	0.1	RMS	985	-69.42	-13	56.42	Pass	2741
1000	3000	1	RMS	1406	-49.25	-13	36.25	Pass	2001
3000	10000	1	RMS	9701	-45.43	-13	32.43	Pass	7001




5.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.85	-13	64.85	Pass	401
0.15	30	0.01	RMS	0.17	-77.96	-13	64.96	Pass	2986
30	689	0.1	RMS	614.8	-70.87	-13	57.87	Pass	6591
689	726	0.1	RMS	703.153	15.36	60	44.64	Pass	401
726	1000	0.1	RMS	947.5	-69.5	-13	56.5	Pass	2741
1000	3000	1	RMS	1406	-49.96	-13	36.96	Pass	2001
3000	10000	1	RMS	9701	-45.39	-13	32.39	Pass	7001




5.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.46	-13	65.46	Pass	401
0.15	30	0.01	RMS	0.17	-77.72	-13	64.72	Pass	2986
30	689	0.1	RMS	618.6	-70.85	-13	57.85	Pass	6591
689	726	0.1	RMS	706.575	15.93	60	44.07	Pass	401
726	1000	0.1	RMS	938.3	-69.6	-13	56.6	Pass	2741
1000	3000	1	RMS	1413	-49.59	-13	36.59	Pass	2001
3000	10000	1	RMS	9700	-45.43	-13	32.43	Pass	7001



5.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.66	-13	65.66	Pass	401
0.15	30	0.01	RMS	0.35	-78.5	-13	65.5	Pass	2986
30	689	0.1	RMS	659.9	-70.94	-13	57.94	Pass	6591
689	726	0.1	RMS	706.575	14.75	60	45.25	Pass	401
726	1000	0.1	RMS	965.4	-69.59	-13	56.59	Pass	2741
1000	3000	1	RMS	1413	-51.21	-13	38.21	Pass	2001
3000	10000	1	RMS	9698	-45.44	-13	32.44	Pass	7001



6. LTE_Band17


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.06	-13	65.06	Pass	401
0.15	30	0.01	RMS	0.35	-78.54	-13	65.54	Pass	2986
30	694	0.1	RMS	693.7	-69.54	-13	56.54	Pass	6641
694	726	0.1	RMS	704.4	15.98	60	44.02	Pass	401
726	1000	0.1	RMS	992.9	-69.73	-13	56.73	Pass	2741
1000	3000	1	RMS	1408	-50.52	-13	37.52	Pass	2001
3000	10000	1	RMS	9703	-45.44	-13	32.44	Pass	7001




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.09	-13	65.09	Pass	401
0.15	30	0.01	RMS	0.22	-78.25	-13	65.25	Pass	2986
30	694	0.1	RMS	693.7	-70.2	-13	57.2	Pass	6641
694	726	0.1	RMS	704.4	14.86	60	45.14	Pass	401
726	1000	0.1	RMS	931.6	-69.59	-13	56.59	Pass	2741
1000	3000	1	RMS	1408	-51.85	-13	38.85	Pass	2001
3000	10000	1	RMS	9698	-45.43	-13	32.43	Pass	7001




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.68	-13	65.68	Pass	401
0.15	30	0.01	RMS	0.27	-78.19	-13	65.19	Pass	2986
30	694	0.1	RMS	693.7	-70.76	-13	57.76	Pass	6641
694	726	0.1	RMS	707.84	16.01	60	43.99	Pass	401
726	1000	0.1	RMS	853.8	-69.68	-13	56.68	Pass	2741
1000	3000	1	RMS	1415	-52.14	-13	39.14	Pass	2001
3000	10000	1	RMS	9705	-45.43	-13	32.43	Pass	7001




6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.89	-13	65.89	Pass	401
0.15	30	0.01	RMS	0.16	-78.03	-13	65.03	Pass	2986
30	694	0.1	RMS	685.5	-70.8	-13	57.8	Pass	6641
694	726	0.1	RMS	707.84	15.75	60	44.25	Pass	401
726	1000	0.1	RMS	946	-69.53	-13	56.53	Pass	2741
1000	3000	1	RMS	1415	-52.4	-13	39.4	Pass	2001
3000	10000	1	RMS	9706	-45.52	-13	32.52	Pass	7001




6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.41	-13	64.41	Pass	401
0.15	30	0.01	RMS	0.15	-77.95	-13	64.95	Pass	2986
30	694	0.1	RMS	615.6	-70.83	-13	57.83	Pass	6641
694	726	0.1	RMS	711.36	16.39	60	43.61	Pass	401
726	1000	0.1	RMS	941.6	-69.5	-13	56.5	Pass	2741
1000	3000	1	RMS	1422	-51.59	-13	38.59	Pass	2001
3000	10000	1	RMS	9701	-45.35	-13	32.35	Pass	7001




6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.85	-13	64.85	Pass	401
0.15	30	0.01	RMS	0.16	-78.29	-13	65.29	Pass	2986
30	694	0.1	RMS	640.2	-70.81	-13	57.81	Pass	6641
694	726	0.1	RMS	711.36	15.25	60	44.75	Pass	401
726	1000	0.1	RMS	905.7	-69.63	-13	56.63	Pass	2741
1000	3000	1	RMS	1422	-53.86	-13	40.86	Pass	2001
3000	10000	1	RMS	9700	-45.4	-13	32.4	Pass	7001




6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.09	-13	65.09	Pass	401
0.15	30	0.01	RMS	0.15	-77.65	-13	64.65	Pass	2986
30	694	0.1	RMS	693.9	-69.66	-13	56.66	Pass	6641
694	726	0.1	RMS	704.64	16.29	60	43.71	Pass	401
726	1000	0.1	RMS	841.8	-69.48	-13	56.48	Pass	2741
1000	3000	1	RMS	1409	-52.44	-13	39.44	Pass	2001
3000	10000	1	RMS	9700	-45.44	-13	32.44	Pass	7001




6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.97	-13	64.97	Pass	401
0.15	30	0.01	RMS	0.15	-78.3	-13	65.3	Pass	2986
30	694	0.1	RMS	693.9	-69.7	-13	56.7	Pass	6641
694	726	0.1	RMS	704.64	15.44	60	44.56	Pass	401
726	1000	0.1	RMS	846.7	-69.61	-13	56.61	Pass	2741
1000	3000	1	RMS	1409	-52.88	-13	39.88	Pass	2001
3000	10000	1	RMS	9700	-45.47	-13	32.47	Pass	7001




6.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.79	-13	64.79	Pass	401
0.15	30	0.01	RMS	0.17	-78	-13	65	Pass	2986
30	694	0.1	RMS	693.6	-70.5	-13	57.5	Pass	6641
694	726	0.1	RMS	705.6	16.53	60	43.47	Pass	401
726	1000	0.1	RMS	935.7	-69.49	-13	56.49	Pass	2741
1000	3000	1	RMS	1411	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	9707	-45.44	-13	32.44	Pass	7001




6.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.66	-13	64.66	Pass	401
0.15	30	0.01	RMS	0.16	-78.24	-13	65.24	Pass	2986
30	694	0.1	RMS	694	-70.56	-13	57.56	Pass	6641
694	726	0.1	RMS	705.6	15.94	60	44.06	Pass	401
726	1000	0.1	RMS	918.2	-69.64	-13	56.64	Pass	2741
1000	3000	1	RMS	1411	-50.73	-13	37.73	Pass	2001
3000	10000	1	RMS	9700	-45.45	-13	32.45	Pass	7001




6.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.27	-13	65.27	Pass	401
0.15	30	0.01	RMS	0.15	-78.44	-13	65.44	Pass	2986
30	694	0.1	RMS	693.4	-69.99	-13	56.99	Pass	6641
694	726	0.1	RMS	706.64	16.37	60	43.63	Pass	401
726	1000	0.1	RMS	863.4	-69.64	-13	56.64	Pass	2741
1000	3000	1	RMS	1413	-49.65	-13	36.65	Pass	2001
3000	10000	1	RMS	9702	-45.45	-13	32.45	Pass	7001



6.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.72	-13	65.72	Pass	401
0.15	30	0.01	RMS	0.16	-78.04	-13	65.04	Pass	2986
30	694	0.1	RMS	693.4	-70.23	-13	57.23	Pass	6641
694	726	0.1	RMS	706.64	15.17	60	44.83	Pass	401
726	1000	0.1	RMS	999.2	-69.42	-13	56.42	Pass	2741
1000	3000	1	RMS	1413	-51	-13	38	Pass	2001
3000	10000	1	RMS	9708	-45.47	-13	32.47	Pass	7001



8. LTE_Band25


8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.95	-13	64.95	Pass	401
0.15	30	0.01	RMS	0.15	-77.21	-13	64.21	Pass	2986
30	1000	0.1	RMS	984.29	-69.82	-13	56.82	Pass	9701
1000	1840	1	RMS	1840	-56.34	-13	43.34	Pass	841
1840	1925	1	RMS	1850.2	20.02	60	39.98	Pass	401
1925	3000	1	RMS	3000	-54.29	-13	41.29	Pass	1076
3000	12000	1	RMS	11999	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19316	-34.96	-13	21.96	Pass	8001




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.88	-13	64.88	Pass	401
0.15	30	0.01	RMS	0.15	-77.76	-13	64.76	Pass	2986
30	1000	0.1	RMS	933.756	-69.77	-13	56.77	Pass	9701
1000	1840	1	RMS	1840	-56.51	-13	43.51	Pass	841
1840	1925	1	RMS	1850.2	19.11	60	40.89	Pass	401
1925	3000	1	RMS	2965	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	12000	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19298	-34.9	-13	21.9	Pass	8001




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.25	-13	65.25	Pass	401
0.15	30	0.01	RMS	0.15	-76.8	-13	63.8	Pass	2986
30	1000	0.1	RMS	939.46	-69.79	-13	56.79	Pass	9701
1000	1840	1	RMS	1837	-57.57	-13	44.57	Pass	841
1840	1925	1	RMS	1882.075	19.66	60	40.34	Pass	401
1925	3000	1	RMS	2993	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11997	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19331	-34.92	-13	21.92	Pass	8001




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.1	-13	65.1	Pass	401
0.15	30	0.01	RMS	0.15	-78.04	-13	65.04	Pass	2986
30	1000	0.1	RMS	977.585	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1839	-57.53	-13	44.53	Pass	841
1840	1925	1	RMS	1882.075	19.32	60	40.68	Pass	401
1925	3000	1	RMS	2999	-54.27	-13	41.27	Pass	1076
3000	12000	1	RMS	11903	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19321	-34.92	-13	21.92	Pass	8001




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.25	-13	65.25	Pass	401
0.15	30	0.01	RMS	0.15	-77.8	-13	64.8	Pass	2986
30	1000	0.1	RMS	990.294	-69.88	-13	56.88	Pass	9701
1000	1840	1	RMS	1837	-57.14	-13	44.14	Pass	841
1840	1925	1	RMS	1913.738	19.73	60	40.27	Pass	401
1925	3000	1	RMS	2996	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11996	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19427	-34.86	-13	21.86	Pass	8001




8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.78	-13	64.78	Pass	401
0.15	30	0.01	RMS	0.16	-78.51	-13	65.51	Pass	2986
30	1000	0.1	RMS	947.165	-69.93	-13	56.93	Pass	9701
1000	1840	1	RMS	1837	-57.25	-13	44.25	Pass	841
1840	1925	1	RMS	1913.738	18.56	60	41.44	Pass	401
1925	3000	1	RMS	3000	-54.29	-13	41.29	Pass	1076
3000	12000	1	RMS	11988	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19308	-34.94	-13	21.94	Pass	8001




8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.59	-13	65.59	Pass	401
0.15	30	0.01	RMS	0.15	-77	-13	64	Pass	2986
30	1000	0.1	RMS	935.857	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1840	-56.28	-13	43.28	Pass	841
1840	1925	1	RMS	1850.2	20.22	60	39.78	Pass	401
1925	3000	1	RMS	3000	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11997	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19315	-34.91	-13	21.91	Pass	8001




8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.05	-13	65.05	Pass	401
0.15	30	0.01	RMS	0.2	-77.69	-13	64.69	Pass	2986
30	1000	0.1	RMS	964.777	-69.81	-13	56.81	Pass	9701
1000	1840	1	RMS	1840	-56.59	-13	43.59	Pass	841
1840	1925	1	RMS	1850.2	18.97	60	41.03	Pass	401
1925	3000	1	RMS	2996	-54.31	-13	41.31	Pass	1076
3000	12000	1	RMS	11998	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19323	-34.89	-13	21.89	Pass	8001




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.23	-13	65.23	Pass	401
0.15	30	0.01	RMS	0.21	-77.63	-13	64.63	Pass	2986
30	1000	0.1	RMS	962.375	-69.81	-13	56.81	Pass	9701
1000	1840	1	RMS	1840	-57.59	-13	44.59	Pass	841
1840	1925	1	RMS	1881.225	19.69	60	40.31	Pass	401
1925	3000	1	RMS	2998	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11897	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19373	-34.95	-13	21.95	Pass	8001




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.1	-13	64.1	Pass	401
0.15	30	0.01	RMS	0.15	-76.95	-13	63.95	Pass	2986
30	1000	0.1	RMS	942.062	-69.75	-13	56.75	Pass	9701
1000	1840	1	RMS	1838	-57.6	-13	44.6	Pass	841
1840	1925	1	RMS	1881.225	19.01	60	40.99	Pass	401
1925	3000	1	RMS	2994	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	12000	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19397	-34.95	-13	21.95	Pass	8001




8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.78	-13	64.78	Pass	401
0.15	30	0.01	RMS	0.15	-76.68	-13	63.68	Pass	2986
30	1000	0.1	RMS	946.465	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1836	-57.3	-13	44.3	Pass	841
1840	1925	1	RMS	1912.25	20.25	60	39.75	Pass	401
1925	3000	1	RMS	2981	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11993	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19392	-34.91	-13	21.91	Pass	8001




8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.44	-13	65.44	Pass	401
0.15	30	0.01	RMS	0.15	-78.09	-13	65.09	Pass	2986
30	1000	0.1	RMS	925.951	-69.8	-13	56.8	Pass	9701
1000	1840	1	RMS	1835	-57.46	-13	44.46	Pass	841
1840	1925	1	RMS	1912.25	18.68	60	41.32	Pass	401
1925	3000	1	RMS	2990	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11999	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19301	-34.93	-13	21.93	Pass	8001




8.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-76.84	-13	63.84	Pass	401
0.15	30	0.01	RMS	0.15	-77.75	-13	64.75	Pass	2986
30	1000	0.1	RMS	991.394	-69.92	-13	56.92	Pass	9701
1000	1840	1	RMS	1840	-56.26	-13	43.26	Pass	841
1840	1925	1	RMS	1850.2	19.8	60	40.2	Pass	401
1925	3000	1	RMS	2987	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11998	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19339	-34.89	-13	21.89	Pass	8001




8.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.57	-13	64.57	Pass	401
0.15	30	0.01	RMS	0.15	-77.48	-13	64.48	Pass	2986
30	1000	0.1	RMS	992.095	-69.89	-13	56.89	Pass	9701
1000	1840	1	RMS	1840	-56.61	-13	43.61	Pass	841
1840	1925	1	RMS	1850.413	18.64	60	41.36	Pass	401
1925	3000	1	RMS	2988	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11898	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19456	-34.93	-13	21.93	Pass	8001




8.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.16	-13	65.16	Pass	401
0.15	30	0.01	RMS	0.15	-77.52	-13	64.52	Pass	2986
30	1000	0.1	RMS	858.206	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1834	-57.59	-13	44.59	Pass	841
1840	1925	1	RMS	1880.375	19.41	60	40.59	Pass	401
1925	3000	1	RMS	3000	-54.25	-13	41.25	Pass	1076
3000	12000	1	RMS	11998	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19379	-34.89	-13	21.89	Pass	8001




8.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.3	-13	65.3	Pass	401
0.15	30	0.01	RMS	0.17	-77.36	-13	64.36	Pass	2986
30	1000	0.1	RMS	986.191	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1835	-57.55	-13	44.55	Pass	841
1840	1925	1	RMS	1880.375	19.04	60	40.96	Pass	401
1925	3000	1	RMS	2999	-54.27	-13	41.27	Pass	1076
3000	12000	1	RMS	11999	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19293	-34.94	-13	21.94	Pass	8001




8.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.71	-13	65.71	Pass	401
0.15	30	0.01	RMS	0.15	-77.47	-13	64.47	Pass	2986
30	1000	0.1	RMS	948.266	-69.87	-13	56.87	Pass	9701
1000	1840	1	RMS	1834	-57.53	-13	44.53	Pass	841
1840	1925	1	RMS	1910.338	19.54	60	40.46	Pass	401
1925	3000	1	RMS	2998	-54.29	-13	41.29	Pass	1076
3000	12000	1	RMS	11997	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19438	-34.9	-13	21.9	Pass	8001




8.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.63	-13	64.63	Pass	401
0.15	30	0.01	RMS	0.15	-77.41	-13	64.41	Pass	2986
30	1000	0.1	RMS	962.675	-69.88	-13	56.88	Pass	9701
1000	1840	1	RMS	1834	-57.5	-13	44.5	Pass	841
1840	1925	1	RMS	1910.338	18.66	60	41.34	Pass	401
1925	3000	1	RMS	2998	-54.28	-13	41.28	Pass	1076
3000	12000	1	RMS	11901	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19292	-34.92	-13	21.92	Pass	8001




8.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.33	-13	64.33	Pass	401
0.15	30	0.01	RMS	0.16	-77.66	-13	64.66	Pass	2986
30	1000	0.1	RMS	928.953	-69.73	-13	56.73	Pass	9701
1000	1840	1	RMS	1833	-53.5	-13	40.5	Pass	841
1840	1925	1	RMS	1850.625	19.82	60	40.18	Pass	401
1925	3000	1	RMS	2979	-54.31	-13	41.31	Pass	1076
3000	12000	1	RMS	11992	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19341	-34.86	-13	21.86	Pass	8001




8.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.98	-13	64.98	Pass	401
0.15	30	0.01	RMS	0.15	-76.33	-13	63.33	Pass	2986
30	1000	0.1	RMS	966.678	-69.76	-13	56.76	Pass	9701
1000	1840	1	RMS	1833	-54.16	-13	41.16	Pass	841
1840	1925	1	RMS	1850.625	19.05	60	40.95	Pass	401
1925	3000	1	RMS	2978	-54.25	-13	41.25	Pass	1076
3000	12000	1	RMS	11896	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19413	-34.91	-13	21.91	Pass	8001




8.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.17	-13	65.17	Pass	401
0.15	30	0.01	RMS	0.15	-78.23	-13	65.23	Pass	2986
30	1000	0.1	RMS	941.161	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1840	-57.21	-13	44.21	Pass	841
1840	1925	1	RMS	1878.038	19.79	60	40.21	Pass	401
1925	3000	1	RMS	2975	-54.29	-13	41.29	Pass	1076
3000	12000	1	RMS	11903	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19301	-34.89	-13	21.89	Pass	8001




8.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.35	-13	64.35	Pass	401
0.15	30	0.01	RMS	0.15	-77.58	-13	64.58	Pass	2986
30	1000	0.1	RMS	926.651	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1840	-57.24	-13	44.24	Pass	841
1840	1925	1	RMS	1878.038	19.27	60	40.73	Pass	401
1925	3000	1	RMS	2990	-54.31	-13	41.31	Pass	1076
3000	12000	1	RMS	12000	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19304	-34.88	-13	21.88	Pass	8001




8.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.15	-13	65.15	Pass	401
0.15	30	0.01	RMS	0.15	-77.75	-13	64.75	Pass	2986
30	1000	0.1	RMS	846.8	-69.85	-13	56.85	Pass	9701
1000	1840	1	RMS	1836	-57.54	-13	44.54	Pass	841
1840	1925	1	RMS	1905.45	19.95	60	40.05	Pass	401
1925	3000	1	RMS	2997	-54.28	-13	41.28	Pass	1076
3000	12000	1	RMS	11999	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19366	-34.87	-13	21.87	Pass	8001




8.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.83	-13	64.83	Pass	401
0.15	30	0.01	RMS	0.16	-77.91	-13	64.91	Pass	2986
30	1000	0.1	RMS	985.29	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1838	-57.55	-13	44.55	Pass	841
1840	1925	1	RMS	1905.45	19.02	60	40.98	Pass	401
1925	3000	1	RMS	3000	-54.28	-13	41.28	Pass	1076
3000	12000	1	RMS	12000	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19420	-34.91	-13	21.91	Pass	8001




8.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.87	-13	64.87	Pass	401
0.15	30	0.01	RMS	0.15	-77.39	-13	64.39	Pass	2986
30	1000	0.1	RMS	972.582	-69.81	-13	56.81	Pass	9701
1000	1840	1	RMS	1838	-42.39	-13	29.39	Pass	841
1840	1925	1	RMS	1850.838	19.86	60	40.14	Pass	401
1925	3000	1	RMS	2997	-54.29	-13	41.29	Pass	1076
3000	12000	1	RMS	11998	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19309	-34.86	-13	21.86	Pass	8001




8.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.95	-13	64.95	Pass	401
0.15	30	0.01	RMS	0.15	-77.65	-13	64.65	Pass	2986
30	1000	0.1	RMS	966.478	-69.81	-13	56.81	Pass	9701
1000	1840	1	RMS	1838	-43.86	-13	30.86	Pass	841
1840	1925	1	RMS	1850.838	19	60	41	Pass	401
1925	3000	1	RMS	2991	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11995	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19321	-34.86	-13	21.86	Pass	8001




8.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.14	-13	65.14	Pass	401
0.15	30	0.01	RMS	0.15	-77.64	-13	64.64	Pass	2986
30	1000	0.1	RMS	966.778	-69.77	-13	56.77	Pass	9701
1000	1840	1	RMS	1837	-57.28	-13	44.28	Pass	841
1840	1925	1	RMS	1875.7	19.86	60	40.14	Pass	401
1925	3000	1	RMS	3000	-54.31	-13	41.31	Pass	1076
3000	12000	1	RMS	11999	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	17837	-34.9	-13	21.9	Pass	8001




8.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.7	-13	64.7	Pass	401
0.15	30	0.01	RMS	0.15	-77.86	-13	64.86	Pass	2986
30	1000	0.1	RMS	863.51	-69.91	-13	56.91	Pass	9701
1000	1840	1	RMS	1837	-57.28	-13	44.28	Pass	841
1840	1925	1	RMS	1875.7	18.88	60	41.12	Pass	401
1925	3000	1	RMS	2999	-54.29	-13	41.29	Pass	1076
3000	12000	1	RMS	11997	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19320	-34.94	-13	21.94	Pass	8001




8.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.22	-13	65.22	Pass	401
0.15	30	0.01	RMS	0.16	-78.2	-13	65.2	Pass	2986
30	1000	0.1	RMS	931.254	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1836	-57.5	-13	44.5	Pass	841
1840	1925	1	RMS	1900.775	19.8	60	40.2	Pass	401
1925	3000	1	RMS	2993	-54.28	-13	41.28	Pass	1076
3000	12000	1	RMS	11900	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19457	-34.91	-13	21.91	Pass	8001



8.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.69	-13	63.69	Pass	401
0.15	30	0.01	RMS	0.19	-77.34	-13	64.34	Pass	2986
30	1000	0.1	RMS	955.17	-69.85	-13	56.85	Pass	9701
1000	1840	1	RMS	1838	-57.54	-13	44.54	Pass	841
1840	1925	1	RMS	1900.775	18.59	60	41.41	Pass	401
1925	3000	1	RMS	2999	-54.23	-13	41.23	Pass	1076
3000	12000	1	RMS	11994	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19390	-34.88	-13	21.88	Pass	8001



8.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.89	-13	64.89	Pass	401
0.15	30	0.01	RMS	0.15	-76.75	-13	63.75	Pass	2986
30	1000	0.1	RMS	950.467	-69.7	-13	56.7	Pass	9701
1000	1840	1	RMS	1833	-45.29	-13	32.29	Pass	841
1840	1925	1	RMS	1851.05	20.01	60	39.99	Pass	401
1925	3000	1	RMS	2963	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	11998	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19344	-34.9	-13	21.9	Pass	8001

