


Spurious Emission at Antenna Terminals

11.28 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.72	-13	65.72	Pass	401
0.15	30	0.01	RMS	0.17	-78.09	-13	65.09	Pass	2986
30	1000	0.1	RMS	929.253	-69.79	-13	56.79	Pass	9701
1000	1700	1	RMS	1700	-58.01	-13	45.01	Pass	701
1700	1790	1	RMS	1738.25	19.73	60	40.27	Pass	401
1790	3000	1	RMS	2993	-54.35	-13	41.35	Pass	1211
3000	12000	1	RMS	11896	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19299	-34.97	-13	21.97	Pass	8001



11.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.16	-13	65.16	Pass	401
0.15	30	0.01	RMS	0.15	-77.78	-13	64.78	Pass	2986
30	1000	0.1	RMS	936.558	-69.93	-13	56.93	Pass	9701
1000	1700	1	RMS	1700	-58.02	-13	45.02	Pass	701
1700	1790	1	RMS	1738.25	19.36	60	40.64	Pass	401
1790	3000	1	RMS	2974	-54.35	-13	41.35	Pass	1211
3000	12000	1	RMS	11995	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19386	-34.95	-13	21.95	Pass	8001



11.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.34	-13	64.34	Pass	401
0.15	30	0.01	RMS	0.16	-77.13	-13	64.13	Pass	2986
30	1000	0.1	RMS	946.465	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1698	-58.06	-13	45.06	Pass	701
1700	1790	1	RMS	1765.7	19.78	60	40.22	Pass	401
1790	3000	1	RMS	1793	-43.9	-13	30.9	Pass	1211
3000	12000	1	RMS	11999	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	17852	-34.95	-13	21.95	Pass	8001



11.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.38	-13	65.38	Pass	401
0.15	30	0.01	RMS	0.15	-77.25	-13	64.25	Pass	2986
30	1000	0.1	RMS	929.253	-69.73	-13	56.73	Pass	9701
1000	1700	1	RMS	1679	-58.04	-13	45.04	Pass	701
1700	1790	1	RMS	1765.7	18.86	60	41.14	Pass	401
1790	3000	1	RMS	1793	-45.31	-13	32.31	Pass	1211
3000	12000	1	RMS	11999	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19399	-34.95	-13	21.95	Pass	8001



11.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.97	-13	64.97	Pass	401
0.15	30	0.01	RMS	0.15	-77.7	-13	64.7	Pass	2986
30	1000	0.1	RMS	827.3	-69.98	-13	56.98	Pass	9701
1000	1700	1	RMS	1693	-44.3	-13	31.3	Pass	701
1700	1790	1	RMS	1711.025	19.64	60	40.36	Pass	401
1790	3000	1	RMS	2997	-54.3	-13	41.3	Pass	1211
3000	12000	1	RMS	11998	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19321	-34.91	-13	21.91	Pass	8001



11.33 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.12	-13	65.12	Pass	401
0.15	30	0.01	RMS	0.16	-77.94	-13	64.94	Pass	2986
30	1000	0.1	RMS	899.734	-69.95	-13	56.95	Pass	9701
1000	1700	1	RMS	1693	-47.17	-13	34.17	Pass	701
1700	1790	1	RMS	1711.025	18.72	60	41.28	Pass	401
1790	3000	1	RMS	2996	-54.36	-13	41.36	Pass	1211
3000	12000	1	RMS	11999	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19374	-34.99	-13	21.99	Pass	8001



11.34 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.17	-13	65.17	Pass	401
0.15	30	0.01	RMS	0.17	-77.43	-13	64.43	Pass	2986
30	1000	0.1	RMS	869.413	-69.95	-13	56.95	Pass	9701
1000	1700	1	RMS	1700	-51.85	-13	38.85	Pass	701
1700	1790	1	RMS	1736	20.01	60	39.99	Pass	401
1790	3000	1	RMS	2982	-54.3	-13	41.3	Pass	1211
3000	12000	1	RMS	11996	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19353	-34.92	-13	21.92	Pass	8001



11.35 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.16	-13	65.16	Pass	401
0.15	30	0.01	RMS	0.15	-77.59	-13	64.59	Pass	2986
30	1000	0.1	RMS	969.28	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1700	-53.75	-13	40.75	Pass	701
1700	1790	1	RMS	1736	18.84	60	41.16	Pass	401
1790	3000	1	RMS	2996	-54.33	-13	41.33	Pass	1211
3000	12000	1	RMS	11900	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19427	-34.95	-13	21.95	Pass	8001



11.36 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.41	-13	64.41	Pass	401
0.15	30	0.01	RMS	0.2	-77.72	-13	64.72	Pass	2986
30	1000	0.1	RMS	916.945	-69.92	-13	56.92	Pass	9701
1000	1700	1	RMS	1700	-58.03	-13	45.03	Pass	701
1700	1790	1	RMS	1760.975	19.68	60	40.32	Pass	401
1790	3000	1	RMS	1797	-42.37	-13	29.37	Pass	1211
3000	12000	1	RMS	11995	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19391	-34.96	-13	21.96	Pass	8001



11.37 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.26	-13	64.26	Pass	401
0.15	30	0.01	RMS	0.16	-78.15	-13	65.15	Pass	2986
30	1000	0.1	RMS	935.357	-69.79	-13	56.79	Pass	9701
1000	1700	1	RMS	1695	-58.03	-13	45.03	Pass	701
1700	1790	1	RMS	1760.975	19.52	60	40.48	Pass	401
1790	3000	1	RMS	1797	-44.28	-13	31.28	Pass	1211
3000	12000	1	RMS	11992	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19297	-34.98	-13	21.98	Pass	8001



12. LTE_Band71


12.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.51	-13	65.51	Pass	401
0.15	30	0.01	RMS	0.16	-77.73	-13	64.73	Pass	2986
30	653	0.1	RMS	652.7	-69.94	-13	56.94	Pass	6231
653	709	0.1	RMS	663.4	15.66	60	44.34	Pass	561
709	1000	0.1	RMS	986	-69.44	-13	56.44	Pass	2911
1000	3000	1	RMS	1326	-52.82	-13	39.82	Pass	2001
3000	10000	1	RMS	9698	-45.55	-13	32.55	Pass	7001




12.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.57	-13	65.57	Pass	401
0.15	30	0.01	RMS	0.15	-78.64	-13	65.64	Pass	2986
30	653	0.1	RMS	652.7	-70.25	-13	57.25	Pass	6231
653	709	0.1	RMS	663.4	14.84	60	45.16	Pass	561
709	1000	0.1	RMS	887.5	-69.69	-13	56.69	Pass	2911
1000	3000	1	RMS	1326	-54.06	-13	41.06	Pass	2001
3000	10000	1	RMS	9703	-45.48	-13	32.48	Pass	7001




12.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.5	-13	64.5	Pass	401
0.15	30	0.01	RMS	0.27	-78.35	-13	65.35	Pass	2986
30	653	0.1	RMS	613.6	-70.86	-13	57.86	Pass	6231
653	709	0.1	RMS	678.4	15.75	60	44.25	Pass	561
709	1000	0.1	RMS	963.3	-69.58	-13	56.58	Pass	2911
1000	3000	1	RMS	1356	-52.26	-13	39.26	Pass	2001
3000	10000	1	RMS	9703	-45.51	-13	32.51	Pass	7001




12.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.85	-13	63.85	Pass	401
0.15	30	0.01	RMS	0.15	-78.31	-13	65.31	Pass	2986
30	653	0.1	RMS	513.6	-70.85	-13	57.85	Pass	6231
653	709	0.1	RMS	678.4	15.56	60	44.44	Pass	561
709	1000	0.1	RMS	946.2	-69.65	-13	56.65	Pass	2911
1000	3000	1	RMS	1356	-52.17	-13	39.17	Pass	2001
3000	10000	1	RMS	9701	-45.52	-13	32.52	Pass	7001




12.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.42	-13	65.42	Pass	401
0.15	30	0.01	RMS	0.17	-77.58	-13	64.58	Pass	2986
30	653	0.1	RMS	621.4	-70.95	-13	57.95	Pass	6231
653	709	0.1	RMS	693.4	15.99	60	44.01	Pass	561
709	1000	0.1	RMS	995	-69.71	-13	56.71	Pass	2911
1000	3000	1	RMS	1386	-50.71	-13	37.71	Pass	2001
3000	10000	1	RMS	9700	-45.49	-13	32.49	Pass	7001




12.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-78.51	-13	65.51	Pass	401
0.15	30	0.01	RMS	0.15	-78.42	-13	65.42	Pass	2986
30	653	0.1	RMS	520.3	-70.86	-13	57.86	Pass	6231
653	709	0.1	RMS	693.4	14.94	60	45.06	Pass	561
709	1000	0.1	RMS	834.9	-69.62	-13	56.62	Pass	2911
1000	3000	1	RMS	1386	-52.73	-13	39.73	Pass	2001
3000	10000	1	RMS	9703	-45.56	-13	32.56	Pass	7001




12.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.5	-13	65.5	Pass	401
0.15	30	0.01	RMS	0.16	-78.44	-13	65.44	Pass	2986
30	653	0.1	RMS	652.9	-69.52	-13	56.52	Pass	6231
653	709	0.1	RMS	663.6	16.2	60	43.8	Pass	561
709	1000	0.1	RMS	965.6	-69.68	-13	56.68	Pass	2911
1000	3000	1	RMS	1327	-52.43	-13	39.43	Pass	2001
3000	10000	1	RMS	9703	-45.5	-13	32.5	Pass	7001




12.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.65	-13	64.65	Pass	401
0.15	30	0.01	RMS	0.28	-78.58	-13	65.58	Pass	2986
30	653	0.1	RMS	652.9	-69.81	-13	56.81	Pass	6231
653	709	0.1	RMS	663.6	15.44	60	44.56	Pass	561
709	1000	0.1	RMS	866	-69.68	-13	56.68	Pass	2911
1000	3000	1	RMS	1327	-53.47	-13	40.47	Pass	2001
3000	10000	1	RMS	9701	-45.52	-13	32.52	Pass	7001




12.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.21	-13	65.21	Pass	401
0.15	30	0.01	RMS	0.15	-78.01	-13	65.01	Pass	2986
30	653	0.1	RMS	611.4	-70.88	-13	57.88	Pass	6231
653	709	0.1	RMS	676.1	16.4	60	43.6	Pass	561
709	1000	0.1	RMS	880.7	-69.58	-13	56.58	Pass	2911
1000	3000	1	RMS	1352	-52.03	-13	39.03	Pass	2001
3000	10000	1	RMS	9701	-45.49	-13	32.49	Pass	7001




12.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.51	-13	65.51	Pass	401
0.15	30	0.01	RMS	0.15	-78.17	-13	65.17	Pass	2986
30	653	0.1	RMS	625.6	-70.97	-13	57.97	Pass	6231
653	709	0.1	RMS	676.1	15.56	60	44.44	Pass	561
709	1000	0.1	RMS	967.9	-69.52	-13	56.52	Pass	2911
1000	3000	1	RMS	1352	-52.9	-13	39.9	Pass	2001
3000	10000	1	RMS	9707	-45.49	-13	32.49	Pass	7001



12.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.43	-13	64.43	Pass	401
0.15	30	0.01	RMS	0.15	-78.53	-13	65.53	Pass	2986
30	653	0.1	RMS	617.5	-70.87	-13	57.87	Pass	6231
653	709	0.1	RMS	688.6	16.62	60	43.38	Pass	561
709	1000	0.1	RMS	934.7	-69.5	-13	56.5	Pass	2911
1000	3000	1	RMS	1377	-51.97	-13	38.97	Pass	2001
3000	10000	1	RMS	9699	-45.5	-13	32.5	Pass	7001



12.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.48	-13	64.48	Pass	401
0.15	30	0.01	RMS	0.17	-78.36	-13	65.36	Pass	2986
30	653	0.1	RMS	651.2	-70.91	-13	57.91	Pass	6231
653	709	0.1	RMS	688.6	15.55	60	44.45	Pass	561
709	1000	0.1	RMS	975.7	-69.58	-13	56.58	Pass	2911
1000	3000	1	RMS	1377	-53.36	-13	40.36	Pass	2001
3000	10000	1	RMS	9702	-45.53	-13	32.53	Pass	7001



12.13 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.47	-13	65.47	Pass	401
0.15	30	0.01	RMS	0.26	-78.09	-13	65.09	Pass	2986
30	653	0.1	RMS	616.2	-70.94	-13	57.94	Pass	6231
653	709	0.1	RMS	663.9	15.85	60	44.15	Pass	561
709	1000	0.1	RMS	932.8	-69.77	-13	56.77	Pass	2911
1000	3000	1	RMS	1327	-52.2	-13	39.2	Pass	2001
3000	10000	1	RMS	9700	-45.48	-13	32.48	Pass	7001




12.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.47	-13	63.47	Pass	401
0.15	30	0.01	RMS	0.17	-77.9	-13	64.9	Pass	2986
30	653	0.1	RMS	616.5	-70.86	-13	57.86	Pass	6231
653	709	0.1	RMS	663.9	15.74	60	44.26	Pass	561
709	1000	0.1	RMS	947.1	-69.58	-13	56.58	Pass	2911
1000	3000	1	RMS	1327	-52.01	-13	39.01	Pass	2001
3000	10000	1	RMS	9703	-45.52	-13	32.52	Pass	7001




12.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.78	-13	64.78	Pass	401
0.15	30	0.01	RMS	0.15	-77.96	-13	64.96	Pass	2986
30	653	0.1	RMS	638.7	-70.85	-13	57.85	Pass	6231
653	709	0.1	RMS	673.9	16.14	60	43.86	Pass	561
709	1000	0.1	RMS	953.2	-69.66	-13	56.66	Pass	2911
1000	3000	1	RMS	1347	-51.87	-13	38.87	Pass	2001
3000	10000	1	RMS	9704	-45.53	-13	32.53	Pass	7001




12.16 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:133297, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.96	-13	65.96	Pass	401
0.15	30	0.01	RMS	0.15	-78.59	-13	65.59	Pass	2986
30	653	0.1	RMS	638.2	-70.79	-13	57.79	Pass	6231
653	709	0.1	RMS	673.9	15.7	60	44.3	Pass	561
709	1000	0.1	RMS	943.7	-69.59	-13	56.59	Pass	2911
1000	3000	1	RMS	1347	-52.16	-13	39.16	Pass	2001
3000	10000	1	RMS	9702	-45.48	-13	32.48	Pass	7001




12.17 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:133397, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.86	-13	65.86	Pass	401
0.15	30	0.01	RMS	0.2	-77.82	-13	64.82	Pass	2986
30	653	0.1	RMS	637.8	-70.86	-13	57.86	Pass	6231
653	709	0.1	RMS	683.9	16.15	60	43.85	Pass	561
709	1000	0.1	RMS	710.5	-52.36	-13	39.36	Pass	2911
1000	3000	1	RMS	1367	-51.44	-13	38.44	Pass	2001
3000	10000	1	RMS	9701	-45.48	-13	32.48	Pass	7001




12.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.54	-13	64.54	Pass	401
0.15	30	0.01	RMS	0.16	-78.55	-13	65.55	Pass	2986
30	653	0.1	RMS	639.3	-70.9	-13	57.9	Pass	6231
653	709	0.1	RMS	683.9	14.76	60	45.24	Pass	561
709	1000	0.1	RMS	710.5	-53.17	-13	40.17	Pass	2911
1000	3000	1	RMS	1367	-52.93	-13	39.93	Pass	2001
3000	10000	1	RMS	9698	-45.47	-13	32.47	Pass	7001




12.19 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:133222, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.1	-13	64.1	Pass	401
0.15	30	0.01	RMS	0.19	-78.48	-13	65.48	Pass	2986
30	653	0.1	RMS	652.2	-70.76	-13	57.76	Pass	6231
653	709	0.1	RMS	664.1	16.38	60	43.62	Pass	561
709	1000	0.1	RMS	954.1	-69.56	-13	56.56	Pass	2911
1000	3000	1	RMS	1328	-52.08	-13	39.08	Pass	2001
3000	10000	1	RMS	9701	-45.48	-13	32.48	Pass	7001




12.20 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:133222, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.87	-13	64.87	Pass	401
0.15	30	0.01	RMS	0.16	-77.37	-13	64.37	Pass	2986
30	653	0.1	RMS	624.2	-70.95	-13	57.95	Pass	6231
653	709	0.1	RMS	664.1	15.62	60	44.38	Pass	561
709	1000	0.1	RMS	938.1	-69.58	-13	56.58	Pass	2911
1000	3000	1	RMS	1328	-52.8	-13	39.8	Pass	2001
3000	10000	1	RMS	9695	-45.52	-13	32.52	Pass	7001



12.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:133297, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.36	-13	65.36	Pass	401
0.15	30	0.01	RMS	0.17	-78.23	-13	65.23	Pass	2986
30	653	0.1	RMS	509.1	-70.87	-13	57.87	Pass	6231
653	709	0.1	RMS	671.6	16.27	60	43.73	Pass	561
709	1000	0.1	RMS	936.7	-69.57	-13	56.57	Pass	2911
1000	3000	1	RMS	1343	-52.67	-13	39.67	Pass	2001
3000	10000	1	RMS	9701	-45.56	-13	32.56	Pass	7001



12.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:133297, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.46	-13	65.46	Pass	401
0.15	30	0.01	RMS	0.15	-78.02	-13	65.02	Pass	2986
30	653	0.1	RMS	651.9	-70.92	-13	57.92	Pass	6231
653	709	0.1	RMS	671.6	15.16	60	44.84	Pass	561
709	1000	0.1	RMS	960.4	-69.52	-13	56.52	Pass	2911
1000	3000	1	RMS	1343	-53.59	-13	40.59	Pass	2001
3000	10000	1	RMS	9700	-45.43	-13	32.43	Pass	7001



12.23 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.16	-13	65.16	Pass	401
0.15	30	0.01	RMS	0.16	-78	-13	65	Pass	2986
30	653	0.1	RMS	493.5	-70.84	-13	57.84	Pass	6231
653	709	0.1	RMS	679.1	16.25	60	43.75	Pass	561
709	1000	0.1	RMS	714.8	-62.13	-13	49.13	Pass	2911
1000	3000	1	RMS	1358	-52.27	-13	39.27	Pass	2001
3000	10000	1	RMS	9699	-45.5	-13	32.5	Pass	7001



12.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.12	-13	65.12	Pass	401
0.15	30	0.01	RMS	0.17	-78.38	-13	65.38	Pass	2986
30	653	0.1	RMS	637.4	-70.96	-13	57.96	Pass	6231
653	709	0.1	RMS	679.1	15.41	60	44.59	Pass	561
709	1000	0.1	RMS	714.8	-62.73	-13	49.73	Pass	2911
1000	3000	1	RMS	1358	-52.92	-13	39.92	Pass	2001
3000	10000	1	RMS	9702	-45.44	-13	32.44	Pass	7001



13. LTE_Band38


13.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.63	-25	43.63	Pass	401
0.15	30	0.01	RMS	0.15	-68.21	-25	43.21	Pass	2986
30	1000	0.1	RMS	999.5	-61.37	-25	36.37	Pass	9701
1000	2560	1	RMS	2560	-46.56	-25	21.56	Pass	1561
2560	2630	1	RMS	2570.5	22.05	60	37.95	Pass	401
2630	3000	1	RMS	2902.875	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	11963	-49.89	-25	24.89	Pass	9002
12000	26500	1	RMS	25511	-50.95	-25	25.95	Pass	14502




13.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.05	-25	43.05	Pass	401
0.15	30	0.01	RMS	0.15	-68.63	-25	43.63	Pass	2986
30	1000	0.1	RMS	903.836	-61.33	-25	36.33	Pass	9701
1000	2560	1	RMS	2560	-47.03	-25	22.03	Pass	1561
2560	2630	1	RMS	2570.325	21.88	60	38.12	Pass	401
2630	3000	1	RMS	2899.175	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5140	-49.79	-25	24.79	Pass	9002
12000	26500	1	RMS	25501	-50.95	-25	25.95	Pass	14502




13.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.12	-25	44.12	Pass	401
0.15	30	0.01	RMS	0.17	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	840	-61.31	-25	36.31	Pass	9701
1000	2560	1	RMS	2554	-48.11	-25	23.11	Pass	1561
2560	2630	1	RMS	2592.9	22.88	60	37.12	Pass	401
2630	3000	1	RMS	2900.1	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	5186	-46.45	-25	21.45	Pass	9002
12000	26500	1	RMS	25499	-50.92	-25	25.92	Pass	14502




13.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.18	-25	44.18	Pass	401
0.15	30	0.01	RMS	0.15	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	850.701	-61.27	-25	36.27	Pass	9701
1000	2560	1	RMS	2554	-48.09	-25	23.09	Pass	1561
2560	2630	1	RMS	2592.725	22.36	60	37.64	Pass	401
2630	3000	1	RMS	2900.1	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5186	-46.39	-25	21.39	Pass	9002
12000	26500	1	RMS	25495	-50.91	-25	25.91	Pass	14502




13.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.04	-25	43.04	Pass	401
0.15	30	0.01	RMS	0.16	-68.16	-25	43.16	Pass	2986
30	1000	0.1	RMS	886.925	-61.33	-25	36.33	Pass	9701
1000	2560	1	RMS	2538	-48.11	-25	23.11	Pass	1561
2560	2630	1	RMS	2615.3	22.6	60	37.4	Pass	401
2630	3000	1	RMS	2900.1	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5231	-48.51	-25	23.51	Pass	9002
12000	26500	1	RMS	25502	-50.93	-25	25.93	Pass	14502




13.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.43	-25	43.43	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	858.606	-61.51	-25	36.51	Pass	9701
1000	2560	1	RMS	2500	-48.18	-25	23.18	Pass	1561
2560	2630	1	RMS	2615.475	22.36	60	37.64	Pass	401
2630	3000	1	RMS	2901.025	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	11954	-49.83	-25	24.83	Pass	9002
12000	26500	1	RMS	25498	-50.93	-25	25.93	Pass	14502




13.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.96	-25	43.96	Pass	401
0.15	30	0.01	RMS	0.34	-68.68	-25	43.68	Pass	2986
30	1000	0.1	RMS	850.301	-61.38	-25	36.38	Pass	9701
1000	2560	1	RMS	2551	-39.93	-25	14.93	Pass	1561
2560	2630	1	RMS	2570.675	23.06	60	36.94	Pass	401
2630	3000	1	RMS	2901.95	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5141	-48.08	-25	23.08	Pass	9002
12000	26500	1	RMS	25496	-50.85	-25	25.85	Pass	14502




13.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.08	-25	43.08	Pass	401
0.15	30	0.01	RMS	0.15	-68.46	-25	43.46	Pass	2986
30	1000	0.1	RMS	917.946	-61.38	-25	36.38	Pass	9701
1000	2560	1	RMS	2554	-40.85	-25	15.85	Pass	1561
2560	2630	1	RMS	2570.675	21.79	60	38.21	Pass	401
2630	3000	1	RMS	2900.1	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	5141	-49.4	-25	24.4	Pass	9002
12000	26500	1	RMS	25499	-50.83	-25	25.83	Pass	14502



13.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.49	-25	43.49	Pass	401
0.15	30	0.01	RMS	0.16	-68.31	-25	43.31	Pass	2986
30	1000	0.1	RMS	945.364	-61.34	-25	36.34	Pass	9701
1000	2560	1	RMS	2514	-47.41	-25	22.41	Pass	1561
2560	2630	1	RMS	2590.625	23.32	60	36.68	Pass	401
2630	3000	1	RMS	2900.1	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	5181	-46.52	-25	21.52	Pass	9002
12000	26500	1	RMS	25499	-50.88	-25	25.88	Pass	14502



13.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.82	-25	42.82	Pass	401
0.15	30	0.01	RMS	0.19	-67.57	-25	42.57	Pass	2986
30	1000	0.1	RMS	877.319	-61.45	-25	36.45	Pass	9701
1000	2560	1	RMS	2553	-47.48	-25	22.48	Pass	1561
2560	2630	1	RMS	2590.45	22.6	60	37.4	Pass	401
2630	3000	1	RMS	2899.175	-46.32	-25	21.32	Pass	401
3000	12000	1	RMS	5182	-47.99	-25	22.99	Pass	9002
12000	26500	1	RMS	25873	-51	-25	26	Pass	14502



13.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.79	-25	43.79	Pass	401
0.15	30	0.01	RMS	0.17	-68.04	-25	43.04	Pass	2986
30	1000	0.1	RMS	984.59	-61.43	-25	36.43	Pass	9701
1000	2560	1	RMS	2535	-48.31	-25	23.31	Pass	1561
2560	2630	1	RMS	2610.575	22.71	60	37.29	Pass	401
2630	3000	1	RMS	2630	-34.69	-25	9.69	Pass	401
3000	12000	1	RMS	11973	-49.94	-25	24.94	Pass	9002
12000	26500	1	RMS	25496	-51	-25	26	Pass	14502



13.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.66	-25	43.66	Pass	401
0.15	30	0.01	RMS	0.16	-67.86	-25	42.86	Pass	2986
30	1000	0.1	RMS	855.504	-61.4	-25	36.4	Pass	9701
1000	2560	1	RMS	2523	-48.28	-25	23.28	Pass	1561
2560	2630	1	RMS	2610.575	22.8	60	37.2	Pass	401
2630	3000	1	RMS	2630	-34.65	-25	9.65	Pass	401
3000	12000	1	RMS	5221	-48.14	-25	23.14	Pass	9002
12000	26500	1	RMS	25504	-51	-25	26	Pass	14502



13.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.88	-25	43.88	Pass	401
0.15	30	0.01	RMS	0.18	-67.82	-25	42.82	Pass	2986
30	1000	0.1	RMS	887.025	-61.39	-25	36.39	Pass	9701
1000	2560	1	RMS	2558	-38.6	-25	13.6	Pass	1561
2560	2630	1	RMS	2570.85	22.46	60	37.54	Pass	401
2630	3000	1	RMS	2899.175	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	5142	-49.65	-25	24.65	Pass	9002
12000	26500	1	RMS	25506	-50.94	-25	25.94	Pass	14502



13.14 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.57	-25	43.57	Pass	401
0.15	30	0.01	RMS	0.17	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	982.488	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2557	-38.88	-25	13.88	Pass	1561
2560	2630	1	RMS	2570.85	21.17	60	38.83	Pass	401
2630	3000	1	RMS	2901.025	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	5141	-49.24	-25	24.24	Pass	9002
12000	26500	1	RMS	25487	-50.89	-25	25.89	Pass	14502



13.15 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.69	-25	42.69	Pass	401
0.15	30	0.01	RMS	0.15	-67.92	-25	42.92	Pass	2986
30	1000	0.1	RMS	891.328	-61.4	-25	36.4	Pass	9701
1000	2560	1	RMS	2559	-47.25	-25	22.25	Pass	1561
2560	2630	1	RMS	2588.35	22.86	60	37.14	Pass	401
2630	3000	1	RMS	2903.8	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	5177	-46.09	-25	21.09	Pass	9002
12000	26500	1	RMS	25492	-50.96	-25	25.96	Pass	14502



13.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.68	-25	42.68	Pass	401
0.15	30	0.01	RMS	0.15	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	845.1	-61.31	-25	36.31	Pass	9701
1000	2560	1	RMS	2558	-47.3	-25	22.3	Pass	1561
2560	2630	1	RMS	2588.175	22.52	60	37.48	Pass	401
2630	3000	1	RMS	2900.1	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5176	-49.62	-25	24.62	Pass	9002
12000	26500	1	RMS	25506	-50.85	-25	25.85	Pass	14502



13.17 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.1	-25	43.1	Pass	401
0.15	30	0.01	RMS	0.17	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	856.805	-61.44	-25	36.44	Pass	9701
1000	2560	1	RMS	2529	-47.8	-25	22.8	Pass	1561
2560	2630	1	RMS	2605.675	23.01	60	36.99	Pass	401
2630	3000	1	RMS	2631.85	-35.39	-25	10.39	Pass	401
3000	12000	1	RMS	5211	-49.85	-25	24.85	Pass	9002
12000	26500	1	RMS	25501	-50.86	-25	25.86	Pass	14502



13.18 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:38175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.79	-25	42.79	Pass	401
0.15	30	0.01	RMS	0.19	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	916.244	-61.16	-25	36.16	Pass	9701
1000	2560	1	RMS	2529	-47.96	-25	22.96	Pass	1561
2560	2630	1	RMS	2605.675	22.17	60	37.83	Pass	401
2630	3000	1	RMS	2631.85	-32.19	-25	7.19	Pass	401
3000	12000	1	RMS	5212	-48.53	-25	23.53	Pass	9002
12000	26500	1	RMS	25510	-50.85	-25	25.85	Pass	14502



13.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.83	-25	43.83	Pass	401
0.15	30	0.01	RMS	0.21	-68.43	-25	43.43	Pass	2986
30	1000	0.1	RMS	838.9	-61.39	-25	36.39	Pass	9701
1000	2560	1	RMS	2554	-37.58	-25	12.58	Pass	1561
2560	2630	1	RMS	2571.2	22.39	60	37.61	Pass	401
2630	3000	1	RMS	2901.95	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5142	-46.63	-25	21.63	Pass	9002
12000	26500	1	RMS	25505	-50.83	-25	25.83	Pass	14502



13.20 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.48	-25	42.48	Pass	401
0.15	30	0.01	RMS	0.22	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	950.767	-61.51	-25	36.51	Pass	9701
1000	2560	1	RMS	2554	-38.69	-25	13.69	Pass	1561
2560	2630	1	RMS	2571.2	22.82	60	37.18	Pass	401
2630	3000	1	RMS	2897.325	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5142	-45.78	-25	20.78	Pass	9002
12000	26500	1	RMS	25510	-50.92	-25	25.92	Pass	14502



13.21 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:38000, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.99	-25	43.99	Pass	401
0.15	30	0.01	RMS	0.19	-68.6	-25	43.6	Pass	2986
30	1000	0.1	RMS	921.048	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2550	-47.17	-25	22.17	Pass	1561
2560	2630	1	RMS	2586.25	22.91	60	37.09	Pass	401
2630	3000	1	RMS	2904.725	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	11958	-49.96	-25	24.96	Pass	9002
12000	26500	1	RMS	25508	-50.97	-25	25.97	Pass	14502



13.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.15	-25	44.15	Pass	401
0.15	30	0.01	RMS	0.15	-68.64	-25	43.64	Pass	2986
30	1000	0.1	RMS	943.863	-61.45	-25	36.45	Pass	9701
1000	2560	1	RMS	2548	-47.33	-25	22.33	Pass	1561
2560	2630	1	RMS	2586.075	21.88	60	38.12	Pass	401
2630	3000	1	RMS	2900.1	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	5172	-49.6	-25	24.6	Pass	9002
12000	26500	1	RMS	25501	-50.98	-25	25.98	Pass	14502



13.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.66	-25	43.66	Pass	401
0.15	30	0.01	RMS	0.17	-68.21	-25	43.21	Pass	2986
30	1000	0.1	RMS	948.466	-61.24	-25	36.24	Pass	9701
1000	2560	1	RMS	2524	-47.85	-25	22.85	Pass	1561
2560	2630	1	RMS	2600.95	23.09	60	36.91	Pass	401
2630	3000	1	RMS	2636.475	-33.91	-25	8.91	Pass	401
3000	12000	1	RMS	5202	-46.56	-25	21.56	Pass	9002
12000	26500	1	RMS	25499	-50.89	-25	25.89	Pass	14502



13.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.25	-25	44.25	Pass	401
0.15	30	0.01	RMS	0.27	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	854.003	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2525	-48.18	-25	23.18	Pass	1561
2560	2630	1	RMS	2601.125	22.18	60	37.82	Pass	401
2630	3000	1	RMS	2636.475	-33.81	-25	8.81	Pass	401
3000	12000	1	RMS	11971	-49.91	-25	24.91	Pass	9002
12000	26500	1	RMS	25498	-50.99	-25	25.99	Pass	14502



14. LTE_Band41 full


14.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.36	-25	42.36	Pass	401
0.15	30	0.01	RMS	0.22	-68.91	-25	43.91	Pass	2986
30	1000	0.1	RMS	535.8	-60.32	-25	35.32	Pass	9701
1000	2486	1	RMS	2486	-47.29	-25	22.29	Pass	1487
2486	2700	1	RMS	2496.165	22.03	60	37.97	Pass	401
2700	3000	1	RMS	2898.75	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	4993	-51.32	-25	26.32	Pass	9002
12000	26500	1	RMS	25499	-50.29	-25	25.29	Pass	14502




14.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.63	-25	42.63	Pass	401
0.15	30	0.01	RMS	0.28	-68.65	-25	43.65	Pass	2986
30	1000	0.1	RMS	535.7	-60.44	-25	35.44	Pass	9701
1000	2486	1	RMS	2485	-47.5	-25	22.5	Pass	1487
2486	2700	1	RMS	2496.165	20.88	60	39.12	Pass	401
2700	3000	1	RMS	2900.25	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	4993	-49.99	-25	24.99	Pass	9002
12000	26500	1	RMS	25490	-50.26	-25	25.26	Pass	14502




14.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.13	-25	43.13	Pass	401
0.15	30	0.01	RMS	0.16	-68.5	-25	43.5	Pass	2986
30	1000	0.1	RMS	978.686	-61.4	-25	36.4	Pass	9701
1000	2486	1	RMS	2486	-48.51	-25	23.51	Pass	1487
2486	2700	1	RMS	2590.86	22.93	60	37.07	Pass	401
2700	3000	1	RMS	2898	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	5182	-45.74	-25	20.74	Pass	9002
12000	26500	1	RMS	25501	-50.23	-25	25.23	Pass	14502




14.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.98	-25	42.98	Pass	401
0.15	30	0.01	RMS	0.15	-67.71	-25	42.71	Pass	2986
30	1000	0.1	RMS	987.692	-61.44	-25	36.44	Pass	9701
1000	2486	1	RMS	2484	-48.44	-25	23.44	Pass	1487
2486	2700	1	RMS	2590.86	21.97	60	38.03	Pass	401
2700	3000	1	RMS	2898	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	5182	-49.58	-25	24.58	Pass	9002
12000	26500	1	RMS	25507	-50.24	-25	25.24	Pass	14502




14.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.91	-25	43.91	Pass	401
0.15	30	0.01	RMS	0.18	-68.06	-25	43.06	Pass	2986
30	1000	0.1	RMS	724.7	-60.39	-25	35.39	Pass	9701
1000	2486	1	RMS	2485	-48.47	-25	23.47	Pass	1487
2486	2700	1	RMS	2685.02	23.04	60	36.96	Pass	401
2700	3000	1	RMS	2899.5	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5371	-45.24	-25	20.24	Pass	9002
12000	26500	1	RMS	25499	-50.19	-25	25.19	Pass	14502




14.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.05	-25	43.05	Pass	401
0.15	30	0.01	RMS	0.16	-67.25	-25	42.25	Pass	2986
30	1000	0.1	RMS	724.8	-60.26	-25	35.26	Pass	9701
1000	2486	1	RMS	2485	-48.49	-25	23.49	Pass	1487
2486	2700	1	RMS	2685.02	21.86	60	38.14	Pass	401
2700	3000	1	RMS	2898.75	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5371	-47.68	-25	22.68	Pass	9002
12000	26500	1	RMS	25506	-50.29	-25	25.29	Pass	14502




14.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.24	-25	43.24	Pass	401
0.15	30	0.01	RMS	0.15	-67.07	-25	42.07	Pass	2986
30	1000	0.1	RMS	536	-59.94	-25	34.94	Pass	9701
1000	2486	1	RMS	2479	-42.62	-25	17.62	Pass	1487
2486	2700	1	RMS	2496.7	22.83	60	37.17	Pass	401
2700	3000	1	RMS	2904.75	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	4994	-52.34	-25	27.34	Pass	9002
12000	26500	1	RMS	25502	-50.29	-25	25.29	Pass	14502




14.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.01	-25	43.01	Pass	401
0.15	30	0.01	RMS	0.17	-68.72	-25	43.72	Pass	2986
30	1000	0.1	RMS	536	-60.11	-25	35.11	Pass	9701
1000	2486	1	RMS	2486	-46.44	-25	21.44	Pass	1487
2486	2700	1	RMS	2496.7	21.79	60	38.21	Pass	401
2700	3000	1	RMS	2901	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	4993	-51.1	-25	26.1	Pass	9002
12000	26500	1	RMS	25502	-50.28	-25	25.28	Pass	14502




14.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.93	-25	43.93	Pass	401
0.15	30	0.01	RMS	0.24	-68.56	-25	43.56	Pass	2986
30	1000	0.1	RMS	851.201	-61.33	-25	36.33	Pass	9701
1000	2486	1	RMS	2486	-48.48	-25	23.48	Pass	1487
2486	2700	1	RMS	2588.72	22.54	60	37.46	Pass	401
2700	3000	1	RMS	2901	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	5178	-54.03	-25	29.03	Pass	9002
12000	26500	1	RMS	25501	-50.24	-25	25.24	Pass	14502




14.10 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:40620, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.87	-25	41.87	Pass	401
0.15	30	0.01	RMS	0.17	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	873.216	-61.28	-25	36.28	Pass	9701
1000	2486	1	RMS	2479	-48.5	-25	23.5	Pass	1487
2486	2700	1	RMS	2588.72	22.12	60	37.88	Pass	401
2700	3000	1	RMS	2900.25	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5177	-46.91	-25	21.91	Pass	9002
12000	26500	1	RMS	25497	-50.22	-25	25.22	Pass	14502



14.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.46	-25	44.46	Pass	401
0.15	30	0.01	RMS	0.15	-67.61	-25	42.61	Pass	2986
30	1000	0.1	RMS	720	-58.51	-25	33.51	Pass	9701
1000	2486	1	RMS	2482	-48.47	-25	23.47	Pass	1487
2486	2700	1	RMS	2680.205	23.24	60	36.76	Pass	401
2700	3000	1	RMS	2700	-40.79	-25	15.79	Pass	401
3000	12000	1	RMS	5362	-45.52	-25	20.52	Pass	9002
12000	26500	1	RMS	25498	-50.25	-25	25.25	Pass	14502



14.12 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:41540, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.81	-25	42.81	Pass	401
0.15	30	0.01	RMS	0.15	-68.45	-25	43.45	Pass	2986
30	1000	0.1	RMS	720	-60.11	-25	35.11	Pass	9701
1000	2486	1	RMS	2485	-48.44	-25	23.44	Pass	1487
2486	2700	1	RMS	2680.74	21.88	60	38.12	Pass	401
2700	3000	1	RMS	2700	-38.34	-25	13.34	Pass	401
3000	12000	1	RMS	5362	-51	-25	26	Pass	9002
12000	26500	1	RMS	25510	-50.23	-25	25.23	Pass	14502

