


Spurious Emission at Antenna Terminals

14.13 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.42	-25	43.42	Pass	401
0.15	30	0.01	RMS	0.15	-67.06	-25	42.06	Pass	2986
30	1000	0.1	RMS	536.2	-60.62	-25	35.62	Pass	9701
1000	2486	1	RMS	2484	-39.41	-25	14.41	Pass	1487
2486	2700	1	RMS	2496.7	23.84	60	36.16	Pass	401
2700	3000	1	RMS	2900.25	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	4994	-47.36	-25	22.36	Pass	9002
12000	26500	1	RMS	25500	-50.2	-25	25.2	Pass	14502




14.14 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:39725, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.91	-25	42.91	Pass	401
0.15	30	0.01	RMS	0.15	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	536.2	-60.28	-25	35.28	Pass	9701
1000	2486	1	RMS	2485	-43.94	-25	18.94	Pass	1487
2486	2700	1	RMS	2496.7	20.62	60	39.38	Pass	401
2700	3000	1	RMS	2906.25	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	4994	-51.22	-25	26.22	Pass	9002
12000	26500	1	RMS	25499	-50.14	-25	25.14	Pass	14502




14.15 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.76	-25	43.76	Pass	401
0.15	30	0.01	RMS	0.15	-68.34	-25	43.34	Pass	2986
30	1000	0.1	RMS	938.559	-61.21	-25	36.21	Pass	9701
1000	2486	1	RMS	2486	-48.41	-25	23.41	Pass	1487
2486	2700	1	RMS	2586.045	23.04	60	36.96	Pass	401
2700	3000	1	RMS	2901.75	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5172	-50.37	-25	25.37	Pass	9002
12000	26500	1	RMS	25488	-50.24	-25	25.24	Pass	14502



14.16 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:40620, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.2	-25	43.2	Pass	401
0.15	30	0.01	RMS	0.2	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	947.265	-61.38	-25	36.38	Pass	9701
1000	2486	1	RMS	2481	-48.53	-25	23.53	Pass	1487
2486	2700	1	RMS	2586.045	22.53	60	37.47	Pass	401
2700	3000	1	RMS	2900.25	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5172	-54.09	-25	29.09	Pass	9002
12000	26500	1	RMS	25499	-50.31	-25	25.31	Pass	14502



14.17 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.03	-25	43.03	Pass	401
0.15	30	0.01	RMS	0.18	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	715.2	-59.13	-25	34.13	Pass	9701
1000	2486	1	RMS	2485	-48.51	-25	23.51	Pass	1487
2486	2700	1	RMS	2675.925	22.37	60	37.63	Pass	401
2700	3000	1	RMS	2702.25	-36.89	-25	11.89	Pass	401
3000	12000	1	RMS	5352	-43.5	-25	18.5	Pass	9002
12000	26500	1	RMS	25510	-50.3	-25	25.3	Pass	14502




14.18 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:41515, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.96	-25	42.96	Pass	401
0.15	30	0.01	RMS	0.15	-68.14	-25	43.14	Pass	2986
30	1000	0.1	RMS	715.2	-60.55	-25	35.55	Pass	9701
1000	2486	1	RMS	2484	-48.45	-25	23.45	Pass	1487
2486	2700	1	RMS	2675.925	21.44	60	38.56	Pass	401
2700	3000	1	RMS	2702.25	-38.7	-25	13.7	Pass	401
3000	12000	1	RMS	5351	-52.4	-25	27.4	Pass	9002
12000	26500	1	RMS	25496	-50.3	-25	25.3	Pass	14502




14.19 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:39750, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.43	-25	43.43	Pass	401
0.15	30	0.01	RMS	0.16	-68.55	-25	43.55	Pass	2986
30	1000	0.1	RMS	536.5	-60.62	-25	35.62	Pass	9701
1000	2486	1	RMS	2479	-43.42	-25	18.42	Pass	1487
2486	2700	1	RMS	2496.7	23	60	37	Pass	401
2700	3000	1	RMS	2901	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	4994	-48.35	-25	23.35	Pass	9002
12000	26500	1	RMS	25497	-50.23	-25	25.23	Pass	14502




14.20 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:39750, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.85	-25	43.85	Pass	401
0.15	30	0.01	RMS	0.16	-68.32	-25	43.32	Pass	2986
30	1000	0.1	RMS	536.5	-59.43	-25	34.43	Pass	9701
1000	2486	1	RMS	2486	-42.51	-25	17.51	Pass	1487
2486	2700	1	RMS	2496.7	22.93	60	37.07	Pass	401
2700	3000	1	RMS	2899.5	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	4995	-52.76	-25	27.76	Pass	9002
12000	26500	1	RMS	25500	-50.23	-25	25.23	Pass	14502




14.21 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:40620, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.65	-25	43.65	Pass	401
0.15	30	0.01	RMS	0.16	-68.3	-25	43.3	Pass	2986
30	1000	0.1	RMS	985.691	-61.41	-25	36.41	Pass	9701
1000	2486	1	RMS	2485	-48.45	-25	23.45	Pass	1487
2486	2700	1	RMS	2583.905	23.42	60	36.58	Pass	401
2700	3000	1	RMS	2901.75	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	5168	-50	-25	25	Pass	9002
12000	26500	1	RMS	25498	-50.16	-25	25.16	Pass	14502



14.22 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:40620, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.5	-25	43.5	Pass	401
0.15	30	0.01	RMS	0.16	-68.79	-25	43.79	Pass	2986
30	1000	0.1	RMS	883.723	-61.35	-25	36.35	Pass	9701
1000	2486	1	RMS	2486	-48.45	-25	23.45	Pass	1487
2486	2700	1	RMS	2583.905	22.03	60	37.97	Pass	401
2700	3000	1	RMS	2900.25	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5169	-48.82	-25	23.82	Pass	9002
12000	26500	1	RMS	25505	-50.28	-25	25.28	Pass	14502



14.23 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.79	-25	43.79	Pass	401
0.15	30	0.01	RMS	0.15	-68.4	-25	43.4	Pass	2986
30	1000	0.1	RMS	710.5	-60.51	-25	35.51	Pass	9701
1000	2486	1	RMS	2486	-48.42	-25	23.42	Pass	1487
2486	2700	1	RMS	2671.11	22.44	60	37.56	Pass	401
2700	3000	1	RMS	2706.75	-42.79	-25	17.79	Pass	401
3000	12000	1	RMS	5343	-46.32	-25	21.32	Pass	9002
12000	26500	1	RMS	25506	-50.2	-25	25.2	Pass	14502



14.24 LTE Spurious Emission at Antenna
Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:41490, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.69	-25	43.69	Pass	401
0.15	30	0.01	RMS	0.15	-68.4	-25	43.4	Pass	2986
30	1000	0.1	RMS	710.5	-60.11	-25	35.11	Pass	9701
1000	2486	1	RMS	2484	-48.44	-25	23.44	Pass	1487
2486	2700	1	RMS	2671.11	22.62	60	37.38	Pass	401
2700	3000	1	RMS	2706	-43.09	-25	18.09	Pass	401
3000	12000	1	RMS	5342	-45.27	-25	20.27	Pass	9002
12000	26500	1	RMS	25506	-50.18	-25	25.18	Pass	14502



1. LTE_Band26(part90)


1.1 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-70.47	-13	57.47	Pass	401
0.15	30	0.01	Peak	0.8	-69.32	-13	56.32	Pass	2986
30	809	0.1	Peak	808.8	-56.47	-13	43.47	Pass	7791
809	829	0.1	Peak	814.35	21.33	60	38.67	Pass	401
829	1000	0.1	Peak	830.9	-54.06	-13	41.06	Pass	1711
1000	3000	1	Peak	1628	-42.09	-13	29.09	Pass	2001
3000	10000	1	Peak	9030	-33.85	-13	20.85	Pass	7001




1.2 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-71.46	-13	58.46	Pass	401
0.15	30	0.01	Peak	0.15	-70.29	-13	57.29	Pass	2986
30	809	0.1	Peak	807.3	-59.16	-13	46.16	Pass	7791
809	829	0.1	Peak	814.35	21.54	60	38.46	Pass	401
829	1000	0.1	Peak	831.7	-56.61	-13	43.61	Pass	1711
1000	3000	1	Peak	1629	-41.41	-13	28.41	Pass	2001
3000	10000	1	Peak	7672	-33.71	-13	20.71	Pass	7001




1.3 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-70.92	-13	57.92	Pass	401
0.15	30	0.01	Peak	0.18	-69.28	-13	56.28	Pass	2986
30	809	0.1	Peak	505.4	-59.32	-13	46.32	Pass	7791
809	829	0.1	Peak	818.55	21.1	60	38.9	Pass	401
829	1000	0.1	Peak	833.1	-57.52	-13	44.52	Pass	1711
1000	3000	1	Peak	1637	-41.28	-13	28.28	Pass	2001
3000	10000	1	Peak	7074	-33.8	-13	20.8	Pass	7001




1.4 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-72.24	-13	59.24	Pass	401
0.15	30	0.01	Peak	0.48	-70.72	-13	57.72	Pass	2986
30	809	0.1	Peak	803.6	-59.09	-13	46.09	Pass	7791
809	829	0.1	Peak	818.65	21.4	60	38.6	Pass	401
829	1000	0.1	Peak	829.3	-50.59	-13	37.59	Pass	1711
1000	3000	1	Peak	1637	-41.29	-13	28.29	Pass	2001
3000	10000	1	Peak	8740	-33.76	-13	20.76	Pass	7001




1.5 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-71.46	-13	58.46	Pass	401
0.15	30	0.01	Peak	0.18	-70.36	-13	57.36	Pass	2986
30	809	0.1	Peak	724.5	-58.89	-13	45.89	Pass	7791
809	829	0.1	Peak	822.9	21.06	60	38.94	Pass	401
829	1000	0.1	Peak	829.2	-58.42	-13	45.42	Pass	1711
1000	3000	1	Peak	1646	-41.01	-13	28.01	Pass	2001
3000	10000	1	Peak	7031	-33.12	-13	20.12	Pass	7001




1.6 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-71.69	-13	58.69	Pass	401
0.15	30	0.01	Peak	0.15	-69.51	-13	56.51	Pass	2986
30	809	0.1	Peak	733	-59.07	-13	46.07	Pass	7791
809	829	0.1	Peak	822.85	21.63	60	38.37	Pass	401
829	1000	0.1	Peak	829.3	-57.76	-13	44.76	Pass	1711
1000	3000	1	Peak	1646	-40.49	-13	27.49	Pass	2001
3000	10000	1	Peak	6967	-32.85	-13	19.85	Pass	7001




1.7 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-72.39	-13	59.39	Pass	401
0.15	30	0.01	Peak	0.16	-69.51	-13	56.51	Pass	2986
30	809	0.1	Peak	809	-47.98	-13	34.98	Pass	7791
809	829	0.1	Peak	814.3	21.05	60	38.95	Pass	401
829	1000	0.1	Peak	845.7	-57.97	-13	44.97	Pass	1711
1000	3000	1	Peak	1629	-41.31	-13	28.31	Pass	2001
3000	10000	1	Peak	9036	-33.93	-13	20.93	Pass	7001




1.8 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-72	-13	59	Pass	401
0.15	30	0.01	Peak	0.21	-70.71	-13	57.71	Pass	2986
30	809	0.1	Peak	809	-47.2	-13	34.2	Pass	7791
809	829	0.1	Peak	814.25	21.37	60	38.63	Pass	401
829	1000	0.1	Peak	920.3	-58.38	-13	45.38	Pass	1711
1000	3000	1	Peak	1628	-42.29	-13	29.29	Pass	2001
3000	10000	1	Peak	7730	-33.63	-13	20.63	Pass	7001




1.9 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-71.37	-13	58.37	Pass	401
0.15	30	0.01	Peak	0.18	-70.03	-13	57.03	Pass	2986
30	809	0.1	Peak	767	-59.49	-13	46.49	Pass	7791
809	829	0.1	Peak	817.75	21.05	60	38.95	Pass	401
829	1000	0.1	Peak	829.3	-58.49	-13	45.49	Pass	1711
1000	3000	1	Peak	1636	-41.48	-13	28.48	Pass	2001
3000	10000	1	Peak	6768	-33.29	-13	20.29	Pass	7001




1.10 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-70.19	-13	57.19	Pass	401
0.15	30	0.01	Peak	0.26	-69.99	-13	56.99	Pass	2986
30	809	0.1	Peak	781.6	-59.16	-13	46.16	Pass	7791
809	829	0.1	Peak	817.85	21.67	60	38.33	Pass	401
829	1000	0.1	Peak	834.9	-58.75	-13	45.75	Pass	1711
1000	3000	1	Peak	1636	-41.35	-13	28.35	Pass	2001
3000	10000	1	Peak	7538	-33.88	-13	20.88	Pass	7001




1.11 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-72.12	-13	59.12	Pass	401
0.15	30	0.01	Peak	0.15	-68.73	-13	55.73	Pass	2986
30	809	0.1	Peak	610.3	-59.52	-13	46.52	Pass	7791
809	829	0.1	Peak	821.35	21.27	60	38.73	Pass	401
829	1000	0.1	Peak	831.3	-58.12	-13	45.12	Pass	1711
1000	3000	1	Peak	1643	-40.49	-13	27.49	Pass	2001
3000	10000	1	Peak	9903	-33	-13	20	Pass	7001




1.12 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-71.85	-13	58.85	Pass	401
0.15	30	0.01	Peak	0.15	-70.14	-13	57.14	Pass	2986
30	809	0.1	Peak	502.1	-58.84	-13	45.84	Pass	7791
809	829	0.1	Peak	821.3	21.58	60	38.42	Pass	401
829	1000	0.1	Peak	899.4	-59.26	-13	46.26	Pass	1711
1000	3000	1	Peak	1642	-41.14	-13	28.14	Pass	2001
3000	10000	1	Peak	7327	-33.7	-13	20.7	Pass	7001




1.13 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-72.48	-13	59.48	Pass	401
0.15	30	0.01	Peak	0.15	-69.44	-13	56.44	Pass	2986
30	809	0.1	Peak	714.8	-59.61	-13	46.61	Pass	7791
809	829	0.1	Peak	814.4	20.98	60	39.02	Pass	401
829	1000	0.1	Peak	934.9	-58.92	-13	45.92	Pass	1711
1000	3000	1	Peak	1629	-41.68	-13	28.68	Pass	2001
3000	10000	1	Peak	7489	-33.14	-13	20.14	Pass	7001




1.14 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-72.33	-13	59.33	Pass	401
0.15	30	0.01	Peak	0.27	-70.4	-13	57.4	Pass	2986
30	809	0.1	Peak	689.5	-58.88	-13	45.88	Pass	7791
809	829	0.1	Peak	814.35	20.77	60	39.23	Pass	401
829	1000	0.1	Peak	846.8	-59.01	-13	46.01	Pass	1711
1000	3000	1	Peak	1629	-42.31	-13	29.31	Pass	2001
3000	10000	1	Peak	7016	-33.75	-13	20.75	Pass	7001




1.15 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-70.32	-13	57.32	Pass	401
0.15	30	0.01	Peak	0.25	-70.34	-13	57.34	Pass	2986
30	809	0.1	Peak	808.3	-49.37	-13	36.37	Pass	7791
809	829	0.1	Peak	816.95	21.07	60	38.93	Pass	401
829	1000	0.1	Peak	970.4	-58.24	-13	45.24	Pass	1711
1000	3000	1	Peak	1634	-41.29	-13	28.29	Pass	2001
3000	10000	1	Peak	9265	-33.92	-13	20.92	Pass	7001




1.16 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-72.11	-13	59.11	Pass	401
0.15	30	0.01	Peak	0.21	-70.23	-13	57.23	Pass	2986
30	809	0.1	Peak	808.3	-48.23	-13	35.23	Pass	7791
809	829	0.1	Peak	816.8	21.68	60	38.32	Pass	401
829	1000	0.1	Peak	848.7	-58.9	-13	45.9	Pass	1711
1000	3000	1	Peak	1634	-41.61	-13	28.61	Pass	2001
3000	10000	1	Peak	7665	-33.4	-13	20.4	Pass	7001




1.17 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-71.57	-13	58.57	Pass	401
0.15	30	0.01	Peak	0.32	-70.16	-13	57.16	Pass	2986
30	809	0.1	Peak	717.3	-59.28	-13	46.28	Pass	7791
809	829	0.1	Peak	819.35	20.97	60	39.03	Pass	401
829	1000	0.1	Peak	834	-51	-13	38	Pass	1711
1000	3000	1	Peak	1639	-41.29	-13	28.29	Pass	2001
3000	10000	1	Peak	7134	-33.82	-13	20.82	Pass	7001




1.18 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-70.09	-13	57.09	Pass	401
0.15	30	0.01	Peak	0.15	-70.25	-13	57.25	Pass	2986
30	809	0.1	Peak	601.8	-58.83	-13	45.83	Pass	7791
809	829	0.1	Peak	819.35	21.08	60	38.92	Pass	401
829	1000	0.1	Peak	829.1	-52.15	-13	39.15	Pass	1711
1000	3000	1	Peak	1639	-41.3	-13	28.3	Pass	2001
3000	10000	1	Peak	6702	-33.79	-13	20.79	Pass	7001




**1.19 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-71.29	-13	58.29	Pass	401
0.15	30	0.01	Peak	0.15	-70.95	-13	57.95	Pass	2986
30	809	0.1	Peak	808.8	-49.95	-13	36.95	Pass	7791
809	829	0.1	Peak	814.65	21.25	60	38.75	Pass	401
829	1000	0.1	Peak	832.3	-36.96	-13	23.96	Pass	1711
1000	3000	1	Peak	1629	-41.69	-13	28.69	Pass	2001
3000	10000	1	Peak	7478	-33.42	-13	20.42	Pass	7001



1.20 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-71.11	-13	58.11	Pass	401
0.15	30	0.01	Peak	0.63	-70.81	-13	57.81	Pass	2986
30	809	0.1	Peak	808.7	-51.45	-13	38.45	Pass	7791
809	829	0.1	Peak	814.55	21.54	60	38.46	Pass	401
829	1000	0.1	Peak	832.4	-36.69	-13	23.69	Pass	1711
1000	3000	1	Peak	1629	-41.73	-13	28.73	Pass	2001
3000	10000	1	Peak	7950	-33.67	-13	20.67	Pass	7001



--BLANK BELOW--