Band26(824-849) QPSK BW=1.4MHz Channel=26915 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.05942865	-49.92	-13
2	0.15	30	10	0.15	-62.07	-13
3	30	1000	100	535.53975	-60.81	-13
4	1000	10000	1000	2508.625	-28.05	-13

Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010223175	-46.61	-13
2	0.15	30	10	0.1664175	-60.91	-13
3	30	1000	100	568.18025	-61.33	-13
4	1000	10000	1000	2474.65	-25.89	-13

Band26(824-849) QPSK BW=15MHz Channel=26915 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011858775	-51.02	-13
2	0.15	30	10	0.15074625	-60.93	-13
3	30	1000	100	994.20425	-60.71	-13
4	1000	10000	1000	2489.95	-27.87	-13

Band26(824-849) QPSK BW=10MHz Channel=26915 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.014030175	-50.94	-13
2	0.15	30	10	0.15	-61.47	-13
3	30	1000	100	514.224	-60.93	-13
4	1000	10000	1000	2496.7	-31.04	-13

Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011590875	-50.92	-13
2	0.15	30	10	0.16268625	-61.24	-13
3	30	1000	100	592.2605	-61.35	-13
4	1000	10000	1000	2519.425	-26.83	-13

Band26(824-849) QPSK BW=3MHz Channel=26915 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01437915	-49.27	-13
2	0.15	30	10	0.16194	-61.51	-13
3	30	1000	100	548.29525	-61.08	-13
4	1000	10000	1000	2506.375	-23.04	-13

Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010117425	-47.92	-13
2	0.15	30	10	0.15	-58.89	-13
3	30	1000	100	808.5705	-52.27	-13
4	1000	10000	1000	2539.45	-23.79	-13

Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00969795	-49.8	-13
2	0.15	30	10	0.15	-59.96	-13
3	30	1000	100	529.6955	-60.49	-13
4	1000	10000	1000	2505.025	-25.46	-13

Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.05927355	-48.97	-13
2	0.15	30	10	0.15	-60.18	-13
3	30	1000	100	555.86125	-60.85	-13
4	1000	10000	1000	2473.525	-26.45	-13

Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.046142925	-51.59	-13
2	0.15	30	10	0.15	-58.2	-13
3	30	1000	100	563.112	-60.65	-13
4	1000	10000	1000	2533.825	-23.74	-13

Band26(824-849) QPSK BW=5MHz Channel=26915 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01044525	-48.87	-13
2	0.15	30	10	0.15	-59.23	-13
3	30	1000	100	927.153	-60.62	-13
4	1000	10000	1000	2503.675	-28.64	-13

Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.014714025	-47.74	-13
2	0.15	30	10	0.1604475	-59.77	-13
3	30	1000	100	573.12725	-61.11	-13
4	1000	10000	1000	2473.75	-21.54	-13

Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.014150025	-46.82	-13
2	0.15	30	10	0.152985	-61.92	-13
3	30	1000	100	831.05025	-59	-13
4	1000	10000	1000	1646.425	-30.77	-13

Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0138504	-45.43	-13
2	0.15	30	10	0.15223875	-59.06	-13
3	30	1000	100	975.04675	-61.21	-13
4	1000	10000	1000	2444.5	-25.66	-13

Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.018429375	-47.67	-13
2	0.15	30	10	0.15	-61.42	-13
3	30	1000	100	783.399	-61.29	-13
4	1000	10000	1000	1629.1	-29.18	-13

Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.017178	-49.25	-13
2	0.15	30	10	0.15	-59.16	-13
3	30	1000	100	831.705	-60.47	-13
4	1000	10000	1000	2456.2	-27.88	-13

Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.013797525	-45.66	-13
2	0.15	30	10	0.152985	-59.53	-13
3	30	1000	100	980.09075	-60.09	-13
4	1000	10000	1000	2464.3	-24.23	-13

Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0149643	-47.79	-13
2	0.15	30	10	0.15074625	-59.04	-13
3	30	1000	100	991.852	-61.26	-13
4	1000	10000	1000	2443.6	-23.85	-13

Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010180875	-48.73	-13
2	0.15	30	10	0.15223875	-60.07	-13
3	30	1000	100	518.7345	-61.24	-13
4	1000	10000	1000	2443.375	-25.42	-13

Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01344855	-48.8	-13
2	0.15	30	10	0.15	-59.87	-13
3	30	1000	100	497.443	-60.92	-13
4	1000	10000	1000	2453.725	-28.65	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.048314325	-52.47	-13
2	0.15	30	10	0.15	-59.85	-13
3	30	1000	100	834.15425	-60.32	-13
4	1000	10000	1000	2456.2	-28.88	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011696625	-49.47	-13
2	0.15	30	10	0.17388	-60.58	-13
3	30	1000	100	831.2685	-57.21	-13
4	1000	10000	1000	1646.425	-28.12	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01426635	-51.1	-13
2	0.15	30	10	0.152985	-58.43	-13
3	30	1000	100	781.7015	-60.37	-13
4	1000	10000	1000	2442.925	-29.35	-13

Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.013106625	-47.94	-13
2	0.15	30	10	0.1574625	-60.97	-13
3	30	1000	100	549.338	-60.61	-13
4	1000	10000	1000	2451.25	-30.49	-13

Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01261665	-49.51	-13
2	0.15	30	10	0.1723875	-60.5	-13
3	30	1000	100	934.913	-60.6	-13
4	1000	10000	1000	1639.225	-28.07	-13

Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0434322	-52.37	-13
2	0.15	30	10	0.15	-58.89	-13
3	30	1000	100	792.032	-60.96	-13
4	1000	10000	1000	2453.725	-28.77	-13

Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012098475	-49.04	-13
2	0.15	30	10	0.1544775	-60.17	-13
3	30	1000	100	753.06225	-59.61	-13
4	1000	10000	1000	2464.3	-25.2	-13

Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.047404875	-49.62	-13
2	0.15	30	10	0.164925	-60.37	-13
3	30	1000	100	966.46225	-60.49	-13
4	1000	10000	1000	1629.775	-29.05	-13

Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0593511	-50.63	-13
2	0.15	30	10	0.16268625	-59.89	-13
3	30	1000	100	518.2495	-60.96	-13
4	1000	10000	1000	2443.375	-26.18	-13

Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011478075	-51.97	-13
2	0.15	30	10	0.1634325	-59.89	-13
3	30	1000	100	993.792	-60.99	-13
4	1000	10000	1000	2458.675	-23.88	-13

Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01140405	-50.76	-13
2	0.15	30	10	0.15	-58.83	-13
3	30	1000	100	549.36225	-61.12	-13
4	1000	10000	1000	2451.025	-24.02	-13

Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01459065	-50.62	-13
2	0.15	30	10	0.15	-59.83	-13
3	30	1000	100	603.87625	-60.11	-13
4	1000	10000	1000	2443.6	-23.65	-13

Band38 16QAM BW=10MHz Channel=38200 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00999405	-60.55	-25
2	0.15	30	10	0.15	-60.65	-25
3	30	1000	100	49.37575	-46.49	-25
4	1000	27000	1000	24877.75	-37.35	-25

Band38 16QAM BW=10MHz Channel=38000 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093384	-58.4	-25
2	0.15	30	10	29.32016625	-53.62	-25
3	30	1000	100	977.302	-63.95	-25
4	1000	27000	1000	25394.5	-37.76	-25

Band38 16QAM BW=10MHz Channel=37800 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009391275	-58.41	-25
2	0.15	30	10	9.34454625	-51.42	-25
3	30	1000	100	827.65525	-63.66	-25
4	1000	27000	1000	7713.2	-29.07	-25

Band38 16QAM BW=15MHz Channel=38175 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010871775	-59.21	-25
2	0.15	30	10	0.16268625	-62.17	-25
3	30	1000	100	44.5985	-45.8	-25
4	1000	27000	1000	24915.45	-37.85	-25

Band38 16QAM BW=20MHz Channel=37850 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-59.4	-25
2	0.15	30	10	9.84751875	-53.25	-25
3	30	1000	100	902.4665	-64.05	-25
4	1000	27000	1000	25406.2	-36.7	-25

Band38 16QAM BW=15MHz Channel=37825 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009109275	-58.05	-25
2	0.15	30	10	9.59976375	-51.79	-25
3	30	1000	100	811.9655	-63.6	-25
4	1000	27000	1000	7715.15	-31.11	-25

Band38 16QAM BW=15MHz Channel=38000 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01303965	-59.42	-25
2	0.15	30	10	27.08290875	-53.53	-25
3	30	1000	100	707.7875	-64.22	-25
4	1000	27000	1000	25366.55	-37.8	-25

Band38 16QAM BW=5MHz Channel=37775 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091974	-59.49	-25
2	0.15	30	10	9.0855975	-51.82	-25
3	30	1000	100	766.39975	-64.17	-25
4	1000	27000	1000	25040.9	-37.91	-25

Band38 16QAM BW=5MHz Channel=38000 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009017625	-59.24	-25
2	0.15	30	10	0.15	-60.36	-25
3	30	1000	100	31.552	-44.42	-25
4	1000	27000	1000	25426.35	-37.12	-25

Band38 16QAM BW=20MHz Channel=38000 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009962325	-59.45	-25
2	0.15	30	10	24.82027875	-54.46	-25
3	30	1000	100	791.6925	-64.33	-25
4	1000	27000	1000	25331.45	-37.81	-25

Band38 16QAM BW=20MHz Channel=38150 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091974	-59.27	-25
2	0.15	30	10	0.15597	-60.35	-25
3	30	1000	100	39.894	-41.92	-25
4	1000	27000	1000	25375.65	-37.51	-25

Band38 QPSK BW=10MHz Channel=38200 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01178475	-58.13	-25
2	0.15	30	10	0.15820875	-61.58	-25
3	30	1000	100	49.3515	-45.59	-25
4	1000	27000	1000	24989.55	-37.5	-25

Band38 QPSK BW=15MHz Channel=37825 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009412425	-58.04	-25
2	0.15	30	10	9.6437925	-52.62	-25
3	30	1000	100	835.682	-64.45	-25
4	1000	27000	1000	25312.6	-37.63	-25

Band38 QPSK BW=10MHz Channel=38000 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010350075	-58.97	-25
2	0.15	30	10	29.35001625	-53.12	-25
3	30	1000	100	570.581	-63.97	-25
4	1000	27000	1000	25417.9	-38.19	-25

Band38 16QAM BW=5MHz Channel=38225 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.013064325	-59.88	-25
2	0.15	30	10	0.152985	-61.78	-25
3	30	1000	100	54.12875	-46.67	-25
4	1000	27000	1000	25380.85	-37.94	-25

Band38 QPSK BW=10MHz Channel=37800 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009116325	-60.32	-25
2	0.15	30	10	9.34753125	-50.91	-25
3	30	1000	100	935.27675	-64.55	-25
4	1000	27000	1000	24483.2	-37.77	-25

Band38 QPSK BW=20MHz Channel=37850 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010667325	-59.67	-25
2	0.15	30	10	9.83334	-53.31	-25
3	30	1000	100	945.94675	-63.93	-25
4	1000	27000	1000	25367.85	-36.47	-25

Band38 QPSK BW=20MHz Channel=38000 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009186825	-59.29	-25
2	0.15	30	10	24.82475625	-55.07	-25
3	30	1000	100	800.68925	-64.09	-25
4	1000	27000	1000	24908.95	-38.34	-25

Band38 QPSK BW=15MHz Channel=38000 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00981075	-59.31	-25
2	0.15	30	10	27.077685	-53.47	-25
3	30	1000	100	823.92075	-63.92	-25
4	1000	27000	1000	25349.65	-38.02	-25

Band38 QPSK BW=15MHz Channel=38175 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0127506	-59.46	-25
2	0.15	30	10	0.17164125	-62.36	-25
3	30	1000	100	44.5985	-46.51	-25
4	1000	27000	1000	25128	-37.3	-25

Band38 QPSK BW=5MHz Channel=38000 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009722625	-58.28	-25
2	0.15	30	10	0.15	-61.79	-25
3	30	1000	100	31.57625	-46.78	-25
4	1000	27000	1000	25350.95	-38	-25

Band38 QPSK BW=5MHz Channel=38225 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012324075	-59.36	-25
2	0.15	30	10	0.15	-60.21	-25
3	30	1000	100	54.08025	-48.23	-25
4	1000	27000	1000	24979.8	-37.62	-25

Band38 QPSK BW=20MHz Channel=38150 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010244325	-59.76	-25
2	0.15	30	10	0.1514925	-60.16	-25
3	30	1000	100	39.86975	-43.26	-25
4	1000	27000	1000	25301.55	-37.76	-25

Band38 QPSK BW=5MHz Channel=37775 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011738925	-57.56	-25
2	0.15	30	10	9.0736575	-51.88	-25
3	30	1000	100	842.084	-64.17	-25
4	1000	27000	1000	24974.6	-36.59	-25

Band40(2305-2315) 16QAM BW=5MHz Channel=38725 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-63.27	-40
2	0.15	30	10	0.16119375	-66.1	-40
3	30	1000	100	967.38375	-67.39	-40
4	1000	24000	1000	23967.8	-43.69	-40

Band40(2305-2315) 16QAM BW=10MHz Channel=38750 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01193985	-62.32	-40
2	0.15	30	10	0.15373125	-66.19	-40
3	30	1000	100	763.24725	-67.46	-40
4	1000	24000	1000	23934.45	-44.02	-40

Band40(2305-2315) QPSK BW=5MHz Channel=38725 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01050165	-61.95	-40
2	0.15	30	10	0.1664175	-66.06	-40
3	30	1000	100	922.71525	-67.38	-40
4	1000	24000	1000	23866.025	-43.47	-40

Band40(2305-2315) QPSK BW=5MHz Channel=38750 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01065675	-62.91	-40
2	0.15	30	10	0.1514925	-64.96	-40
3	30	1000	100	805.19975	-67.97	-40
4	1000	24000	1000	23980.45	-43.54	-40

Band40(2305-2315) QPSK BW=10MHz Channel=38750 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01072725	-63.81	-40
2	0.15	30	10	0.17462625	-66.35	-40
3	30	1000	100	511.19275	-66.01	-40
4	1000	24000	1000	23713.075	-42.65	-40

Band40(2305-2315) 16QAM BW=5MHz Channel=38750 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009807225	-61.8	-40
2	0.15	30	10	0.15	-64.58	-40
3	30	1000	100	914.5915	-67.46	-40
4	1000	24000	1000	23782.075	-43.79	-40

Band40(2305-2315) 16QAM BW=5MHz Channel=38775 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009356025	-63.58	-40
2	0.15	30	10	0.15522375	-66.36	-40
3	30	1000	100	827.17025	-67.35	-40
4	1000	24000	1000	23663.05	-43.84	-40

Band40(2305-2315) QPSK BW=5MHz Channel=38775 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010427625	-62.25	-40
2	0.15	30	10	0.15970125	-65.34	-40
3	30	1000	100	896.96175	-67.07	-40
4	1000	24000	1000	23945.375	-43.4	-40

Band40(2305-2315) 16QAM BW=5MHz Channel=38750 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096627	-63.82	-40
2	0.15	30	10	0.158955	-64.72	-40
3	30	1000	100	900.45375	-65.25	-40
4	1000	24000	1000	23893.05	-43.73	-40

Band40(2305-2315) 16QAM BW=5MHz Channel=38725 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011365275	-63.8	-40
2	0.15	30	10	0.15074625	-66.85	-40
3	30	1000	100	786.5515	-67.57	-40
4	1000	24000	1000	2346.075	-41.15	-40

Band40(2305-2315) 16QAM BW=10MHz Channel=38750 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009229125	-62.58	-40
2	0.15	30	10	0.15970125	-66.65	-40
3	30	1000	100	912.72425	-66.75	-40
4	1000	24000	1000	23857.4	-42.38	-40

Band40(2305-2315) QPSK BW=5MHz Channel=38750 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0107484	-61.9	-40
2	0.15	30	10	0.158955	-65.2	-40
3	30	1000	100	832.84475	-67.11	-40
4	1000	24000	1000	23742.4	-43.75	-40

Band40(2305-2315) QPSK BW=5MHz Channel=38775 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00990945	-61.62	-40
2	0.15	30	10	0.1514925	-68.59	-40
3	30	1000	100	851.90525	-66.35	-40
4	1000	24000	1000	2387.475	-35.15	-40

Band40(2305-2315) QPSK BW=5MHz Channel=38725 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100434	-63.64	-40
2	0.15	30	10	0.152985	-67.49	-40
3	30	1000	100	928.026	-66.09	-40
4	1000	24000	1000	2350.675	-31.33	-40

Band40(2305-2315) 16QAM BW=5MHz Channel=38775 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00933135	-63.82	-40
2	0.15	30	10	0.15970125	-61.9	-40
3	30	1000	100	955.54975	-66.64	-40
4	1000	24000	1000	23717.1	-44.04	-40

Band40(2305-2315) QPSK BW=10MHz Channel=38750 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010180875	-60.94	-40
2	0.15	30	10	0.15522375	-65.17	-40
3	30	1000	100	897.18	-66.12	-40
4	1000	24000	1000	2405.875	-36.36	-40

Band40(2350-2360) 16QAM BW=10MHz Channel=39200 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010551	-64.38	-40
2	0.15	30	10	0.170895	-67.55	-40
3	30	1000	100	912.603	-67.08	-40
4	1000	24000	1000	23974.7	-43.92	-40

Band40(2350-2360) 16QAM BW=5MHz Channel=39225 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00903525	-61.53	-40
2	0.15	30	10	0.15373125	-65.88	-40
3	30	1000	100	844.63025	-67.42	-40
4	1000	24000	1000	23967.225	-43.18	-40

Band40(2350-2360) QPSK BW=10MHz Channel=39200 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009433575	-62.49	-40
2	0.15	30	10	0.1544775	-64.05	-40
3	30	1000	100	504.49975	-66.98	-40
4	1000	24000	1000	23948.25	-44.08	-40

Band40(2350-2360) 16QAM BW=5MHz Channel=39175 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01147455	-63.77	-40
2	0.15	30	10	0.15671625	-64.74	-40
3	30	1000	100	988.6995	-67.17	-40
4	1000	24000	1000	23900.525	-43.74	-40

Band40(2350-2360) 16QAM BW=5MHz Channel=39200 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01473165	-62.58	-40
2	0.15	30	10	0.15597	-67.69	-40
3	30	1000	100	880.90825	-67.39	-40
4	1000	24000	1000	23873.5	-41.96	-40

Band40(2350-2360) QPSK BW=5MHz Channel=39225 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011196075	-62.54	-40
2	0.15	30	10	0.16119375	-65.58	-40
3	30	1000	100	983.8495	-67.36	-40
4	1000	24000	1000	23975.275	-43.55	-40

Band40(2350-2360) QPSK BW=5MHz Channel=39200 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011985675	-62.99	-40
2	0.15	30	10	0.16194	-66.87	-40
3	30	1000	100	749.061	-67.1	-40
4	1000	24000	1000	23866.6	-43.28	-40

Band40(2350-2360) QPSK BW=5MHz Channel=39175 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009229125	-62.82	-40
2	0.15	30	10	0.16567125	-66.8	-40
3	30	1000	100	858.5255	-67.89	-40
4	1000	24000	1000	23975.275	-43.88	-40

Band40(2350-2360) 16QAM BW=5MHz Channel=39175 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	101	-13	-40
2	0.15	30	10	101	-13	-40
3	30	1000	100	103	-13	-40
4	1000	24000	1000	102	-13	-40

Band40(2350-2360) 16QAM BW=10MHz Channel=39200 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	101	-13	-40
2	0.15	30	10	101	-13	-40
3	30	1000	100	101	-13	-40
4	1000	24000	1000	103	-13	-40

Band40(2350-2360) QPSK BW=5MHz Channel=39175 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	101	-13	-40
2	0.15	30	10	103	-13	-40
3	30	1000	100	102	-13	-40
4	1000	24000	1000	108	-13	-40

Band40(2350-2360) QPSK BW=5MHz Channel=39200 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	101	-13	-40
2	0.15	30	10	101	-13	-40
3	30	1000	100	101	-13	-40
4	1000	24000	1000	101	-13	-40

Band40(2350-2360) QPSK BW=10MHz Channel=39200 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	104	-13	-40
2	0.15	30	10	102	-13	-40
3	30	1000	100	102	-13	-40
4	1000	24000	1000	102	-13	-40

Band40(2350-2360) 16QAM BW=5MHz Channel=39200 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	103	-13	-40
2	0.15	30	10	101	-13	-40
3	30	1000	100	101	-13	-40
4	1000	24000	1000	101	-13	-40

Band40(2350-2360) 16QAM BW=5MHz Channel=39225 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	102	-13	-40
2	0.15	30	10	102	-13	-40
3	30	1000	100	102	-13	-40
4	1000	24000	1000	101	-13	-40

Band40(2350-2360) QPSK BW=5MHz Channel=39225 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	102	-13	-40
2	0.15	30	10	104	-13	-40
3	30	1000	100	101	-13	-40
4	1000	24000	1000	101	-13	-40

Band41(2555-2655) 16QAM BW=15MHz Channel=40315 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009222075	-50.78	-25
2	0.15	30	10	0.1544775	-53.52	-25
3	30	1000	100	799.76775	-56.51	-25
4	1000	27000	1000	24924.55	-29.1	-25

Band41(2555-2655) 16QAM BW=10MHz Channel=41190 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010610925	-51.33	-25
2	0.15	30	10	0.15	-53.29	-25
3	30	1000	100	771.9045	-55.68	-25
4	1000	27000	1000	25066.9	-29.96	-25

Band41(2555-2655) 16QAM BW=10MHz Channel=40290 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010364175	-51.18	-25
2	0.15	30	10	0.152985	-51.29	-25
3	30	1000	100	983.00075	-55.66	-25
4	1000	27000	1000	24649.6	-29.97	-25

Band41(2555-2655) 16QAM BW=20MHz Channel=41140 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-52.79	-25
2	0.15	30	10	0.1574625	-54.07	-25
3	30	1000	100	903.26675	-56.3	-25
4	1000	27000	1000	24955.75	-29.99	-25

Band41(2555-2655) 16QAM BW=5MHz Channel=40265 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-50.99	-25
2	0.15	30	10	0.16417875	-54.41	-25
3	30	1000	100	554.89125	-56.01	-25
4	1000	27000	1000	24979.8	-29.92	-25

Band41(2555-2655) 16QAM BW=15MHz Channel=41165 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009497025	-51.68	-25
2	0.15	30	10	0.164925	-53.75	-25
3	30	1000	100	809.7345	-56.06	-25
4	1000	27000	1000	25011	-29.91	-25

Band41(2555-2655) 16QAM BW=20MHz Channel=40340 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009200925	-50.06	-25
2	0.15	30	10	0.15	-54.16	-25
3	30	1000	100	717.41475	-56.7	-25
4	1000	27000	1000	25360.7	-29.91	-25

Band41(2555-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00997995	-51.53	-25
2	0.15	30	10	0.15597	-53.08	-25
3	30	1000	100	714.31075	-56.31	-25
4	1000	27000	1000	24890.75	-30.25	-25

Band41(2555-2655) QPSK BW=15MHz Channel=40315 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00985305	-51.75	-25
2	0.15	30	10	0.164925	-53.59	-25
3	30	1000	100	830.8805	-55.42	-25
4	1000	27000	1000	24895.95	-29.44	-25

Band41(2555-2655) 16QAM BW=5MHz Channel=41215 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009934125	-51.12	-25
2	0.15	30	10	0.15	-53.75	-25
3	30	1000	100	782.526	-56.1	-25
4	1000	27000	1000	24990.85	-30.16	-25

Band41(2555-2655) QPSK BW=10MHz Channel=40290 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011647275	-49.85	-25
2	0.15	30	10	0.1604475	-53.29	-25
3	30	1000	100	935.22825	-56.42	-25
4	1000	27000	1000	25307.4	-30.24	-25

Band41(2555-2655) QPSK BW=5MHz Channel=40265 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094371	-49.73	-25
2	0.15	30	10	0.15	-53.78	-25
3	30	1000	100	822.587	-55.78	-25
4	1000	27000	1000	24921.95	-28.6	-25

Band41(2555-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011795325	-50.38	-25
2	0.15	30	10	0.1664175	-55.1	-25
3	30	1000	100	837.8645	-56.23	-25
4	1000	27000	1000	25449.1	-29.88	-25

Band41(2555-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011026875	-52.4	-25
2	0.15	30	10	0.1544775	-52.64	-25
3	30	1000	100	905.037	-55.8	-25
4	1000	27000	1000	25359.4	-29	-25

Band41(2555-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009673275	-48.85	-25
2	0.15	30	10	0.15	-53.51	-25
3	30	1000	100	895.9675	-55.97	-25
4	1000	27000	1000	25388	-29.94	-25

Band41(2555-2655) QPSK BW=20MHz Channel=40340 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01213725	-52.36	-25
2	0.15	30	10	0.16417875	-53.02	-25
3	30	1000	100	899.9445	-55.18	-25
4	1000	27000	1000	24996.7	-29.06	-25

Band41(2555-2655) 16QAM BW=15MHz Channel=40315 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-51.08	-25
2	0.15	30	10	0.15	-53.28	-25
3	30	1000	100	676.796	-55.7	-25
4	1000	27000	1000	24994.1	-29.5	-25

Band41(2555-2655) 16QAM BW=10MHz Channel=41190 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.015355575	-51.01	-25
2	0.15	30	10	0.15373125	-54.03	-25
3	30	1000	100	801.344	-56.1	-25
4	1000	27000	1000	24922.6	-29.64	-25

Band41(2555-2655) 16QAM BW=10MHz Channel=40290 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011115	-50.2	-25
2	0.15	30	10	0.15522375	-53.96	-25
3	30	1000	100	966.31675	-55.55	-25
4	1000	27000	1000	25129.95	-30.29	-25

Band41(2555-2655) 16QAM BW=5MHz Channel=40265 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01048755	-52.65	-25
2	0.15	30	10	0.16417875	-54.95	-25
3	30	1000	100	916.3375	-56.15	-25
4	1000	27000	1000	7670.3	-28.52	-25

Band41(2555-2655) 16QAM BW=5MHz Channel=41215 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096909	-51.6	-25
2	0.15	30	10	0.16268625	-52.19	-25
3	30	1000	100	940.85425	-55.53	-25
4	1000	27000	1000	24960.3	-29.8	-25

Band41(2555-2655) 16QAM BW=20MHz Channel=41140 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01191165	-52.32	-25
2	0.15	30	10	0.15970125	-53.71	-25
3	30	1000	100	793.17175	-56.29	-25
4	1000	27000	1000	25028.55	-29.97	-25

Band41(2555-2655) 16QAM BW=15MHz Channel=41165 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098178	-50.15	-25
2	0.15	30	10	0.15074625	-53.86	-25
3	30	1000	100	855.78525	-56.79	-25
4	1000	27000	1000	25006.45	-30.1	-25

Band41(2555-2655) 16QAM BW=20MHz Channel=40340 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011696625	-52.06	-25
2	0.15	30	10	0.15820875	-53.66	-25
3	30	1000	100	839.95	-55.56	-25
4	1000	27000	1000	24576.15	-29.91	-25

Band41(2555-2655) QPSK BW=15MHz Channel=40315 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010561575	-52.67	-25
2	0.15	30	10	0.15671625	-54.24	-25
3	30	1000	100	762.0105	-56.36	-25
4	1000	27000	1000	24902.45	-29.79	-25

Band41(2555-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012013875	-51.08	-25
2	0.15	30	10	0.15597	-54.78	-25
3	30	1000	100	980.91525	-56.08	-25
4	1000	27000	1000	24954.45	-29.76	-25

Band41(2555-2655) QPSK BW=10MHz Channel=40290 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094935	-51.82	-25
2	0.15	30	10	0.15373125	-54.31	-25
3	30	1000	100	789.3645	-55.83	-25
4	1000	27000	1000	25367.2	-30.09	-25

Band41(2555-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009172725	-48.61	-25
2	0.15	30	10	0.15373125	-54.21	-25
3	30	1000	100	807.455	-55.76	-25
4	1000	27000	1000	24700.95	-30.04	-25

Band41(2555-2655) QPSK BW=5MHz Channel=40265 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009934125	-50.93	-25
2	0.15	30	10	0.15	-53.68	-25
3	30	1000	100	979.65425	-56.6	-25
4	1000	27000	1000	7671.6	-24.4	-25

Band41(2555-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009412425	-51.89	-25
2	0.15	30	10	0.16119375	-54.29	-25
3	30	1000	100	797.27	-56.43	-25
4	1000	27000	1000	25357.45	-29.21	-25

Band41(2555-2655) QPSK BW=20MHz Channel=40340 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009327825	-49.12	-25
2	0.15	30	10	0.15671625	-52.94	-25
3	30	1000	100	891.09325	-54.25	-25
4	1000	27000	1000	24695.75	-30.01	-25

Band41(2555-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-51.92	-25
2	0.15	30	10	0.16417875	-53.61	-25
3	30	1000	100	796.7365	-56.21	-25
4	1000	27000	1000	25329.5	-29.57	-25

LTE Duty Cycle

Band	Bandwidth (MHz)	UL Channel	Ton (ms)	Tn (ms)	Duty Cycle (%)	high Limit (%)	Verdict
Band40(2305-2315)	10	38750	3.000	10.000	30.00	38	PASS
Band40(2350-2360)	10	39200	98.000	200.000	49.00	38	PASS

Band40(2305-2315) QPSK BW=10MHz Channel=38750 RB Size=50 Position=#0



Band40(2350-2360) QPSK BW=10MHz Channel=39200 RB Size=50 Position=#0



RADIATED SPURIOUS EMISSION
Note:
(1) Spurious emissions which are attenuated by more than 20dB below the permissible value for frequeny below 1000MHz.
(2) Test is divided into three directions, X/Y/Z. X pattern for the worst.

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3720.33	-25.06	7.00	12.93	**-30.99**	-13.00	-17.99	H
5580.40	-29.24	8.40	17.11	-37.95	-13.00	-24.95	H
7439.84	-24.05	8.10	22.20	-38.15	-13.00	-25.15	H
3720.33	-26.43	7.00	12.93	-32.36	-13.00	-19.36	V
5580.40	-27.21	8.40	17.11	-35.92	-13.00	-22.92	V
7439.84	-25.00	8.10	22.20	-39.10	-13.00	-26.10	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3759.87	-28.91	7.00	12.93	-34.84	-13.00	-21.84	H
5640.18	-26.89	8.40	17.11	-35.60	-13.00	-22.60	H
7519.91	-25.34	8.10	22.20	-39.44	-13.00	-26.44	H
3759.87	-29.08	7.00	12.93	-35.01	-13.00	-22.01	V
5640.18	-25.95	8.40	17.11	**-34.66**	-13.00	-21.66	V
7519.91	-26.79	8.10	22.20	-40.89	-13.00	-27.89	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3799.85	-24.15	7.00	12.93	**-30.08**	-13.00	-17.08	H
5699.71	-29.36	8.40	17.11	-38.07	-13.00	-25.07	H
7600.18	-24.44	8.10	22.20	-38.54	-13.00	-25.54	H
3799.85	-25.84	7.00	12.93	-31.77	-13.00	-18.77	V
5699.71	-27.43	8.40	17.11	-36.14	-13.00	-23.14	V
7600.18	-26.32	8.10	22.20	-40.42	-13.00	-27.42	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3440.09	-26.33	7.20	12.56	**-31.69**	-13.00	-18.69	H
5160.13	-28.67	8.10	16.32	-36.89	-13.00	-23.89	H
6880.41	-26.36	8.30	21.13	-39.19	-13.00	-26.19	H
3440.09	-26.61	7.20	12.56	-31.97	-13.00	-18.97	V
5160.13	-28.43	8.10	16.32	-36.65	-13.00	-23.65	V
6880.41	-25.59	8.30	21.13	-38.42	-13.00	-25.42	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3464.75	-26.96	7.20	12.56	-32.32	-13.00	-19.32	H
5196.71	-24.87	8.10	16.32	-33.09	-13.00	-20.09	H
6929.74	-27.55	8.30	21.13	-40.38	-13.00	-27.38	H
3464.75	-26.39	7.20	12.56	**-31.75**	-13.00	-18.75	V
5196.71	-25.34	8.10	16.32	-33.56	-13.00	-20.56	V
6929.74	-27.26	8.30	21.13	-40.09	-13.00	-27.09	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3490.50	-24.71	7.20	12.56	**-30.07**	-13.00	-17.07	H
5235.01	-26.24	8.10	16.32	-34.46	-13.00	-21.46	H
6979.72	-24.88	8.30	21.13	-37.71	-13.00	-24.71	H
3490.50	-28.19	7.20	12.56	-33.55	-13.00	-20.55	V
5235.01	-25.58	8.10	16.32	-33.80	-13.00	-20.80	V
6979.72	-26.55	8.30	21.13	-39.38	-13.00	-26.38	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1657.73	-26.72	7.40	9.72	-29.04	-13.00	-16.04	H
2486.21	-26.72	8.30	10.86	-29.28	-13.00	-16.28	H
3315.48	-26.35	7.20	11.57	-30.72	-13.00	-17.72	H
1657.73	-30.29	7.40	9.72	-32.61	-13.00	-19.61	V
2486.21	-25.38	8.30	10.86	**-27.94**	-13.00	-14.94	V
3315.48	-27.29	7.20	11.57	-31.66	-13.00	-18.66	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1672.39	-27.40	7.40	9.72	-29.72	-13.00	-16.72	H
2509.07	-27.17	8.30	10.86	-29.73	-13.00	-16.73	H
3345.16	-25.15	7.20	11.57	**-29.52**	-13.00	-16.52	H
1672.39	-30.39	7.40	9.72	-32.71	-13.00	-19.71	V
2509.07	-27.88	8.30	10.86	-30.44	-13.00	-17.44	V
3345.16	-29.02	7.20	11.57	-33.39	-13.00	-20.39	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1687.50	-27.13	7.40	9.72	-29.45	-13.00	-16.45	H
2531.44	-26.90	8.30	10.86	-29.46	-13.00	-16.46	H
3375.41	-24.67	7.20	11.57	**-29.04**	-13.00	-16.04	H
1687.50	-30.81	7.40	9.72	-33.13	-13.00	-20.13	V
2531.44	-28.33	8.30	10.86	-30.89	-13.00	-17.89	V
3375.41	-29.11	7.20	11.57	-33.48	-13.00	-20.48	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
5021.20	-29.60	8.00	15.86	-37.46	-25.00	-12.46	H
7530.92	-26.11	8.30	19.28	**-37.09**	-25.00	-12.09	H
10258.64	-27.89	8.10	23.19	-42.98	-25.00	-17.98	H
5021.20	-31.98	8.00	15.86	-39.84	-25.00	-14.84	V
7530.92	-29.55	8.30	19.28	-40.53	-25.00	-15.53	V
10258.64	-28.22	8.10	23.19	-43.31	-25.00	-18.31	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
5069.61	-28.60	8.00	15.86	-36.46	-25.00	-11.46	H
7605.05	-26.12	8.30	19.28	-37.10	-25.00	-12.10	H
10139.69	-27.83	8.10	23.19	-42.92	-25.00	-17.92	H
5069.61	-28.24	8.00	15.86	**-36.10**	-25.00	-11.10	V
7605.05	-30.17	8.30	19.28	-41.15	-25.00	-16.15	V
10139.69	-24.87	8.10	23.19	-39.96	-25.00	-14.96	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
5118.77	-28.18	8.00	15.86	**-36.04**	-25.00	-11.04	H
7678.34	-25.65	8.30	19.28	-36.63	-25.00	-11.63	H
10237.93	-24.72	8.10	23.19	-39.81	-25.00	-14.81	H
5118.77	-29.48	8.00	15.86	-37.34	-25.00	-12.34	V
7678.34	-27.57	8.30	19.28	-38.55	-25.00	-13.55	V
10237.93	-26.40	8.10	23.19	-41.49	-25.00	-16.49	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1407.95	-28.15	6.70	9.34	-30.79	-13.00	-17.79	H
2111.78	-26.63	7.80	10.42	-29.25	-13.00	-16.25	H
2815.79	-24.96	8.00	11.12	-28.08	-13.00	-15.08	H
1407.95	-29.39	6.70	9.34	-32.03	-13.00	-19.03	V
2111.78	-27.94	7.80	10.42	-30.56	-13.00	-17.56	V
2815.79	-24.84	8.00	11.12	**-27.96**	-13.00	-14.96	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1414.65	-27.86	6.70	9.34	-30.50	-13.00	-17.50	H
2122.03	-27.74	7.80	10.42	-30.36	-13.00	-17.36	H
2829.74	-28.65	8.00	11.12	-31.77	-13.00	-18.77	H
1414.65	-26.34	6.70	9.34	**-28.98**	-13.00	-15.98	V
2122.03	-28.47	7.80	10.42	-31.09	-13.00	-18.09	V
2829.74	-28.18	8.00	11.12	-31.30	-13.00	-18.30	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1421.59	-28.71	6.70	9.34	-31.35	-13.00	-18.35	H
2132.97	-30.48	7.80	10.42	-33.10	-13.00	-20.10	H
2843.87	-24.48	8.00	11.12	**-27.60**	-13.00	-14.60	H
1421.59	-28.16	6.70	9.34	-30.80	-13.00	-17.80	V
2132.97	-25.64	7.80	10.42	-28.26	-13.00	-15.26	V
2843.87	-24.81	8.00	11.12	-27.93	-13.00	-14.93	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1418.38	-27.51	6.90	9.34	-29.95	-13.00	-16.95	H
2127.33	-26.42	8.00	10.42	**-28.84**	-13.00	-15.84	H
2836.61	-25.94	8.00	11.12	-29.06	-13.00	-16.06	H
1418.38	-28.03	6.90	9.34	-30.47	-13.00	-17.47	V
2127.33	-28.30	8.00	10.42	-30.72	-13.00	-17.72	V
2836.61	-28.13	8.00	11.12	-31.25	-13.00	-18.25	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1420.12	-26.77	6.90	9.34	-29.21	-13.00	-16.21	H
2129.94	-26.65	8.00	10.42	**-29.07**	-13.00	-16.07	H
2840.14	-26.28	8.00	11.12	-29.40	-13.00	-16.40	H
1420.12	-27.99	6.90	9.34	-30.43	-13.00	-17.43	V
2129.94	-29.57	8.00	10.42	-31.99	-13.00	-18.99	V
2840.14	-28.02	8.00	11.12	-31.14	-13.00	-18.14	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1421.32	-25.05	6.90	9.34	**-27.49**	-13.00	-14.49	H
2131.69	-27.65	8.00	10.42	-30.07	-13.00	-17.07	H
2842.40	-27.00	8.00	11.12	-30.12	-13.00	-17.12	H
1421.32	-26.72	6.90	9.34	-29.16	-13.00	-16.16	V
2131.69	-26.51	8.00	10.42	-28.93	-13.00	-15.93	V
2842.40	-28.23	8.00	11.12	-31.35	-13.00	-18.35	V

LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3720.24	-24.38	7.00	12.93	**-30.31**	-13.00	-17.31	H
5580.50	-26.35	8.40	17.11	-35.06	-13.00	-22.06	H
7439.95	-26.38	8.10	22.20	-40.48	-13.00	-27.48	H
3720.24	-25.67	7.00	12.93	-31.60	-13.00	-18.60	V
5580.50	-25.51	8.40	17.11	-34.22	-13.00	-21.22	V
7439.95	-27.24	8.10	22.20	-41.34	-13.00	-28.34	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3760.20	-24.39	7.00	12.93	**-30.32**	-13.00	-17.32	H
5640.15	-27.68	8.40	17.11	-36.39	-13.00	-23.39	H
7519.91	-24.61	8.10	22.20	-38.71	-13.00	-25.71	H
3760.20	-26.25	7.00	12.93	-32.18	-13.00	-19.18	V
5640.15	-26.96	8.40	17.11	-35.67	-13.00	-22.67	V
7519.91	-26.34	8.10	22.20	-40.44	-13.00	-27.44	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3799.98	-24.46	7.00	12.93	**-30.39**	-13.00	-17.39	H
5700.02	-25.71	8.40	17.11	-34.42	-13.00	-21.42	H
7599.86	-24.32	8.10	22.20	-38.42	-13.00	-25.42	H
3799.98	-26.25	7.00	12.93	-32.18	-13.00	-19.18	V
5700.02	-28.77	8.40	17.11	-37.48	-13.00	-24.48	V
7599.86	-26.56	8.10	22.20	-40.66	-13.00	-27.66	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1663.03	-29.58	7.40	9.72	-31.90	-13.00	-18.90	H
2494.34	-26.58	8.30	10.86	**-29.14**	-13.00	-16.14	H
3325.68	-28.56	7.20	11.57	-32.93	-13.00	-19.93	H
1663.03	-27.51	7.40	9.72	-29.83	-13.00	-16.83	V
2494.34	-30.62	8.30	10.86	-33.18	-13.00	-20.18	V
3325.68	-26.30	7.20	11.57	-30.67	-13.00	-17.67	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1672.80	-26.16	7.40	9.72	**-28.48**	-13.00	-15.48	H
2509.29	-26.63	8.30	10.86	-29.19	-13.00	-16.19	H
3345.97	-29.46	7.20	11.57	-33.83	-13.00	-20.83	H
1672.80	-30.34	7.40	9.72	-32.66	-13.00	-19.66	V
2509.29	-30.44	8.30	10.86	-33.00	-13.00	-20.00	V
3345.97	-26.22	7.20	11.57	-30.59	-13.00	-17.59	V
LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1683.48	-29.56	7.40	9.72	-31.88	-13.00	-18.88	H
2524.43	-29.76	8.30	10.86	-32.32	-13.00	-19.32	H
3366.66	-29.34	7.20	11.57	-33.71	-13.00	-20.71	H
1683.48	-28.06	7.40	9.72	-30.38	-13.00	-17.38	V
2524.43	-31.21	8.30	10.86	-33.77	-13.00	-20.77	V
3366.66	-25.39	7.20	11.57	**-29.76**	-13.00	-16.76	V

LTE Band 26(814-824MHz)/ 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1673.05	-28.18	7.40	9.72	-30.50	-13.00	-17.50	H
2508.82	-28.18	8.30	10.86	-30.74	-13.00	-17.74	H
3346.10	-25.84	7.20	11.57	**-30.21**	-13.00	-17.21	H
1673.05	-30.97	7.40	9.72	-33.29	-13.00	-20.29	V
2508.82	-27.80	8.30	10.86	-30.36	-13.00	-17.36	V
3346.10	-28.01	7.20	11.57	-32.38	-13.00	-19.38	V

LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
5130.13	-30.23	8.10	15.86	**-37.99**	-25.00	-12.99	H
7695.24	-33.38	9.00	19.28	-43.66	-25.00	-18.66	H
10260.10	-31.34	8.70	23.19	-45.83	-25.00	-20.83	H
5130.13	-32.85	8.10	15.86	-40.61	-25.00	-15.61	V
7695.24	-31.50	9.00	19.28	-41.78	-25.00	-16.78	V
10260.10	-28.86	8.70	23.19	-43.35	-25.00	-18.35	V
LTE Band 38 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
5210.21	-32.53	8.10	15.86	**-40.29**	-25.00	-15.29	H
7815.24	-33.69	9.00	19.28	-43.97	-25.00	-18.97	H
10420.32	-29.31	8.70	23.19	-43.80	-25.00	-18.80	H
5210.21	-34.41	8.10	15.86	-42.17	-25.00	-17.17	V
7815.24	-34.00	9.00	19.28	-44.28	-25.00	-19.28	V
10420.32	-33.05	8.70	23.19	-47.54	-25.00	-22.54	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
5289.94	-34.28	8.10	15.86	-42.04	-25.00	-17.04	H
7934.96	-35.35	9.00	19.28	-45.63	-25.00	-20.63	H
10579.85	-30.27	8.70	23.19	-44.76	-25.00	-19.76	H
5289.94	-31.81	8.10	15.86	**-39.57**	-25.00	-14.57	V
7934.96	-34.20	9.00	19.28	-44.48	-25.00	-19.48	V
10579.85	-31.12	8.70	23.19	-45.61	-25.00	-20.61	V

LTE Band 40(2305-2315MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
4620.07	-43.11	8.20	12.95	-47.86	-40.00	-7.86	H
6930.14	-40.58	8.10	17.02	-49.50	-40.00	-9.50	H
9240.08	-31.97	8.20	21.78	**-45.55**	-40.00	-5.55	H
4620.07	-45.09	8.20	12.95	-49.84	-40.00	-9.84	V
6930.14	-39.34	8.10	17.02	-48.26	-40.00	-8.26	V
9240.08	-35.22	8.20	21.78	-48.80	-40.00	-8.80	V

LTE Band 40(2350-2360MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
4709.93	-41.19	8.20	12.95	-45.94	-40.00	-5.94	H
7065.00	-37.95	8.10	17.02	-46.87	-40.00	-6.87	H
9420.30	-31.69	8.20	21.78	**-45.27**	-40.00	-5.27	H
4709.93	-44.78	8.20	12.95	-49.53	-40.00	-9.53	V
7065.00	-41.31	8.10	17.02	-50.23	-40.00	-10.23	V
9420.30	-32.14	8.20	21.78	-45.72	-40.00	-5.72	V

LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	K (dBm)	Polarity
5130.34	-31.15	7.90	15.86	**-39.11**	-25.00	-14.11	H
7694.96	-30.90	9.00	19.28	-41.18	-25.00	-16.18	H
10260.21	-32.33	8.70	23.19	-46.82	-25.00	-21.82	H
5130.34	-32.21	7.90	15.86	-40.17	-25.00	-15.17	V
7694.96	-31.50	9.00	19.28	-41.78	-25.00	-16.78	V
10260.21	-30.18	8.70	23.19	-44.67	-25.00	-19.67	V
LTE Band 41 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
5209.84	-30.42	7.90	15.86	**-38.38**	-25.00	-13.38	H
7815.02	-33.47	9.00	19.28	-43.75	-25.00	-18.75	H
10419.87	-30.16	8.70	23.19	-44.65	-25.00	-19.65	H
5209.84	-34.00	7.90	15.86	-41.96	-25.00	-16.96	V
7815.02	-31.38	9.00	19.28	-41.66	-25.00	-16.66	V
10419.87	-31.39	8.70	23.19	-45.88	-25.00	-20.88	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
5289.89	-31.41	7.90	15.86	**-39.37**	-25.00	-14.37	H
7935.12	-31.21	9.00	19.28	-41.49	-25.00	-16.49	H
10580.05	-29.77	8.70	23.19	-44.26	-25.00	-19.26	H
5289.89	-34.44	7.90	15.86	-42.40	-25.00	-17.40	V
7935.12	-31.19	9.00	19.28	-41.47	-25.00	-16.47	V
10580.05	-33.17	8.70	23.19	-47.66	-25.00	-22.66	V

APPENDIX III - PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS

Note: Please see LGT25B087EM04_APPENDIX II.

※※※※※END OF THE REPOR※※※※※