














































Band Edge


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	-40.39	-27	Pass
NVNT	a	5240	-43.5	-27	Pass
NVNT	a	5260	-40.9	-27	Pass
NVNT	a	5320	-40.21	-27	Pass
NVNT	a	5500	-42.11	-27	Pass
NVNT	a	5700	-40.3	-27	Pass
NVNT	n20	5180	-40.86	-27	Pass
NVNT	n20	5240	-42.79	-27	Pass
NVNT	n20	5260	-41.18	-27	Pass
NVNT	n20	5320	-41.86	-27	Pass
NVNT	n20	5500	-42.5	-27	Pass
NVNT	n20	5700	-40.38	-27	Pass
NVNT	n40	5190	-40.5	-27	Pass
NVNT	n40	5230	-43.67	-27	Pass
NVNT	n40	5270	-41.1	-27	Pass
NVNT	n40	5310	-39.95	-27	Pass
NVNT	n40	5510	-40.97	-27	Pass
NVNT	n40	5550	-42.31	-27	Pass
NVNT	n40	5670	-41.55	-27	Pass
NVNT	ac20	5180	-41.32	-27	Pass
NVNT	ac20	5240	-43.34	-27	Pass
NVNT	ac20	5260	-40.36	-27	Pass
NVNT	ac20	5320	-40.02	-27	Pass
NVNT	ac20	5500	-41.86	-27	Pass
NVNT	ac20	5700	-40.52	-27	Pass
NVNT	ac40	5190	-40.12	-27	Pass
NVNT	ac40	5230	-43.01	-27	Pass
NVNT	ac40	5270	-41.07	-27	Pass
NVNT	ac40	5310	-40.87	-27	Pass
NVNT	ac40	5510	-41.64	-27	Pass
NVNT	ac40	5550	-42.06	-27	Pass
NVNT	ac40	5670	-41.04	-27	Pass
NVNT	ac80	5210	-39.3	-27	Pass
NVNT	ac80	5290	-39.57	-27	Pass
NVNT	ac80	5530	-41.34	-27	Pass
NVNT	ac80	5610	-42.71	-27	Pass
Condition	Mode	Frequency (MHz)	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	-38.83	15.6	Pass
NVNT	a	5825	-39.52	15.6	Pass
NVNT	n20	5745	-38.25	15.6	Pass
NVNT	n20	5825	-40.19	15.6	Pass
NVNT	n40	5755	-39.23	15.6	Pass
NVNT	n40	5795	-39.93	15.6	Pass
NVNT	ac20	5745	-39.41	15.6	Pass
NVNT	ac20	5825	-40.55	15.6	Pass
NVNT	ac40	5755	-39.08	15.6	Pass
NVNT	ac40	5795	-40.99	15.6	Pass
NVNT	ac80	5775	-36.71	15.6	Pass




















































-6dB Bandwidth


Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	16.328	0.5	Pass
NVNT	a	5785	16.317	0.5	Pass
NVNT	a	5825	16.324	0.5	Pass
NVNT	n20	5745	17.57	0.5	Pass
NVNT	n20	5785	17.576	0.5	Pass
NVNT	n20	5825	17.57	0.5	Pass
NVNT	n40	5755	36.069	0.5	Pass
NVNT	n40	5795	36.287	0.5	Pass
NVNT	ac20	5745	17.566	0.5	Pass
NVNT	ac20	5785	17.592	0.5	Pass
NVNT	ac20	5825	17.572	0.5	Pass
NVNT	ac40	5755	35.95	0.5	Pass
NVNT	ac40	5795	36.305	0.5	Pass
NVNT	ac80	5775	76.328	0.5	Pass













APPENDIX II - MEASUREMENT PHOTOS

Note: Please see the attached RF_Test Setup photos for FCC ID.



APPENDIX III - PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS

Note: Please see LGT25B087EM04_APPENDIX II.

※※※※※END OF THE REPORT※※※※※