















































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	6.95	0	6.95	11	Pass
NVNT	a	5200	Ant1	8.42	0	8.42	11	Pass
NVNT	a	5240	Ant1	7.64	0	7.64	11	Pass
NVNT	a	5260	Ant1	3.85	0	3.85	11	Pass
NVNT	a	5300	Ant1	2.49	0	2.49	11	Pass
NVNT	a	5320	Ant1	2.77	0	2.77	11	Pass
NVNT	a	5500	Ant1	1.94	0	1.94	11	Pass
NVNT	a	5580	Ant1	2.23	0	2.23	11	Pass
NVNT	a	5700	Ant1	2.31	0	2.31	11	Pass
NVNT	a	5180	Ant2	3.04	0	3.04	11	Pass
NVNT	a	5200	Ant2	1.41	0	1.41	11	Pass
NVNT	a	5240	Ant2	3.21	0	3.21	11	Pass
NVNT	a	5260	Ant2	3.51	0	3.51	11	Pass
NVNT	a	5300	Ant2	1.67	0	1.67	11	Pass
NVNT	a	5320	Ant2	1.53	0	1.53	11	Pass
NVNT	a	5500	Ant2	2.09	0	2.09	11	Pass
NVNT	a	5580	Ant2	4.15	0	4.15	11	Pass
NVNT	a	5700	Ant2	3.24	0	3.24	11	Pass
NVNT	n20	5180	Ant1	5.53	0	5.53	11	Pass
NVNT	n20	5200	Ant1	5.75	0	5.75	11	Pass
NVNT	n20	5240	Ant1	6.85	0	6.85	11	Pass
NVNT	n20	5260	Ant1	1.85	0	1.85	11	Pass
NVNT	n20	5300	Ant1	0.52	0	0.52	11	Pass
NVNT	n20	5320	Ant1	0.66	0	0.66	11	Pass
NVNT	n20	5500	Ant1	0.09	0	0.09	11	Pass
NVNT	n20	5580	Ant1	0.32	0	0.32	11	Pass
NVNT	n20	5700	Ant1	0.24	0	0.24	11	Pass
NVNT	n20	5180	Ant2	1.13	0	1.13	11	Pass
NVNT	n20	5200	Ant2	1.06	0	1.06	11	Pass
NVNT	n20	5240	Ant2	3.63	0	3.63	11	Pass
NVNT	n20	5260	Ant2	3.33	0	3.33	11	Pass
NVNT	n20	5300	Ant2	1.28	0	1.28	11	Pass
NVNT	n20	5320	Ant2	1.15	0	1.15	11	Pass
NVNT	n20	5500	Ant2	3.89	0	3.89	11	Pass
NVNT	n20	5580	Ant2	3.67	0	3.67	11	Pass
NVNT	n20	5700	Ant2	3.28	0	3.28	11	Pass
NVNT	n20	5180	Ant1	2.65	0	2.65	11	Pass
NVNT	n20	5180	Ant2	1.09	0	1.09	11	Pass
NVNT	n20	5180	MIMO	4.95	0	4.95	11	Pass
NVNT	n20	5200	Ant1	3.21	0	3.21	11	Pass
NVNT	n20	5200	Ant2	1.39	0	1.39	11	Pass
NVNT	n20	5200	MIMO	5.4	0	5.4	11	Pass
NVNT	n20	5240	Ant1	0.29	0	0.29	11	Pass
NVNT	n20	5240	Ant2	1.93	0	1.93	11	Pass
NVNT	n20	5240	MIMO	4.2	0	4.2	11	Pass
NVNT	n20	5260	Ant1	2.17	0	2.17	11	Pass
NVNT	n20	5260	Ant2	4.1	0	4.1	11	Pass
NVNT	n20	5260	MIMO	6.25	0	6.25	11	Pass
NVNT	n20	5300	Ant1	4.84	0	4.84	11	Pass
NVNT	n20	5300	Ant2	3.26	0	3.26	11	Pass
NVNT	n20	5300	MIMO	7.13	0	7.13	11	Pass



NVNT	n20	5320	Ant1	2.02	0	2.02	11	Pass
NVNT	n20	5320	Ant2	1.54	0	1.54	11	Pass
NVNT	n20	5320	MIMO	4.8	0	4.8	11	Pass
NVNT	n20	5500	Ant1	1.37	0	1.37	11	Pass
NVNT	n20	5500	Ant2	1.43	0	1.43	11	Pass
NVNT	n20	5500	MIMO	4.41	0	4.41	11	Pass
NVNT	n20	5580	Ant1	-0.41	0	-0.41	11	Pass
NVNT	n20	5580	Ant2	1.8	0	1.8	11	Pass
NVNT	n20	5580	MIMO	3.84	0	3.84	11	Pass
NVNT	n20	5700	Ant1	-0.42	0	-0.42	11	Pass
NVNT	n20	5700	Ant2	0.89	0	0.89	11	Pass
NVNT	n20	5700	MIMO	3.29	0	3.29	11	Pass
NVNT	n40	5190	Ant1	3.22	0	3.22	11	Pass
NVNT	n40	5230	Ant1	4.05	0	4.05	11	Pass
NVNT	n40	5270	Ant1	-1.15	0	-1.15	11	Pass
NVNT	n40	5310	Ant1	-2.25	0	-2.25	11	Pass
NVNT	n40	5510	Ant1	-3.82	0	-3.82	11	Pass
NVNT	n40	5550	Ant1	-3.37	0	-3.37	11	Pass
NVNT	n40	5670	Ant1	-2.53	0	-2.53	11	Pass
NVNT	n40	5190	Ant2	1.84	0	1.84	11	Pass
NVNT	n40	5230	Ant2	1.83	0	1.83	11	Pass
NVNT	n40	5270	Ant2	2	0	2	11	Pass
NVNT	n40	5310	Ant2	1.35	0	1.35	11	Pass
NVNT	n40	5510	Ant2	0.34	0	0.34	11	Pass
NVNT	n40	5550	Ant2	1.06	0	1.06	11	Pass
NVNT	n40	5670	Ant2	1.15	0	1.15	11	Pass
NVNT	n40	5190	Ant1	3.57	0	3.57	11	Pass
NVNT	n40	5190	Ant2	1.48	0	1.48	11	Pass
NVNT	n40	5190	MIMO	5.66	0	5.66	11	Pass
NVNT	n40	5230	Ant1	-1.64	0	-1.64	11	Pass
NVNT	n40	5230	Ant2	-0.39	0	-0.39	11	Pass
NVNT	n40	5230	MIMO	2.04	0	2.04	11	Pass
NVNT	n40	5270	Ant1	-1.36	0	-1.36	11	Pass
NVNT	n40	5270	Ant2	-0.41	0	-0.41	11	Pass
NVNT	n40	5270	MIMO	2.15	0	2.15	11	Pass
NVNT	n40	5310	Ant1	1.01	0	1.01	11	Pass
NVNT	n40	5310	Ant2	-1.25	0	-1.25	11	Pass
NVNT	n40	5310	MIMO	3.04	0	3.04	11	Pass
NVNT	n40	5510	Ant1	-1.61	0	-1.61	11	Pass
NVNT	n40	5510	Ant2	-1.84	0	-1.84	11	Pass
NVNT	n40	5510	MIMO	1.29	0	1.29	11	Pass
NVNT	n40	5550	Ant1	-0.92	0	-0.92	11	Pass
NVNT	n40	5550	Ant2	-1.2	0	-1.2	11	Pass
NVNT	n40	5550	MIMO	1.95	0	1.95	11	Pass
NVNT	n40	5670	Ant1	-1.11	0	-1.11	11	Pass
NVNT	n40	5670	Ant2	-1.13	0	-1.13	11	Pass
NVNT	n40	5670	MIMO	1.89	0	1.89	11	Pass
NVNT	ac20	5180	Ant1	5.72	0	5.72	11	Pass
NVNT	ac20	5200	Ant1	5.97	0	5.97	11	Pass
NVNT	ac20	5240	Ant1	6.52	0	6.52	11	Pass
NVNT	ac20	5260	Ant1	1.85	0	1.85	11	Pass
NVNT	ac20	5300	Ant1	0.52	0	0.52	11	Pass
NVNT	ac20	5320	Ant1	0.51	0	0.51	11	Pass
NVNT	ac20	5500	Ant1	-0.04	0	-0.04	11	Pass
NVNT	ac20	5580	Ant1	0.44	0	0.44	11	Pass
NVNT	ac20	5700	Ant1	0.26	0	0.26	11	Pass



NVNT	ac20	5180	Ant2	4.06	0	4.06	11	Pass
NVNT	ac20	5200	Ant2	4.33	0	4.33	11	Pass
NVNT	ac20	5240	Ant2	4.08	0	4.08	11	Pass
NVNT	ac20	5260	Ant2	4.51	0	4.51	11	Pass
NVNT	ac20	5300	Ant2	3.85	0	3.85	11	Pass
NVNT	ac20	5320	Ant2	4.02	0	4.02	11	Pass
NVNT	ac20	5500	Ant2	3.98	0	3.98	11	Pass
NVNT	ac20	5580	Ant2	4.03	0	4.03	11	Pass
NVNT	ac20	5700	Ant2	3.18	0	3.18	11	Pass
NVNT	ac20	5180	Ant1	3.41	0	3.41	11	Pass
NVNT	ac20	5180	Ant2	1.58	0	1.58	11	Pass
NVNT	ac20	5180	MIMO	5.6	0	5.6	11	Pass
NVNT	ac20	5200	Ant1	3.33	0	3.33	11	Pass
NVNT	ac20	5200	Ant2	1.31	0	1.31	11	Pass
NVNT	ac20	5200	MIMO	5.45	0	5.45	11	Pass
NVNT	ac20	5240	Ant1	0.41	0	0.41	11	Pass
NVNT	ac20	5240	Ant2	1.72	0	1.72	11	Pass
NVNT	ac20	5240	MIMO	4.12	0	4.12	11	Pass
NVNT	ac20	5260	Ant1	0.22	0	0.22	11	Pass
NVNT	ac20	5260	Ant2	2.29	0	2.29	11	Pass
NVNT	ac20	5260	MIMO	4.39	0	4.39	11	Pass
NVNT	ac20	5300	Ant1	3.18	0	3.18	11	Pass
NVNT	ac20	5300	Ant2	1.23	0	1.23	11	Pass
NVNT	ac20	5300	MIMO	5.32	0	5.32	11	Pass
NVNT	ac20	5320	Ant1	1.57	0	1.57	11	Pass
NVNT	ac20	5320	Ant2	1.08	0	1.08	11	Pass
NVNT	ac20	5320	MIMO	4.34	0	4.34	11	Pass
NVNT	ac20	5500	Ant1	1.29	0	1.29	11	Pass
NVNT	ac20	5500	Ant2	1.72	0	1.72	11	Pass
NVNT	ac20	5500	MIMO	4.52	0	4.52	11	Pass
NVNT	ac20	5580	Ant1	-0.49	0	-0.49	11	Pass
NVNT	ac20	5580	Ant2	2.06	0	2.06	11	Pass
NVNT	ac20	5580	MIMO	3.98	0	3.98	11	Pass
NVNT	ac20	5700	Ant1	-0.44	0	-0.44	11	Pass
NVNT	ac20	5700	Ant2	1	0	1	11	Pass
NVNT	ac20	5700	MIMO	3.35	0	3.35	11	Pass
NVNT	ac40	5190	Ant1	3.2	0	3.2	11	Pass
NVNT	ac40	5230	Ant1	4.33	0	4.33	11	Pass
NVNT	ac40	5270	Ant1	-0.85	0	-0.85	11	Pass
NVNT	ac40	5310	Ant1	-2.46	0	-2.46	11	Pass
NVNT	ac40	5510	Ant1	-3.84	0	-3.84	11	Pass
NVNT	ac40	5550	Ant1	-3.11	0	-3.11	11	Pass
NVNT	ac40	5670	Ant1	-2.55	0	-2.55	11	Pass
NVNT	ac40	5190	Ant2	2.41	0	2.41	11	Pass
NVNT	ac40	5230	Ant2	2.01	0	2.01	11	Pass
NVNT	ac40	5270	Ant2	1.76	0	1.76	11	Pass
NVNT	ac40	5310	Ant2	1.65	0	1.65	11	Pass
NVNT	ac40	5510	Ant2	0.67	0	0.67	11	Pass
NVNT	ac40	5550	Ant2	1.39	0	1.39	11	Pass
NVNT	ac40	5670	Ant2	1.41	0	1.41	11	Pass
NVNT	ac40	5190	Ant1	1.51	0	1.51	11	Pass
NVNT	ac40	5190	Ant2	-0.6	0	-0.6	11	Pass
NVNT	ac40	5190	MIMO	3.59	0	3.59	11	Pass
NVNT	ac40	5230	Ant1	-1.6	0	-1.6	11	Pass
NVNT	ac40	5230	Ant2	-0.62	0	-0.62	11	Pass
NVNT	ac40	5230	MIMO	1.93	0	1.93	11	Pass



NVNT	ac40	5270	Ant1	-1.32	0	-1.32	11	Pass
NVNT	ac40	5270	Ant2	-0.28	0	-0.28	11	Pass
NVNT	ac40	5270	MIMO	2.24	0	2.24	11	Pass
NVNT	ac40	5310	Ant1	0.56	0	0.56	11	Pass
NVNT	ac40	5310	Ant2	-1.17	0	-1.17	11	Pass
NVNT	ac40	5310	MIMO	2.79	0	2.79	11	Pass
NVNT	ac40	5510	Ant1	-1.48	0	-1.48	11	Pass
NVNT	ac40	5510	Ant2	-1.91	0	-1.91	11	Pass
NVNT	ac40	5510	MIMO	1.32	0	1.32	11	Pass
NVNT	ac40	5550	Ant1	-0.96	0	-0.96	11	Pass
NVNT	ac40	5550	Ant2	-1.48	0	-1.48	11	Pass
NVNT	ac40	5550	MIMO	1.8	0	1.8	11	Pass
NVNT	ac40	5670	Ant1	-1.18	0	-1.18	11	Pass
NVNT	ac40	5670	Ant2	-1.11	0	-1.11	11	Pass
NVNT	ac40	5670	MIMO	1.87	0	1.87	11	Pass
NVNT	ac80	5210	Ant1	-1.22	0	-1.22	11	Pass
NVNT	ac80	5290	Ant1	-6.55	0	-6.55	11	Pass
NVNT	ac80	5530	Ant1	-8.29	0	-8.29	11	Pass
NVNT	ac80	5610	Ant1	-6.44	0	-6.44	11	Pass
NVNT	ac80	5210	Ant2	-2.86	0	-2.86	11	Pass
NVNT	ac80	5290	Ant2	-2.64	0	-2.64	11	Pass
NVNT	ac80	5530	Ant2	-3.62	0	-3.62	11	Pass
NVNT	ac80	5610	Ant2	-3.22	0	-3.22	11	Pass
NVNT	ac80	5210	Ant1	-3.85	0	-3.85	11	Pass
NVNT	ac80	5210	Ant2	-5.76	0	-5.76	11	Pass
NVNT	ac80	5210	MIMO	-1.69	0	-1.69	11	Pass
NVNT	ac80	5290	Ant1	-4.77	0	-4.77	11	Pass
NVNT	ac80	5290	Ant2	-5.53	0	-5.53	11	Pass
NVNT	ac80	5290	MIMO	-2.12	0	-2.12	11	Pass
NVNT	ac80	5530	Ant1	-5.13	0	-5.13	11	Pass
NVNT	ac80	5530	Ant2	-6.2	0	-6.2	11	Pass
NVNT	ac80	5530	MIMO	-2.62	0	-2.62	11	Pass
NVNT	ac80	5610	Ant1	-4.46	0	-4.46	11	Pass
NVNT	ac80	5610	Ant2	-5.65	0	-5.65	11	Pass
NVNT	ac80	5610	MIMO	-2	0	-2	11	Pass
NVNT	ax20	5180	Ant1	5.05	0	5.05	11	Pass
NVNT	ax20	5200	Ant1	4.74	0	4.74	11	Pass
NVNT	ax20	5240	Ant1	6.6	0	6.6	11	Pass
NVNT	ax20	5260	Ant1	2.53	0	2.53	11	Pass
NVNT	ax20	5300	Ant1	0.08	0	0.08	11	Pass
NVNT	ax20	5320	Ant1	0.42	0	0.42	11	Pass
NVNT	ax20	5500	Ant1	-0.54	0	-0.54	11	Pass
NVNT	ax20	5580	Ant1	1.1	0	1.1	11	Pass
NVNT	ax20	5700	Ant1	0.03	0	0.03	11	Pass
NVNT	ax20	5180	Ant2	3.88	0	3.88	11	Pass
NVNT	ax20	5200	Ant2	3.95	0	3.95	11	Pass
NVNT	ax20	5240	Ant2	4.02	0	4.02	11	Pass
NVNT	ax20	5260	Ant2	4.17	0	4.17	11	Pass
NVNT	ax20	5300	Ant2	3.66	0	3.66	11	Pass
NVNT	ax20	5320	Ant2	3.77	0	3.77	11	Pass
NVNT	ax20	5500	Ant2	4	0	4	11	Pass
NVNT	ax20	5580	Ant2	3.44	0	3.44	11	Pass
NVNT	ax20	5700	Ant2	3.31	0	3.31	11	Pass
NVNT	ax20	5180	Ant1	3.1	0	3.1	11	Pass
NVNT	ax20	5180	Ant2	1.35	0	1.35	11	Pass
NVNT	ax20	5180	MIMO	5.32	0	5.32	11	Pass



NVNT	ax20	5200	Ant1	2.94	0	2.94	11	Pass
NVNT	ax20	5200	Ant2	1.49	0	1.49	11	Pass
NVNT	ax20	5200	MIMO	5.29	0	5.29	11	Pass
NVNT	ax20	5240	Ant1	0.11	0	0.11	11	Pass
NVNT	ax20	5240	Ant2	1.45	0	1.45	11	Pass
NVNT	ax20	5240	MIMO	3.84	0	3.84	11	Pass
NVNT	ax20	5260	Ant1	0.29	0	0.29	11	Pass
NVNT	ax20	5260	Ant2	2.12	0	2.12	11	Pass
NVNT	ax20	5260	MIMO	4.31	0	4.31	11	Pass
NVNT	ax20	5300	Ant1	3.23	0	3.23	11	Pass
NVNT	ax20	5300	Ant2	1.04	0	1.04	11	Pass
NVNT	ax20	5300	MIMO	5.28	0	5.28	11	Pass
NVNT	ax20	5320	Ant1	1.65	0	1.65	11	Pass
NVNT	ax20	5320	Ant2	0.7	0	0.7	11	Pass
NVNT	ax20	5320	MIMO	4.21	0	4.21	11	Pass
NVNT	ax20	5500	Ant1	1.31	0	1.31	11	Pass
NVNT	ax20	5500	Ant2	1.55	0	1.55	11	Pass
NVNT	ax20	5500	MIMO	4.44	0	4.44	11	Pass
NVNT	ax20	5580	Ant1	-0.54	0	-0.54	11	Pass
NVNT	ax20	5580	Ant2	1.57	0	1.57	11	Pass
NVNT	ax20	5580	MIMO	3.65	0	3.65	11	Pass
NVNT	ax20	5700	Ant1	-0.44	0	-0.44	11	Pass
NVNT	ax20	5700	Ant2	0.92	0	0.92	11	Pass
NVNT	ax20	5700	MIMO	3.3	0	3.3	11	Pass
NVNT	ax40	5190	Ant1	3.45	0	3.45	11	Pass
NVNT	ax40	5230	Ant1	5.03	0	5.03	11	Pass
NVNT	ax40	5270	Ant1	0.27	0	0.27	11	Pass
NVNT	ax40	5310	Ant1	-2.58	0	-2.58	11	Pass
NVNT	ax40	5510	Ant1	-4.11	0	-4.11	11	Pass
NVNT	ax40	5550	Ant1	-2.15	0	-2.15	11	Pass
NVNT	ax40	5670	Ant1	-2.72	0	-2.72	11	Pass
NVNT	ax40	5190	Ant2	2.23	0	2.23	11	Pass
NVNT	ax40	5230	Ant2	1.63	0	1.63	11	Pass
NVNT	ax40	5270	Ant2	2.15	0	2.15	11	Pass
NVNT	ax40	5310	Ant2	1.68	0	1.68	11	Pass
NVNT	ax40	5510	Ant2	0.97	0	0.97	11	Pass
NVNT	ax40	5550	Ant2	1.52	0	1.52	11	Pass
NVNT	ax40	5670	Ant2	1.57	0	1.57	11	Pass
NVNT	ax40	5190	Ant1	2.01	0	2.01	11	Pass
NVNT	ax40	5190	Ant2	-0.5	0	-0.5	11	Pass
NVNT	ax40	5190	MIMO	3.94	0	3.94	11	Pass
NVNT	ax40	5230	Ant1	-1.75	0	-1.75	11	Pass
NVNT	ax40	5230	Ant2	-0.63	0	-0.63	11	Pass
NVNT	ax40	5230	MIMO	1.86	0	1.86	11	Pass
NVNT	ax40	5270	Ant1	-1.48	0	-1.48	11	Pass
NVNT	ax40	5270	Ant2	-0.38	0	-0.38	11	Pass
NVNT	ax40	5270	MIMO	2.12	0	2.12	11	Pass
NVNT	ax40	5310	Ant1	0.18	0	0.18	11	Pass
NVNT	ax40	5310	Ant2	-1.58	0	-1.58	11	Pass
NVNT	ax40	5310	MIMO	2.4	0	2.4	11	Pass
NVNT	ax40	5510	Ant1	-1.64	0	-1.64	11	Pass
NVNT	ax40	5510	Ant2	-1.8	0	-1.8	11	Pass
NVNT	ax40	5510	MIMO	1.29	0	1.29	11	Pass
NVNT	ax40	5550	Ant1	-1.12	0	-1.12	11	Pass
NVNT	ax40	5550	Ant2	-1.42	0	-1.42	11	Pass
NVNT	ax40	5550	MIMO	1.74	0	1.74	11	Pass



NVNT	ax40	5670	Ant1	-1.11	0	-1.11	11	Pass
NVNT	ax40	5670	Ant2	-1.12	0	-1.12	11	Pass
NVNT	ax40	5670	MIMO	1.9	0	1.9	11	Pass
NVNT	ax80	5210	Ant1	-0.91	0	-0.91	11	Pass
NVNT	ax80	5290	Ant1	-6.25	0	-6.25	11	Pass
NVNT	ax80	5530	Ant1	-8.1	0	-8.1	11	Pass
NVNT	ax80	5610	Ant1	-5.37	0	-5.37	11	Pass
NVNT	ax80	5210	Ant2	-2.57	0	-2.57	11	Pass
NVNT	ax80	5290	Ant2	-2.47	0	-2.47	11	Pass
NVNT	ax80	5530	Ant2	-3.17	0	-3.17	11	Pass
NVNT	ax80	5610	Ant2	-2.91	0	-2.91	11	Pass
NVNT	ax80	5210	Ant1	-3.63	0	-3.63	11	Pass
NVNT	ax80	5210	Ant2	-5.27	0	-5.27	11	Pass
NVNT	ax80	5210	MIMO	-1.36	0	-1.36	11	Pass
NVNT	ax80	5290	Ant1	-4.28	0	-4.28	11	Pass
NVNT	ax80	5290	Ant2	-5.06	0	-5.06	11	Pass
NVNT	ax80	5290	MIMO	-1.64	0	-1.64	11	Pass
NVNT	ax80	5530	Ant1	-4.76	0	-4.76	11	Pass
NVNT	ax80	5530	Ant2	-5.74	0	-5.74	11	Pass
NVNT	ax80	5530	MIMO	-2.21	0	-2.21	11	Pass
NVNT	ax80	5610	Ant1	-4.66	0	-4.66	11	Pass
NVNT	ax80	5610	Ant2	-5.78	0	-5.78	11	Pass
NVNT	ax80	5610	MIMO	-2.17	0	-2.17	11	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/500kHz)	Duty Factor (dB)	Total PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
NVNT	a	5745	Ant1	-0.75	0	-0.75	30	Pass
NVNT	a	5785	Ant1	-0.45	0	-0.45	30	Pass
NVNT	a	5825	Ant1	-0.3	0	-0.3	30	Pass
NVNT	a	5745	Ant2	-0.17	0	-0.17	30	Pass
NVNT	a	5785	Ant2	1.55	0	1.55	30	Pass
NVNT	a	5825	Ant2	0.51	0	0.51	30	Pass
NVNT	n20	5745	Ant1	-2.97	0	-2.97	30	Pass
NVNT	n20	5785	Ant1	-2.24	0	-2.24	30	Pass
NVNT	n20	5825	Ant1	-2.54	0	-2.54	30	Pass
NVNT	n20	5745	Ant2	0.16	0	0.16	30	Pass
NVNT	n20	5785	Ant2	0.34	0	0.34	30	Pass
NVNT	n20	5825	Ant2	-0.13	0	-0.13	30	Pass
NVNT	n20	5745	Ant1	-0.28	0	-0.28	30	Pass
NVNT	n20	5745	Ant2	-2.46	0	-2.46	30	Pass
NVNT	n20	5745	MIMO	1.78	0	1.78	30	Pass
NVNT	n20	5785	Ant1	-0.53	0	-0.53	30	Pass
NVNT	n20	5785	Ant2	-2.12	0	-2.12	30	Pass
NVNT	n20	5785	MIMO	1.76	0	1.76	30	Pass
NVNT	n20	5825	Ant1	-2.52	0	-2.52	30	Pass
NVNT	n20	5825	Ant2	-2.47	0	-2.47	30	Pass
NVNT	n20	5825	MIMO	0.52	0	0.52	30	Pass
NVNT	n40	5755	Ant1	-5.9	0	-5.9	30	Pass
NVNT	n40	5795	Ant1	-5.08	0	-5.08	30	Pass
NVNT	n40	5755	Ant2	-2.17	0	-2.17	30	Pass
NVNT	n40	5795	Ant2	-2.21	0	-2.21	30	Pass
NVNT	n40	5755	Ant1	-2.74	0	-2.74	30	Pass
NVNT	n40	5755	Ant2	-4.78	0	-4.78	30	Pass
NVNT	n40	5755	MIMO	-0.63	0	-0.63	30	Pass



NVNT	n40	5795	Ant1	-4.74	0	-4.74	30	Pass
NVNT	n40	5795	Ant2	-4.62	0	-4.62	30	Pass
NVNT	n40	5795	MIMO	-1.67	0	-1.67	30	Pass
NVNT	ac20	5745	Ant1	-3.01	0	-3.01	30	Pass
NVNT	ac20	5785	Ant1	-2.26	0	-2.26	30	Pass
NVNT	ac20	5825	Ant1	-2.68	0	-2.68	30	Pass
NVNT	ac20	5745	Ant2	0.39	0	0.39	30	Pass
NVNT	ac20	5785	Ant2	0.35	0	0.35	30	Pass
NVNT	ac20	5825	Ant2	-0.1	0	-0.1	30	Pass
NVNT	ac20	5745	Ant1	-0.28	0	-0.28	30	Pass
NVNT	ac20	5745	Ant2	-2.35	0	-2.35	30	Pass
NVNT	ac20	5745	MIMO	1.82	0	1.82	30	Pass
NVNT	ac20	5785	Ant1	-0.31	0	-0.31	30	Pass
NVNT	ac20	5785	Ant2	-1.99	0	-1.99	30	Pass
NVNT	ac20	5785	MIMO	1.94	0	1.94	30	Pass
NVNT	ac20	5825	Ant1	-2.49	0	-2.49	30	Pass
NVNT	ac20	5825	Ant2	-2.64	0	-2.64	30	Pass
NVNT	ac20	5825	MIMO	0.45	0	0.45	30	Pass
NVNT	ac40	5755	Ant1	-6.13	0	-6.13	30	Pass
NVNT	ac40	5795	Ant1	-4.68	0	-4.68	30	Pass
NVNT	ac40	5755	Ant2	-2.17	0	-2.17	30	Pass
NVNT	ac40	5795	Ant2	-2.24	0	-2.24	30	Pass
NVNT	ac40	5755	Ant1	-2.68	0	-2.68	30	Pass
NVNT	ac40	5755	Ant2	-4.63	0	-4.63	30	Pass
NVNT	ac40	5755	MIMO	-0.54	0	-0.54	30	Pass
NVNT	ac40	5795	Ant1	-4.7	0	-4.7	30	Pass
NVNT	ac40	5795	Ant2	-4.5	0	-4.5	30	Pass
NVNT	ac40	5795	MIMO	-1.59	0	-1.59	30	Pass
NVNT	ac80	5775	Ant1	-9.34	0	-9.34	30	Pass
NVNT	ac80	5775	Ant2	-6.37	0	-6.37	30	Pass
NVNT	ac80	5775	Ant1	-6.98	0	-6.98	30	Pass
NVNT	ac80	5775	Ant2	-9.08	0	-9.08	30	Pass
NVNT	ac80	5775	MIMO	-4.89	0	-4.89	30	Pass
NVNT	ax20	5745	Ant1	-3.21	0	-3.21	30	Pass
NVNT	ax20	5785	Ant1	-1.77	0	-1.77	30	Pass
NVNT	ax20	5825	Ant1	-2.93	0	-2.93	30	Pass
NVNT	ax20	5745	Ant2	-0.12	0	-0.12	30	Pass
NVNT	ax20	5785	Ant2	0.08	0	0.08	30	Pass
NVNT	ax20	5825	Ant2	-0.05	0	-0.05	30	Pass
NVNT	ax20	5745	Ant1	-1.05	0	-1.05	30	Pass
NVNT	ax20	5745	Ant2	-2.85	0	-2.85	30	Pass
NVNT	ax20	5745	MIMO	1.15	0	1.15	30	Pass
NVNT	ax20	5785	Ant1	-0.66	0	-0.66	30	Pass
NVNT	ax20	5785	Ant2	-2.36	0	-2.36	30	Pass
NVNT	ax20	5785	MIMO	1.58	0	1.58	30	Pass
NVNT	ax20	5825	Ant1	-4.56	0	-4.56	30	Pass
NVNT	ax20	5825	Ant2	-4.68	0	-4.68	30	Pass
NVNT	ax20	5825	MIMO	-1.61	0	-1.61	30	Pass
NVNT	ax40	5755	Ant1	-6.11	0	-6.11	30	Pass
NVNT	ax40	5795	Ant1	-4.12	0	-4.12	30	Pass
NVNT	ax40	5755	Ant2	-1.99	0	-1.99	30	Pass
NVNT	ax40	5795	Ant2	-2.14	0	-2.14	30	Pass
NVNT	ax40	5755	Ant1	-2.67	0	-2.67	30	Pass
NVNT	ax40	5755	Ant2	-4.75	0	-4.75	30	Pass
NVNT	ax40	5755	MIMO	-0.58	0	-0.58	30	Pass
NVNT	ax40	5795	Ant1	-4.26	0	-4.26	30	Pass



NVNT	ax40	5795	Ant2	-4.46	0	-4.46	30	Pass
NVNT	ax40	5795	MIMO	-1.35	0	-1.35	30	Pass
NVNT	ax80	5775	Ant1	-8.08	0	-8.08	30	Pass
NVNT	ax80	5775	Ant2	-6.33	0	-6.33	30	Pass
NVNT	ax80	5775	Ant1	-7.01	0	-7.01	30	Pass
NVNT	ax80	5775	Ant2	-8.81	0	-8.81	30	Pass
NVNT	ax80	5775	MIMO	-4.81	0	-4.81	30	Pass



