




































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	1.53	0	1.53	11	Pass
NVNT	a	5200	Ant1	1.2	0	1.2	11	Pass
NVNT	a	5240	Ant1	2.23	0	2.23	11	Pass
NVNT	a	5260	Ant1	2.32	0	2.32	11	Pass
NVNT	a	5300	Ant1	1.79	0	1.79	11	Pass
NVNT	a	5320	Ant1	2.03	0	2.03	11	Pass
NVNT	a	5500	Ant1	-0.76	0	-0.76	11	Pass
NVNT	a	5580	Ant1	-0.72	0	-0.72	11	Pass
NVNT	a	5700	Ant1	-0.95	0	-0.95	11	Pass
NVNT	a	5180	Ant2	3.01	0	3.01	11	Pass
NVNT	a	5200	Ant2	3.11	0	3.11	11	Pass
NVNT	a	5240	Ant2	3.34	0	3.34	11	Pass
NVNT	a	5260	Ant2	3.42	0	3.42	11	Pass
NVNT	a	5300	Ant2	3.13	0	3.13	11	Pass
NVNT	a	5320	Ant2	3.02	0	3.02	11	Pass
NVNT	a	5500	Ant2	0.31	0	0.31	11	Pass
NVNT	a	5580	Ant2	-0.1	0	-0.1	11	Pass
NVNT	a	5700	Ant2	-0.56	0	-0.56	11	Pass
NVNT	n20	5180	Ant1	0.34	0	0.34	11	Pass
NVNT	n20	5200	Ant1	0.57	0	0.57	11	Pass
NVNT	n20	5240	Ant1	0.95	0	0.95	11	Pass
NVNT	n20	5260	Ant1	1.46	0	1.46	11	Pass
NVNT	n20	5300	Ant1	0.57	0	0.57	11	Pass
NVNT	n20	5320	Ant1	0.6	0	0.6	11	Pass
NVNT	n20	5500	Ant1	-2.2	0	-2.2	11	Pass
NVNT	n20	5580	Ant1	-2.01	0	-2.01	11	Pass
NVNT	n20	5700	Ant1	-1.9	0	-1.9	11	Pass
NVNT	n20	5180	Ant2	2	0	2	11	Pass
NVNT	n20	5200	Ant2	1.95	0	1.95	11	Pass
NVNT	n20	5240	Ant2	1.84	0	1.84	11	Pass
NVNT	n20	5260	Ant2	2.59	0	2.59	11	Pass
NVNT	n20	5300	Ant2	2.85	0	2.85	11	Pass
NVNT	n20	5320	Ant2	1.85	0	1.85	11	Pass
NVNT	n20	5500	Ant2	-1.51	0	-1.51	11	Pass
NVNT	n20	5580	Ant2	-1.35	0	-1.35	11	Pass
NVNT	n20	5700	Ant2	-2.13	0	-2.13	11	Pass
NVNT	n20	5180	Ant1	-0.66	0	-0.66	11	Pass
NVNT	n20	5180	Ant2	-1.48	0	-1.48	11	Pass
NVNT	n20	5180	MIMO	1.96	0	1.96	11	Pass
NVNT	n20	5200	Ant1	-2.06	0	-2.06	11	Pass
NVNT	n20	5200	Ant2	-0.46	0	-0.46	11	Pass
NVNT	n20	5200	MIMO	1.82	0	1.82	11	Pass
NVNT	n20	5240	Ant1	-2.22	0	-2.22	11	Pass
NVNT	n20	5240	Ant2	-0.92	0	-0.92	11	Pass
NVNT	n20	5240	MIMO	1.49	0	1.49	11	Pass
NVNT	n20	5260	Ant1	0	0	0	11	Pass
NVNT	n20	5260	Ant2	0	0	0	11	Pass
NVNT	n20	5260	MIMO	3.01	0	3.01	11	Pass
NVNT	n20	5300	Ant1	-0.57	0	-0.57	11	Pass
NVNT	n20	5300	Ant2	-0.05	0	-0.05	11	Pass
NVNT	n20	5300	MIMO	2.71	0	2.71	11	Pass
NVNT	n20	5320	Ant1	-2.71	0	-2.71	11	Pass
NVNT	n20	5320	Ant2	-1.05	0	-1.05	11	Pass
NVNT	n20	5320	MIMO	1.21	0	1.21	11	Pass
NVNT	n20	5500	Ant1	-2.3	0	-2.3	11	Pass
NVNT	n20	5500	Ant2	-3.48	0	-3.48	11	Pass



NVNT	n20	5500	MIMO	0.16	0	0.16	11	Pass
NVNT	n20	5580	Ant1	-2.49	0	-2.49	11	Pass
NVNT	n20	5580	Ant2	-2.47	0	-2.47	11	Pass
NVNT	n20	5580	MIMO	0.53	0	0.53	11	Pass
NVNT	n20	5700	Ant1	-2.6	0	-2.6	11	Pass
NVNT	n20	5700	Ant2	-4.55	0	-4.55	11	Pass
NVNT	n20	5700	MIMO	-0.46	0	-0.46	11	Pass
NVNT	n40	5190	Ant1	-1.58	0	-1.58	11	Pass
NVNT	n40	5230	Ant1	-0.95	0	-0.95	11	Pass
NVNT	n40	5270	Ant1	-1.25	0	-1.25	11	Pass
NVNT	n40	5310	Ant1	-1.45	0	-1.45	11	Pass
NVNT	n40	5510	Ant1	-5.33	0	-5.33	11	Pass
NVNT	n40	5550	Ant1	-4.41	0	-4.41	11	Pass
NVNT	n40	5670	Ant1	-4.56	0	-4.56	11	Pass
NVNT	n40	5190	Ant2	0.04	0	0.04	11	Pass
NVNT	n40	5230	Ant2	-0.23	0	-0.23	11	Pass
NVNT	n40	5270	Ant2	2.13	0	2.13	11	Pass
NVNT	n40	5310	Ant2	1.84	0	1.84	11	Pass
NVNT	n40	5510	Ant2	-4.31	0	-4.31	11	Pass
NVNT	n40	5550	Ant2	-4.33	0	-4.33	11	Pass
NVNT	n40	5670	Ant2	-3.62	0	-3.62	11	Pass
NVNT	n40	5190	Ant1	-2.7	0	-2.7	11	Pass
NVNT	n40	5190	Ant2	-2.89	0	-2.89	11	Pass
NVNT	n40	5190	MIMO	0.22	0	0.22	11	Pass
NVNT	n40	5230	Ant1	-4.52	0	-4.52	11	Pass
NVNT	n40	5230	Ant2	-2.9	0	-2.9	11	Pass
NVNT	n40	5230	MIMO	-0.62	0	-0.62	11	Pass
NVNT	n40	5270	Ant1	-2.07	0	-2.07	11	Pass
NVNT	n40	5270	Ant2	-2.87	0	-2.87	11	Pass
NVNT	n40	5270	MIMO	0.56	0	0.56	11	Pass
NVNT	n40	5310	Ant1	-3.89	0	-3.89	11	Pass
NVNT	n40	5310	Ant2	-1.55	0	-1.55	11	Pass
NVNT	n40	5310	MIMO	0.45	0	0.45	11	Pass
NVNT	n40	5510	Ant1	-3.65	0	-3.65	11	Pass
NVNT	n40	5510	Ant2	-5.6	0	-5.6	11	Pass
NVNT	n40	5510	MIMO	-1.51	0	-1.51	11	Pass
NVNT	n40	5550	Ant1	-7.63	0	-7.63	11	Pass
NVNT	n40	5550	Ant2	-5.36	0	-5.36	11	Pass
NVNT	n40	5550	MIMO	-3.34	0	-3.34	11	Pass
NVNT	n40	5670	Ant1	-6.97	0	-6.97	11	Pass
NVNT	n40	5670	Ant2	-4.66	0	-4.66	11	Pass
NVNT	n40	5670	MIMO	-2.65	0	-2.65	11	Pass
NVNT	ac20	5180	Ant1	0.49	0	0.49	11	Pass
NVNT	ac20	5200	Ant1	0.55	0	0.55	11	Pass
NVNT	ac20	5240	Ant1	1.28	0	1.28	11	Pass
NVNT	ac20	5260	Ant1	1.3	0	1.3	11	Pass
NVNT	ac20	5300	Ant1	0.69	0	0.69	11	Pass
NVNT	ac20	5320	Ant1	0.77	0	0.77	11	Pass
NVNT	ac20	5500	Ant1	-2.4	0	-2.4	11	Pass
NVNT	ac20	5580	Ant1	-1.95	0	-1.95	11	Pass
NVNT	ac20	5700	Ant1	-2.18	0	-2.18	11	Pass
NVNT	ac20	5180	Ant2	1.88	0	1.88	11	Pass
NVNT	ac20	5200	Ant2	1.89	0	1.89	11	Pass
NVNT	ac20	5240	Ant2	1.75	0	1.75	11	Pass
NVNT	ac20	5260	Ant2	2.32	0	2.32	11	Pass
NVNT	ac20	5300	Ant2	2.07	0	2.07	11	Pass
NVNT	ac20	5320	Ant2	1.95	0	1.95	11	Pass
NVNT	ac20	5500	Ant2	-1.39	0	-1.39	11	Pass
NVNT	ac20	5580	Ant2	-1.48	0	-1.48	11	Pass
NVNT	ac20	5700	Ant2	-1.12	0	-1.12	11	Pass
NVNT	ac20	5180	Ant1	-1.21	0	-1.21	11	Pass



NVNT	ac20	5180	Ant2	-0.05	0	-0.05	11	Pass
NVNT	ac20	5180	MIMO	2.42	0	2.42	11	Pass
NVNT	ac20	5200	Ant1	-3.23	0	-3.23	11	Pass
NVNT	ac20	5200	Ant2	0.15	0	0.15	11	Pass
NVNT	ac20	5200	MIMO	1.79	0	1.79	11	Pass
NVNT	ac20	5240	Ant1	-2.25	0	-2.25	11	Pass
NVNT	ac20	5240	Ant2	-0.1	0	-0.1	11	Pass
NVNT	ac20	5240	MIMO	1.97	0	1.97	11	Pass
NVNT	ac20	5260	Ant1	-0.27	0	-0.27	11	Pass
NVNT	ac20	5260	Ant2	0.38	0	0.38	11	Pass
NVNT	ac20	5260	MIMO	3.08	0	3.08	11	Pass
NVNT	ac20	5300	Ant1	-0.21	0	-0.21	11	Pass
NVNT	ac20	5300	Ant2	-0.17	0	-0.17	11	Pass
NVNT	ac20	5300	MIMO	2.82	0	2.82	11	Pass
NVNT	ac20	5320	Ant1	-1.83	0	-1.83	11	Pass
NVNT	ac20	5320	Ant2	0.18	0	0.18	11	Pass
NVNT	ac20	5320	MIMO	2.3	0	2.3	11	Pass
NVNT	ac20	5500	Ant1	-0.09	0	-0.09	11	Pass
NVNT	ac20	5500	Ant2	-1.31	0	-1.31	11	Pass
NVNT	ac20	5500	MIMO	2.35	0	2.35	11	Pass
NVNT	ac20	5580	Ant1	-1.86	0	-1.86	11	Pass
NVNT	ac20	5580	Ant2	-1.75	0	-1.75	11	Pass
NVNT	ac20	5580	MIMO	1.21	0	1.21	11	Pass
NVNT	ac20	5700	Ant1	-1.59	0	-1.59	11	Pass
NVNT	ac20	5700	Ant2	-3.01	0	-3.01	11	Pass
NVNT	ac20	5700	MIMO	0.77	0	0.77	11	Pass
NVNT	ac40	5190	Ant1	-0.98	0	-0.98	11	Pass
NVNT	ac40	5230	Ant1	-1.04	0	-1.04	11	Pass
NVNT	ac40	5270	Ant1	-1.29	0	-1.29	11	Pass
NVNT	ac40	5310	Ant1	-1.65	0	-1.65	11	Pass
NVNT	ac40	5510	Ant1	-5.7	0	-5.7	11	Pass
NVNT	ac40	5550	Ant1	-4.59	0	-4.59	11	Pass
NVNT	ac40	5670	Ant1	-4.59	0	-4.59	11	Pass
NVNT	ac40	5190	Ant2	0.28	0	0.28	11	Pass
NVNT	ac40	5230	Ant2	-0.44	0	-0.44	11	Pass
NVNT	ac40	5270	Ant2	2.01	0	2.01	11	Pass
NVNT	ac40	5310	Ant2	-0.35	0	-0.35	11	Pass
NVNT	ac40	5510	Ant2	-4.68	0	-4.68	11	Pass
NVNT	ac40	5550	Ant2	-4.24	0	-4.24	11	Pass
NVNT	ac40	5670	Ant2	-3.5	0	-3.5	11	Pass
NVNT	ac40	5190	Ant1	-2.81	0	-2.81	11	Pass
NVNT	ac40	5190	Ant2	-2.81	0	-2.81	11	Pass
NVNT	ac40	5190	MIMO	0.2	0	0.2	11	Pass
NVNT	ac40	5230	Ant1	-4.75	0	-4.75	11	Pass
NVNT	ac40	5230	Ant2	-2.35	0	-2.35	11	Pass
NVNT	ac40	5230	MIMO	-0.38	0	-0.38	11	Pass
NVNT	ac40	5270	Ant1	-1.98	0	-1.98	11	Pass
NVNT	ac40	5270	Ant2	-2.7	0	-2.7	11	Pass
NVNT	ac40	5270	MIMO	0.69	0	0.69	11	Pass
NVNT	ac40	5310	Ant1	-4.68	0	-4.68	11	Pass
NVNT	ac40	5310	Ant2	-3.64	0	-3.64	11	Pass
NVNT	ac40	5310	MIMO	-1.12	0	-1.12	11	Pass
NVNT	ac40	5510	Ant1	-6	0	-6	11	Pass
NVNT	ac40	5510	Ant2	-5.75	0	-5.75	11	Pass
NVNT	ac40	5510	MIMO	-2.86	0	-2.86	11	Pass
NVNT	ac40	5550	Ant1	-6.48	0	-6.48	11	Pass
NVNT	ac40	5550	Ant2	-4.47	0	-4.47	11	Pass
NVNT	ac40	5550	MIMO	-2.35	0	-2.35	11	Pass
NVNT	ac40	5670	Ant1	-5.97	0	-5.97	11	Pass
NVNT	ac40	5670	Ant2	-3.37	0	-3.37	11	Pass
NVNT	ac40	5670	MIMO	-1.47	0	-1.47	11	Pass



NVNT	ac80	5210	Ant1	-6.03	0	-6.03	11	Pass
NVNT	ac80	5290	Ant1	-6.58	0	-6.58	11	Pass
NVNT	ac80	5530	Ant1	-9.97	0	-9.97	11	Pass
NVNT	ac80	5610	Ant1	-9.29	0	-9.29	11	Pass
NVNT	ac80	5210	Ant2	-4.95	0	-4.95	11	Pass
NVNT	ac80	5290	Ant2	-4.51	0	-4.51	11	Pass
NVNT	ac80	5530	Ant2	-8.5	0	-8.5	11	Pass
NVNT	ac80	5610	Ant2	-8.53	0	-8.53	11	Pass
NVNT	ac80	5210	Ant1	-7.03	0	-7.03	11	Pass
NVNT	ac80	5210	Ant2	-8.13	0	-8.13	11	Pass
NVNT	ac80	5210	MIMO	-4.53	0	-4.53	11	Pass
NVNT	ac80	5290	Ant1	-6.65	0	-6.65	11	Pass
NVNT	ac80	5290	Ant2	-7.72	0	-7.72	11	Pass
NVNT	ac80	5290	MIMO	-4.14	0	-4.14	11	Pass
NVNT	ac80	5530	Ant1	-8.42	0	-8.42	11	Pass
NVNT	ac80	5530	Ant2	-9.96	0	-9.96	11	Pass
NVNT	ac80	5530	MIMO	-6.11	0	-6.11	11	Pass
NVNT	ac80	5610	Ant1	-8.01	0	-8.01	11	Pass
NVNT	ac80	5610	Ant2	-9.52	0	-9.52	11	Pass
NVNT	ac80	5610	MIMO	-5.69	0	-5.69	11	Pass
NVNT	ac160	5250	Ant1	-8.57	0	-8.57	11	Pass
NVNT	ac160	5570	Ant1	-11.41	0	-11.41	11	Pass
NVNT	ac160	5250	Ant2	-7.81	0	-7.81	11	Pass
NVNT	ac160	5570	Ant2	-10.51	0	-10.51	11	Pass
NVNT	ac160	5250	Ant1	-10.94	0	-10.94	11	Pass
NVNT	ac160	5250	Ant2	-5.84	0	-5.84	11	Pass
NVNT	ac160	5250	MIMO	-4.67	0	-4.67	11	Pass
NVNT	ac160	5570	Ant1	-11.56	0	-11.56	11	Pass
NVNT	ac160	5570	Ant2	-12.4	0	-12.4	11	Pass
NVNT	ac160	5570	MIMO	-8.95	0	-8.95	11	Pass
NVNT	ax20	5180	Ant1	0.75	0	0.75	11	Pass
NVNT	ax20	5200	Ant1	1.1	0	1.1	11	Pass
NVNT	ax20	5240	Ant1	1.24	0	1.24	11	Pass
NVNT	ax20	5260	Ant1	1.24	0	1.24	11	Pass
NVNT	ax20	5300	Ant1	0.89	0	0.89	11	Pass
NVNT	ax20	5320	Ant1	1.05	0	1.05	11	Pass
NVNT	ax20	5500	Ant1	-2.22	0	-2.22	11	Pass
NVNT	ax20	5580	Ant1	-2.3	0	-2.3	11	Pass
NVNT	ax20	5700	Ant1	-1.52	0	-1.52	11	Pass
NVNT	ax20	5180	Ant2	3.12	0	3.12	11	Pass
NVNT	ax20	5200	Ant2	2.42	0	2.42	11	Pass
NVNT	ax20	5240	Ant2	1.97	0	1.97	11	Pass
NVNT	ax20	5260	Ant2	2.44	0	2.44	11	Pass
NVNT	ax20	5300	Ant2	2.37	0	2.37	11	Pass
NVNT	ax20	5320	Ant2	3.27	0	3.27	11	Pass
NVNT	ax20	5500	Ant2	-1.05	0	-1.05	11	Pass
NVNT	ax20	5580	Ant2	-1.43	0	-1.43	11	Pass
NVNT	ax20	5700	Ant2	-1.51	0	-1.51	11	Pass
NVNT	ax20	5180	Ant1	-0.78	0	-0.78	11	Pass
NVNT	ax20	5180	Ant2	0.61	0	0.61	11	Pass
NVNT	ax20	5180	MIMO	2.98	0	2.98	11	Pass
NVNT	ax20	5200	Ant1	-3.04	0	-3.04	11	Pass
NVNT	ax20	5200	Ant2	0.27	0	0.27	11	Pass
NVNT	ax20	5200	MIMO	1.93	0	1.93	11	Pass
NVNT	ax20	5240	Ant1	-2.56	0	-2.56	11	Pass
NVNT	ax20	5240	Ant2	-0.09	0	-0.09	11	Pass
NVNT	ax20	5240	MIMO	1.86	0	1.86	11	Pass
NVNT	ax20	5260	Ant1	-0.93	0	-0.93	11	Pass
NVNT	ax20	5260	Ant2	0.13	0	0.13	11	Pass
NVNT	ax20	5260	MIMO	2.64	0	2.64	11	Pass
NVNT	ax20	5300	Ant1	0	0	0	11	Pass



NVNT	ax20	5300	Ant2	0.07	0	0.07	11	Pass
NVNT	ax20	5300	MIMO	3.05	0	3.05	11	Pass
NVNT	ax20	5320	Ant1	-1.68	0	-1.68	11	Pass
NVNT	ax20	5320	Ant2	-0.26	0	-0.26	11	Pass
NVNT	ax20	5320	MIMO	2.1	0	2.1	11	Pass
NVNT	ax20	5500	Ant1	-0.15	0	-0.15	11	Pass
NVNT	ax20	5500	Ant2	-0.84	0	-0.84	11	Pass
NVNT	ax20	5500	MIMO	2.53	0	2.53	11	Pass
NVNT	ax20	5580	Ant1	-1.69	0	-1.69	11	Pass
NVNT	ax20	5580	Ant2	-1.37	0	-1.37	11	Pass
NVNT	ax20	5580	MIMO	1.48	0	1.48	11	Pass
NVNT	ax20	5700	Ant1	-0.73	0	-0.73	11	Pass
NVNT	ax20	5700	Ant2	-1.22	0	-1.22	11	Pass
NVNT	ax20	5700	MIMO	2.04	0	2.04	11	Pass
NVNT	ax40	5190	Ant1	-0.84	0	-0.84	11	Pass
NVNT	ax40	5230	Ant1	-1.01	0	-1.01	11	Pass
NVNT	ax40	5270	Ant1	-0.85	0	-0.85	11	Pass
NVNT	ax40	5310	Ant1	-1.29	0	-1.29	11	Pass
NVNT	ax40	5510	Ant1	-5.19	0	-5.19	11	Pass
NVNT	ax40	5550	Ant1	-4.43	0	-4.43	11	Pass
NVNT	ax40	5670	Ant1	-4.21	0	-4.21	11	Pass
NVNT	ax40	5190	Ant2	0.36	0	0.36	11	Pass
NVNT	ax40	5230	Ant2	-0.36	0	-0.36	11	Pass
NVNT	ax40	5270	Ant2	-0.21	0	-0.21	11	Pass
NVNT	ax40	5310	Ant2	-0.14	0	-0.14	11	Pass
NVNT	ax40	5510	Ant2	-4.34	0	-4.34	11	Pass
NVNT	ax40	5550	Ant2	-4.33	0	-4.33	11	Pass
NVNT	ax40	5670	Ant2	-3.28	0	-3.28	11	Pass
NVNT	ax40	5190	Ant1	-3.7	0	-3.7	11	Pass
NVNT	ax40	5190	Ant2	-1.91	0	-1.91	11	Pass
NVNT	ax40	5190	MIMO	0.3	0	0.3	11	Pass
NVNT	ax40	5230	Ant1	-5.8	0	-5.8	11	Pass
NVNT	ax40	5230	Ant2	-2.44	0	-2.44	11	Pass
NVNT	ax40	5230	MIMO	-0.79	0	-0.79	11	Pass
NVNT	ax40	5270	Ant1	-2.69	0	-2.69	11	Pass
NVNT	ax40	5270	Ant2	-2.17	0	-2.17	11	Pass
NVNT	ax40	5270	MIMO	0.59	0	0.59	11	Pass
NVNT	ax40	5310	Ant1	-3.18	0	-3.18	11	Pass
NVNT	ax40	5310	Ant2	-2.67	0	-2.67	11	Pass
NVNT	ax40	5310	MIMO	0.09	0	0.09	11	Pass
NVNT	ax40	5510	Ant1	-3.42	0	-3.42	11	Pass
NVNT	ax40	5510	Ant2	-4.55	0	-4.55	11	Pass
NVNT	ax40	5510	MIMO	-0.94	0	-0.94	11	Pass
NVNT	ax40	5550	Ant1	-6.87	0	-6.87	11	Pass
NVNT	ax40	5550	Ant2	-4.74	0	-4.74	11	Pass
NVNT	ax40	5550	MIMO	-2.67	0	-2.67	11	Pass
NVNT	ax40	5670	Ant1	-5.78	0	-5.78	11	Pass
NVNT	ax40	5670	Ant2	-3.25	0	-3.25	11	Pass
NVNT	ax40	5670	MIMO	-1.32	0	-1.32	11	Pass
NVNT	ax80	5210	Ant1	-5.67	0	-5.67	11	Pass
NVNT	ax80	5290	Ant1	-6.35	0	-6.35	11	Pass
NVNT	ax80	5530	Ant1	-9.98	0	-9.98	11	Pass
NVNT	ax80	5610	Ant1	-9.22	0	-9.22	11	Pass
NVNT	ax80	5210	Ant2	-4.47	0	-4.47	11	Pass
NVNT	ax80	5290	Ant2	-4.17	0	-4.17	11	Pass
NVNT	ax80	5530	Ant2	-8.13	0	-8.13	11	Pass
NVNT	ax80	5610	Ant2	-8.18	0	-8.18	11	Pass
NVNT	ax80	5210	Ant1	-6.48	0	-6.48	11	Pass
NVNT	ax80	5210	Ant2	-7.15	0	-7.15	11	Pass
NVNT	ax80	5210	MIMO	-3.79	0	-3.79	11	Pass
NVNT	ax80	5290	Ant1	-6.21	0	-6.21	11	Pass



NVNT	ax80	5290	Ant2	-7.1	0	-7.1	11	Pass
NVNT	ax80	5290	MIMO	-3.62	0	-3.62	11	Pass
NVNT	ax80	5530	Ant1	-8.46	0	-8.46	11	Pass
NVNT	ax80	5530	Ant2	-9.27	0	-9.27	11	Pass
NVNT	ax80	5530	MIMO	-5.84	0	-5.84	11	Pass
NVNT	ax80	5610	Ant1	-7.62	0	-7.62	11	Pass
NVNT	ax80	5610	Ant2	-9.53	0	-9.53	11	Pass
NVNT	ax80	5610	MIMO	-5.46	0	-5.46	11	Pass
NVNT	ax160	5250	Ant1	-8.31	0	-8.31	11	Pass
NVNT	ax160	5570	Ant1	-11.32	0	-11.32	11	Pass
NVNT	ax160	5250	Ant2	-7.42	0	-7.42	11	Pass
NVNT	ax160	5570	Ant2	-10.83	0	-10.83	11	Pass
NVNT	ax160	5250	Ant1	-10.31	0	-10.31	11	Pass
NVNT	ax160	5250	Ant2	-10.6	0	-10.6	11	Pass
NVNT	ax160	5250	MIMO	-7.44	0	-7.44	11	Pass
NVNT	ax160	5570	Ant1	-11.17	0	-11.17	11	Pass
NVNT	ax160	5570	Ant2	-12.22	0	-12.22	11	Pass
NVNT	ax160	5570	MIMO	-8.65	0	-8.65	11	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/500kHz)	Duty Factor (dB)	Total PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
NVNT	a	5745	Ant1	1.95	0	1.95	30	Pass
NVNT	a	5785	Ant1	1.68	0	1.68	30	Pass
NVNT	a	5825	Ant1	1.54	0	1.54	30	Pass
NVNT	a	5745	Ant2	2.02	0	2.02	30	Pass
NVNT	a	5785	Ant2	2.12	0	2.12	30	Pass
NVNT	a	5825	Ant2	2.29	0	2.29	30	Pass
NVNT	n20	5745	Ant1	1.08	0	1.08	30	Pass
NVNT	n20	5785	Ant1	0.09	0	0.09	30	Pass
NVNT	n20	5825	Ant1	0.05	0	0.05	30	Pass
NVNT	n20	5745	Ant2	0.59	0	0.59	30	Pass
NVNT	n20	5785	Ant2	0.9	0	0.9	30	Pass
NVNT	n20	5825	Ant2	0.73	0	0.73	30	Pass
NVNT	n20	5745	Ant1	-1.89	0	-1.89	30	Pass
NVNT	n20	5745	Ant2	-4.14	0	-4.14	30	Pass
NVNT	n20	5745	MIMO	0.14	0	0.14	30	Pass
NVNT	n20	5785	Ant1	-5.68	0	-5.68	30	Pass
NVNT	n20	5785	Ant2	-3.54	0	-3.54	30	Pass
NVNT	n20	5785	MIMO	-1.47	0	-1.47	30	Pass
NVNT	n20	5825	Ant1	-3.42	0	-3.42	30	Pass
NVNT	n20	5825	Ant2	-3.82	0	-3.82	30	Pass
NVNT	n20	5825	MIMO	-0.61	0	-0.61	30	Pass
NVNT	n40	5755	Ant1	-2.13	0	-2.13	30	Pass
NVNT	n40	5795	Ant1	-1.77	0	-1.77	30	Pass
NVNT	n40	5755	Ant2	-1.45	0	-1.45	30	Pass
NVNT	n40	5795	Ant2	-1.35	0	-1.35	30	Pass
NVNT	n40	5755	Ant1	-4.79	0	-4.79	30	Pass
NVNT	n40	5755	Ant2	-5.99	0	-5.99	30	Pass
NVNT	n40	5755	MIMO	-2.34	0	-2.34	30	Pass
NVNT	n40	5795	Ant1	-6.78	0	-6.78	30	Pass
NVNT	n40	5795	Ant2	-5.91	0	-5.91	30	Pass
NVNT	n40	5795	MIMO	-3.31	0	-3.31	30	Pass
NVNT	ac20	5745	Ant1	0.98	0	0.98	30	Pass
NVNT	ac20	5785	Ant1	0.39	0	0.39	30	Pass
NVNT	ac20	5825	Ant1	0.05	0	0.05	30	Pass
NVNT	ac20	5745	Ant2	-0.66	0	-0.66	30	Pass
NVNT	ac20	5785	Ant2	0.72	0	0.72	30	Pass
NVNT	ac20	5825	Ant2	1.34	0	1.34	30	Pass
NVNT	ac20	5745	Ant1	-1.7	0	-1.7	30	Pass
NVNT	ac20	5745	Ant2	-3.65	0	-3.65	30	Pass
NVNT	ac20	5745	MIMO	0.44	0	0.44	30	Pass



NVNT	ac20	5785	Ant1	-5.31	0	-5.31	30	Pass
NVNT	ac20	5785	Ant2	-3.11	0	-3.11	30	Pass
NVNT	ac20	5785	MIMO	-1.06	0	-1.06	30	Pass
NVNT	ac20	5825	Ant1	-3.42	0	-3.42	30	Pass
NVNT	ac20	5825	Ant2	-3.1	0	-3.1	30	Pass
NVNT	ac20	5825	MIMO	-0.25	0	-0.25	30	Pass
NVNT	ac40	5755	Ant1	-1.73	0	-1.73	30	Pass
NVNT	ac40	5795	Ant1	-1.64	0	-1.64	30	Pass
NVNT	ac40	5755	Ant2	0.28	0	0.28	30	Pass
NVNT	ac40	5795	Ant2	-1.87	0	-1.87	30	Pass
NVNT	ac40	5755	Ant1	-4.91	0	-4.91	30	Pass
NVNT	ac40	5755	Ant2	-5.91	0	-5.91	30	Pass
NVNT	ac40	5755	MIMO	-2.37	0	-2.37	30	Pass
NVNT	ac40	5795	Ant1	-7.02	0	-7.02	30	Pass
NVNT	ac40	5795	Ant2	-3.24	0	-3.24	30	Pass
NVNT	ac40	5795	MIMO	-1.72	0	-1.72	30	Pass
NVNT	ac80	5775	Ant1	-6.34	0	-6.34	30	Pass
NVNT	ac80	5775	Ant2	-6.08	0	-6.08	30	Pass
NVNT	ac80	5775	Ant1	-9.29	0	-9.29	30	Pass
NVNT	ac80	5775	Ant2	-10.63	0	-10.63	30	Pass
NVNT	ac80	5775	MIMO	-6.9	0	-6.9	30	Pass
NVNT	ax20	5745	Ant1	1.13	0	1.13	30	Pass
NVNT	ax20	5785	Ant1	0.69	0	0.69	30	Pass
NVNT	ax20	5825	Ant1	-0.14	0	-0.14	30	Pass
NVNT	ax20	5745	Ant2	0.81	0	0.81	30	Pass
NVNT	ax20	5785	Ant2	0.27	0	0.27	30	Pass
NVNT	ax20	5825	Ant2	0.08	0	0.08	30	Pass
NVNT	ax20	5745	Ant1	-1.13	0	-1.13	30	Pass
NVNT	ax20	5745	Ant2	-2.95	0	-2.95	30	Pass
NVNT	ax20	5745	MIMO	1.06	0	1.06	30	Pass
NVNT	ax20	5785	Ant1	-6.21	0	-6.21	30	Pass
NVNT	ax20	5785	Ant2	-3.27	0	-3.27	30	Pass
NVNT	ax20	5785	MIMO	-1.49	0	-1.49	30	Pass
NVNT	ax20	5825	Ant1	-5.8	0	-5.8	30	Pass
NVNT	ax20	5825	Ant2	-5.59	0	-5.59	30	Pass
NVNT	ax20	5825	MIMO	-2.68	0	-2.68	30	Pass
NVNT	ax40	5755	Ant1	-1.32	0	-1.32	30	Pass
NVNT	ax40	5795	Ant1	-1.46	0	-1.46	30	Pass
NVNT	ax40	5755	Ant2	-1.6	0	-1.6	30	Pass
NVNT	ax40	5795	Ant2	-1.61	0	-1.61	30	Pass
NVNT	ax40	5755	Ant1	-6.18	0	-6.18	30	Pass
NVNT	ax40	5755	Ant2	-4.69	0	-4.69	30	Pass
NVNT	ax40	5755	MIMO	-2.36	0	-2.36	30	Pass
NVNT	ax40	5795	Ant1	-7.16	0	-7.16	30	Pass
NVNT	ax40	5795	Ant2	-3.06	0	-3.06	30	Pass
NVNT	ax40	5795	MIMO	-1.63	0	-1.63	30	Pass
NVNT	ax80	5775	Ant1	-5.82	0	-5.82	30	Pass
NVNT	ax80	5775	Ant2	-5.95	0	-5.95	30	Pass
NVNT	ax80	5775	Ant1	-8.57	0	-8.57	30	Pass
NVNT	ax80	5775	Ant2	-10.23	0	-10.23	30	Pass
NVNT	ax80	5775	MIMO	-6.31	0	-6.31	30	Pass

