







n41 SCS=30kHz DFT_16QAM BW=90MHz
HighChannel=528996 RB=243@0




n41 SCS=30kHz DFT_64QAM BW=90MHz
HighChannel=528996 RB=1@244




n41 SCS=30kHz DFT_64QAM BW=90MHz
HighChannel=528996 RB=243@0




n41 SCS=30kHz DFT_256QAM BW=90MHz
HighChannel=528996 RB=1@244




n41 SCS=30kHz DFT_256QAM BW=90MHz
HighChannel=528996 RB=243@0




n41 SCS=30kHz CP_QPSK BW=90MHz HighChannel=528996
RB=245@0




n41 SCS=30kHz DFT_BPSK BW=100MHz
LowChannel=509202 RB=1@0




n41 SCS=30kHz DFT_BPSK BW=100MHz
LowChannel=509202 RB=270@0




n41 SCS=30kHz DFT_QPSK BW=100MHz
LowChannel=509202 RB=1@0




n41 SCS=30kHz DFT_QPSK BW=100MHz
LowChannel=509202 RB=270@0



n41 SCS=30kHz DFT_16QAM BW=100MHz
LowChannel=509202 RB=1@0




n41 SCS=30kHz DFT_16QAM BW=100MHz
LowChannel=509202 RB=270@0




Date: 24.JUN.2026 08:23:48

n41 SCS=30kHz DFT_64QAM BW=100MHz
LowChannel=509202 RB=1@0




Date: 24.JUN.2026 08:23:56

n41 SCS=30kHz DFT_64QAM BW=100MHz
LowChannel=509202 RB=270@0




Date: 24.JUN.2026 08:24:07

n41 SCS=30kHz DFT_256QAM BW=100MHz
LowChannel=509202 RB=1@0




Date: 24.JUN.2026 08:24:15

n41 SCS=30kHz DFT_256QAM BW=100MHz
LowChannel=509202 RB=270@0




Date: 24.JUN.2026 08:24:25

n41 SCS=30kHz CP_QPSK BW=100MHz LowChannel=509202
RB=273@0




Date: 24.JUN.2026 08:24:42


n41 SCS=30kHz DFT_BPSK BW=100MHz
HighChannel=528000 RB=1@272




n41 SCS=30kHz DFT_BPSK BW=100MHz
HighChannel=528000 RB=270@0




n41 SCS=30kHz DFT_QPSK BW=100MHz
HighChannel=528000 RB=1@272




n41 SCS=30kHz DFT_QPSK BW=100MHz
HighChannel=528000 RB=270@0




n41 SCS=30kHz DFT_16QAM BW=100MHz
HighChannel=528000 RB=1@272




n41 SCS=30kHz DFT_16QAM BW=100MHz
HighChannel=528000 RB=270@0




n41 SCS=30kHz DFT_64QAM BW=100MHz
HighChannel=528000 RB=1@272




n41 SCS=30kHz DFT_64QAM BW=100MHz
HighChannel=528000 RB=270@0



n41 SCS=30kHz DFT_256QAM BW=100MHz
HighChannel=528000 RB=1@272




n41 SCS=30kHz DFT_256QAM BW=100MHz
HighChannel=528000 RB=270@0




n41 SCS=30kHz CP_QPSK BW=100MHz HighChannel=528000
RB=273@0

6. Conducted Spurious Emissions




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=509202

RB=1@0




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=509202

RB=1@272




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=509202

RB=270@0




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=518598

RB=1@0




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=518598

RB=1@272




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=518598


RB=270@0



n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=528000
RB=1@0



n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=528000
RB=1@272



n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=528000
RB=270@0

7. Radiated Spurious Emissions

n38 - DFT-s-OFDM - PI/2 BPSK - 40M - Middle Channel									
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Margin (dB)	SPA. Reading (dBm)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5205	-32.02	-25	-7.02	-44.5	-38.43	5.39	11.8	H	Pass
7785	-49.29	-25	-24.29	-68.62	-54.38	6.47	11.56	H	Pass
10365	-48.07	-25	-23.07	-70.39	-52.74	7.1	11.77	H	Pass
5190	-47.68	-25	-22.68	-59.97	-54.05	5.39	11.76	V	Pass
7755	-56.19	-25	-31.19	-75.76	-61.42	6.45	11.68	V	Pass
10365	-54.24	-25	-29.24	-76.63	-58.91	7.1	11.77	V	Pass
n41 - DFT-s-OFDM - PI/2 BPSK - 100M - High Channel									
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Margin (dB)	SPA. Reading (dBm)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5175	-29.72	-25	-4.72	-42.55	-36.04	5.38	11.7	H	Pass
7770	-43.03	-25	-18.03	-62.4	-48.19	6.46	11.62	H	Pass
10365	-44.38	-25	-19.38	-67.19	-49.05	7.1	11.77	H	Pass
5175	-57.26	-25	-32.26	-69.88	-63.58	5.38	11.7	V	Pass
7770	-54.43	-25	-29.43	-74.06	-59.59	6.46	11.62	V	Pass
10365	-54.39	-25	-29.39	-76.84	-59.06	7.1	11.77	V	Pass
DC_5A_n41A - DFT-s-OFDM - PI/2 BPSK - 100M - Middle Channel									
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Margin (dB)	SPA. Reading (dBm)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5085	-44.12	-25	-19.12	-56.52	-50.4	5.36	11.64	H	Pass
7635	-54.29	-25	-29.29	-74.08	-59.49	6.36	11.56	H	Pass
16995	-44.16	-25	-19.16	-75.52	-50.77	9.49	16.1	H	Pass
5085	-56.19	-25	-31.19	-68.47	-62.47	5.36	11.64	V	Pass
7635	-56.23	-25	-31.23	-76.39	-61.43	6.36	11.56	V	Pass
16995	-44.17	-25	-19.17	-75.52	-50.78	9.49	16.1	V	Pass

Note: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.