


Mode:	11g	Channel:	2462 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-22 19:10:19

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2488.76	59.72	7.62	74.00	14.28	150	340	Vertical	PASS
2	2489.95	58.58	7.65	74.00	15.42	150	180	Vertical	PASS


Test Report No.: EFGX25100120-IE-02-E02

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
 Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
 Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	11g	Channel:	2462 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-22 19:10:59

Test Graph



Suspected Data List									
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	47.37	7.53	54.00	6.63	150	100	Vertical	PASS
2	2484.44	47.24	7.57	54.00	6.76	150	360	Vertical	PASS


Test Report No.: EFGX25100120-IE-02-E02

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	11n20 SISO	Channel:	2412 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-22 18:57:19

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2385.76	53.37	8.00	74.00	20.63	150	340	Horizontal	PASS
2	2389.92	55.64	8.27	74.00	18.36	150	10	Horizontal	PASS

Test Report No.: EFGX25100120-IE-02-E02

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	11n20 SISO	Channel:	2412 MHz
Antenna:	Ant1	State:	Tx
Start of Test: 2025-10-22 18:57:58			

Test Graph




Suspected Data List									
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2386.08	40.89	7.99	54.00	13.11	150	20	Horizontal	PASS
2	2390	43.22	8.28	54.00	10.78	150	50	Horizontal	PASS

Mode:	11n20 SISO	Channel:	2412 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-22 19:12:31

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2385.92	52.13	7.99	74.00	21.87	150	220	Vertical	PASS
2	2389.84	52.93	8.26	74.00	21.07	150	140	Vertical	PASS


Test Report No.: EFGX25100120-IE-02-E02

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	11n20 SISO	Channel:	2412 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-22 19:13:01

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2385.84	39.89	8.00	54.00	14.11	150	230	Vertical	PASS
2	2389.76	41.08	8.25	54.00	12.92	150	350	Vertical	PASS


Test Report No.: EFGX25100120-IE-02-E02

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
 Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
 Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	11n20 SISO	Channel:	2462 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-22 18:59:29

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.66	59.79	7.53	74.00	14.21	150	120	Horizontal	PASS
2	2484.72	59.06	7.59	74.00	14.94	150	220	Horizontal	PASS


Test Report No.: EFGX25100120-IE-02-E02

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	11n20 SISO	Channel:	2462 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-22 19:00:04

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	48.04	7.53	54.00	5.96	150	10	Horizontal	PASS
2	2484.40	47.79	7.56	54.00	6.21	150	50	Horizontal	PASS


Test Report No.: EFGX25100120-IE-02-E02

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
 Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
 Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	11n20 SISO	Channel:	2462 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-22 19:14:15

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2484.14	58.21	7.54	74.00	15.79	150	30	Vertical	PASS
2	2494.24	58.00	7.67	74.00	16.00	150	300	Vertical	PASS


Test Report No.: EFGX25100120-IE-02-E02

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
 Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
 Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	11n20 SISO	Channel:	2462 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-22 19:14:47

Test Graph



Suspected Data List									
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.53	46.87	7.53	54.00	7.13	150	150	Vertical	PASS
2	2484.96	46.91	7.61	54.00	7.09	150	10	Vertical	PASS

Test Report No.: EFGX25100120-IE-02-E02

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	11b	Channel:	2412 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-22 19:35:28

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4824	-14.40	54.89	74.00	19.11	50.18	54.00	3.82	100	102.5	Vertical	PASS
2	4824	-14.40	52.58	74.00	21.42	47.55	54.00	6.45	120.5	311	Horizontal	PASS
3	7236	-10.11	41.24	74.00	32.76	N/A	54.00	N/A	150	266	Horizontal	PASS
4	7236	-10.11	41.35	74.00	32.65	N/A	54.00	N/A	150	59	Vertical	PASS
5	9648	-6.76	46.96	74.00	27.04	N/A	54.00	N/A	150	160	Vertical	PASS
6	9648	-6.76	44.99	74.00	29.01	N/A	54.00	N/A	150	162	Horizontal	PASS
7	12060	-3.05	45.29	74.00	28.71	N/A	54.00	N/A	150	340	Horizontal	PASS
8	12060	-3.05	45.09	74.00	28.91	N/A	54.00	N/A	150	280	Vertical	PASS
9	14472	0.40	47.93	74.00	26.07	N/A	54.00	N/A	150	131	Vertical	PASS
10	14472	0.40	47.47	74.00	26.53	N/A	54.00	N/A	150	43	Horizontal	PASS

Mode:	11b	Channel:	2437 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-22 19:40:40

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4874	-13.80	55.86	74.00	18.14	50.87	54.00	3.13	100	102.5	Vertical	PASS
2	4874	-13.80	53.85	74.00	20.15	48.91	54.00	5.09	120.7	311	Horizontal	PASS
3	7311	-10.58	42.20	74.00	31.80	N/A	54.00	N/A	150	44	Vertical	PASS
4	7311	-10.58	42.78	74.00	31.22	N/A	54.00	N/A	150	176	Horizontal	PASS
5	9748	-6.72	47.80	74.00	26.20	N/A	54.00	N/A	150	111	Vertical	PASS
6	9748	-6.72	46.80	74.00	27.20	N/A	54.00	N/A	150	222	Horizontal	PASS
7	12185	-2.74	45.27	74.00	28.73	N/A	54.00	N/A	150	15	Vertical	PASS
8	12185	-2.74	45.22	74.00	28.78	N/A	54.00	N/A	150	281	Horizontal	PASS
9	14622	-0.07	47.56	74.00	26.44	N/A	54.00	N/A	150	206	Horizontal	PASS
10	14622	-0.07	47.47	74.00	26.53	N/A	54.00	N/A	150	126	Vertical	PASS

Test Report No.: EFGX25100120-IE-02-E02

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	11b	Channel:	2462 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-22 19:48:26

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4924	-13.47	55.03	74.00	18.97	50.30	54.00	3.70	100	102.5	Vertical	PASS
2	4924	-13.47	53.91	74.00	20.09	49.00	54.00	5.00	120.7	311	Horizontal	PASS
3	7386	-10.46	42.40	74.00	31.60	N/A	54.00	N/A	150	6	Horizontal	PASS
4	7386	-10.46	42.07	74.00	31.93	N/A	54.00	N/A	150	265	Vertical	PASS
5	9848	-6.42	44.31	74.00	29.69	N/A	54.00	N/A	150	162	Horizontal	PASS
6	9848	-6.42	44.79	74.00	29.21	N/A	54.00	N/A	150	153	Vertical	PASS
7	12310	-2.66	44.79	74.00	29.21	N/A	54.00	N/A	150	279	Vertical	PASS
8	12310	-2.66	45.55	74.00	28.45	N/A	54.00	N/A	150	326	Horizontal	PASS
9	14772	0.12	47.83	74.00	26.17	N/A	54.00	N/A	150	72	Horizontal	PASS
10	14772	0.12	47.71	74.00	26.29	N/A	54.00	N/A	150	79	Vertical	PASS

Mode:	11g	Channel:	2412 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-22 19:53:54

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4824	-14.40	53.04	74.00	20.96	41.73	54.00	12.27	100	102.5	Vertical	PASS
2	4824	-14.40	49.93	74.00	24.07	39.25	54.00	14.75	120.7	311	Horizontal	PASS
3	7236	-10.11	41.69	74.00	32.31	N/A	54.00	N/A	150	260	Vertical	PASS
4	7236	-10.11	41.04	74.00	32.96	N/A	54.00	N/A	150	127	Horizontal	PASS
5	9648	-6.76	44.05	74.00	29.95	N/A	54.00	N/A	150	15	Vertical	PASS
6	9648	-6.76	43.33	74.00	30.67	N/A	54.00	N/A	150	231	Horizontal	PASS
7	12060	-3.05	44.78	74.00	29.22	N/A	54.00	N/A	150	200	Vertical	PASS
8	12060	-3.05	46.97	74.00	27.03	N/A	54.00	N/A	150	97	Horizontal	PASS
9	14472	0.40	47.14	74.00	26.86	N/A	54.00	N/A	150	82	Horizontal	PASS
10	14472	0.40	48.00	74.00	26.00	N/A	54.00	N/A	150	274	Vertical	PASS

Test Report No.: EFGX25100120-IE-02-E02

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	11g	Channel:	2437 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-23 09:14:59

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4874	-13.80	53.61	74.00	20.39	42.06	54.00	11.94	100	102.5	Vertical	PASS
2	4874	-13.80	52.31	74.00	21.69	40.54	54.00	13.46	120.7	311	Horizontal	PASS
3	7311	-10.58	37.93	74.00	36.07	N/A	54.00	N/A	150	272	Vertical	PASS
4	7311	-10.58	38.59	74.00	35.41	N/A	54.00	N/A	150	150	Horizontal	PASS
5	9748	-6.72	39.24	74.00	34.76	N/A	54.00	N/A	150	64	Vertical	PASS
6	9748	-6.72	38.30	74.00	35.70	N/A	54.00	N/A	150	150	Horizontal	PASS
7	12185	-2.74	39.83	74.00	34.17	N/A	54.00	N/A	150	213	Vertical	PASS
8	12185	-2.74	40.13	74.00	33.87	N/A	54.00	N/A	150	61	Horizontal	PASS
9	14622	-0.07	42.75	74.00	31.25	N/A	54.00	N/A	150	31	Horizontal	PASS
10	14622	-0.07	41.73	74.00	32.27	N/A	54.00	N/A	150	183	Vertical	PASS

Mode:	11g	Channel:	2462 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-23 09:19:28

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4924	-13.47	53.71	74.00	20.29	41.46	54.00	12.54	100	102.5	Vertical	PASS
2	4924	-13.47	51.75	74.00	22.25	40.65	54.00	13.35	120.7	311.0	Horizontal	PASS
3	7386	-10.46	36.06	74.00	37.94	N/A	54.00	N/A	150	49	Vertical	PASS
4	7386	-10.46	37.30	74.00	36.70	N/A	54.00	N/A	150	126	Horizontal	PASS
5	9848	-6.42	37.74	74.00	36.26	N/A	54.00	N/A	150	108	Vertical	PASS
6	9848	-6.42	38.42	74.00	35.58	N/A	54.00	N/A	150	21	Horizontal	PASS
7	12310	-2.66	41.66	74.00	32.34	N/A	54.00	N/A	150	227	Vertical	PASS
8	12310	-2.66	39.86	74.00	34.14	N/A	54.00	N/A	150	36	Horizontal	PASS
9	14772	0.12	42.43	74.00	31.57	N/A	54.00	N/A	150	51	Horizontal	PASS
10	14772	0.12	42.41	74.00	31.59	N/A	54.00	N/A	150	49	Vertical	PASS

Test Report No.: EFGX25100120-IE-02-E02

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	11n20 SISO	Channel:	2412 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-23 09:23:31

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4824	-14.40	51.49	74.00	22.51	39.85	54.00	14.15	100	102.5	Vertical	PASS
2	4824	-14.40	49.89	74.00	24.11	37.71	54.00	16.29	120.7	311.0	Horizontal	PASS
3	7236	-10.11	38.52	74.00	35.48	N/A	54.00	N/A	150	270	Vertical	PASS
4	7236	-10.11	37.77	74.00	36.23	N/A	54.00	N/A	150	326	Horizontal	PASS
5	9648	-6.76	41.37	74.00	32.63	N/A	54.00	N/A	150	26	Vertical	PASS
6	9648	-6.76	41.86	74.00	32.14	N/A	54.00	N/A	150	52	Horizontal	PASS
7	12060	-3.05	40.69	74.00	33.31	N/A	54.00	N/A	150	40	Vertical	PASS
8	12060	-3.05	40.22	74.00	33.78	N/A	54.00	N/A	150	37	Horizontal	PASS
9	14472	0.40	41.34	74.00	32.66	N/A	54.00	N/A	150	237	Horizontal	PASS
10	14472	0.40	43.01	74.00	30.99	N/A	54.00	N/A	150	300	Vertical	PASS

Mode:	11n20 SISO	Channel:	2437 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-23 09:56:10

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4874	-13.80	52.20	74.00	21.80	40.36	54.00	13.64	100	102.5	Vertical	PASS
2	4874	-13.80	50.88	74.00	23.12	38.81	54.00	15.19	120.7	311	Horizontal	PASS
3	7311	-10.58	42.55	74.00	31.45	N/A	54.00	N/A	150	60	Horizontal	PASS
4	7311	-10.58	42.55	74.00	31.45	N/A	54.00	N/A	150	180	Vertical	PASS
5	9748	-6.72	46.05	74.00	27.95	N/A	54.00	N/A	150	40	Horizontal	PASS
6	9748	-6.72	44.32	74.00	29.68	N/A	54.00	N/A	150	160	Vertical	PASS
7	12185	-2.74	44.60	74.00	29.40	N/A	54.00	N/A	150	240	Horizontal	PASS
8	12185	-2.74	45.15	74.00	28.85	N/A	54.00	N/A	150	210	Vertical	PASS
9	14622	-0.07	46.88	74.00	27.12	N/A	54.00	N/A	150	130	Vertical	PASS
10	14622	-0.07	46.35	74.00	27.65	N/A	54.00	N/A	150	230	Horizontal	PASS

Test Report No.: EFGX25100120-IE-02-E02

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	11n20 SISO	Channel:	2462 MHz
Antenna:	Ant1	State:	Tx

Start of Test: 2025-10-23 10:00:18

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4924	-13.47	50.73	74.00	23.27	39.15	54.00	14.85	120.7	311.0	Horizontal	PASS
2	4924	-13.47	51.64	74.00	22.36	40.01	54.00	13.99	100	102.5	Vertical	PASS
3	7386	-10.46	41.10	74.00	32.90	N/A	54.00	N/A	150	130	Vertical	PASS
4	7386	-10.46	41.39	74.00	32.61	N/A	54.00	N/A	150	170	Horizontal	PASS
5	9848	-6.42	41.37	74.00	32.63	N/A	54.00	N/A	150	190	Vertical	PASS
6	9848	-6.42	42.94	74.00	31.06	N/A	54.00	N/A	150	50	Horizontal	PASS
7	12310	-2.66	44.08	74.00	29.92	N/A	54.00	N/A	150	60	Vertical	PASS
8	12310	-2.66	45.52	74.00	28.48	N/A	54.00	N/A	150	300	Horizontal	PASS
9	14772	0.12	47.16	74.00	26.84	N/A	54.00	N/A	150	270	Horizontal	PASS
10	14772	0.12	48.43	74.00	25.57	N/A	54.00	N/A	150	230	Vertical	PASS

Mode:	11n20 SISO	Channel:	2437 MHz
Antenna:	Ant1	State:	Rx

Start of Test: 2025-10-25 11:35:32

Final Data List										
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Limit [dBμV/m]	Height [cm]	Angle [°]	Polarity	Verdict
1	4874	-13.92	39.32	74.00	34.68	54.00	150	230	Vertical	PASS
2	4874	-13.92	39.01	74.00	34.99	54.00	150	210	Horizontal	PASS
3	7311	-10.60	42.34	74.00	31.66	54.00	150	110	Vertical	PASS
4	7311	-10.60	41.92	74.00	32.08	54.00	150	170	Horizontal	PASS
5	9748	-6.84	44.64	74.00	29.36	54.00	150	30	Horizontal	PASS
6	9748	-6.84	43.48	74.00	30.52	54.00	150	70	Vertical	PASS
7	12185	-2.81	44.08	74.00	29.92	54.00	150	20	Horizontal	PASS
8	12185	-2.81	43.64	74.00	30.36	54.00	150	130	Vertical	PASS
9	14622	-0.07	46.98	74.00	27.02	54.00	150	230	Vertical	PASS
10	14622	-0.07	47.48	74.00	26.52	54.00	150	320	Horizontal	PASS

--End of report--

Test Report No.: EFGX25100120-IE-02-E02

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China