


Spurious Emission at Antenna Terminals


2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-60.23	-13	47.23	Pass	401
0.15	30	0.01	RMS	0.3	-68.59	-13	55.59	Pass	2986
30	1000	0.1	RMS	867.112	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1677	-54	-13	41	Pass	701
1700	1765	1	RMS	1750.213	20.77	60	39.23	Pass	401
1765	3000	1	RMS	2949	-51.37	-13	38.37	Pass	1236
3000	12000	1	RMS	11993	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-60.72	-13	47.72	Pass	401
0.15	30	0.01	RMS	0.3	-67.38	-13	54.38	Pass	2986
30	1000	0.1	RMS	872.916	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1700	-53.14	-13	40.14	Pass	701
1700	1765	1	RMS	1710.563	21.31	60	38.69	Pass	401
1765	3000	1	RMS	2989	-51.34	-13	38.34	Pass	1236
3000	12000	1	RMS	11995	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13603	-39.82	-13	26.82	Pass	8001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61.43	-13	48.43	Pass	401
0.15	30	0.01	RMS	0.25	-69.77	-13	56.77	Pass	2986
30	1000	0.1	RMS	990.494	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1700	-53.33	-13	40.33	Pass	701
1700	1765	1	RMS	1710.563	20.65	60	39.35	Pass	401
1765	3000	1	RMS	2995	-51.35	-13	38.35	Pass	1236
3000	12000	1	RMS	11998	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13600	-39.79	-13	26.79	Pass	8001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61.86	-13	48.86	Pass	401
0.15	30	0.01	RMS	0.3	-69.13	-13	56.13	Pass	2986
30	1000	0.1	RMS	956.571	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1681	-53.99	-13	40.99	Pass	701
1700	1765	1	RMS	1727.95	21.18	60	38.82	Pass	401
1765	3000	1	RMS	2993	-51.37	-13	38.37	Pass	1236
3000	12000	1	RMS	11992	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61.43	-13	48.43	Pass	401
0.15	30	0.01	RMS	0.3	-68.87	-13	55.87	Pass	2986
30	1000	0.1	RMS	992.295	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1677	-54.02	-13	41.02	Pass	701
1700	1765	1	RMS	1727.95	20.34	60	39.66	Pass	401
1765	3000	1	RMS	2980	-51.37	-13	38.37	Pass	1236
3000	12000	1	RMS	11998	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13606	-39.78	-13	26.78	Pass	8001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61.35	-13	48.35	Pass	401
0.15	30	0.01	RMS	0.24	-68.85	-13	55.85	Pass	2986
30	1000	0.1	RMS	834	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1674	-54.02	-13	41.02	Pass	701
1700	1765	1	RMS	1745.5	21.01	60	38.99	Pass	401
1765	3000	1	RMS	2994	-51.33	-13	38.33	Pass	1236
3000	12000	1	RMS	12000	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-60.84	-13	47.84	Pass	401
0.15	30	0.01	RMS	0.3	-68.56	-13	55.56	Pass	2986
30	1000	0.1	RMS	845.5	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1680	-53.99	-13	40.99	Pass	701
1700	1765	1	RMS	1745.5	20.11	60	39.89	Pass	401
1765	3000	1	RMS	2999	-51.34	-13	38.34	Pass	1236
3000	12000	1	RMS	11995	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.73	-13	26.73	Pass	8001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-60.88	-13	47.88	Pass	401
0.15	30	0.01	RMS	0.26	-67.61	-13	54.61	Pass	2986
30	1000	0.1	RMS	853.303	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1698	-47.36	-13	34.36	Pass	701
1700	1765	1	RMS	1710.725	21.12	60	38.88	Pass	401
1765	3000	1	RMS	2974	-51.36	-13	38.36	Pass	1236
3000	12000	1	RMS	11989	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13599	-39.68	-13	26.68	Pass	8001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61.77	-13	48.77	Pass	401
0.15	30	0.01	RMS	0.3	-68.31	-13	55.31	Pass	2986
30	1000	0.1	RMS	934.957	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1698	-47.67	-13	34.67	Pass	701
1700	1765	1	RMS	1710.725	20.38	60	39.62	Pass	401
1765	3000	1	RMS	2987	-51.35	-13	38.35	Pass	1236
3000	12000	1	RMS	11999	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13603	-39.75	-13	26.75	Pass	8001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-60.86	-13	47.86	Pass	401
0.15	30	0.01	RMS	0.3	-68.67	-13	55.67	Pass	2986
30	1000	0.1	RMS	835.3	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1699	-53.87	-13	40.87	Pass	701
1700	1765	1	RMS	1725.838	20.79	60	39.21	Pass	401
1765	3000	1	RMS	2988	-51.37	-13	38.37	Pass	1236
3000	12000	1	RMS	12000	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13607	-39.78	-13	26.78	Pass	8001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-60.75	-13	47.75	Pass	401
0.15	30	0.01	RMS	0.3	-68.24	-13	55.24	Pass	2986
30	1000	0.1	RMS	841.3	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1699	-53.83	-13	40.83	Pass	701
1700	1765	1	RMS	1725.675	19.98	60	40.02	Pass	401
1765	3000	1	RMS	2995	-51.33	-13	38.33	Pass	1236
3000	12000	1	RMS	11996	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-60.06	-13	47.06	Pass	401
0.15	30	0.01	RMS	0.25	-64.92	-13	51.92	Pass	2986
30	1000	0.1	RMS	857.606	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1684	-54.01	-13	41.01	Pass	701
1700	1765	1	RMS	1740.788	20.26	60	39.74	Pass	401
1765	3000	1	RMS	2988	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	11993	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13598	-39.73	-13	26.73	Pass	8001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-60.03	-13	47.03	Pass	401
0.15	30	0.01	RMS	0.15	-67.49	-13	54.49	Pass	2986
30	1000	0.1	RMS	870.814	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1683	-54.01	-13	41.01	Pass	701
1700	1765	1	RMS	1740.788	19.26	60	40.74	Pass	401
1765	3000	1	RMS	2986	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	11997	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-59.67	-13	46.67	Pass	401
0.15	30	0.01	RMS	0.26	-63.99	-13	50.99	Pass	2986
30	1000	0.1	RMS	843	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1693	-51.44	-13	38.44	Pass	701
1700	1765	1	RMS	1711.05	21.08	60	38.92	Pass	401
1765	3000	1	RMS	2935	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	11991	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13600	-39.7	-13	26.7	Pass	8001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-59.94	-13	46.94	Pass	401
0.15	30	0.01	RMS	0.3	-69.69	-13	56.69	Pass	2986
30	1000	0.1	RMS	847.4	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1693	-52.56	-13	39.56	Pass	701
1700	1765	1	RMS	1711.05	20.3	60	39.7	Pass	401
1765	3000	1	RMS	2943	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	11998	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-39.73	-13	26.73	Pass	8001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61.3	-13	48.3	Pass	401
0.15	30	0.01	RMS	0.3	-67.36	-13	54.36	Pass	2986
30	1000	0.1	RMS	983.389	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1700	-53.97	-13	40.97	Pass	701
1700	1765	1	RMS	1723.563	20.95	60	39.05	Pass	401
1765	3000	1	RMS	2936	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	11994	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-60.81	-13	47.81	Pass	401
0.15	30	0.01	RMS	0.3	-68.44	-13	55.44	Pass	2986
30	1000	0.1	RMS	998.599	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1700	-53.99	-13	40.99	Pass	701
1700	1765	1	RMS	1723.563	20.21	60	39.79	Pass	401
1765	3000	1	RMS	2984	-51.32	-13	38.32	Pass	1236
3000	12000	1	RMS	11995	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13597	-39.75	-13	26.75	Pass	8001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-60.98	-13	47.98	Pass	401
0.15	30	0.01	RMS	0.3	-68.55	-13	55.55	Pass	2986
30	1000	0.1	RMS	857.005	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1700	-53.94	-13	40.94	Pass	701
1700	1765	1	RMS	1736.075	20.66	60	39.34	Pass	401
1765	3000	1	RMS	2988	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	11998	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13605	-39.77	-13	26.77	Pass	8001



2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-61.46	-13	48.46	Pass	401
0.15	30	0.01	RMS	0.15	-68.41	-13	55.41	Pass	2986
30	1000	0.1	RMS	816.7	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1700	-53.87	-13	40.87	Pass	701
1700	1765	1	RMS	1736.075	19.9	60	40.1	Pass	401
1765	3000	1	RMS	2976	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	11994	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-61.46	-13	48.46	Pass	401
0.15	30	0.01	RMS	0.25	-68.35	-13	55.35	Pass	2986
30	814	0.1	RMS	813.5	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	824.2	18.15	60	41.85	Pass	461
860	1000	0.1	RMS	982.1	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1648	-50.25	-13	37.25	Pass	2001
3000	10000	1	RMS	6799	-45.44	-13	32.44	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-60.43	-13	47.43	Pass	401
0.15	30	0.01	RMS	0.3	-67.88	-13	54.88	Pass	2986
30	814	0.1	RMS	813.6	-65.57	-13	52.57	Pass	7841
814	860	0.1	RMS	824.3	17.24	60	42.76	Pass	461
860	1000	0.1	RMS	869.7	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	1648	-50.65	-13	37.65	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-61.16	-13	48.16	Pass	401
0.15	30	0.01	RMS	0.3	-68.06	-13	55.06	Pass	2986
30	814	0.1	RMS	796.6	-65.61	-13	52.61	Pass	7841
814	860	0.1	RMS	836	18.89	60	41.11	Pass	461
860	1000	0.1	RMS	875	-65.12	-13	52.12	Pass	1401
1000	3000	1	RMS	1672	-50.07	-13	37.07	Pass	2001
3000	10000	1	RMS	6800	-45.4	-13	32.4	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-60.56	-13	47.56	Pass	401
0.15	30	0.01	RMS	0.25	-66.1	-13	53.1	Pass	2986
30	814	0.1	RMS	798.5	-65.64	-13	52.64	Pass	7841
814	860	0.1	RMS	836.1	18.23	60	41.77	Pass	461
860	1000	0.1	RMS	868.3	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1672	-50.52	-13	37.52	Pass	2001
3000	10000	1	RMS	6802	-45.59	-13	32.59	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61.49	-13	48.49	Pass	401
0.15	30	0.01	RMS	0.3	-68.8	-13	55.8	Pass	2986
30	814	0.1	RMS	811.3	-65.58	-13	52.58	Pass	7841
814	860	0.1	RMS	847.8	18.21	60	41.79	Pass	461
860	1000	0.1	RMS	943.5	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1695	-50.68	-13	37.68	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-61.43	-13	48.43	Pass	401
0.15	30	0.01	RMS	0.25	-64.53	-13	51.53	Pass	2986
30	814	0.1	RMS	733.6	-65.72	-13	52.72	Pass	7841
814	860	0.1	RMS	847.9	17.57	60	42.43	Pass	461
860	1000	0.1	RMS	956.6	-65.33	-13	52.33	Pass	1401
1000	3000	1	RMS	1695	-51.04	-13	38.04	Pass	2001
3000	10000	1	RMS	6799	-45.53	-13	32.53	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-61.23	-13	48.23	Pass	401
0.15	30	0.01	RMS	0.15	-69.37	-13	56.37	Pass	2986
30	814	0.1	RMS	804.7	-65.64	-13	52.64	Pass	7841
814	860	0.1	RMS	824.2	18.37	60	41.63	Pass	461
860	1000	0.1	RMS	948.7	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1648	-50.32	-13	37.32	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61.25	-13	48.25	Pass	401
0.15	30	0.01	RMS	0.3	-69.62	-13	56.62	Pass	2986
30	814	0.1	RMS	790.9	-65.63	-13	52.63	Pass	7841
814	860	0.1	RMS	824.2	17.48	60	42.52	Pass	461
860	1000	0.1	RMS	982.3	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	1648	-50.57	-13	37.57	Pass	2001
3000	10000	1	RMS	6801	-45.56	-13	32.56	Pass	7001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-60.71	-13	47.71	Pass	401
0.15	30	0.01	RMS	0.24	-67.35	-13	54.35	Pass	2986
30	814	0.1	RMS	781.2	-65.63	-13	52.63	Pass	7841
814	860	0.1	RMS	835.2	19.04	60	40.96	Pass	461
860	1000	0.1	RMS	969.9	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1670	-49.47	-13	36.47	Pass	2001
3000	10000	1	RMS	6801	-45.62	-13	32.62	Pass	7001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-61.28	-13	48.28	Pass	401
0.15	30	0.01	RMS	0.15	-68.24	-13	55.24	Pass	2986
30	814	0.1	RMS	754	-65.66	-13	52.66	Pass	7841
814	860	0.1	RMS	835.2	18.05	60	41.95	Pass	461
860	1000	0.1	RMS	955.5	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1670	-50.07	-13	37.07	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-60.27	-13	47.27	Pass	401
0.15	30	0.01	RMS	0.3	-68.31	-13	55.31	Pass	2986
30	814	0.1	RMS	811.1	-65.56	-13	52.56	Pass	7841
814	860	0.1	RMS	846.2	18.59	60	41.41	Pass	461
860	1000	0.1	RMS	996.1	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1692	-50.07	-13	37.07	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61.96	-13	48.96	Pass	401
0.15	30	0.01	RMS	0.15	-67.41	-13	54.41	Pass	2986
30	814	0.1	RMS	790.2	-65.61	-13	52.61	Pass	7841
814	860	0.1	RMS	846.2	17.83	60	42.17	Pass	461
860	1000	0.1	RMS	987.3	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1692	-50.55	-13	37.55	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-60.67	-13	47.67	Pass	401
0.15	30	0.01	RMS	0.3	-69.24	-13	56.24	Pass	2986
30	814	0.1	RMS	813.6	-65.38	-13	52.38	Pass	7841
814	860	0.1	RMS	824.3	18.83	60	41.17	Pass	461
860	1000	0.1	RMS	989.4	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1648	-49.98	-13	36.98	Pass	2001
3000	10000	1	RMS	6799	-45.61	-13	32.61	Pass	7001




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-60.82	-13	47.82	Pass	401
0.15	30	0.01	RMS	0.15	-68.67	-13	55.67	Pass	2986
30	814	0.1	RMS	813.6	-65.46	-13	52.46	Pass	7841
814	860	0.1	RMS	824.3	17.86	60	42.14	Pass	461
860	1000	0.1	RMS	895.3	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1648	-50.6	-13	37.6	Pass	2001
3000	10000	1	RMS	6803	-45.64	-13	32.64	Pass	7001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-60.95	-13	47.95	Pass	401
0.15	30	0.01	RMS	0.15	-68.22	-13	55.22	Pass	2986
30	814	0.1	RMS	773.3	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	834.3	19.13	60	40.87	Pass	461
860	1000	0.1	RMS	978	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1668	-49.31	-13	36.31	Pass	2001
3000	10000	1	RMS	6801	-45.57	-13	32.57	Pass	7001




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-60.76	-13	47.76	Pass	401
0.15	30	0.01	RMS	0.3	-68.62	-13	55.62	Pass	2986
30	814	0.1	RMS	812.1	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	834.3	18.51	60	41.49	Pass	461
860	1000	0.1	RMS	984	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1668	-49.88	-13	36.88	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61.75	-13	48.75	Pass	401
0.15	30	0.01	RMS	0.15	-68.27	-13	55.27	Pass	2986
30	814	0.1	RMS	810.9	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	844.3	18.83	60	41.17	Pass	461
860	1000	0.1	RMS	955.5	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1688	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61.18	-13	48.18	Pass	401
0.15	30	0.01	RMS	0.3	-69.77	-13	56.77	Pass	2986
30	814	0.1	RMS	749.4	-65.69	-13	52.69	Pass	7841
814	860	0.1	RMS	844.3	18.16	60	41.84	Pass	461
860	1000	0.1	RMS	986.6	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1688	-50.47	-13	37.47	Pass	2001
3000	10000	1	RMS	6799	-45.55	-13	32.55	Pass	7001




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-61.81	-13	48.81	Pass	401
0.15	30	0.01	RMS	0.3	-68.94	-13	55.94	Pass	2986
30	814	0.1	RMS	813.9	-65.34	-13	52.34	Pass	7841
814	860	0.1	RMS	824.6	19.73	60	40.27	Pass	461
860	1000	0.1	RMS	978.2	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1649	-49.6	-13	36.6	Pass	2001
3000	10000	1	RMS	6801	-45.62	-13	32.62	Pass	7001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61	-13	48	Pass	401
0.15	30	0.01	RMS	0.3	-69.38	-13	56.38	Pass	2986
30	814	0.1	RMS	776.1	-65.59	-13	52.59	Pass	7841
814	860	0.1	RMS	824.6	18.85	60	41.15	Pass	461
860	1000	0.1	RMS	980	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1649	-50.15	-13	37.15	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61.71	-13	48.71	Pass	401
0.15	30	0.01	RMS	0.3	-68.24	-13	55.24	Pass	2986
30	814	0.1	RMS	813	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	832.1	19.63	60	40.37	Pass	461
860	1000	0.1	RMS	931	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1664	-50.2	-13	37.2	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61.98	-13	48.98	Pass	401
0.15	30	0.01	RMS	0.3	-67.82	-13	54.82	Pass	2986
30	814	0.1	RMS	812.7	-65.52	-13	52.52	Pass	7841
814	860	0.1	RMS	832.1	18.71	60	41.29	Pass	461
860	1000	0.1	RMS	964.3	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1664	-50.72	-13	37.72	Pass	2001
3000	10000	1	RMS	6799	-45.65	-13	32.65	Pass	7001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-60.89	-13	47.89	Pass	401
0.15	30	0.01	RMS	0.3	-68.79	-13	55.79	Pass	2986
30	814	0.1	RMS	796.6	-65.57	-13	52.57	Pass	7841
814	860	0.1	RMS	839.6	19.83	60	40.17	Pass	461
860	1000	0.1	RMS	963.5	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1679	-49.39	-13	36.39	Pass	2001
3000	10000	1	RMS	6801	-45.67	-13	32.67	Pass	7001



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61.1	-13	48.1	Pass	401
0.15	30	0.01	RMS	0.3	-69.63	-13	56.63	Pass	2986
30	814	0.1	RMS	781	-65.66	-13	52.66	Pass	7841
814	860	0.1	RMS	839.6	19.05	60	40.95	Pass	461
860	1000	0.1	RMS	885.1	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1679	-49.98	-13	36.98	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001



4. LTE_Band12


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.12	-13	49.12	Pass	401
0.15	30	0.01	RMS	0.3	-69.02	-13	56.02	Pass	2986
30	689	0.1	RMS	688.8	-63.51	-13	50.51	Pass	6591
689	726	0.1	RMS	699.268	19.36	60	40.64	Pass	401
726	1000	0.1	RMS	825	-65.05	-13	52.05	Pass	2741
1000	3000	1	RMS	1398	-50.63	-13	37.63	Pass	2001
3000	10000	1	RMS	6799	-45.64	-13	32.64	Pass	7001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.88	-13	49.88	Pass	401
0.15	30	0.01	RMS	0.15	-70.49	-13	57.49	Pass	2986
30	689	0.1	RMS	688.8	-63.81	-13	50.81	Pass	6591
689	726	0.1	RMS	699.268	18.58	60	41.42	Pass	401
726	1000	0.1	RMS	950	-64.93	-13	51.93	Pass	2741
1000	3000	1	RMS	1398	-51.26	-13	38.26	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-63.03	-13	50.03	Pass	401
0.15	30	0.01	RMS	0.3	-70.12	-13	57.12	Pass	2986
30	689	0.1	RMS	688.7	-65.42	-13	52.42	Pass	6591
689	726	0.1	RMS	707.038	19.37	60	40.63	Pass	401
726	1000	0.1	RMS	845.4	-64.98	-13	51.98	Pass	2741
1000	3000	1	RMS	1414	-50.82	-13	37.82	Pass	2001
3000	10000	1	RMS	6802	-45.65	-13	32.65	Pass	7001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61.69	-13	48.69	Pass	401
0.15	30	0.01	RMS	0.3	-69.49	-13	56.49	Pass	2986
30	689	0.1	RMS	688.3	-65.47	-13	52.47	Pass	6591
689	726	0.1	RMS	707.038	18.54	60	41.46	Pass	401
726	1000	0.1	RMS	873.9	-64.98	-13	51.98	Pass	2741
1000	3000	1	RMS	1414	-51.37	-13	38.37	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.89	-13	49.89	Pass	401
0.15	30	0.01	RMS	0.3	-70.22	-13	57.22	Pass	2986
30	689	0.1	RMS	688.8	-65.71	-13	52.71	Pass	6591
689	726	0.1	RMS	714.808	18.6	60	41.4	Pass	401
726	1000	0.1	RMS	944.3	-64.98	-13	51.98	Pass	2741
1000	3000	1	RMS	1429	-49.71	-13	36.71	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001



4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.02	-13	49.02	Pass	401
0.15	30	0.01	RMS	0.3	-68.88	-13	55.88	Pass	2986
30	689	0.1	RMS	499.8	-65.94	-13	52.94	Pass	6591
689	726	0.1	RMS	714.808	17.69	60	42.31	Pass	401
726	1000	0.1	RMS	954.9	-65.17	-13	52.17	Pass	2741
1000	3000	1	RMS	1429	-51.26	-13	38.26	Pass	2001
3000	10000	1	RMS	6802	-45.68	-13	32.68	Pass	7001



4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61.6	-13	48.6	Pass	401
0.15	30	0.01	RMS	0.3	-69.56	-13	56.56	Pass	2986
30	689	0.1	RMS	689	-63.99	-13	50.99	Pass	6591
689	726	0.1	RMS	699.268	19.13	60	40.87	Pass	401
726	1000	0.1	RMS	923.4	-65.24	-13	52.24	Pass	2741
1000	3000	1	RMS	1398	-50.79	-13	37.79	Pass	2001
3000	10000	1	RMS	6801	-45.61	-13	32.61	Pass	7001

