


Spurious Emission at Antenna Terminals


4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-63.03	-13	50.03	Pass	401
0.15	30	0.01	RMS	0.15	-69.94	-13	56.94	Pass	2986
30	689	0.1	RMS	688.5	-64.31	-13	51.31	Pass	6591
689	726	0.1	RMS	699.268	18.15	60	41.85	Pass	401
726	1000	0.1	RMS	860.1	-65.05	-13	52.05	Pass	2741
1000	3000	1	RMS	1398	-51.4	-13	38.4	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.05	-13	49.05	Pass	401
0.15	30	0.01	RMS	0.3	-68.44	-13	55.44	Pass	2986
30	689	0.1	RMS	689	-65.37	-13	52.37	Pass	6591
689	726	0.1	RMS	706.205	18.86	60	41.14	Pass	401
726	1000	0.1	RMS	868.6	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	1412	-49.68	-13	36.68	Pass	2001
3000	10000	1	RMS	6797	-45.69	-13	32.69	Pass	7001




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.24	-13	49.24	Pass	401
0.15	30	0.01	RMS	0.3	-69.78	-13	56.78	Pass	2986
30	689	0.1	RMS	688.7	-65.64	-13	52.64	Pass	6591
689	726	0.1	RMS	706.205	17.91	60	42.09	Pass	401
726	1000	0.1	RMS	943.8	-65.21	-13	52.21	Pass	2741
1000	3000	1	RMS	1412	-50.88	-13	37.88	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.75	-13	49.75	Pass	401
0.15	30	0.01	RMS	0.15	-69.79	-13	56.79	Pass	2986
30	689	0.1	RMS	688.9	-65.71	-13	52.71	Pass	6591
689	726	0.1	RMS	713.235	18.84	60	41.16	Pass	401
726	1000	0.1	RMS	962.2	-65.03	-13	52.03	Pass	2741
1000	3000	1	RMS	1426	-49.68	-13	36.68	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.74	-13	49.74	Pass	401
0.15	30	0.01	RMS	0.3	-68.78	-13	55.78	Pass	2986
30	689	0.1	RMS	687.3	-65.89	-13	52.89	Pass	6591
689	726	0.1	RMS	713.235	18.44	60	41.56	Pass	401
726	1000	0.1	RMS	947.5	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1426	-50.22	-13	37.22	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-63.27	-13	50.27	Pass	401
0.15	30	0.01	RMS	0.15	-69.91	-13	56.91	Pass	2986
30	689	0.1	RMS	688.6	-64.12	-13	51.12	Pass	6591
689	726	0.1	RMS	699.36	19.34	60	40.66	Pass	401
726	1000	0.1	RMS	822.9	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	1398	-50.64	-13	37.64	Pass	2001
3000	10000	1	RMS	6798	-45.67	-13	32.67	Pass	7001




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.71	-13	49.71	Pass	401
0.15	30	0.01	RMS	0.3	-68.61	-13	55.61	Pass	2986
30	689	0.1	RMS	688.6	-64.22	-13	51.22	Pass	6591
689	726	0.1	RMS	699.36	18.52	60	41.48	Pass	401
726	1000	0.1	RMS	848.6	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	2981	-51.46	-13	38.46	Pass	2001
3000	10000	1	RMS	6801	-45.66	-13	32.66	Pass	7001




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-63.38	-13	50.38	Pass	401
0.15	30	0.01	RMS	0.3	-69.63	-13	56.63	Pass	2986
30	689	0.1	RMS	688.8	-65.37	-13	52.37	Pass	6591
689	726	0.1	RMS	705.373	19.39	60	40.61	Pass	401
726	1000	0.1	RMS	862.7	-64.91	-13	51.91	Pass	2741
1000	3000	1	RMS	1410	-50.15	-13	37.15	Pass	2001
3000	10000	1	RMS	6802	-45.68	-13	32.68	Pass	7001




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-63.27	-13	50.27	Pass	401
0.15	30	0.01	RMS	0.3	-69.39	-13	56.39	Pass	2986
30	689	0.1	RMS	689	-65.7	-13	52.7	Pass	6591
689	726	0.1	RMS	705.373	18.54	60	41.46	Pass	401
726	1000	0.1	RMS	835.5	-64.99	-13	51.99	Pass	2741
1000	3000	1	RMS	1410	-50.94	-13	37.94	Pass	2001
3000	10000	1	RMS	6800	-45.68	-13	32.68	Pass	7001




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.77	-13	49.77	Pass	401
0.15	30	0.01	RMS	0.3	-69.89	-13	56.89	Pass	2986
30	689	0.1	RMS	688.6	-65.81	-13	52.81	Pass	6591
689	726	0.1	RMS	711.293	19.11	60	40.89	Pass	401
726	1000	0.1	RMS	848	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	1422	-49.93	-13	36.93	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-63.37	-13	50.37	Pass	401
0.15	30	0.01	RMS	0.3	-69.96	-13	56.96	Pass	2986
30	689	0.1	RMS	688.9	-65.78	-13	52.78	Pass	6591
689	726	0.1	RMS	711.385	18.43	60	41.57	Pass	401
726	1000	0.1	RMS	843	-65.2	-13	52.2	Pass	2741
1000	3000	1	RMS	1422	-50.66	-13	37.66	Pass	2001
3000	10000	1	RMS	6801	-45.62	-13	32.62	Pass	7001




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-62.77	-13	49.77	Pass	401
0.15	30	0.01	RMS	0.3	-68.55	-13	55.55	Pass	2986
30	689	0.1	RMS	688.9	-63.71	-13	50.71	Pass	6591
689	726	0.1	RMS	699.545	19.25	60	40.75	Pass	401
726	1000	0.1	RMS	856.1	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1399	-50.39	-13	37.39	Pass	2001
3000	10000	1	RMS	6797	-45.63	-13	32.63	Pass	7001




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-63.13	-13	50.13	Pass	401
0.15	30	0.01	RMS	0.3	-69.12	-13	56.12	Pass	2986
30	689	0.1	RMS	688.9	-64.28	-13	51.28	Pass	6591
689	726	0.1	RMS	699.545	18.24	60	41.76	Pass	401
726	1000	0.1	RMS	979.4	-65.26	-13	52.26	Pass	2741
1000	3000	1	RMS	1399	-51.01	-13	38.01	Pass	2001
3000	10000	1	RMS	6799	-45.65	-13	32.65	Pass	7001




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.32	-13	49.32	Pass	401
0.15	30	0.01	RMS	0.3	-68.97	-13	55.97	Pass	2986
30	689	0.1	RMS	685.5	-64.72	-13	51.72	Pass	6591
689	726	0.1	RMS	703.06	19.71	60	40.29	Pass	401
726	1000	0.1	RMS	833.5	-65.16	-13	52.16	Pass	2741
1000	3000	1	RMS	1406	-50.33	-13	37.33	Pass	2001
3000	10000	1	RMS	6798	-45.65	-13	32.65	Pass	7001




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.96	-13	49.96	Pass	401
0.15	30	0.01	RMS	0.15	-68.21	-13	55.21	Pass	2986
30	689	0.1	RMS	685.5	-64.23	-13	51.23	Pass	6591
689	726	0.1	RMS	703.06	18.73	60	41.27	Pass	401
726	1000	0.1	RMS	827	-65.18	-13	52.18	Pass	2741
1000	3000	1	RMS	1406	-51.08	-13	38.08	Pass	2001
3000	10000	1	RMS	6802	-45.65	-13	32.65	Pass	7001




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.88	-13	49.88	Pass	401
0.15	30	0.01	RMS	0.3	-68.36	-13	55.36	Pass	2986
30	689	0.1	RMS	689	-63.06	-13	50.06	Pass	6591
689	726	0.1	RMS	706.575	19.62	60	40.38	Pass	401
726	1000	0.1	RMS	849.7	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	1413	-50.32	-13	37.32	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-62.99	-13	49.99	Pass	401
0.15	30	0.01	RMS	0.3	-69.2	-13	56.2	Pass	2986
30	689	0.1	RMS	689	-63.11	-13	50.11	Pass	6591
689	726	0.1	RMS	706.575	18.73	60	41.27	Pass	401
726	1000	0.1	RMS	868.1	-65.06	-13	52.06	Pass	2741
1000	3000	1	RMS	1413	-50.93	-13	37.93	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001



5. LTE_Band13


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-61.7	-13	48.7	Pass	401
0.15	30	0.01	RMS	0.3	-69.67	-13	56.67	Pass	2986
30	767	0.1	RMS	766.6	-65.52	-13	52.52	Pass	7371
767	797	0.1	RMS	777.35	19.24	60	40.76	Pass	401
797	1000	0.1	RMS	993.2	-65.16	-13	52.16	Pass	2031
1000	3000	1	RMS	1554	-50.25	-13	37.25	Pass	2001
3000	10000	1	RMS	6801	-45.69	-13	32.69	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.71	-13	49.71	Pass	401
0.15	30	0.01	RMS	0.3	-69.94	-13	56.94	Pass	2986
30	767	0.1	RMS	766.6	-65.68	-13	52.68	Pass	7371
767	797	0.1	RMS	777.35	18.48	60	41.52	Pass	401
797	1000	0.1	RMS	937.6	-65.32	-13	52.32	Pass	2031
1000	3000	1	RMS	1554	-50.9	-13	37.9	Pass	2001
3000	10000	1	RMS	6799	-45.57	-13	32.57	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.63	-13	49.63	Pass	401
0.15	30	0.01	RMS	0.3	-69.39	-13	56.39	Pass	2986
30	767	0.1	RMS	739.5	-65.78	-13	52.78	Pass	7371
767	797	0.1	RMS	779.825	19.26	60	40.74	Pass	401
797	1000	0.1	RMS	799.8	-65.18	-13	52.18	Pass	2031
1000	3000	1	RMS	1559	-50.08	-13	37.08	Pass	2001
3000	10000	1	RMS	6801	-45.57	-13	32.57	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-63.31	-13	50.31	Pass	401
0.15	30	0.01	RMS	0.3	-68.67	-13	55.67	Pass	2986
30	767	0.1	RMS	743	-65.87	-13	52.87	Pass	7371
767	797	0.1	RMS	779.825	18.51	60	41.49	Pass	401
797	1000	0.1	RMS	898.7	-65.19	-13	52.19	Pass	2031
1000	3000	1	RMS	1559	-50.78	-13	37.78	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-63.14	-13	50.14	Pass	401
0.15	30	0.01	RMS	0.3	-68.1	-13	55.1	Pass	2986
30	767	0.1	RMS	766.5	-65.75	-13	52.75	Pass	7371
767	797	0.1	RMS	782.3	19.04	60	40.96	Pass	401
797	1000	0.1	RMS	802.3	-65.2	-13	52.2	Pass	2031
1000	3000	1	RMS	1564	-49.92	-13	36.92	Pass	2001
3000	10000	1	RMS	6798	-45.59	-13	32.59	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-63.23	-13	50.23	Pass	401
0.15	30	0.01	RMS	0.3	-70.07	-13	57.07	Pass	2986
30	767	0.1	RMS	755	-65.8	-13	52.8	Pass	7371
767	797	0.1	RMS	782.375	18.4	60	41.6	Pass	401
797	1000	0.1	RMS	984.8	-65.18	-13	52.18	Pass	2031
1000	3000	1	RMS	1564	-50.61	-13	37.61	Pass	2001
3000	10000	1	RMS	6799	-45.65	-13	32.65	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.73	-13	49.73	Pass	401
0.15	30	0.01	RMS	0.15	-69.22	-13	56.22	Pass	2986
30	767	0.1	RMS	766.9	-65.41	-13	52.41	Pass	7371
767	797	0.1	RMS	777.575	19.35	60	40.65	Pass	401
797	1000	0.1	RMS	844.3	-65.23	-13	52.23	Pass	2031
1000	3000	1	RMS	1555	-50.52	-13	37.52	Pass	2001
3000	10000	1	RMS	6801	-45.64	-13	32.64	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-63.53	-13	50.53	Pass	401
0.15	30	0.01	RMS	0.25	-69.21	-13	56.21	Pass	2986
30	767	0.1	RMS	703.9	-65.71	-13	52.71	Pass	7371
767	797	0.1	RMS	777.575	18.35	60	41.65	Pass	401
797	1000	0.1	RMS	981.1	-65.13	-13	52.13	Pass	2031
1000	3000	1	RMS	1555	-51.18	-13	38.18	Pass	2001
3000	10000	1	RMS	6799	-45.61	-13	32.61	Pass	7001




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-63.03	-13	50.03	Pass	401
0.15	30	0.01	RMS	0.26	-69.45	-13	56.45	Pass	2986
30	767	0.1	RMS	766.9	-65.6	-13	52.6	Pass	7371
767	797	0.1	RMS	777.575	19.35	60	40.65	Pass	401
797	1000	0.1	RMS	849.9	-65.13	-13	52.13	Pass	2031
1000	3000	1	RMS	1555	-50.53	-13	37.53	Pass	2001
3000	10000	1	RMS	6801	-45.62	-13	32.62	Pass	7001




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.06	-13	49.06	Pass	401
0.15	30	0.01	RMS	0.3	-70.55	-13	57.55	Pass	2986
30	767	0.1	RMS	766.6	-65.76	-13	52.76	Pass	7371
767	797	0.1	RMS	777.575	18.32	60	41.68	Pass	401
797	1000	0.1	RMS	853	-65.07	-13	52.07	Pass	2031
1000	3000	1	RMS	1555	-51.19	-13	38.19	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.16	-13	49.16	Pass	401
0.15	30	0.01	RMS	0.3	-68.86	-13	55.86	Pass	2986
30	767	0.1	RMS	766.9	-65.6	-13	52.6	Pass	7371
767	797	0.1	RMS	777.575	19.34	60	40.66	Pass	401
797	1000	0.1	RMS	799.4	-65.07	-13	52.07	Pass	2031
1000	3000	1	RMS	1555	-50.49	-13	37.49	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001



5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-63.35	-13	50.35	Pass	401
0.15	30	0.01	RMS	0.25	-67.17	-13	54.17	Pass	2986
30	767	0.1	RMS	753.4	-65.85	-13	52.85	Pass	7371
767	797	0.1	RMS	777.575	18.34	60	41.66	Pass	401
797	1000	0.1	RMS	799.1	-65.06	-13	52.06	Pass	2031
1000	3000	1	RMS	1555	-51.2	-13	38.2	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001



6. LTE_Band66


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.56	-13	49.56	Pass	401
0.15	30	0.01	RMS	0.3	-69.24	-13	56.24	Pass	2986
30	1000	0.1	RMS	973.883	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1700	-53.01	-13	40.01	Pass	701
1700	1790	1	RMS	1710.125	21.3	60	38.7	Pass	401
1790	3000	1	RMS	2997	-51.49	-13	38.49	Pass	1211
3000	12000	1	RMS	11990	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13607	-39.88	-13	26.88	Pass	8001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-63.28	-13	50.28	Pass	401
0.15	30	0.01	RMS	0.3	-68.66	-13	55.66	Pass	2986
30	1000	0.1	RMS	832.6	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1700	-53.18	-13	40.18	Pass	701
1700	1790	1	RMS	1710.125	20.52	60	39.48	Pass	401
1790	3000	1	RMS	2998	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11996	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.35	-13	49.35	Pass	401
0.15	30	0.01	RMS	0.26	-66.79	-13	53.79	Pass	2986
30	1000	0.1	RMS	968.079	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1677	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1744.325	21.21	60	38.79	Pass	401
1790	3000	1	RMS	2985	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13603	-39.87	-13	26.87	Pass	8001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.91	-13	49.91	Pass	401
0.15	30	0.01	RMS	0.25	-69.56	-13	56.56	Pass	2986
30	1000	0.1	RMS	830.6	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1682	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1744.55	20.41	60	39.59	Pass	401
1790	3000	1	RMS	2984	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11996	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13600	-39.85	-13	26.85	Pass	8001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-63.62	-13	50.62	Pass	401
0.15	30	0.01	RMS	0.25	-68.16	-13	55.16	Pass	2986
30	1000	0.1	RMS	836.2	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1680	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1778.75	21.1	60	38.9	Pass	401
1790	3000	1	RMS	2987	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	11998	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-63.45	-13	50.45	Pass	401
0.15	30	0.01	RMS	0.15	-69.13	-13	56.13	Pass	2986
30	1000	0.1	RMS	855.204	-65.46	-13	52.46	Pass	9701
1000	1700	1	RMS	1675	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1778.75	20.32	60	39.68	Pass	401
1790	3000	1	RMS	2989	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	12000	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13606	-39.85	-13	26.85	Pass	8001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-62.84	-13	49.84	Pass	401
0.15	30	0.01	RMS	0.3	-68.67	-13	55.67	Pass	2986
30	1000	0.1	RMS	853.903	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1700	-53.15	-13	40.15	Pass	701
1700	1790	1	RMS	1710.125	21.09	60	38.91	Pass	401
1790	3000	1	RMS	2989	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	11992	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13603	-39.81	-13	26.81	Pass	8001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-63.32	-13	50.32	Pass	401
0.15	30	0.01	RMS	0.25	-68.37	-13	55.37	Pass	2986
30	1000	0.1	RMS	914.844	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1700	-53.38	-13	40.38	Pass	701
1700	1790	1	RMS	1710.125	20.38	60	39.62	Pass	401
1790	3000	1	RMS	3000	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	11998	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.04	-13	49.04	Pass	401
0.15	30	0.01	RMS	0.25	-68.38	-13	55.38	Pass	2986
30	1000	0.1	RMS	873.016	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1681	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1743.65	21.16	60	38.84	Pass	401
1790	3000	1	RMS	2996	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11996	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13602	-39.86	-13	26.86	Pass	8001




6.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.57	-13	49.57	Pass	401
0.15	30	0.01	RMS	0.3	-70.45	-13	57.45	Pass	2986
30	1000	0.1	RMS	988.492	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1685	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1743.65	20.36	60	39.64	Pass	401
1790	3000	1	RMS	2991	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11999	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13604	-39.88	-13	26.88	Pass	8001




6.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.43	-13	49.43	Pass	401
0.15	30	0.01	RMS	0.3	-70.04	-13	57.04	Pass	2986
30	1000	0.1	RMS	881.221	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1677	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1777.175	20.98	60	39.02	Pass	401
1790	3000	1	RMS	2989	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13602	-39.74	-13	26.74	Pass	8001




6.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-62.57	-13	49.57	Pass	401
0.15	30	0.01	RMS	0.15	-69.85	-13	56.85	Pass	2986
30	1000	0.1	RMS	980.787	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1675	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1777.175	20.19	60	39.81	Pass	401
1790	3000	1	RMS	2999	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	11999	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13597	-39.83	-13	26.83	Pass	8001




6.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-63.32	-13	50.32	Pass	401
0.15	30	0.01	RMS	0.3	-69.52	-13	56.52	Pass	2986
30	1000	0.1	RMS	970.48	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1700	-53.39	-13	40.39	Pass	701
1700	1790	1	RMS	1710.125	21.41	60	38.59	Pass	401
1790	3000	1	RMS	2991	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11991	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13608	-39.89	-13	26.89	Pass	8001




6.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-63.82	-13	50.82	Pass	401
0.15	30	0.01	RMS	0.25	-67.31	-13	54.31	Pass	2986
30	1000	0.1	RMS	868.413	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1700	-53.39	-13	40.39	Pass	701
1700	1790	1	RMS	1710.125	20.62	60	39.38	Pass	401
1790	3000	1	RMS	2989	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	12000	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13608	-39.8	-13	26.8	Pass	8001




6.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-63.04	-13	50.04	Pass	401
0.15	30	0.01	RMS	0.15	-69.86	-13	56.86	Pass	2986
30	1000	0.1	RMS	973.082	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1683	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1742.75	21.48	60	38.52	Pass	401
1790	3000	1	RMS	2994	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11997	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13604	-39.83	-13	26.83	Pass	8001




6.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-63.16	-13	50.16	Pass	401
0.15	30	0.01	RMS	0.3	-68.68	-13	55.68	Pass	2986
30	1000	0.1	RMS	851.602	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1680	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1742.75	20.69	60	39.31	Pass	401
1790	3000	1	RMS	2985	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11997	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13600	-39.82	-13	26.82	Pass	8001




6.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-63.01	-13	50.01	Pass	401
0.15	30	0.01	RMS	0.3	-68.77	-13	55.77	Pass	2986
30	1000	0.1	RMS	853.803	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1681	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1775.15	21.31	60	38.69	Pass	401
1790	3000	1	RMS	2986	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11999	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13602	-39.83	-13	26.83	Pass	8001




6.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-63.55	-13	50.55	Pass	401
0.15	30	0.01	RMS	0.15	-70.36	-13	57.36	Pass	2986
30	1000	0.1	RMS	849.1	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1678	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1775.15	20.66	60	39.34	Pass	401
1790	3000	1	RMS	2997	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11998	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001




6.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-63.27	-13	50.27	Pass	401
0.15	30	0.01	RMS	0.3	-70.23	-13	57.23	Pass	2986
30	1000	0.1	RMS	848.8	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1700	-53.26	-13	40.26	Pass	701
1700	1790	1	RMS	1710.575	21.5	60	38.5	Pass	401
1790	3000	1	RMS	2997	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	11999	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001



6.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-63.39	-13	50.39	Pass	401
0.15	30	0.01	RMS	0.3	-70.15	-13	57.15	Pass	2986
30	1000	0.1	RMS	860.808	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1700	-53.4	-13	40.4	Pass	701
1700	1790	1	RMS	1710.575	20.57	60	39.43	Pass	401
1790	3000	1	RMS	2983	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	12000	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13605	-39.83	-13	26.83	Pass	8001



6.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-63.3	-13	50.3	Pass	401
0.15	30	0.01	RMS	0.25	-69.06	-13	56.06	Pass	2986
30	1000	0.1	RMS	981.388	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1679	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1740.5	21.41	60	38.59	Pass	401
1790	3000	1	RMS	2998	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	11988	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13602	-39.87	-13	26.87	Pass	8001

