

Spurious Emission at Antenna Terminals

LTE Mode Test Verdict

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 2	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 4	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 5	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 7	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 12	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 13	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 14	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 17	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 25	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
LTE Band 26(Part 22)	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
LTE Band 26(Part 90)	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 38	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 40(2305-2315)	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 40(2350-2360)	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 41	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass


Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 66	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 71	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	851.602	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1836	-47.91	-13	34.91	Pass	841
1840	1920	1	RMS	1850.2	21.61	60	38.39	Pass	401
1920	3000	1	RMS	2981	-51.42	-13	38.42	Pass	1081
3000	12000	1	RMS	3700	-43.42	-13	30.42	Pass	9002
12000	20000	1	RMS	13604	-39.79	-13	26.79	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.19	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	978.386	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1836	-48.37	-13	35.37	Pass	841
1840	1920	1	RMS	1850.2	20.75	60	39.25	Pass	401
1920	3000	1	RMS	2999	-51.42	-13	38.42	Pass	1081
3000	12000	1	RMS	3701	-43.97	-13	30.97	Pass	9002
12000	20000	1	RMS	13599	-39.77	-13	26.77	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.16	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	939.26	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1837	-53.88	-13	40.88	Pass	841
1840	1920	1	RMS	1879.4	21.71	60	38.29	Pass	401
1920	3000	1	RMS	2991	-51.39	-13	38.39	Pass	1081
3000	12000	1	RMS	3759	-40.89	-13	27.89	Pass	9002
12000	20000	1	RMS	13599	-39.76	-13	26.76	Pass	8001



1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.58	-13	58.58	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	979.787	-65.11	-13	52.11	Pass	9701
1000	1840	1	RMS	1840	-53.83	-13	40.83	Pass	841
1840	1920	1	RMS	1879.4	20.91	60	39.09	Pass	401
1920	3000	1	RMS	2990	-51.38	-13	38.38	Pass	1081
3000	12000	1	RMS	3759	-41.28	-13	28.28	Pass	9002
12000	20000	1	RMS	13600	-39.64	-13	26.64	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	986.691	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1833	-53.85	-13	40.85	Pass	841
1840	1920	1	RMS	1908.8	21.42	60	38.58	Pass	401
1920	3000	1	RMS	2980	-51.38	-13	38.38	Pass	1081
3000	12000	1	RMS	3818	-41.61	-13	28.61	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	1000	0.1	RMS	837.7	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1837	-53.87	-13	40.87	Pass	841
1840	1920	1	RMS	1908.8	20.78	60	39.22	Pass	401
1920	3000	1	RMS	2995	-51.37	-13	38.37	Pass	1081
3000	12000	1	RMS	3818	-42.06	-13	29.06	Pass	9002
12000	20000	1	RMS	13599	-39.79	-13	26.79	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.21	-72.65	-13	59.65	Pass	2986
30	1000	0.1	RMS	858.006	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1836	-47.85	-13	34.85	Pass	841
1840	1920	1	RMS	1850.2	21.42	60	38.58	Pass	401
1920	3000	1	RMS	2987	-51.35	-13	38.35	Pass	1081
3000	12000	1	RMS	3700	-43.47	-13	30.47	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	927.352	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1836	-48.32	-13	35.32	Pass	841
1840	1920	1	RMS	1850.2	20.72	60	39.28	Pass	401
1920	3000	1	RMS	2994	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	3700	-43.9	-13	30.9	Pass	9002
12000	20000	1	RMS	13599	-39.75	-13	26.75	Pass	8001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.54	-13	60.54	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	844.1	-65.15	-13	52.15	Pass	9701
1000	1840	1	RMS	1840	-53.79	-13	40.79	Pass	841
1840	1920	1	RMS	1878.6	21.52	60	38.48	Pass	401
1920	3000	1	RMS	2956	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	3757	-42.28	-13	29.28	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	58.75	Pass	2986
30	1000	0.1	RMS	845	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1840	-53.83	-13	40.83	Pass	841
1840	1920	1	RMS	1878.6	20.79	60	39.21	Pass	401
1920	3000	1	RMS	2990	-51.39	-13	38.39	Pass	1081
3000	12000	1	RMS	3757	-42.6	-13	29.6	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	961.575	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1838	-53.86	-13	40.86	Pass	841
1840	1920	1	RMS	1907.2	21.67	60	38.33	Pass	401
1920	3000	1	RMS	2987	-51.33	-13	38.33	Pass	1081
3000	12000	1	RMS	3814	-41.14	-13	28.14	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.3	-72.7	-13	59.7	Pass	2986
30	1000	0.1	RMS	864.61	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1840	-53.85	-13	40.85	Pass	841
1840	1920	1	RMS	1907.2	20.81	60	39.19	Pass	401
1920	3000	1	RMS	2971	-51.39	-13	38.39	Pass	1081
3000	12000	1	RMS	3814	-41.7	-13	28.7	Pass	9002
12000	20000	1	RMS	13600	-39.69	-13	26.69	Pass	8001




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.16	-72.79	-13	59.79	Pass	2986
30	1000	0.1	RMS	946.765	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1836	-47.67	-13	34.67	Pass	841
1840	1920	1	RMS	1850.2	21.7	60	38.3	Pass	401
1920	3000	1	RMS	2980	-51.39	-13	38.39	Pass	1081
3000	12000	1	RMS	3701	-42.47	-13	29.47	Pass	9002
12000	20000	1	RMS	13604	-39.73	-13	26.73	Pass	8001




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-13	59.77	Pass	2986
30	1000	0.1	RMS	957.672	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1836	-48.12	-13	35.12	Pass	841
1840	1920	1	RMS	1850.2	20.96	60	39.04	Pass	401
1920	3000	1	RMS	3000	-51.35	-13	38.35	Pass	1081
3000	12000	1	RMS	3701	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	13602	-39.76	-13	26.76	Pass	8001




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	844.3	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1840	-53.74	-13	40.74	Pass	841
1840	1920	1	RMS	1877.8	21.92	60	38.08	Pass	401
1920	3000	1	RMS	2938	-51.39	-13	38.39	Pass	1081
3000	12000	1	RMS	3756	-41.51	-13	28.51	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	958.773	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1839	-53.77	-13	40.77	Pass	841
1840	1920	1	RMS	1877.8	21.18	60	38.82	Pass	401
1920	3000	1	RMS	2996	-51.36	-13	38.36	Pass	1081
3000	12000	1	RMS	3756	-41.93	-13	28.93	Pass	9002
12000	20000	1	RMS	13599	-39.71	-13	26.71	Pass	8001




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.18	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	843.4	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1836	-53.84	-13	40.84	Pass	841
1840	1920	1	RMS	1905.2	21.97	60	38.03	Pass	401
1920	3000	1	RMS	2980	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	3811	-39.11	-13	26.11	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	833.7	-65.17	-13	52.17	Pass	9701
1000	1840	1	RMS	1835	-53.85	-13	40.85	Pass	841
1840	1920	1	RMS	1905.2	21.24	60	38.76	Pass	401
1920	3000	1	RMS	2988	-51.37	-13	38.37	Pass	1081
3000	12000	1	RMS	3811	-39.8	-13	26.8	Pass	9002
12000	20000	1	RMS	13606	-39.79	-13	26.79	Pass	8001




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	849.2	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1836	-47.92	-13	34.92	Pass	841
1840	1920	1	RMS	1850.4	21.62	60	38.38	Pass	401
1920	3000	1	RMS	2982	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	3701	-42.11	-13	29.11	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.18	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	861.508	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1836	-48.25	-13	35.25	Pass	841
1840	1920	1	RMS	1850.6	20.95	60	39.05	Pass	401
1920	3000	1	RMS	2988	-51.35	-13	38.35	Pass	1081
3000	12000	1	RMS	3701	-42.58	-13	29.58	Pass	9002
12000	20000	1	RMS	13599	-39.78	-13	26.78	Pass	8001




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.17	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	848.4	-65.13	-13	52.13	Pass	9701
1000	1840	1	RMS	1838	-53.78	-13	40.78	Pass	841
1840	1920	1	RMS	1875.4	21.75	60	38.25	Pass	401
1920	3000	1	RMS	2989	-51.38	-13	38.38	Pass	1081
3000	12000	1	RMS	3751	-41.11	-13	28.11	Pass	9002
12000	20000	1	RMS	13606	-39.73	-13	26.73	Pass	8001



1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.33	-13	60.33	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	995.797	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1837	-53.81	-13	40.81	Pass	841
1840	1920	1	RMS	1875.4	21.01	60	38.99	Pass	401
1920	3000	1	RMS	2994	-51.33	-13	38.33	Pass	1081
3000	12000	1	RMS	3751	-41.58	-13	28.58	Pass	9002
12000	20000	1	RMS	13598	-39.75	-13	26.75	Pass	8001




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	58.82	Pass	2986
30	1000	0.1	RMS	838.1	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1836	-53.84	-13	40.84	Pass	841
1840	1920	1	RMS	1900.4	21.56	60	38.44	Pass	401
1920	3000	1	RMS	2990	-51.39	-13	38.39	Pass	1081
3000	12000	1	RMS	3801	-38.7	-13	25.7	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.16	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	852.002	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1839	-53.86	-13	40.86	Pass	841
1840	1920	1	RMS	1900.4	20.72	60	39.28	Pass	401
1920	3000	1	RMS	2992	-51.4	-13	38.4	Pass	1081
3000	12000	1	RMS	3801	-39.23	-13	26.23	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	848.3	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1838	-45.81	-13	32.81	Pass	841
1840	1920	1	RMS	1850.8	21.41	60	38.59	Pass	401
1920	3000	1	RMS	2980	-51.4	-13	38.4	Pass	1081
3000	12000	1	RMS	3702	-42.56	-13	29.56	Pass	9002
12000	20000	1	RMS	13603	-39.74	-13	26.74	Pass	8001




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	954.57	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1837	-45.99	-13	32.99	Pass	841
1840	1920	1	RMS	1850.8	20.72	60	39.28	Pass	401
1920	3000	1	RMS	2985	-51.38	-13	38.38	Pass	1081
3000	12000	1	RMS	3702	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	13600	-39.71	-13	26.71	Pass	8001




1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	861.608	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1835	-53.71	-13	40.71	Pass	841
1840	1920	1	RMS	1873.2	21.48	60	38.52	Pass	401
1920	3000	1	RMS	2987	-51.37	-13	38.37	Pass	1081
3000	12000	1	RMS	3747	-41.68	-13	28.68	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.16	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	853.603	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1835	-53.8	-13	40.8	Pass	841
1840	1920	1	RMS	1873.2	20.6	60	39.4	Pass	401
1920	3000	1	RMS	2986	-51.36	-13	38.36	Pass	1081
3000	12000	1	RMS	3747	-42.44	-13	29.44	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001




1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.17	-72.95	-13	59.95	Pass	2986
30	1000	0.1	RMS	848.9	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1839	-53.83	-13	40.83	Pass	841
1840	1920	1	RMS	1895.8	21.52	60	38.48	Pass	401
1920	3000	1	RMS	1922	-50.76	-13	37.76	Pass	1081
3000	12000	1	RMS	3792	-39.03	-13	26.03	Pass	9002
12000	20000	1	RMS	13606	-39.81	-13	26.81	Pass	8001




1.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-13	59.69	Pass	2986
30	1000	0.1	RMS	850.301	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1840	-53.76	-13	40.76	Pass	841
1840	1920	1	RMS	1895.8	20.67	60	39.33	Pass	401
1920	3000	1	RMS	1922	-50.68	-13	37.68	Pass	1081
3000	12000	1	RMS	3792	-39.79	-13	26.79	Pass	9002
12000	20000	1	RMS	13601	-39.81	-13	26.81	Pass	8001




1.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	1000	0.1	RMS	869.213	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1833	-45.25	-13	32.25	Pass	841
1840	1920	1	RMS	1851	21.61	60	38.39	Pass	401
1920	3000	1	RMS	2997	-51.4	-13	38.4	Pass	1081
3000	12000	1	RMS	3702	-42.04	-13	29.04	Pass	9002
12000	20000	1	RMS	13605	-39.79	-13	26.79	Pass	8001



1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.21	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	978.986	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1833	-46.67	-13	33.67	Pass	841
1840	1920	1	RMS	1851	20.8	60	39.2	Pass	401
1920	3000	1	RMS	2966	-51.4	-13	38.4	Pass	1081
3000	12000	1	RMS	3702	-42.67	-13	29.67	Pass	9002
12000	20000	1	RMS	13602	-39.64	-13	26.64	Pass	8001




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	996.298	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1835	-52.76	-13	39.76	Pass	841
1840	1920	1	RMS	1871	21.49	60	38.51	Pass	401
1920	3000	1	RMS	2995	-51.38	-13	38.38	Pass	1081
3000	12000	1	RMS	3742	-41.31	-13	28.31	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	58.18	Pass	2986
30	1000	0.1	RMS	978.486	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1836	-52.29	-13	39.29	Pass	841
1840	1920	1	RMS	1871	20.74	60	39.26	Pass	401
1920	3000	1	RMS	2991	-51.37	-13	38.37	Pass	1081
3000	12000	1	RMS	3742	-41.68	-13	28.68	Pass	9002
12000	20000	1	RMS	13601	-39.71	-13	26.71	Pass	8001




1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	979.286	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1840	-53.64	-13	40.64	Pass	841
1840	1920	1	RMS	1891	21.75	60	38.25	Pass	401
1920	3000	1	RMS	2984	-51.33	-13	38.33	Pass	1081
3000	12000	1	RMS	3782	-38.92	-13	25.92	Pass	9002
12000	20000	1	RMS	13604	-39.75	-13	26.75	Pass	8001



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	981.488	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1840	-53.66	-13	40.66	Pass	841
1840	1920	1	RMS	1891	20.94	60	39.06	Pass	401
1920	3000	1	RMS	2982	-51.36	-13	38.36	Pass	1081
3000	12000	1	RMS	3782	-39.64	-13	26.64	Pass	9002
12000	20000	1	RMS	13599	-39.74	-13	26.74	Pass	8001



2. LTE_Band4


2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	844.7	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1700	-53.49	-13	40.49	Pass	701
1700	1765	1	RMS	1710.238	20.86	60	39.14	Pass	401
1765	3000	1	RMS	2982	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	12000	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13601	-39.68	-13	26.68	Pass	8001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	966.578	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1700	-53.53	-13	40.53	Pass	701
1700	1765	1	RMS	1710.238	20.56	60	39.44	Pass	401
1765	3000	1	RMS	2995	-51.35	-13	38.35	Pass	1236
3000	12000	1	RMS	11992	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13603	-39.77	-13	26.77	Pass	8001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.31	-72.3	-13	59.3	Pass	2986
30	1000	0.1	RMS	984.59	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1700	-53.9	-13	40.9	Pass	701
1700	1765	1	RMS	1732.013	21.61	60	38.39	Pass	401
1765	3000	1	RMS	2928	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	3464	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13601	-39.71	-13	26.71	Pass	8001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	963.076	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1700	-53.96	-13	40.96	Pass	701
1700	1765	1	RMS	1732.013	20.85	60	39.15	Pass	401
1765	3000	1	RMS	2985	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	12000	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13602	-39.79	-13	26.79	Pass	8001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.41	-13	60.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	857.506	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1698	-54.04	-13	41.04	Pass	701
1700	1765	1	RMS	1753.788	21.47	60	38.53	Pass	401
1765	3000	1	RMS	3000	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	11899	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	845	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1680	-54.02	-13	41.02	Pass	701
1700	1765	1	RMS	1753.788	20.77	60	39.23	Pass	401
1765	3000	1	RMS	2987	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	11998	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13607	-39.77	-13	26.77	Pass	8001



2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.17	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	955.07	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1700	-53.41	-13	40.41	Pass	701
1700	1765	1	RMS	1710.238	20.83	60	39.17	Pass	401
1765	3000	1	RMS	2986	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	11997	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.68	-13	26.68	Pass	8001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.3	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	848.7	-65.06	-13	52.06	Pass	9701
1000	1700	1	RMS	1700	-53.4	-13	40.4	Pass	701
1700	1765	1	RMS	1710.075	20.48	60	39.52	Pass	401
1765	3000	1	RMS	2990	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	11995	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13605	-39.82	-13	26.82	Pass	8001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	841.9	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1700	-53.9	-13	40.9	Pass	701
1700	1765	1	RMS	1731.2	21.56	60	38.44	Pass	401
1765	3000	1	RMS	2999	-51.33	-13	38.33	Pass	1236
3000	12000	1	RMS	11997	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.18	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	838	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1700	-53.98	-13	40.98	Pass	701
1700	1765	1	RMS	1731.2	20.81	60	39.19	Pass	401
1765	3000	1	RMS	2952	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.22	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	856.405	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1700	-53.98	-13	40.98	Pass	701
1700	1765	1	RMS	1752.163	21.47	60	38.53	Pass	401
1765	3000	1	RMS	2996	-51.4	-13	38.4	Pass	1236
3000	12000	1	RMS	12000	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13603	-39.78	-13	26.78	Pass	8001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.17	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	950.567	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1676	-54.05	-13	41.05	Pass	701
1700	1765	1	RMS	1752.163	20.67	60	39.33	Pass	401
1765	3000	1	RMS	2988	-51.34	-13	38.34	Pass	1236
3000	12000	1	RMS	11996	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.79	-13	26.79	Pass	8001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.17	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	843.6	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1697	-52.41	-13	39.41	Pass	701
1700	1765	1	RMS	1710.238	21.58	60	38.42	Pass	401
1765	3000	1	RMS	2983	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	11988	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.18	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	999.5	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1697	-52.55	-13	39.55	Pass	701
1700	1765	1	RMS	1710.238	20.85	60	39.15	Pass	401
1765	3000	1	RMS	2940	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	11997	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13599	-39.66	-13	26.66	Pass	8001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.17	-71.12	-13	58.12	Pass	2986
30	1000	0.1	RMS	956.971	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1698	-53.91	-13	40.91	Pass	701
1700	1765	1	RMS	1730.225	21.86	60	38.14	Pass	401
1765	3000	1	RMS	3000	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	11994	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13603	-39.77	-13	26.77	Pass	8001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.3	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	850.501	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1699	-53.98	-13	40.98	Pass	701
1700	1765	1	RMS	1730.225	21.04	60	38.96	Pass	401
1765	3000	1	RMS	2994	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	11995	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13609	-39.82	-13	26.82	Pass	8001



2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	936.058	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1700	-53.92	-13	40.92	Pass	701
1700	1765	1	RMS	1750.213	21.92	60	38.08	Pass	401
1765	3000	1	RMS	3000	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	11998	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.82	-13	26.82	Pass	8001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.16	-72.48	-13	59.48	Pass	2986
30	1000	0.1	RMS	964.777	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1700	-53.81	-13	40.81	Pass	701
1700	1765	1	RMS	1750.213	21.21	60	38.79	Pass	401
1765	3000	1	RMS	2935	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	11995	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13598	-39.81	-13	26.81	Pass	8001




2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	837.2	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1693	-52.82	-13	39.82	Pass	701
1700	1765	1	RMS	1710.563	21.53	60	38.47	Pass	401
1765	3000	1	RMS	2984	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	11996	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.82	-13	26.82	Pass	8001




2.37. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.3	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	849.5	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1693	-49.99	-13	36.99	Pass	701
1700	1765	1	RMS	1710.563	20.92	60	39.08	Pass	401
1765	3000	1	RMS	2999	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




2.38. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.19	-72.61	-13	59.61	Pass	2986
30	1000	0.1	RMS	833.2	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1697	-53.98	-13	40.98	Pass	701
1700	1765	1	RMS	1727.95	21.8	60	38.2	Pass	401
1765	3000	1	RMS	2981	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	11990	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-39.81	-13	26.81	Pass	8001




2.39. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.19	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	971.981	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1697	-54.03	-13	41.03	Pass	701
1700	1765	1	RMS	1727.95	21.04	60	38.96	Pass	401
1765	3000	1	RMS	2989	-51.4	-13	38.4	Pass	1236
3000	12000	1	RMS	11995	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13602	-39.75	-13	26.75	Pass	8001




2.40. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.18	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	849.901	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1700	-54.03	-13	41.03	Pass	701
1700	1765	1	RMS	1745.5	21.76	60	38.24	Pass	401
1765	3000	1	RMS	2959	-51.45	-13	38.45	Pass	1236
3000	12000	1	RMS	3491	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




2.41. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.3	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	967.178	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1695	-54.01	-13	41.01	Pass	701
1700	1765	1	RMS	1745.5	21.05	60	38.95	Pass	401
1765	3000	1	RMS	2977	-51.46	-13	38.46	Pass	1236
3000	12000	1	RMS	3491	-43.55	-13	30.55	Pass	9002
12000	20000	1	RMS	13602	-39.84	-13	26.84	Pass	8001




2.42. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.3	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	844.7	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1698	-44.74	-13	31.74	Pass	701
1700	1765	1	RMS	1710.725	21.23	60	38.77	Pass	401
1765	3000	1	RMS	2994	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13599	-39.68	-13	26.68	Pass	8001




2.43. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	59.59	Pass	2986
30	1000	0.1	RMS	988.893	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1698	-45.77	-13	32.77	Pass	701
1700	1765	1	RMS	1710.725	20.51	60	39.49	Pass	401
1765	3000	1	RMS	2990	-51.4	-13	38.4	Pass	1236
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13604	-39.85	-13	26.85	Pass	8001




2.44. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	845.1	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1699	-51.37	-13	38.37	Pass	701
1700	1765	1	RMS	1725.838	21.46	60	38.54	Pass	401
1765	3000	1	RMS	2995	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	11999	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13604	-39.74	-13	26.74	Pass	8001




2.45. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.16	-72.64	-13	59.64	Pass	2986
30	1000	0.1	RMS	854.504	-65.45	-13	52.45	Pass	9701
1000	1700	1	RMS	1699	-51.2	-13	38.2	Pass	701
1700	1765	1	RMS	1725.838	20.67	60	39.33	Pass	401
1765	3000	1	RMS	2984	-51.46	-13	38.46	Pass	1236
3000	12000	1	RMS	12000	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13598	-39.73	-13	26.73	Pass	8001




2.46. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	964.777	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1700	-54.03	-13	41.03	Pass	701
1700	1765	1	RMS	1740.788	21.65	60	38.35	Pass	401
1765	3000	1	RMS	1767	-46.09	-13	33.09	Pass	1236
3000	12000	1	RMS	11998	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13603	-39.76	-13	26.76	Pass	8001




2.47. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	980.487	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1700	-54.03	-13	41.03	Pass	701
1700	1765	1	RMS	1740.788	20.86	60	39.14	Pass	401
1765	3000	1	RMS	1767	-45.07	-13	32.07	Pass	1236
3000	12000	1	RMS	11995	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001



2.48. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	990.794	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1693	-47.17	-13	34.17	Pass	701
1700	1765	1	RMS	1711.05	21.43	60	38.57	Pass	401
1765	3000	1	RMS	2982	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	12000	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001




2.49. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.3	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	975.083	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1693	-48.51	-13	35.51	Pass	701
1700	1765	1	RMS	1711.05	20.71	60	39.29	Pass	401
1765	3000	1	RMS	2992	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	11998	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13608	-39.82	-13	26.82	Pass	8001




2.50. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	844.2	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1698	-53.76	-13	40.76	Pass	701
1700	1765	1	RMS	1723.563	21.59	60	38.41	Pass	401
1765	3000	1	RMS	2986	-51.45	-13	38.45	Pass	1236
3000	12000	1	RMS	11997	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13602	-39.78	-13	26.78	Pass	8001




2.51. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.19	-72.44	-13	59.44	Pass	2986
30	1000	0.1	RMS	856.105	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1698	-53.7	-13	40.7	Pass	701
1700	1765	1	RMS	1723.563	20.88	60	39.12	Pass	401
1765	3000	1	RMS	2986	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001




2.52. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.28	-13	60.28	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	877.019	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1700	-49.35	-13	36.35	Pass	701
1700	1765	1	RMS	1736.075	21.72	60	38.28	Pass	401
1765	3000	1	RMS	1772	-41.08	-13	28.08	Pass	1236
3000	12000	1	RMS	3472	-41.41	-13	28.41	Pass	9002
12000	20000	1	RMS	13600	-39.71	-13	26.71	Pass	8001



2.53. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.3	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	845.2	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1700	-46.38	-13	33.38	Pass	701
1700	1765	1	RMS	1736.075	20.97	60	39.03	Pass	401
1765	3000	1	RMS	1772	-39.9	-13	26.9	Pass	1236
3000	12000	1	RMS	3472	-42.01	-13	29.01	Pass	9002
12000	20000	1	RMS	13603	-39.73	-13	26.73	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.3	-72.25	-13	59.25	Pass	2986
30	814	0.1	RMS	813.5	-65.09	-13	52.09	Pass	7841
814	860	0.1	RMS	824.2	18.8	60	41.2	Pass	461
860	1000	0.1	RMS	861.6	-65.48	-13	52.48	Pass	1401
1000	3000	1	RMS	1648	-46.78	-13	33.78	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.19	-72.26	-13	59.26	Pass	2986
30	814	0.1	RMS	812.9	-65.34	-13	52.34	Pass	7841
814	860	0.1	RMS	824.2	17.88	60	42.12	Pass	461
860	1000	0.1	RMS	954.7	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1648	-47.7	-13	34.7	Pass	2001
3000	10000	1	RMS	6804	-45.72	-13	32.72	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	59.55	Pass	2986
30	814	0.1	RMS	810.5	-65.04	-13	52.04	Pass	7841
814	860	0.1	RMS	836	18.71	60	41.29	Pass	461
860	1000	0.1	RMS	976.2	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	2981	-51.48	-13	38.48	Pass	2001
3000	10000	1	RMS	6799	-45.57	-13	32.57	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	814	0.1	RMS	810.3	-64.95	-13	51.95	Pass	7841
814	860	0.1	RMS	836.1	18.01	60	41.99	Pass	461
860	1000	0.1	RMS	959.3	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	2991	-51.46	-13	38.46	Pass	2001
3000	10000	1	RMS	6801	-45.67	-13	32.67	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.16	-72.64	-13	59.64	Pass	2986
30	814	0.1	RMS	809.9	-65.36	-13	52.36	Pass	7841
814	860	0.1	RMS	847.8	19.04	60	40.96	Pass	461
860	1000	0.1	RMS	987.7	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1695	-48.33	-13	35.33	Pass	2001
3000	10000	1	RMS	6801	-45.67	-13	32.67	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.19	-13	58.19	Pass	401
0.15	30	0.01	RMS	0.3	-72.34	-13	59.34	Pass	2986
30	814	0.1	RMS	809.2	-65.36	-13	52.36	Pass	7841
814	860	0.1	RMS	847.9	18.27	60	41.73	Pass	461
860	1000	0.1	RMS	978.3	-65.33	-13	52.33	Pass	1401
1000	3000	1	RMS	1695	-49.42	-13	36.42	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.17	-72.16	-13	59.16	Pass	2986
30	814	0.1	RMS	813.7	-64.79	-13	51.79	Pass	7841
814	860	0.1	RMS	824.2	18.9	60	41.1	Pass	461
860	1000	0.1	RMS	868.8	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1648	-47.07	-13	34.07	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.3	-72.08	-13	59.08	Pass	2986
30	814	0.1	RMS	813.6	-65.16	-13	52.16	Pass	7841
814	860	0.1	RMS	824.2	18.05	60	41.95	Pass	461
860	1000	0.1	RMS	891.8	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	1648	-47.6	-13	34.6	Pass	2001
3000	10000	1	RMS	6799	-45.67	-13	32.67	Pass	7001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.17	-71.83	-13	58.83	Pass	2986
30	814	0.1	RMS	811.5	-65.36	-13	52.36	Pass	7841
814	860	0.1	RMS	835.2	18.88	60	41.12	Pass	461
860	1000	0.1	RMS	883.8	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	2989	-51.45	-13	38.45	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	809.5	-65.11	-13	52.11	Pass	7841
814	860	0.1	RMS	835.2	18.08	60	41.92	Pass	461
860	1000	0.1	RMS	975.2	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	2981	-51.48	-13	38.48	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.18	-72.55	-13	59.55	Pass	2986
30	814	0.1	RMS	812	-65.44	-13	52.44	Pass	7841
814	860	0.1	RMS	846.2	19.13	60	40.87	Pass	461
860	1000	0.1	RMS	959.2	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1692	-46.77	-13	33.77	Pass	2001
3000	10000	1	RMS	6799	-45.64	-13	32.64	Pass	7001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.17	-72.83	-13	59.83	Pass	2986
30	814	0.1	RMS	814	-65.23	-13	52.23	Pass	7841
814	860	0.1	RMS	846.2	18.29	60	41.71	Pass	461
860	1000	0.1	RMS	892.6	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1692	-47.81	-13	34.81	Pass	2001
3000	10000	1	RMS	6798	-45.63	-13	32.63	Pass	7001




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.69	-13	60.69	Pass	401
0.15	30	0.01	RMS	0.28	-72.72	-13	59.72	Pass	2986
30	814	0.1	RMS	813.6	-64.25	-13	51.25	Pass	7841
814	860	0.1	RMS	824.3	19.16	60	40.84	Pass	461
860	1000	0.1	RMS	950.8	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1648	-46.74	-13	33.74	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	814	0.1	RMS	811.5	-63.9	-13	50.9	Pass	7841
814	860	0.1	RMS	824.3	18.48	60	41.52	Pass	461
860	1000	0.1	RMS	950.2	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	1648	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	6799	-45.65	-13	32.65	Pass	7001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.16	-71.54	-13	58.54	Pass	2986
30	814	0.1	RMS	808.8	-65.16	-13	52.16	Pass	7841
814	860	0.1	RMS	834.3	18.95	60	41.05	Pass	461
860	1000	0.1	RMS	950.5	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	2984	-51.45	-13	38.45	Pass	2001
3000	10000	1	RMS	6801	-45.6	-13	32.6	Pass	7001




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.16	-72.73	-13	59.73	Pass	2986
30	814	0.1	RMS	808.5	-65.33	-13	52.33	Pass	7841
814	860	0.1	RMS	834.3	18.3	60	41.7	Pass	461
860	1000	0.1	RMS	863.1	-65.48	-13	52.48	Pass	1401
1000	3000	1	RMS	2930	-51.5	-13	38.5	Pass	2001
3000	10000	1	RMS	6802	-45.61	-13	32.61	Pass	7001




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.15	-72.97	-13	59.97	Pass	2986
30	814	0.1	RMS	812.7	-64.64	-13	51.64	Pass	7841
814	860	0.1	RMS	844.3	19.25	60	40.75	Pass	461
860	1000	0.1	RMS	942	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1688	-46.09	-13	33.09	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.19	-72.37	-13	59.37	Pass	2986
30	814	0.1	RMS	812.4	-65.17	-13	52.17	Pass	7841
814	860	0.1	RMS	844.3	18.67	60	41.33	Pass	461
860	1000	0.1	RMS	973.8	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1688	-46.78	-13	33.78	Pass	2001
3000	10000	1	RMS	6798	-45.57	-13	32.57	Pass	7001




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.17	-72.34	-13	59.34	Pass	2986
30	814	0.1	RMS	811.5	-64.39	-13	51.39	Pass	7841
814	860	0.1	RMS	824.6	19.68	60	40.32	Pass	461
860	1000	0.1	RMS	998.3	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	1649	-47.04	-13	34.04	Pass	2001
3000	10000	1	RMS	6800	-45.71	-13	32.71	Pass	7001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.16	-72.4	-13	59.4	Pass	2986
30	814	0.1	RMS	813.9	-64.01	-13	51.01	Pass	7841
814	860	0.1	RMS	824.6	18.8	60	41.2	Pass	461
860	1000	0.1	RMS	966.8	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1649	-47.7	-13	34.7	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.16	-72.81	-13	59.81	Pass	2986
30	814	0.1	RMS	813.2	-64.45	-13	51.45	Pass	7841
814	860	0.1	RMS	832.1	19.71	60	40.29	Pass	461
860	1000	0.1	RMS	984.5	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1664	-50.41	-13	37.41	Pass	2001
3000	10000	1	RMS	6801	-45.66	-13	32.66	Pass	7001




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	59.59	Pass	2986
30	814	0.1	RMS	813	-64.6	-13	51.6	Pass	7841
814	860	0.1	RMS	832.1	18.92	60	41.08	Pass	461
860	1000	0.1	RMS	1000	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1664	-51.22	-13	38.22	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.3	-71.5	-13	58.5	Pass	2986
30	814	0.1	RMS	813.2	-64.88	-13	51.88	Pass	7841
814	860	0.1	RMS	839.6	19.59	60	40.41	Pass	461
860	1000	0.1	RMS	960	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1679	-49.73	-13	36.73	Pass	2001
3000	10000	1	RMS	6802	-45.69	-13	32.69	Pass	7001



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	59.09	Pass	2986
30	814	0.1	RMS	813.6	-64.73	-13	51.73	Pass	7841
814	860	0.1	RMS	839.6	18.87	60	41.13	Pass	461
860	1000	0.1	RMS	952.1	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1679	-50.04	-13	37.04	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001



4. LTE_Band7

4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.29	-25	48.29	Pass	401
0.15	30	0.01	RMS	0.3	-72.21	-25	47.21	Pass	2986
30	1000	0.1	RMS	539.6	-64.13	-25	39.13	Pass	9701
1000	2490	1	RMS	2490	-51.75	-25	26.75	Pass	1491
2490	2580	1	RMS	2500.125	21.69	60	38.31	Pass	401
2580	3000	1	RMS	2998	-51.51	-25	26.51	Pass	421
3000	12000	1	RMS	5001	-49.2	-25	24.2	Pass	9002
12000	26000	1	RMS	25850	-25.36	-25	0.35	Pass*	14002



4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.78	-25	47.78	Pass	401
0.15	30	0.01	RMS	0.3	-72.25	-25	47.25	Pass	2986
30	1000	0.1	RMS	539.6	-65.12	-25	40.12	Pass	9701
1000	2490	1	RMS	2487	-51.89	-25	26.89	Pass	1491
2490	2580	1	RMS	2500.125	20.8	60	39.2	Pass	401
2580	3000	1	RMS	2993	-51.49	-25	26.49	Pass	421
3000	12000	1	RMS	5001	-49.96	-25	24.96	Pass	9002
12000	26000	1	RMS	25490	-56.74	-25	31.74	Pass	14002



**4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.48	-25	47.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-25	46.4	Pass	2986
30	1000	0.1	RMS	844.6	-65.38	-25	40.38	Pass	9701
1000	2490	1	RMS	2482	-52.38	-25	27.38	Pass	1491
2490	2580	1	RMS	2532.75	21.77	60	38.23	Pass	401
2580	3000	1	RMS	2983	-51.51	-25	26.51	Pass	421
3000	12000	1	RMS	5066	-49.06	-25	24.06	Pass	9002
12000	26000	1	RMS	25504	-56.7	-25	31.7	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.49	-25	47.49	Pass	401
0.15	30	0.01	RMS	0.3	-71.65	-25	46.65	Pass	2986
30	1000	0.1	RMS	854.303	-65.44	-25	40.44	Pass	9701
1000	2490	1	RMS	2482	-52.48	-25	27.48	Pass	1491
2490	2580	1	RMS	2532.75	20.91	60	39.09	Pass	401
2580	3000	1	RMS	3000	-51.49	-25	26.49	Pass	421
3000	12000	1	RMS	5066	-50.17	-25	25.17	Pass	9002
12000	26000	1	RMS	25499	-56.67	-25	31.67	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.31	-25	46.31	Pass	401
0.15	30	0.01	RMS	0.3	-72.64	-25	47.64	Pass	2986
30	1000	0.1	RMS	856.105	-65.29	-25	40.29	Pass	9701
1000	2490	1	RMS	2484	-52.49	-25	27.49	Pass	1491
2490	2580	1	RMS	2565.15	21.59	60	38.41	Pass	401
2580	3000	1	RMS	2999	-51.51	-25	26.51	Pass	421
3000	12000	1	RMS	5131	-44.32	-25	19.32	Pass	9002
12000	26000	1	RMS	25505	-56.72	-25	31.72	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-25	47.28	Pass	401
0.15	30	0.01	RMS	0.17	-72.56	-25	47.56	Pass	2986
30	1000	0.1	RMS	604.6	-65.34	-25	40.34	Pass	9701
1000	2490	1	RMS	2486	-52.53	-25	27.53	Pass	1491
2490	2580	1	RMS	2565.15	21	60	39	Pass	401
2580	3000	1	RMS	2993	-51.52	-25	26.52	Pass	421
3000	12000	1	RMS	5131	-45.03	-25	20.03	Pass	9002
12000	26000	1	RMS	25499	-56.71	-25	31.71	Pass	14002



4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.82	-25	47.82	Pass	401
0.15	30	0.01	RMS	0.17	-72.46	-25	47.46	Pass	2986
30	1000	0.1	RMS	539.9	-64.08	-25	39.08	Pass	9701
1000	2490	1	RMS	2483	-51.15	-25	26.15	Pass	1491
2490	2580	1	RMS	2500.575	21.7	60	38.3	Pass	401
2580	3000	1	RMS	2991	-51.51	-25	26.51	Pass	421
3000	12000	1	RMS	5001	-48.58	-25	23.58	Pass	9002
12000	26000	1	RMS	25506	-56.74	-25	31.74	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.71	-25	47.71	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-25	47.12	Pass	2986
30	1000	0.1	RMS	539.9	-64.23	-25	39.23	Pass	9701
1000	2490	1	RMS	2483	-48.93	-25	23.93	Pass	1491
2490	2580	1	RMS	2500.575	20.86	60	39.14	Pass	401
2580	3000	1	RMS	2980	-51.55	-25	26.55	Pass	421
3000	12000	1	RMS	5001	-49.47	-25	24.47	Pass	9002
12000	26000	1	RMS	25498	-56.78	-25	31.78	Pass	14002




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.8	-25	46.8	Pass	401
0.15	30	0.01	RMS	0.25	-72.54	-25	47.54	Pass	2986
30	1000	0.1	RMS	837.6	-65.45	-25	40.45	Pass	9701
1000	2490	1	RMS	2489	-52.47	-25	27.47	Pass	1491
2490	2580	1	RMS	2530.5	21.76	60	38.24	Pass	401
2580	3000	1	RMS	2993	-51.52	-25	26.52	Pass	421
3000	12000	1	RMS	5061	-48.92	-25	23.92	Pass	9002
12000	26000	1	RMS	25495	-56.73	-25	31.73	Pass	14002




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.75	-25	46.75	Pass	401
0.15	30	0.01	RMS	0.2	-72.71	-25	47.71	Pass	2986
30	1000	0.1	RMS	569.9	-65.39	-25	40.39	Pass	9701
1000	2490	1	RMS	2480	-52.43	-25	27.43	Pass	1491
2490	2580	1	RMS	2530.5	21.05	60	38.95	Pass	401
2580	3000	1	RMS	2996	-51.51	-25	26.51	Pass	421
3000	12000	1	RMS	5061	-49.78	-25	24.78	Pass	9002
12000	26000	1	RMS	25504	-56.79	-25	31.79	Pass	14002



4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.35	-25	47.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-25	46.97	Pass	2986
30	1000	0.1	RMS	599.9	-64.78	-25	39.78	Pass	9701
1000	2490	1	RMS	2489	-52.53	-25	27.53	Pass	1491
2490	2580	1	RMS	2560.425	21.8	60	38.2	Pass	401
2580	3000	1	RMS	2992	-51.5	-25	26.5	Pass	421
3000	12000	1	RMS	5121	-44.02	-25	19.02	Pass	9002
12000	26000	1	RMS	25501	-56.74	-25	31.74	Pass	14002




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.1	-25	47.1	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-25	47.61	Pass	2986
30	1000	0.1	RMS	599.9	-64.91	-25	39.91	Pass	9701
1000	2490	1	RMS	2490	-52.41	-25	27.41	Pass	1491
2490	2580	1	RMS	2560.425	21.09	60	38.91	Pass	401
2580	3000	1	RMS	2989	-51.52	-25	26.52	Pass	421
3000	12000	1	RMS	5121	-44.88	-25	19.88	Pass	9002
12000	26000	1	RMS	25517	-56.74	-25	31.74	Pass	14002



4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.32	-25	47.32	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-25	46.77	Pass	2986
30	1000	0.1	RMS	540.1	-64.43	-25	39.43	Pass	9701
1000	2490	1	RMS	2488	-43.8	-25	18.8	Pass	1491
2490	2580	1	RMS	2500.8	21.58	60	38.42	Pass	401
2580	3000	1	RMS	2999	-51.52	-25	26.52	Pass	421
3000	12000	1	RMS	5002	-49.22	-25	24.22	Pass	9002
12000	26000	1	RMS	25501	-56.68	-25	31.68	Pass	14002




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.56	-25	47.56	Pass	401
0.15	30	0.01	RMS	0.18	-72.29	-25	47.29	Pass	2986
30	1000	0.1	RMS	540.1	-64.94	-25	39.94	Pass	9701
1000	2490	1	RMS	2488	-44.24	-25	19.24	Pass	1491
2490	2580	1	RMS	2500.8	20.85	60	39.15	Pass	401
2580	3000	1	RMS	2979	-51.51	-25	26.51	Pass	421
3000	12000	1	RMS	5002	-50.17	-25	25.17	Pass	9002
12000	26000	1	RMS	25489	-56.73	-25	31.73	Pass	14002




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.94	-25	46.94	Pass	401
0.15	30	0.01	RMS	0.3	-72.47	-25	47.47	Pass	2986
30	1000	0.1	RMS	839.1	-65.31	-25	40.31	Pass	9701
1000	2490	1	RMS	2490	-52.33	-25	27.33	Pass	1491
2490	2580	1	RMS	2528.25	21.63	60	38.37	Pass	401
2580	3000	1	RMS	2997	-51.53	-25	26.53	Pass	421
3000	12000	1	RMS	5057	-50.41	-25	25.41	Pass	9002
12000	26000	1	RMS	25502	-56.62	-25	31.62	Pass	14002




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.4	-25	47.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-25	47.04	Pass	2986
30	1000	0.1	RMS	955.671	-65.4	-25	40.4	Pass	9701
1000	2490	1	RMS	2490	-52.39	-25	27.39	Pass	1491
2490	2580	1	RMS	2528.25	20.82	60	39.18	Pass	401
2580	3000	1	RMS	2982	-51.53	-25	26.53	Pass	421
3000	12000	1	RMS	5057	-51.32	-25	26.32	Pass	9002
12000	26000	1	RMS	25508	-56.76	-25	31.76	Pass	14002




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.42	-25	48.42	Pass	401
0.15	30	0.01	RMS	0.17	-72.68	-25	47.68	Pass	2986
30	1000	0.1	RMS	595.2	-65.37	-25	40.37	Pass	9701
1000	2490	1	RMS	2490	-52.54	-25	27.54	Pass	1491
2490	2580	1	RMS	2555.7	21.56	60	38.44	Pass	401
2580	3000	1	RMS	2582	-44.25	-25	19.25	Pass	421
3000	12000	1	RMS	5112	-45.58	-25	20.58	Pass	9002
12000	26000	1	RMS	25521	-56.83	-25	31.83	Pass	14002




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.72	-25	47.72	Pass	401
0.15	30	0.01	RMS	0.17	-71.88	-25	46.88	Pass	2986
30	1000	0.1	RMS	595.1	-65.42	-25	40.42	Pass	9701
1000	2490	1	RMS	2486	-52.47	-25	27.47	Pass	1491
2490	2580	1	RMS	2555.7	20.82	60	39.18	Pass	401
2580	3000	1	RMS	2582	-42.67	-25	17.67	Pass	421
3000	12000	1	RMS	5112	-46.44	-25	21.44	Pass	9002
12000	26000	1	RMS	25502	-56.75	-25	31.75	Pass	14002




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.53	-25	47.53	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-25	47.53	Pass	2986
30	1000	0.1	RMS	540.4	-64.01	-25	39.01	Pass	9701
1000	2490	1	RMS	2483	-41.98	-25	16.98	Pass	1491
2490	2580	1	RMS	2501.025	21.88	60	38.12	Pass	401
2580	3000	1	RMS	2989	-51.54	-25	26.54	Pass	421
3000	12000	1	RMS	5002	-48.29	-25	23.29	Pass	9002
12000	26000	1	RMS	25501	-56.82	-25	31.82	Pass	14002



4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.39	-25	47.39	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-25	47.19	Pass	2986
30	1000	0.1	RMS	540.4	-64.62	-25	39.62	Pass	9701
1000	2490	1	RMS	2483	-43.42	-25	18.42	Pass	1491
2490	2580	1	RMS	2501.025	21.03	60	38.97	Pass	401
2580	3000	1	RMS	2989	-51.54	-25	26.54	Pass	421
3000	12000	1	RMS	5002	-49.32	-25	24.32	Pass	9002
12000	26000	1	RMS	25495	-56.75	-25	31.75	Pass	14002




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.65	-25	47.65	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-25	47.36	Pass	2986
30	1000	0.1	RMS	565.4	-65.21	-25	40.21	Pass	9701
1000	2490	1	RMS	2490	-51.83	-25	26.83	Pass	1491
2490	2580	1	RMS	2526	21.86	60	38.14	Pass	401
2580	3000	1	RMS	2990	-51.51	-25	26.51	Pass	421
3000	12000	1	RMS	5052	-49.78	-25	24.78	Pass	9002
12000	26000	1	RMS	25507	-56.76	-25	31.76	Pass	14002




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.18	-25	47.18	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-25	47.2	Pass	2986
30	1000	0.1	RMS	980.387	-65.38	-25	40.38	Pass	9701
1000	2490	1	RMS	2490	-50.55	-25	25.55	Pass	1491
2490	2580	1	RMS	2526	21.11	60	38.89	Pass	401
2580	3000	1	RMS	2988	-51.53	-25	26.53	Pass	421
3000	12000	1	RMS	5052	-50.62	-25	25.62	Pass	9002
12000	26000	1	RMS	25502	-56.77	-25	31.77	Pass	14002



4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.29	-25	47.29	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-25	46.4	Pass	2986
30	1000	0.1	RMS	590.4	-64.55	-25	39.55	Pass	9701
1000	2490	1	RMS	2489	-52.43	-25	27.43	Pass	1491
2490	2580	1	RMS	2550.975	21.78	60	38.22	Pass	401
2580	3000	1	RMS	2586	-40.94	-25	15.94	Pass	421
3000	12000	1	RMS	5102	-45.71	-25	20.71	Pass	9002
12000	26000	1	RMS	25495	-56.73	-25	31.73	Pass	14002



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-25	47.52	Pass	401
0.15	30	0.01	RMS	0.17	-72.4	-25	47.4	Pass	2986
30	1000	0.1	RMS	590.4	-64.82	-25	39.82	Pass	9701
1000	2490	1	RMS	2488	-52.43	-25	27.43	Pass	1491
2490	2580	1	RMS	2550.975	20.9	60	39.1	Pass	401
2580	3000	1	RMS	2586	-40.5	-25	15.5	Pass	421
3000	12000	1	RMS	5102	-46.29	-25	21.29	Pass	9002
12000	26000	1	RMS	25501	-56.7	-25	31.7	Pass	14002



5. LTE_Band12


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.37	-13	60.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	689	0.1	RMS	688.6	-65.4	-13	52.4	Pass	6591
689	726	0.1	RMS	699.268	19.24	60	40.76	Pass	401
726	1000	0.1	RMS	922.9	-65.2	-13	52.2	Pass	2741
1000	3000	1	RMS	1398	-48.28	-13	35.28	Pass	2001
3000	10000	1	RMS	6800	-45.7	-13	32.7	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-13	59.25	Pass	2986
30	689	0.1	RMS	688.5	-65.42	-13	52.42	Pass	6591
689	726	0.1	RMS	699.268	18.53	60	41.47	Pass	401
726	1000	0.1	RMS	844.3	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	1398	-49.16	-13	36.16	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	689	0.1	RMS	687.9	-65.38	-13	52.38	Pass	6591
689	726	0.1	RMS	707.038	19.38	60	40.62	Pass	401
726	1000	0.1	RMS	863.3	-64.88	-13	51.88	Pass	2741
1000	3000	1	RMS	1414	-51.41	-13	38.41	Pass	2001
3000	10000	1	RMS	6801	-45.65	-13	32.65	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.3	-72.12	-13	59.12	Pass	2986
30	689	0.1	RMS	687.8	-65.43	-13	52.43	Pass	6591
689	726	0.1	RMS	707.038	18.49	60	41.51	Pass	401
726	1000	0.1	RMS	846.3	-65.06	-13	52.06	Pass	2741
1000	3000	1	RMS	2997	-51.48	-13	38.48	Pass	2001
3000	10000	1	RMS	6801	-45.61	-13	32.61	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	58.99	Pass	2986
30	689	0.1	RMS	688.9	-65.81	-13	52.81	Pass	6591
689	726	0.1	RMS	714.808	18.48	60	41.52	Pass	401
726	1000	0.1	RMS	981.9	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1429	-49.02	-13	36.02	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.3	-72.21	-13	59.21	Pass	2986
30	689	0.1	RMS	688.4	-65.79	-13	52.79	Pass	6591
689	726	0.1	RMS	714.808	17.97	60	42.03	Pass	401
726	1000	0.1	RMS	976.5	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1429	-49.58	-13	36.58	Pass	2001
3000	10000	1	RMS	6804	-45.71	-13	32.71	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	59.34	Pass	2986
30	689	0.1	RMS	688.5	-65.18	-13	52.18	Pass	6591
689	726	0.1	RMS	699.268	19.15	60	40.85	Pass	401
726	1000	0.1	RMS	839.3	-65.16	-13	52.16	Pass	2741
1000	3000	1	RMS	1398	-48.5	-13	35.5	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.17	-72.52	-13	59.52	Pass	2986
30	689	0.1	RMS	688.5	-65.47	-13	52.47	Pass	6591
689	726	0.1	RMS	699.268	18.42	60	41.58	Pass	401
726	1000	0.1	RMS	972.6	-65.2	-13	52.2	Pass	2741
1000	3000	1	RMS	1398	-49.12	-13	36.12	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.3	-72.71	-13	59.71	Pass	2986
30	689	0.1	RMS	687.1	-65.08	-13	52.08	Pass	6591
689	726	0.1	RMS	706.205	19.04	60	40.96	Pass	401
726	1000	0.1	RMS	920.6	-65.26	-13	52.26	Pass	2741
1000	3000	1	RMS	1412	-50.41	-13	37.41	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	59.08	Pass	2986
30	689	0.1	RMS	687	-65.39	-13	52.39	Pass	6591
689	726	0.1	RMS	706.205	18.22	60	41.78	Pass	401
726	1000	0.1	RMS	845.1	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1412	-50.84	-13	37.84	Pass	2001
3000	10000	1	RMS	6802	-45.64	-13	32.64	Pass	7001




5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.18	-72.34	-13	59.34	Pass	2986
30	689	0.1	RMS	687.6	-65.67	-13	52.67	Pass	6591
689	726	0.1	RMS	713.235	19.36	60	40.64	Pass	401
726	1000	0.1	RMS	987.3	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1426	-49.55	-13	36.55	Pass	2001
3000	10000	1	RMS	6800	-45.68	-13	32.68	Pass	7001




5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.18	-72.06	-13	59.06	Pass	2986
30	689	0.1	RMS	687.6	-65.59	-13	52.59	Pass	6591
689	726	0.1	RMS	713.235	18.62	60	41.38	Pass	401
726	1000	0.1	RMS	869.8	-65.18	-13	52.18	Pass	2741
1000	3000	1	RMS	1426	-50.43	-13	37.43	Pass	2001
3000	10000	1	RMS	6801	-45.66	-13	32.66	Pass	7001




5.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.28	-13	60.28	Pass	401
0.15	30	0.01	RMS	0.3	-71.8	-13	58.8	Pass	2986
30	689	0.1	RMS	686.4	-64.5	-13	51.5	Pass	6591
689	726	0.1	RMS	699.36	19.54	60	40.46	Pass	401
726	1000	0.1	RMS	837.8	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	1398	-48.17	-13	35.17	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001




5.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.17	-72.85	-13	59.85	Pass	2986
30	689	0.1	RMS	686.5	-64.57	-13	51.57	Pass	6591
689	726	0.1	RMS	699.36	18.77	60	41.23	Pass	401
726	1000	0.1	RMS	855	-65.21	-13	52.21	Pass	2741
1000	3000	1	RMS	1398	-48.87	-13	35.87	Pass	2001
3000	10000	1	RMS	6800	-45.68	-13	32.68	Pass	7001




5.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.17	-72.84	-13	59.84	Pass	2986
30	689	0.1	RMS	686.3	-65.43	-13	52.43	Pass	6591
689	726	0.1	RMS	705.373	19.1	60	40.9	Pass	401
726	1000	0.1	RMS	944.8	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	1410	-49.85	-13	36.85	Pass	2001
3000	10000	1	RMS	6802	-45.58	-13	32.58	Pass	7001




5.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.18	-72.62	-13	59.62	Pass	2986
30	689	0.1	RMS	686.2	-65.44	-13	52.44	Pass	6591
689	726	0.1	RMS	705.373	18.37	60	41.63	Pass	401
726	1000	0.1	RMS	832.3	-65.13	-13	52.13	Pass	2741
1000	3000	1	RMS	1410	-50.44	-13	37.44	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




5.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.16	-71.56	-13	58.56	Pass	2986
30	689	0.1	RMS	686	-65.74	-13	52.74	Pass	6591
689	726	0.1	RMS	711.385	18.98	60	41.02	Pass	401
726	1000	0.1	RMS	840.2	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	1422	-50.23	-13	37.23	Pass	2001
3000	10000	1	RMS	6800	-45.72	-13	32.72	Pass	7001




5.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.22	-72.84	-13	59.84	Pass	2986
30	689	0.1	RMS	685.7	-65.68	-13	52.68	Pass	6591
689	726	0.1	RMS	711.385	18.37	60	41.63	Pass	401
726	1000	0.1	RMS	840.4	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1422	-50.6	-13	37.6	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001




5.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.47	-13	60.47	Pass	401
0.15	30	0.01	RMS	0.3	-72.47	-13	59.47	Pass	2986
30	689	0.1	RMS	682	-60.64	-13	47.64	Pass	6591
689	726	0.1	RMS	699.545	19.15	60	40.85	Pass	401
726	1000	0.1	RMS	991.6	-65.05	-13	52.05	Pass	2741
1000	3000	1	RMS	1399	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




5.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.58	-13	58.58	Pass	401
0.15	30	0.01	RMS	0.3	-72.55	-13	59.55	Pass	2986
30	689	0.1	RMS	681.9	-59.5	-13	46.5	Pass	6591
689	726	0.1	RMS	699.545	18.3	60	41.7	Pass	401
726	1000	0.1	RMS	848.6	-65.02	-13	52.02	Pass	2741
1000	3000	1	RMS	1399	-49.3	-13	36.3	Pass	2001
3000	10000	1	RMS	6799	-45.71	-13	32.71	Pass	7001




5.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	58.94	Pass	2986
30	689	0.1	RMS	685.5	-60.69	-13	47.69	Pass	6591
689	726	0.1	RMS	703.06	19.64	60	40.36	Pass	401
726	1000	0.1	RMS	849.6	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	1406	-48.92	-13	35.92	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




5.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.21	-72.4	-13	59.4	Pass	2986
30	689	0.1	RMS	685.4	-58.83	-13	45.83	Pass	6591
689	726	0.1	RMS	703.06	18.74	60	41.26	Pass	401
726	1000	0.1	RMS	840.6	-65.22	-13	52.22	Pass	2741
1000	3000	1	RMS	1406	-49.76	-13	36.76	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




5.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	689	0.1	RMS	689	-60.11	-13	47.11	Pass	6591
689	726	0.1	RMS	706.575	19.45	60	40.55	Pass	401
726	1000	0.1	RMS	935.3	-65.17	-13	52.17	Pass	2741
1000	3000	1	RMS	1413	-51.08	-13	38.08	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001



5.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.24	-72.46	-13	59.46	Pass	2986
30	689	0.1	RMS	689	-60.15	-13	47.15	Pass	6591
689	726	0.1	RMS	706.575	18.67	60	41.33	Pass	401
726	1000	0.1	RMS	841.1	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	2991	-51.46	-13	38.46	Pass	2001
3000	10000	1	RMS	6801	-45.62	-13	32.62	Pass	7001



6. LTE_Band13


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	59.53	Pass	2986
30	767	0.1	RMS	766.6	-65.39	-13	52.39	Pass	7371
767	797	0.1	RMS	777.35	19.2	60	40.8	Pass	401
797	1000	0.1	RMS	832.2	-65.34	-13	52.34	Pass	2031
1000	3000	1	RMS	1554	-49.86	-13	36.86	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.22	-72.3	-13	59.3	Pass	2986
30	767	0.1	RMS	766.6	-65.75	-13	52.75	Pass	7371
767	797	0.1	RMS	777.35	18.6	60	41.4	Pass	401
797	1000	0.1	RMS	815.2	-65.3	-13	52.3	Pass	2031
1000	3000	1	RMS	1554	-50.24	-13	37.24	Pass	2001
3000	10000	1	RMS	6803	-45.64	-13	32.64	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.21	-72.16	-13	59.16	Pass	2986
30	767	0.1	RMS	764.8	-65.79	-13	52.79	Pass	7371
767	797	0.1	RMS	779.825	19.28	60	40.72	Pass	401
797	1000	0.1	RMS	797.1	-65.1	-13	52.1	Pass	2031
1000	3000	1	RMS	1559	-49.44	-13	36.44	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	58.72	Pass	2986
30	767	0.1	RMS	739.4	-65.83	-13	52.83	Pass	7371
767	797	0.1	RMS	779.825	18.6	60	41.4	Pass	401
797	1000	0.1	RMS	797.2	-65.16	-13	52.16	Pass	2031
1000	3000	1	RMS	1559	-49.98	-13	36.98	Pass	2001
3000	10000	1	RMS	6801	-45.67	-13	32.67	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.3	-71.27	-13	58.27	Pass	2986
30	767	0.1	RMS	759.9	-65.83	-13	52.83	Pass	7371
767	797	0.1	RMS	782.375	19.29	60	40.71	Pass	401
797	1000	0.1	RMS	797.2	-64.88	-13	51.88	Pass	2031
1000	3000	1	RMS	1564	-48.97	-13	35.97	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.19	-72.49	-13	59.49	Pass	2986
30	767	0.1	RMS	750.5	-65.72	-13	52.72	Pass	7371
767	797	0.1	RMS	782.375	18.79	60	41.21	Pass	401
797	1000	0.1	RMS	797.5	-64.67	-13	51.67	Pass	2031
1000	3000	1	RMS	1564	-49.53	-13	36.53	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	767	0.1	RMS	766.9	-65.69	-13	52.69	Pass	7371
767	797	0.1	RMS	777.575	19.42	60	40.58	Pass	401
797	1000	0.1	RMS	799.6	-63.93	-13	50.93	Pass	2031
1000	3000	1	RMS	1555	-50.1	-13	37.1	Pass	2001
3000	10000	1	RMS	6807	-45.62	-13	32.62	Pass	7001



6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	767	0.1	RMS	766.9	-65.61	-13	52.61	Pass	7371
767	797	0.1	RMS	777.575	18.55	60	41.45	Pass	401
797	1000	0.1	RMS	804	-64.38	-13	51.38	Pass	2031
1000	3000	1	RMS	1555	-50.54	-13	37.54	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001



1. LTE_Band14


**1.1. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:1,
Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.04	-13	52.04	Pass	401
0.15	30	0.01	Peak	0.27	-63.56	-13	50.56	Pass	2986
30	783	0.1	Peak	779.8	-47.73	-13	34.73	Pass	7531
783	803	0.1	Peak	788.3	24.18	60	35.82	Pass	401
803	1000	0.1	Peak	816.2	-53.98	-13	40.98	Pass	1971
1000	3000	1	Peak	2975	-39.12	-13	26.12	Pass	2001
3000	10000	1	Peak	6807	-34.02	-13	21.02	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:2, Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.68	-13	51.68	Pass	401
0.15	30	0.01	Peak	0.15	-63.82	-13	50.82	Pass	2986
30	783	0.1	Peak	779.8	-44.57	-13	31.57	Pass	7531
783	803	0.1	Peak	788.3	24.65	60	35.35	Pass	401
803	1000	0.1	Peak	814	-53.72	-13	40.72	Pass	1971
1000	3000	1	Peak	1577	-37.55	-13	24.55	Pass	2001
3000	10000	1	Peak	6809	-33.56	-13	20.56	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:3, Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.38	-13	53.38	Pass	401
0.15	30	0.01	Peak	0.66	-65.6	-13	52.6	Pass	2986
30	783	0.1	Peak	782.2	-41.74	-13	28.74	Pass	7531
783	803	0.1	Peak	790.85	24.32	60	35.68	Pass	401
803	1000	0.1	Peak	847.9	-53.88	-13	40.88	Pass	1971
1000	3000	1	Peak	2860	-39.45	-13	26.45	Pass	2001
3000	10000	1	Peak	7689	-33.83	-13	20.83	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:4, Channel:23330, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.53	-13	52.53	Pass	401
0.15	30	0.01	Peak	0.21	-64.76	-13	51.76	Pass	2986
30	783	0.1	Peak	782.2	-44.28	-13	31.28	Pass	7531
783	803	0.1	Peak	790.85	24.29	60	35.71	Pass	401
803	1000	0.1	Peak	962.5	-54.3	-13	41.3	Pass	1971
1000	3000	1	Peak	1582	-38.96	-13	25.96	Pass	2001
3000	10000	1	Peak	6952	-33.85	-13	20.85	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.62	-13	51.62	Pass	401
0.15	30	0.01	Peak	0.31	-64.89	-13	51.89	Pass	2986
30	783	0.1	Peak	780.3	-54.73	-13	41.73	Pass	7531
783	803	0.1	Peak	793.3	23.84	60	36.16	Pass	401
803	1000	0.1	Peak	803.8	-53.5	-13	40.5	Pass	1971
1000	3000	1	Peak	1586	-38.65	-13	25.65	Pass	2001
3000	10000	1	Peak	7964	-33.41	-13	20.41	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:6, Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.21	-13	53.21	Pass	401
0.15	30	0.01	Peak	0.15	-64.2	-13	51.2	Pass	2986
30	783	0.1	Peak	782	-54.35	-13	41.35	Pass	7531
783	803	0.1	Peak	793.3	24.41	60	35.59	Pass	401
803	1000	0.1	Peak	803.2	-52.85	-13	39.85	Pass	1971
1000	3000	1	Peak	1587	-39.69	-13	26.69	Pass	2001
3000	10000	1	Peak	6844	-33.09	-13	20.09	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:7, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.61	-13	53.61	Pass	401
0.15	30	0.01	Peak	0.15	-64.51	-13	51.51	Pass	2986
30	783	0.1	Peak	779.8	-36.54	-13	23.54	Pass	7531
783	803	0.1	Peak	788.6	24.75	60	35.25	Pass	401
803	1000	0.1	Peak	806.2	-48.16	-13	35.16	Pass	1971
1000	3000	1	Peak	1577	-39.39	-13	26.39	Pass	2001
3000	10000	1	Peak	6855	-33.89	-13	20.89	Pass	7001



**1.8. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:8,
Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**


Start Frequenc y (MHz)	Stop Frequenc y (MHz)	RBW (MHz)	Detecto r	Frequenc y (MHz)	Powe r (dBm)	Limit (dBm)	Margi n (dB)	Verdic t	Swee p Point
0.009	0.15	0.001	Peak	0.009	-65.02	-13	52.02	Pass	401
0.15	30	0.01	Peak	0.16	-65.07	-13	52.07	Pass	2986
30	783	0.1	Peak	779.8	-36.13	-13	23.13	Pass	7531
783	803	0.1	Peak	788.55	24.77	60	35.23	Pass	401
803	1000	0.1	Peak	806.3	-48.84	-13	35.84	Pass	1971
1000	3000	1	Peak	1577	-38.93	-13	25.93	Pass	2001
3000	10000	1	Peak	6970	-33.76	-13	20.76	Pass	7001



7. LTE_Band17


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.17	-72.22	-13	59.22	Pass	2986
30	694	0.1	RMS	693.6	-64.36	-13	51.36	Pass	6641
694	726	0.1	RMS	704.32	19.72	60	40.28	Pass	401
726	1000	0.1	RMS	821.8	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	1408	-48.95	-13	35.95	Pass	2001
3000	10000	1	RMS	6800	-45.51	-13	32.51	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	694	0.1	RMS	691.4	-64.46	-13	51.46	Pass	6641
694	726	0.1	RMS	704.32	18.84	60	41.16	Pass	401
726	1000	0.1	RMS	843.9	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	1408	-49.75	-13	36.75	Pass	2001
3000	10000	1	RMS	6801	-45.67	-13	32.67	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-13	59.2	Pass	2986
30	694	0.1	RMS	688.7	-64.77	-13	51.77	Pass	6641
694	726	0.1	RMS	707.84	19.55	60	40.45	Pass	401
726	1000	0.1	RMS	952.9	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1415	-49.96	-13	36.96	Pass	2001
3000	10000	1	RMS	6802	-45.67	-13	32.67	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.29	-72.2	-13	59.2	Pass	2986
30	694	0.1	RMS	688.5	-65.18	-13	52.18	Pass	6641
694	726	0.1	RMS	707.84	18.8	60	41.2	Pass	401
726	1000	0.1	RMS	985.5	-65.21	-13	52.21	Pass	2741
1000	3000	1	RMS	1415	-50.68	-13	37.68	Pass	2001
3000	10000	1	RMS	6803	-45.6	-13	32.6	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.15	-72.81	-13	59.81	Pass	2986
30	694	0.1	RMS	692.2	-64.71	-13	51.71	Pass	6641
694	726	0.1	RMS	711.36	19.54	60	40.46	Pass	401
726	1000	0.1	RMS	967.8	-65.18	-13	52.18	Pass	2741
1000	3000	1	RMS	1422	-50.18	-13	37.18	Pass	2001
3000	10000	1	RMS	6799	-45.68	-13	32.68	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.3	-71.92	-13	58.92	Pass	2986
30	694	0.1	RMS	692.1	-65.11	-13	52.11	Pass	6641
694	726	0.1	RMS	711.36	18.95	60	41.05	Pass	401
726	1000	0.1	RMS	969.5	-65.26	-13	52.26	Pass	2741
1000	3000	1	RMS	1422	-50.61	-13	37.61	Pass	2001
3000	10000	1	RMS	6799	-45.65	-13	32.65	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.31	-72.38	-13	59.38	Pass	2986
30	694	0.1	RMS	687	-60.78	-13	47.78	Pass	6641
694	726	0.1	RMS	704.56	19.53	60	40.47	Pass	401
726	1000	0.1	RMS	925.4	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	1409	-49.51	-13	36.51	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	694	0.1	RMS	686.9	-57.85	-13	44.85	Pass	6641
694	726	0.1	RMS	704.56	18.75	60	41.25	Pass	401
726	1000	0.1	RMS	859.9	-65.07	-13	52.07	Pass	2741
1000	3000	1	RMS	1409	-50.06	-13	37.06	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.37	-72.55	-13	59.55	Pass	2986
30	694	0.1	RMS	688	-59.99	-13	46.99	Pass	6641
694	726	0.1	RMS	705.6	19.61	60	40.39	Pass	401
726	1000	0.1	RMS	854.3	-65.13	-13	52.13	Pass	2741
1000	3000	1	RMS	1411	-50.12	-13	37.12	Pass	2001
3000	10000	1	RMS	6802	-45.65	-13	32.65	Pass	7001




7.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	694	0.1	RMS	688	-60.12	-13	47.12	Pass	6641
694	726	0.1	RMS	705.6	18.71	60	41.29	Pass	401
726	1000	0.1	RMS	883.3	-65.25	-13	52.25	Pass	2741
1000	3000	1	RMS	1411	-50.72	-13	37.72	Pass	2001
3000	10000	1	RMS	6799	-45.68	-13	32.68	Pass	7001




7.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	694	0.1	RMS	689	-60.12	-13	47.12	Pass	6641
694	726	0.1	RMS	706.56	19.32	60	40.68	Pass	401
726	1000	0.1	RMS	856	-65.06	-13	52.06	Pass	2741
1000	3000	1	RMS	1413	-51.04	-13	38.04	Pass	2001
3000	10000	1	RMS	6803	-45.58	-13	32.58	Pass	7001



7.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	59.4	Pass	2986
30	694	0.1	RMS	689	-60.31	-13	47.31	Pass	6641
694	726	0.1	RMS	706.56	18.43	60	41.57	Pass	401
726	1000	0.1	RMS	980.3	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	2989	-51.46	-13	38.46	Pass	2001
3000	10000	1	RMS	6798	-45.68	-13	32.68	Pass	7001



8. LTE_Band25


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	825.5	-65.42	-13	52.42	Pass	9701
1000	1840	1	RMS	1836	-47.85	-13	34.85	Pass	841
1840	1925	1	RMS	1850.2	21.74	60	38.26	Pass	401
1925	3000	1	RMS	2990	-51.41	-13	38.41	Pass	1076
3000	12000	1	RMS	3701	-43.22	-13	30.22	Pass	9002
12000	20000	1	RMS	13605	-39.81	-13	26.81	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.6	-13	58.6	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	840.9	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1836	-48.22	-13	35.22	Pass	841
1840	1925	1	RMS	1850.2	20.95	60	39.05	Pass	401
1925	3000	1	RMS	3000	-51.41	-13	38.41	Pass	1076
3000	12000	1	RMS	3700	-43.85	-13	30.85	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.44	-13	60.44	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-13	59.57	Pass	2986
30	1000	0.1	RMS	854.103	-65.09	-13	52.09	Pass	9701
1000	1840	1	RMS	1831	-53.9	-13	40.9	Pass	841
1840	1925	1	RMS	1881.863	21.76	60	38.24	Pass	401
1925	3000	1	RMS	2983	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	3764	-40.59	-13	27.59	Pass	9002
12000	20000	1	RMS	13602	-39.8	-13	26.8	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	954.07	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1840	-53.88	-13	40.88	Pass	841
1840	1925	1	RMS	1881.863	20.97	60	39.03	Pass	401
1925	3000	1	RMS	2985	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	3764	-40.96	-13	27.96	Pass	9002
12000	20000	1	RMS	13600	-39.81	-13	26.81	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	1000	0.1	RMS	954.67	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1839	-53.93	-13	40.93	Pass	841
1840	1925	1	RMS	1913.738	21.59	60	38.41	Pass	401
1925	3000	1	RMS	2988	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	3828	-40.14	-13	27.14	Pass	9002
12000	20000	1	RMS	13600	-39.83	-13	26.83	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	0.17	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	843.3	-65.07	-13	52.07	Pass	9701
1000	1840	1	RMS	1839	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1913.738	20.92	60	39.08	Pass	401
1925	3000	1	RMS	2992	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	3828	-40.59	-13	27.59	Pass	9002
12000	20000	1	RMS	13604	-39.88	-13	26.88	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	844.1	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1836	-47.82	-13	34.82	Pass	841
1840	1925	1	RMS	1850.2	21.62	60	38.38	Pass	401
1925	3000	1	RMS	2979	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	3700	-43.26	-13	30.26	Pass	9002
12000	20000	1	RMS	13606	-39.78	-13	26.78	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.16	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	845.7	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1836	-48.46	-13	35.46	Pass	841
1840	1925	1	RMS	1850.2	20.55	60	39.45	Pass	401
1925	3000	1	RMS	2989	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	3700	-43.89	-13	30.89	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.17	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	854.704	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1835	-53.94	-13	40.94	Pass	841
1840	1925	1	RMS	1881.225	21.59	60	38.41	Pass	401
1925	3000	1	RMS	3000	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	3762	-41.92	-13	28.92	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




8.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26365, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	952.368	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1840	-53.96	-13	40.96	Pass	841
1840	1925	1	RMS	1881.225	20.8	60	39.2	Pass	401
1925	3000	1	RMS	2993	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	3762	-42.52	-13	29.52	Pass	9002
12000	20000	1	RMS	13601	-39.81	-13	26.81	Pass	8001




8.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	901.335	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1835	-53.94	-13	40.94	Pass	841
1840	1925	1	RMS	1912.038	21.34	60	38.66	Pass	401
1925	3000	1	RMS	2995	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	3824	-41.47	-13	28.47	Pass	9002
12000	20000	1	RMS	13599	-39.78	-13	26.78	Pass	8001




8.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	840.5	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1837	-53.91	-13	40.91	Pass	841
1840	1925	1	RMS	1912.038	20.58	60	39.42	Pass	401
1925	3000	1	RMS	2995	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	3824	-41.85	-13	28.85	Pass	9002
12000	20000	1	RMS	13602	-39.78	-13	26.78	Pass	8001




8.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	870.514	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1836	-47.57	-13	34.57	Pass	841
1840	1925	1	RMS	1850.2	22.09	60	37.91	Pass	401
1925	3000	1	RMS	2979	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	3701	-42.31	-13	29.31	Pass	9002
12000	20000	1	RMS	13601	-39.7	-13	26.7	Pass	8001




8.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	929.453	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1836	-47.86	-13	34.86	Pass	841
1840	1925	1	RMS	1850.2	21.32	60	38.68	Pass	401
1925	3000	1	RMS	2995	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	3701	-42.89	-13	29.89	Pass	9002
12000	20000	1	RMS	13605	-39.76	-13	26.76	Pass	8001




8.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	852.102	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1837	-53.86	-13	40.86	Pass	841
1840	1925	1	RMS	1880.163	22.03	60	37.97	Pass	401
1925	3000	1	RMS	2986	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	3761	-41.31	-13	28.31	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




8.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26365, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	855.905	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1840	-53.89	-13	40.89	Pass	841
1840	1925	1	RMS	1880.163	21.2	60	38.8	Pass	401
1925	3000	1	RMS	2987	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	3761	-41.75	-13	28.75	Pass	9002
12000	20000	1	RMS	13602	-39.81	-13	26.81	Pass	8001




8.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.08	-13	59.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	837.5	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1840	-53.9	-13	40.9	Pass	841
1840	1925	1	RMS	1910.338	21.79	60	38.21	Pass	401
1925	3000	1	RMS	3000	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	3821	-40.6	-13	27.6	Pass	9002
12000	20000	1	RMS	13602	-39.78	-13	26.78	Pass	8001



8.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-72.7	-13	59.7	Pass	2986
30	1000	0.1	RMS	971.881	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1840	-53.82	-13	40.82	Pass	841
1840	1925	1	RMS	1910.125	21.19	60	38.81	Pass	401
1925	3000	1	RMS	2999	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	3821	-40.68	-13	27.68	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




8.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	851.101	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1836	-47.79	-13	34.79	Pass	841
1840	1925	1	RMS	1850.413	21.98	60	38.02	Pass	401
1925	3000	1	RMS	2979	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	3701	-41.92	-13	28.92	Pass	9002
12000	20000	1	RMS	13599	-39.8	-13	26.8	Pass	8001




8.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	927.352	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1836	-48.31	-13	35.31	Pass	841
1840	1925	1	RMS	1850.413	21.3	60	38.7	Pass	401
1925	3000	1	RMS	3000	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	3701	-42.31	-13	29.31	Pass	9002
12000	20000	1	RMS	13603	-39.69	-13	26.69	Pass	8001



8.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.18	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	835.6	-65.46	-13	52.46	Pass	9701
1000	1840	1	RMS	1840	-53.74	-13	40.74	Pass	841
1840	1925	1	RMS	1878.038	21.99	60	38.01	Pass	401
1925	3000	1	RMS	2986	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	3756	-40.95	-13	27.95	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001




8.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26365, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	875.818	-65.43	-13	52.43	Pass	9701
1000	1840	1	RMS	1840	-53.81	-13	40.81	Pass	841
1840	1925	1	RMS	1878.038	21.22	60	38.78	Pass	401
1925	3000	1	RMS	2988	-51.5	-13	38.5	Pass	1076
3000	12000	1	RMS	3756	-41.32	-13	28.32	Pass	9002
12000	20000	1	RMS	13600	-39.71	-13	26.71	Pass	8001




8.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	848.1	-65.48	-13	52.48	Pass	9701
1000	1840	1	RMS	1836	-53.93	-13	40.93	Pass	841
1840	1925	1	RMS	1905.45	21.92	60	38.08	Pass	401
1925	3000	1	RMS	3000	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	3811	-38.85	-13	25.85	Pass	9002
12000	20000	1	RMS	13605	-39.8	-13	26.8	Pass	8001




8.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	981.288	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1836	-53.89	-13	40.89	Pass	841
1840	1925	1	RMS	1905.45	21.08	60	38.92	Pass	401
1925	3000	1	RMS	2988	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	3811	-39.36	-13	26.36	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




8.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	840.5	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1837	-45.26	-13	32.26	Pass	841
1840	1925	1	RMS	1850.838	21.61	60	38.39	Pass	401
1925	3000	1	RMS	2996	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	3702	-42.29	-13	29.29	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




8.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.17	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	951.368	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1837	-45.77	-13	32.77	Pass	841
1840	1925	1	RMS	1850.625	20.99	60	39.01	Pass	401
1925	3000	1	RMS	2983	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	3702	-43.03	-13	30.03	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001




8.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	966.378	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1838	-53.74	-13	40.74	Pass	841
1840	1925	1	RMS	1875.7	21.67	60	38.33	Pass	401
1925	3000	1	RMS	2979	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	3752	-41.42	-13	28.42	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




8.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26365, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	59.58	Pass	2986
30	1000	0.1	RMS	997.999	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1836	-53.76	-13	40.76	Pass	841
1840	1925	1	RMS	1875.7	20.8	60	39.2	Pass	401
1925	3000	1	RMS	2990	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	3752	-42.01	-13	29.01	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




8.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	852.903	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1832	-53.88	-13	40.88	Pass	841
1840	1925	1	RMS	1900.775	21.53	60	38.47	Pass	401
1925	3000	1	RMS	2998	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	3802	-39.28	-13	26.28	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




8.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.17	-72.77	-13	59.77	Pass	2986
30	1000	0.1	RMS	979.887	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1831	-53.89	-13	40.89	Pass	841
1840	1925	1	RMS	1900.775	20.51	60	39.49	Pass	401
1925	3000	1	RMS	2999	-51.45	-13	38.45	Pass	1076
3000	12000	1	RMS	3802	-39.99	-13	26.99	Pass	9002
12000	20000	1	RMS	13600	-39.71	-13	26.71	Pass	8001




8.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	973.282	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1833	-44.51	-13	31.51	Pass	841
1840	1925	1	RMS	1851.05	21.83	60	38.17	Pass	401
1925	3000	1	RMS	2982	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	3702	-41.89	-13	28.89	Pass	9002
12000	20000	1	RMS	13600	-39.81	-13	26.81	Pass	8001




8.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.18	-72.3	-13	59.3	Pass	2986
30	1000	0.1	RMS	832.3	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1833	-45.37	-13	32.37	Pass	841
1840	1925	1	RMS	1851.05	21.17	60	38.83	Pass	401
1925	3000	1	RMS	2993	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	3702	-42.24	-13	29.24	Pass	9002
12000	20000	1	RMS	13603	-39.69	-13	26.69	Pass	8001




8.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	888.626	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1838	-52.09	-13	39.09	Pass	841
1840	1925	1	RMS	1873.575	21.57	60	38.43	Pass	401
1925	3000	1	RMS	2985	-51.5	-13	38.5	Pass	1076
3000	12000	1	RMS	3747	-41.21	-13	28.21	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




8.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.17	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	998.599	-65.02	-13	52.02	Pass	9701
1000	1840	1	RMS	1838	-51.22	-13	38.22	Pass	841
1840	1925	1	RMS	1873.575	20.87	60	39.13	Pass	401
1925	3000	1	RMS	2982	-51.47	-13	38.47	Pass	1076
3000	12000	1	RMS	3747	-41.69	-13	28.69	Pass	9002
12000	20000	1	RMS	13601	-39.85	-13	26.85	Pass	8001




8.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	850.001	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1833	-53.87	-13	40.87	Pass	841
1840	1925	1	RMS	1895.888	21.5	60	38.5	Pass	401
1925	3000	1	RMS	2994	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	3792	-38.34	-13	25.34	Pass	9002
12000	20000	1	RMS	13606	-39.81	-13	26.81	Pass	8001



8.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	853.703	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1836	-53.91	-13	40.91	Pass	841
1840	1925	1	RMS	1895.888	20.59	60	39.41	Pass	401
1925	3000	1	RMS	2998	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	3792	-39.27	-13	26.27	Pass	9002
12000	20000	1	RMS	13602	-39.8	-13	26.8	Pass	8001



9. LTE_Band26(part22)


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	814	0.1	RMS	813.5	-64.74	-13	51.74	Pass	7841
814	860	0.1	RMS	824.2	18.89	60	41.11	Pass	461
860	1000	0.1	RMS	956.4	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1648	-46.54	-13	33.54	Pass	2001
3000	10000	1	RMS	6801	-45.61	-13	32.61	Pass	7001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	814	0.1	RMS	813.5	-65.12	-13	52.12	Pass	7841
814	860	0.1	RMS	824.2	18.02	60	41.98	Pass	461
860	1000	0.1	RMS	991.3	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1648	-47.55	-13	34.55	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-13	59.28	Pass	2986
30	814	0.1	RMS	810.9	-65.14	-13	52.14	Pass	7841
814	860	0.1	RMS	836	18.72	60	41.28	Pass	461
860	1000	0.1	RMS	875.7	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	2986	-51.49	-13	38.49	Pass	2001
3000	10000	1	RMS	6799	-45.62	-13	32.62	Pass	7001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.15	-72.87	-13	59.87	Pass	2986
30	814	0.1	RMS	810.6	-65.28	-13	52.28	Pass	7841
814	860	0.1	RMS	836.1	18.16	60	41.84	Pass	461
860	1000	0.1	RMS	982.3	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	3000	-51.49	-13	38.49	Pass	2001
3000	10000	1	RMS	6801	-45.58	-13	32.58	Pass	7001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.16	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	809.6	-65.42	-13	52.42	Pass	7841
814	860	0.1	RMS	847.9	17.83	60	42.17	Pass	461
860	1000	0.1	RMS	991.7	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1695	-50.69	-13	37.69	Pass	2001
3000	10000	1	RMS	6801	-45.62	-13	32.62	Pass	7001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.15	-72.87	-13	59.87	Pass	2986
30	814	0.1	RMS	809.5	-65.46	-13	52.46	Pass	7841
814	860	0.1	RMS	847.9	16.97	60	43.03	Pass	461
860	1000	0.1	RMS	997.5	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	2994	-51.48	-13	38.48	Pass	2001
3000	10000	1	RMS	6803	-45.66	-13	32.66	Pass	7001




**9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequenc y (MHz)	Stop Frequenc y (MHz)	RBW (MHz)	Detecto r	Frequenc y (MHz)	Powe r (dBm)	Limit (dBm)	Margi n (dB)	Verdic t	Swee p Point
0.009	0.15	0.001	RMS	0.009	-71.57	-13	58.57	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	59.06	Pass	2986
30	814	0.1	RMS	813.5	-64.79	-13	51.79	Pass	7841
814	860	0.1	RMS	824.2	19.18	60	40.82	Pass	461
860	1000	0.1	RMS	999	-65.33	-13	52.33	Pass	1401
1000	3000	1	RMS	1648	-46.74	-13	33.74	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.17	-71.66	-13	58.66	Pass	2986
30	814	0.1	RMS	813.5	-64.73	-13	51.73	Pass	7841
814	860	0.1	RMS	824.2	18.16	60	41.84	Pass	461
860	1000	0.1	RMS	948.1	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1648	-47.49	-13	34.49	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-13	59.42	Pass	2986
30	814	0.1	RMS	809.9	-65.45	-13	52.45	Pass	7841
814	860	0.1	RMS	835.2	19.03	60	40.97	Pass	461
860	1000	0.1	RMS	877.3	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	2985	-51.46	-13	38.46	Pass	2001
3000	10000	1	RMS	6803	-45.65	-13	32.65	Pass	7001




9.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.17	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	809.7	-65.02	-13	52.02	Pass	7841
814	860	0.1	RMS	835.2	18.2	60	41.8	Pass	461
860	1000	0.1	RMS	979.3	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	2980	-51.47	-13	38.47	Pass	2001
3000	10000	1	RMS	6802	-45.64	-13	32.64	Pass	7001




9.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	814	0.1	RMS	808.2	-65.51	-13	52.51	Pass	7841
814	860	0.1	RMS	846.2	17.9	60	42.1	Pass	461
860	1000	0.1	RMS	865.5	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1692	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




9.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	59.06	Pass	2986
30	814	0.1	RMS	734	-65.55	-13	52.55	Pass	7841
814	860	0.1	RMS	846.2	16.94	60	43.06	Pass	461
860	1000	0.1	RMS	979.6	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1692	-49.92	-13	36.92	Pass	2001
3000	10000	1	RMS	6801	-45.66	-13	32.66	Pass	7001




9.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-72.7	-13	59.7	Pass	2986
30	814	0.1	RMS	813.6	-64.06	-13	51.06	Pass	7841
814	860	0.1	RMS	824.3	19.45	60	40.55	Pass	461
860	1000	0.1	RMS	982.8	-65.33	-13	52.33	Pass	1401
1000	3000	1	RMS	1648	-46.15	-13	33.15	Pass	2001
3000	10000	1	RMS	6799	-45.7	-13	32.7	Pass	7001




9.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	59.09	Pass	2986
30	814	0.1	RMS	811.4	-63.98	-13	50.98	Pass	7841
814	860	0.1	RMS	824.3	18.6	60	41.4	Pass	461
860	1000	0.1	RMS	958.6	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1648	-47.11	-13	34.11	Pass	2001
3000	10000	1	RMS	6803	-45.64	-13	32.64	Pass	7001




9.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	59	Pass	2986
30	814	0.1	RMS	812.8	-65.35	-13	52.35	Pass	7841
814	860	0.1	RMS	834.3	19.01	60	40.99	Pass	461
860	1000	0.1	RMS	929.8	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	2992	-51.44	-13	38.44	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




9.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.19	-72.85	-13	59.85	Pass	2986
30	814	0.1	RMS	811.4	-65.31	-13	52.31	Pass	7841
814	860	0.1	RMS	834.3	18.51	60	41.49	Pass	461
860	1000	0.1	RMS	984.5	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	2988	-51.49	-13	38.49	Pass	2001
3000	10000	1	RMS	6803	-45.58	-13	32.58	Pass	7001




9.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.16	-73.16	-13	60.16	Pass	2986
30	814	0.1	RMS	813	-64.66	-13	51.66	Pass	7841
814	860	0.1	RMS	844.3	19.35	60	40.65	Pass	461
860	1000	0.1	RMS	864.1	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1688	-45.89	-13	32.89	Pass	2001
3000	10000	1	RMS	6801	-45.64	-13	32.64	Pass	7001




9.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.23	-71.95	-13	58.95	Pass	2986
30	814	0.1	RMS	812.6	-65.23	-13	52.23	Pass	7841
814	860	0.1	RMS	844.3	18.83	60	41.17	Pass	461
860	1000	0.1	RMS	916.7	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1688	-46.61	-13	33.61	Pass	2001
3000	10000	1	RMS	6799	-45.65	-13	32.65	Pass	7001




9.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	58.74	Pass	2986
30	814	0.1	RMS	811.4	-63.9	-13	50.9	Pass	7841
814	860	0.1	RMS	824.6	19.87	60	40.13	Pass	461
860	1000	0.1	RMS	975.4	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1649	-46.7	-13	33.7	Pass	2001
3000	10000	1	RMS	6801	-45.69	-13	32.69	Pass	7001




9.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	59.08	Pass	2986
30	814	0.1	RMS	811.4	-63.81	-13	50.81	Pass	7841
814	860	0.1	RMS	824.6	19.09	60	40.91	Pass	461
860	1000	0.1	RMS	875	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1649	-47.46	-13	34.46	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001




9.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-13	59.42	Pass	2986
30	814	0.1	RMS	813.2	-64.06	-13	51.06	Pass	7841
814	860	0.1	RMS	832.1	19.88	60	40.12	Pass	461
860	1000	0.1	RMS	998.2	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1664	-50.21	-13	37.21	Pass	2001
3000	10000	1	RMS	6803	-45.61	-13	32.61	Pass	7001




9.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	58.82	Pass	2986
30	814	0.1	RMS	814	-64.85	-13	51.85	Pass	7841
814	860	0.1	RMS	832.1	19.13	60	40.87	Pass	461
860	1000	0.1	RMS	879	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1664	-50.65	-13	37.65	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001




9.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.17	-72.44	-13	59.44	Pass	2986
30	814	0.1	RMS	813.2	-64.64	-13	51.64	Pass	7841
814	860	0.1	RMS	839.6	19.83	60	40.17	Pass	461
860	1000	0.1	RMS	956.5	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1679	-49.62	-13	36.62	Pass	2001
3000	10000	1	RMS	6798	-45.6	-13	32.6	Pass	7001




9.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.18	-72.63	-13	59.63	Pass	2986
30	814	0.1	RMS	813.1	-64.95	-13	51.95	Pass	7841
814	860	0.1	RMS	839.6	19.17	60	40.83	Pass	461
860	1000	0.1	RMS	976.8	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1679	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




9.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.17	-72.16	-13	59.16	Pass	2986
30	814	0.1	RMS	811.5	-47.08	-13	34.08	Pass	7841
814	860	0.1	RMS	824.8	19.17	60	40.83	Pass	461
860	1000	0.1	RMS	949.6	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	1649	-46.92	-13	33.92	Pass	2001
3000	10000	1	RMS	6802	-45.55	-13	32.55	Pass	7001




9.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.18	-72.69	-13	59.69	Pass	2986
30	814	0.1	RMS	811.6	-48.13	-13	35.13	Pass	7841
814	860	0.1	RMS	824.8	18.4	60	41.6	Pass	461
860	1000	0.1	RMS	929.6	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1649	-47.47	-13	34.47	Pass	2001
3000	10000	1	RMS	6801	-45.71	-13	32.71	Pass	7001




9.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	814	0.1	RMS	811	-64.36	-13	51.36	Pass	7841
814	860	0.1	RMS	829.8	19.21	60	40.79	Pass	461
860	1000	0.1	RMS	877.7	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1659	-48.61	-13	35.61	Pass	2001
3000	10000	1	RMS	6799	-45.67	-13	32.67	Pass	7001




9.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.57	-13	58.57	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	59.34	Pass	2986
30	814	0.1	RMS	810.8	-64.67	-13	51.67	Pass	7841
814	860	0.1	RMS	829.8	18.3	60	41.7	Pass	461
860	1000	0.1	RMS	975.7	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1659	-49.26	-13	36.26	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




9.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.18	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	808.2	-60.28	-13	47.28	Pass	7841
814	860	0.1	RMS	834.8	18.84	60	41.16	Pass	461
860	1000	0.1	RMS	947.3	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	2987	-51.48	-13	38.48	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001



9.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	814	0.1	RMS	808.3	-57.62	-13	44.62	Pass	7841
814	860	0.1	RMS	834.8	18.28	60	41.72	Pass	461
860	1000	0.1	RMS	957.5	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	2988	-51.48	-13	38.48	Pass	2001
3000	10000	1	RMS	6798	-45.73	-13	32.73	Pass	7001



2. LTE_Band26(part90)


2.1. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.93	-13	52.93	Pass	401
0.15	30	0.01	Peak	0.22	-63.47	-13	50.47	Pass	2986
30	809	0.1	Peak	808.9	-53.41	-13	40.41	Pass	7791
809	829	0.1	Peak	814.2	23.13	60	36.87	Pass	401
829	1000	0.1	Peak	846.4	-54.23	-13	41.23	Pass	1711
1000	3000	1	Peak	2836	-39.73	-13	26.73	Pass	2001
3000	10000	1	Peak	7473	-33.86	-13	20.86	Pass	7001




2.2. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.44	-13	52.44	Pass	401
0.15	30	0.01	Peak	0.16	-64.08	-13	51.08	Pass	2986
30	809	0.1	Peak	809	-53.84	-13	40.84	Pass	7791
809	829	0.1	Peak	814.2	23.68	60	36.32	Pass	401
829	1000	0.1	Peak	846.8	-54.11	-13	41.11	Pass	1711
1000	3000	1	Peak	2983	-39.48	-13	26.48	Pass	2001
3000	10000	1	Peak	7660	-34.03	-13	21.03	Pass	7001




2.3. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-65.51	-13	52.51	Pass	401
0.15	30	0.01	Peak	0.83	-64.74	-13	51.74	Pass	2986
30	809	0.1	Peak	650.7	-54.89	-13	41.89	Pass	7791
809	829	0.1	Peak	818.55	24.58	60	35.42	Pass	401
829	1000	0.1	Peak	947.2	-54.31	-13	41.31	Pass	1711
1000	3000	1	Peak	2894	-40.09	-13	27.09	Pass	2001
3000	10000	1	Peak	7763	-33.81	-13	20.81	Pass	7001




2.4. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.85	-13	52.85	Pass	401
0.15	30	0.01	Peak	0.15	-62	-13	49	Pass	2986
30	809	0.1	Peak	802.6	-54.01	-13	41.01	Pass	7791
809	829	0.1	Peak	818.6	24.72	60	35.28	Pass	401
829	1000	0.1	Peak	834.6	-53.28	-13	40.28	Pass	1711
1000	3000	1	Peak	2978	-39.83	-13	26.83	Pass	2001
3000	10000	1	Peak	9255	-32.94	-13	19.94	Pass	7001




2.5. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.22	-13	52.22	Pass	401
0.15	30	0.01	Peak	0.33	-64.76	-13	51.76	Pass	2986
30	809	0.1	Peak	376.9	-55.09	-13	42.09	Pass	7791
809	829	0.1	Peak	822.8	24.28	60	35.72	Pass	401
829	1000	0.1	Peak	829.2	-50.76	-13	37.76	Pass	1711
1000	3000	1	Peak	1646	-36.94	-13	23.94	Pass	2001
3000	10000	1	Peak	7350	-33.99	-13	20.99	Pass	7001




2.6. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.03	-13	53.03	Pass	401
0.15	30	0.01	Peak	0.19	-63.29	-13	50.29	Pass	2986
30	809	0.1	Peak	775.2	-54.88	-13	41.88	Pass	7791
809	829	0.1	Peak	822.9	24.57	60	35.43	Pass	401
829	1000	0.1	Peak	829.2	-50.88	-13	37.88	Pass	1711
1000	3000	1	Peak	1645	-37.03	-13	24.03	Pass	2001
3000	10000	1	Peak	6708	-33.91	-13	20.91	Pass	7001




2.7. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.34	-13	53.34	Pass	401
0.15	30	0.01	Peak	0.16	-62.97	-13	49.97	Pass	2986
30	809	0.1	Peak	809	-49.42	-13	36.42	Pass	7791
809	829	0.1	Peak	814.3	23.59	60	36.41	Pass	401
829	1000	0.1	Peak	909.2	-53.9	-13	40.9	Pass	1711
1000	3000	1	Peak	2972	-39.1	-13	26.1	Pass	2001
3000	10000	1	Peak	6870	-33.42	-13	20.42	Pass	7001




2.8. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.67	-13	52.67	Pass	401
0.15	30	0.01	Peak	0.23	-64.31	-13	51.31	Pass	2986
30	809	0.1	Peak	809	-46.97	-13	33.97	Pass	7791
809	829	0.1	Peak	814.2	23.65	60	36.35	Pass	401
829	1000	0.1	Peak	974.2	-54.38	-13	41.38	Pass	1711
1000	3000	1	Peak	2613	-39.78	-13	26.78	Pass	2001
3000	10000	1	Peak	6967	-33.53	-13	20.53	Pass	7001




2.9. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.39	-13	52.39	Pass	401
0.15	30	0.01	Peak	0.43	-64.65	-13	51.65	Pass	2986
30	809	0.1	Peak	741.4	-54.26	-13	41.26	Pass	7791
809	829	0.1	Peak	817.7	23.47	60	36.53	Pass	401
829	1000	0.1	Peak	829	-54.21	-13	41.21	Pass	1711
1000	3000	1	Peak	2922	-39.72	-13	26.72	Pass	2001
3000	10000	1	Peak	7272	-33.91	-13	20.91	Pass	7001




2.10. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.23	-13	53.23	Pass	401
0.15	30	0.01	Peak	0.16	-64.67	-13	51.67	Pass	2986
30	809	0.1	Peak	713	-53.99	-13	40.99	Pass	7791
809	829	0.1	Peak	817.8	23.64	60	36.36	Pass	401
829	1000	0.1	Peak	852.9	-54.15	-13	41.15	Pass	1711
1000	3000	1	Peak	2960	-39.42	-13	26.42	Pass	2001
3000	10000	1	Peak	7317	-34.06	-13	21.06	Pass	7001




2.11. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.71	-13	52.71	Pass	401
0.15	30	0.01	Peak	0.2	-64.58	-13	51.58	Pass	2986
30	809	0.1	Peak	785.2	-54.07	-13	41.07	Pass	7791
809	829	0.1	Peak	821.2	24	60	36	Pass	401
829	1000	0.1	Peak	829	-51.71	-13	38.71	Pass	1711
1000	3000	1	Peak	1642	-38.45	-13	25.45	Pass	2001
3000	10000	1	Peak	6958	-33.31	-13	20.31	Pass	7001




2.12. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.6	-13	53.6	Pass	401
0.15	30	0.01	Peak	0.29	-65.15	-13	52.15	Pass	2986
30	809	0.1	Peak	761.4	-54.62	-13	41.62	Pass	7791
809	829	0.1	Peak	821.25	24.37	60	35.63	Pass	401
829	1000	0.1	Peak	829	-52.18	-13	39.18	Pass	1711
1000	3000	1	Peak	1643	-38.6	-13	25.6	Pass	2001
3000	10000	1	Peak	6810	-33.68	-13	20.68	Pass	7001




**2.13. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.31	-13	51.31	Pass	401
0.15	30	0.01	Peak	0.22	-64.11	-13	51.11	Pass	2986
30	809	0.1	Peak	809	-49.83	-13	36.83	Pass	7791
809	829	0.1	Peak	814.3	23.28	60	36.72	Pass	401
829	1000	0.1	Peak	918.5	-54.19	-13	41.19	Pass	1711
1000	3000	1	Peak	2906	-39.41	-13	26.41	Pass	2001
3000	10000	1	Peak	7483	-33.61	-13	20.61	Pass	7001




2.14. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.59	-13	52.59	Pass	401
0.15	30	0.01	Peak	1.03	-64.98	-13	51.98	Pass	2986
30	809	0.1	Peak	809	-51.53	-13	38.53	Pass	7791
809	829	0.1	Peak	814.4	23.81	60	36.19	Pass	401
829	1000	0.1	Peak	943.5	-54.25	-13	41.25	Pass	1711
1000	3000	1	Peak	2729	-39.34	-13	26.34	Pass	2001
3000	10000	1	Peak	7750	-33.63	-13	20.63	Pass	7001




2.15. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.54	-13	53.54	Pass	401
0.15	30	0.01	Peak	0.2	-64.17	-13	51.17	Pass	2986
30	809	0.1	Peak	808.2	-43.03	-13	30.03	Pass	7791
809	829	0.1	Peak	816.85	23.92	60	36.08	Pass	401
829	1000	0.1	Peak	829.7	-53.22	-13	40.22	Pass	1711
1000	3000	1	Peak	2982	-39.85	-13	26.85	Pass	2001
3000	10000	1	Peak	7688	-33.84	-13	20.84	Pass	7001




2.16. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.11	-13	53.11	Pass	401
0.15	30	0.01	Peak	0.3	-64.62	-13	51.62	Pass	2986
30	809	0.1	Peak	808.2	-43.8	-13	30.8	Pass	7791
809	829	0.1	Peak	816.85	23.54	60	36.46	Pass	401
829	1000	0.1	Peak	829.7	-52.18	-13	39.18	Pass	1711
1000	3000	1	Peak	2975	-39.74	-13	26.74	Pass	2001
3000	10000	1	Peak	6849	-33.12	-13	20.12	Pass	7001




**2.17. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.93	-13	52.93	Pass	401
0.15	30	0.01	Peak	0.26	-64.74	-13	51.74	Pass	2986
30	809	0.1	Peak	704.2	-55.09	-13	42.09	Pass	7791
809	829	0.1	Peak	819.3	24.34	60	35.66	Pass	401
829	1000	0.1	Peak	829.1	-51.58	-13	38.58	Pass	1711
1000	3000	1	Peak	2975	-39.08	-13	26.08	Pass	2001
3000	10000	1	Peak	7282	-33.95	-13	20.95	Pass	7001




**2.18. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.17	-13	52.17	Pass	401
0.15	30	0.01	Peak	0.23	-64.35	-13	51.35	Pass	2986
30	809	0.1	Peak	796	-54.56	-13	41.56	Pass	7791
809	829	0.1	Peak	819.4	24.9	60	35.1	Pass	401
829	1000	0.1	Peak	829	-51.96	-13	38.96	Pass	1711
1000	3000	1	Peak	2991	-40	-13	27	Pass	2001
3000	10000	1	Peak	8746	-33.61	-13	20.61	Pass	7001




2.19. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.8	-13	53.8	Pass	401
0.15	30	0.01	Peak	0.84	-65.4	-13	52.4	Pass	2986
30	809	0.1	Peak	809	-51.21	-13	38.21	Pass	7791
809	829	0.1	Peak	814.55	23.99	60	36.01	Pass	401
829	1000	0.1	Peak	832.2	-39.21	-13	26.21	Pass	1711
1000	3000	1	Peak	2723	-39.94	-13	26.94	Pass	2001
3000	10000	1	Peak	6788	-33.37	-13	20.37	Pass	7001




2.20. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.14	-13	52.14	Pass	401
0.15	30	0.01	Peak	0.29	-64.35	-13	51.35	Pass	2986
30	809	0.1	Peak	809	-50.07	-13	37.07	Pass	7791
809	829	0.1	Peak	814.55	23.92	60	36.08	Pass	401
829	1000	0.1	Peak	832.3	-38.27	-13	25.27	Pass	1711
1000	3000	1	Peak	2990	-39.96	-13	26.96	Pass	2001
3000	10000	1	Peak	7275	-33.86	-13	20.86	Pass	7001




2.21. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:21, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.76	-13	52.76	Pass	401
0.15	30	0.01	Peak	1.02	-64.37	-13	51.37	Pass	2986
30	809	0.1	Peak	808.8	-51.9	-13	38.9	Pass	7791
809	829	0.1	Peak	814.55	23.9	60	36.1	Pass	401
829	1000	0.1	Peak	832.2	-39.41	-13	26.41	Pass	1711
1000	3000	1	Peak	2948	-39.67	-13	26.67	Pass	2001
3000	10000	1	Peak	7954	-33.67	-13	20.67	Pass	7001




2.22. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:22, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.12	-13	51.12	Pass	401
0.15	30	0.01	Peak	0.37	-64.69	-13	51.69	Pass	2986
30	809	0.1	Peak	808.9	-51.5	-13	38.5	Pass	7791
809	829	0.1	Peak	814.55	23.96	60	36.04	Pass	401
829	1000	0.1	Peak	832.2	-37.61	-13	24.61	Pass	1711
1000	3000	1	Peak	2968	-39.9	-13	26.9	Pass	2001
3000	10000	1	Peak	7227	-33.82	-13	20.82	Pass	7001




2.23. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:23, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.62	-13	53.62	Pass	401
0.15	30	0.01	Peak	0.78	-63.94	-13	50.94	Pass	2986
30	809	0.1	Peak	809	-51.28	-13	38.28	Pass	7791
809	829	0.1	Peak	814.6	23.95	60	36.05	Pass	401
829	1000	0.1	Peak	832.2	-38.3	-13	25.3	Pass	1711
1000	3000	1	Peak	2831	-40.17	-13	27.17	Pass	2001
3000	10000	1	Peak	6955	-33.6	-13	20.6	Pass	7001



2.24. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:24, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.45	-13	50.45	Pass	401
0.15	30	0.01	Peak	0.2	-64.46	-13	51.46	Pass	2986
30	809	0.1	Peak	808.9	-50.77	-13	37.77	Pass	7791
809	829	0.1	Peak	814.55	23.98	60	36.02	Pass	401
829	1000	0.1	Peak	832.2	-37.56	-13	24.56	Pass	1711
1000	3000	1	Peak	2837	-40.03	-13	27.03	Pass	2001
3000	10000	1	Peak	7066	-33.44	-13	20.44	Pass	7001



10. LTE_Band66


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	994.897	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1699	-53.55	-13	40.55	Pass	701
1700	1790	1	RMS	1710.125	21.71	60	38.29	Pass	401
1790	3000	1	RMS	2981	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	11997	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13602	-39.7	-13	26.7	Pass	8001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	974.983	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1700	-53.48	-13	40.48	Pass	701
1700	1790	1	RMS	1710.125	20.97	60	39.03	Pass	401
1790	3000	1	RMS	2988	-51.33	-13	38.33	Pass	1211
3000	12000	1	RMS	11999	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13601	-39.81	-13	26.81	Pass	8001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	836	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1695	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1744.55	21.75	60	38.25	Pass	401
1790	3000	1	RMS	2992	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	3489	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	13605	-39.86	-13	26.86	Pass	8001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.19	-72.99	-13	59.99	Pass	2986
30	1000	0.1	RMS	844.3	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1681	-54.06	-13	41.06	Pass	701
1700	1790	1	RMS	1744.55	20.94	60	39.06	Pass	401
1790	3000	1	RMS	2995	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	3489	-43.48	-13	30.48	Pass	9002
12000	20000	1	RMS	13604	-39.82	-13	26.82	Pass	8001



10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	987.592	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1696	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1778.75	21.74	60	38.26	Pass	401
1790	3000	1	RMS	2991	-51.49	-13	38.49	Pass	1211
3000	12000	1	RMS	12000	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13602	-39.81	-13	26.81	Pass	8001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	947.365	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1677	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1778.75	21.06	60	38.94	Pass	401
1790	3000	1	RMS	2978	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11999	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	996.898	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1700	-53.33	-13	40.33	Pass	701
1700	1790	1	RMS	1710.125	21.65	60	38.35	Pass	401
1790	3000	1	RMS	2991	-51.51	-13	38.51	Pass	1211
3000	12000	1	RMS	11997	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001



10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	941.161	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1700	-53.45	-13	40.45	Pass	701
1700	1790	1	RMS	1710.125	20.85	60	39.15	Pass	401
1790	3000	1	RMS	2935	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	11998	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13605	-39.81	-13	26.81	Pass	8001




10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	858.806	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1680	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1743.65	21.76	60	38.24	Pass	401
1790	3000	1	RMS	2994	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	11994	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13602	-39.8	-13	26.8	Pass	8001




10.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	876.618	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1678	-54.06	-13	41.06	Pass	701
1700	1790	1	RMS	1743.65	21.06	60	38.94	Pass	401
1790	3000	1	RMS	2992	-51.49	-13	38.49	Pass	1211
3000	12000	1	RMS	12000	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13603	-39.89	-13	26.89	Pass	8001




10.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.17	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	867.212	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1677	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1777.175	21.62	60	38.38	Pass	401
1790	3000	1	RMS	2998	-51.49	-13	38.49	Pass	1211
3000	12000	1	RMS	12000	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001




10.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	854.704	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1680	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1777.175	20.86	60	39.14	Pass	401
1790	3000	1	RMS	2992	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	11992	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13601	-39.81	-13	26.81	Pass	8001




10.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.16	-72.74	-13	59.74	Pass	2986
30	1000	0.1	RMS	840.7	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1697	-52.14	-13	39.14	Pass	701
1700	1790	1	RMS	1710.125	21.68	60	38.32	Pass	401
1790	3000	1	RMS	2930	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	11995	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




10.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	842.2	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1697	-52.39	-13	39.39	Pass	701
1700	1790	1	RMS	1710.125	20.96	60	39.04	Pass	401
1790	3000	1	RMS	2994	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13604	-39.81	-13	26.81	Pass	8001




10.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	967.979	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1677	-54.03	-13	41.03	Pass	701
1700	1790	1	RMS	1742.75	22.11	60	37.89	Pass	401
1790	3000	1	RMS	2997	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11999	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13602	-39.86	-13	26.86	Pass	8001




10.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	993.996	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1684	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1742.75	21.44	60	38.56	Pass	401
1790	3000	1	RMS	2988	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11996	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.83	-13	26.83	Pass	8001




10.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	856.405	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1698	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1775.15	21.71	60	38.29	Pass	401
1790	3000	1	RMS	3000	-51.33	-13	38.33	Pass	1211
3000	12000	1	RMS	11995	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13599	-39.83	-13	26.83	Pass	8001




10.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	59.59	Pass	2986
30	1000	0.1	RMS	848.4	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1675	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1775.15	21.17	60	38.83	Pass	401
1790	3000	1	RMS	2990	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	11995	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13598	-39.8	-13	26.8	Pass	8001




10.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	848	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1693	-52.03	-13	39.03	Pass	701
1700	1790	1	RMS	1710.575	21.87	60	38.13	Pass	401
1790	3000	1	RMS	2989	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	11983	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13604	-39.83	-13	26.83	Pass	8001




10.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	842.1	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1693	-50.83	-13	37.83	Pass	701
1700	1790	1	RMS	1710.575	21.16	60	38.84	Pass	401
1790	3000	1	RMS	2990	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	11998	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13603	-39.74	-13	26.74	Pass	8001




10.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	991.795	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1697	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1740.5	22.13	60	37.87	Pass	401
1790	3000	1	RMS	2998	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	3481	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13601	-39.86	-13	26.86	Pass	8001




10.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.17	-72.81	-13	59.81	Pass	2986
30	1000	0.1	RMS	837.7	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1679	-54.13	-13	41.13	Pass	701
1700	1790	1	RMS	1740.5	21.45	60	38.55	Pass	401
1790	3000	1	RMS	2990	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	11999	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13603	-39.86	-13	26.86	Pass	8001




10.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.17	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	983.289	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1700	-54.06	-13	41.06	Pass	701
1700	1790	1	RMS	1770.425	21.99	60	38.01	Pass	401
1790	3000	1	RMS	2932	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	11995	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.82	-13	26.82	Pass	8001



10.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.17	-13	60.17	Pass	401
0.15	30	0.01	RMS	0.18	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	861.108	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1700	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1770.425	21.28	60	38.72	Pass	401
1790	3000	1	RMS	2980	-51.49	-13	38.49	Pass	1211
3000	12000	1	RMS	11999	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13605	-39.83	-13	26.83	Pass	8001




10.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	849.8	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1698	-44.47	-13	31.47	Pass	701
1700	1790	1	RMS	1710.8	21.65	60	38.35	Pass	401
1790	3000	1	RMS	2986	-51.49	-13	38.49	Pass	1211
3000	12000	1	RMS	11993	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13599	-39.79	-13	26.79	Pass	8001



10.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	842.6	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1697	-45.12	-13	32.12	Pass	701
1700	1790	1	RMS	1710.8	20.97	60	39.03	Pass	401
1790	3000	1	RMS	2997	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11997	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13599	-39.88	-13	26.88	Pass	8001




10.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.2	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	994.997	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1700	-53.98	-13	40.98	Pass	701
1700	1790	1	RMS	1738.25	21.9	60	38.1	Pass	401
1790	3000	1	RMS	2987	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	3477	-43.01	-13	30.01	Pass	9002
12000	20000	1	RMS	13600	-39.83	-13	26.83	Pass	8001




10.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	841.6	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1700	-53.97	-13	40.97	Pass	701
1700	1790	1	RMS	1738.25	21.26	60	38.74	Pass	401
1790	3000	1	RMS	2987	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	3477	-43.47	-13	30.47	Pass	9002
12000	20000	1	RMS	13601	-39.85	-13	26.85	Pass	8001




10.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-72.82	-13	59.82	Pass	2986
30	1000	0.1	RMS	845	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1696	-54.07	-13	41.07	Pass	701
1700	1790	1	RMS	1765.7	21.92	60	38.08	Pass	401
1790	3000	1	RMS	1792	-50.73	-13	37.73	Pass	1211
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13599	-39.66	-13	26.66	Pass	8001



10.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.38	-13	60.38	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	981.988	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1696	-53.97	-13	40.97	Pass	701
1700	1790	1	RMS	1765.7	21.06	60	38.94	Pass	401
1790	3000	1	RMS	1792	-49.93	-13	36.93	Pass	1211
3000	12000	1	RMS	12000	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13600	-39.81	-13	26.81	Pass	8001




10.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	853.103	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1693	-46.46	-13	33.46	Pass	701
1700	1790	1	RMS	1711.025	21.77	60	38.23	Pass	401
1790	3000	1	RMS	2987	-51.5	-13	38.5	Pass	1211
3000	12000	1	RMS	12000	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13609	-39.88	-13	26.88	Pass	8001




10.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-13	59.51	Pass	2986
30	1000	0.1	RMS	987.592	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1693	-47.81	-13	34.81	Pass	701
1700	1790	1	RMS	1711.025	21.06	60	38.94	Pass	401
1790	3000	1	RMS	2985	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	11999	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13600	-39.9	-13	26.9	Pass	8001




10.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	59.44	Pass	2986
30	1000	0.1	RMS	823.5	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1700	-48.2	-13	35.2	Pass	701
1700	1790	1	RMS	1736	21.99	60	38.01	Pass	401
1790	3000	1	RMS	2988	-51.49	-13	38.49	Pass	1211
3000	12000	1	RMS	3472	-41.19	-13	28.19	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




10.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-13	59.57	Pass	2986
30	1000	0.1	RMS	890.628	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1700	-47.75	-13	34.75	Pass	701
1700	1790	1	RMS	1736	21.35	60	38.65	Pass	401
1790	3000	1	RMS	2934	-51.49	-13	38.49	Pass	1211
3000	12000	1	RMS	3472	-41.79	-13	28.79	Pass	9002
12000	20000	1	RMS	13603	-39.92	-13	26.92	Pass	8001




10.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	833	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1698	-54	-13	41	Pass	701
1700	1790	1	RMS	1760.975	21.86	60	38.14	Pass	401
1790	3000	1	RMS	2969	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11894	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13602	-39.8	-13	26.8	Pass	8001



10.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	981.588	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1698	-54.06	-13	41.06	Pass	701
1700	1790	1	RMS	1760.975	21.11	60	38.89	Pass	401
1790	3000	1	RMS	2983	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11996	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13601	-39.69	-13	26.69	Pass	8001



11. LTE_Band71


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.17	-71.64	-13	58.64	Pass	2986
30	653	0.1	RMS	652.7	-65.83	-13	52.83	Pass	6231
653	709	0.1	RMS	663.3	19.37	60	40.63	Pass	561
709	1000	0.1	RMS	979.2	-65.15	-13	52.15	Pass	2911
1000	3000	1	RMS	1326	-51.16	-13	38.16	Pass	2001
3000	10000	1	RMS	6801	-45.71	-13	32.71	Pass	7001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:133147, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	0.17	-72.86	-13	59.86	Pass	2986
30	653	0.1	RMS	652.6	-65.87	-13	52.87	Pass	6231
653	709	0.1	RMS	663.3	18.47	60	41.53	Pass	561
709	1000	0.1	RMS	976.2	-65.1	-13	52.1	Pass	2911
1000	3000	1	RMS	2986	-51.5	-13	38.5	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.55	-13	60.55	Pass	401
0.15	30	0.01	RMS	0.25	-72.33	-13	59.33	Pass	2986
30	653	0.1	RMS	495.9	-66.05	-13	53.05	Pass	6231
653	709	0.1	RMS	678.3	19.25	60	40.75	Pass	561
709	1000	0.1	RMS	979.1	-65.15	-13	52.15	Pass	2911
1000	3000	1	RMS	1356	-50.34	-13	37.34	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:133297, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	653	0.1	RMS	489.8	-66.17	-13	53.17	Pass	6231
653	709	0.1	RMS	678.3	18.52	60	41.48	Pass	561
709	1000	0.1	RMS	850.2	-65.24	-13	52.24	Pass	2911
1000	3000	1	RMS	1356	-51.03	-13	38.03	Pass	2001
3000	10000	1	RMS	6801	-45.67	-13	32.67	Pass	7001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.16	-73.03	-13	60.03	Pass	2986
30	653	0.1	RMS	486.1	-66.09	-13	53.09	Pass	6231
653	709	0.1	RMS	693.3	19.2	60	40.8	Pass	561
709	1000	0.1	RMS	949.4	-65.12	-13	52.12	Pass	2911
1000	3000	1	RMS	1386	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	6799	-45.62	-13	32.62	Pass	7001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:133447, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.17	-72.57	-13	59.57	Pass	2986
30	653	0.1	RMS	495.6	-66.18	-13	53.18	Pass	6231
653	709	0.1	RMS	693.3	18.42	60	41.58	Pass	561
709	1000	0.1	RMS	929.2	-65.21	-13	52.21	Pass	2911
1000	3000	1	RMS	1386	-50.6	-13	37.6	Pass	2001
3000	10000	1	RMS	6806	-45.73	-13	32.73	Pass	7001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	59.26	Pass	2986
30	653	0.1	RMS	652.9	-65.59	-13	52.59	Pass	6231
653	709	0.1	RMS	663.6	19.82	60	40.18	Pass	561
709	1000	0.1	RMS	834.4	-64.97	-13	51.97	Pass	2911
1000	3000	1	RMS	3000	-51.45	-13	38.45	Pass	2001
3000	10000	1	RMS	6798	-45.71	-13	32.71	Pass	7001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:133172, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.31	-13	60.31	Pass	401
0.15	30	0.01	RMS	0.22	-71.92	-13	58.92	Pass	2986
30	653	0.1	RMS	652.9	-65.85	-13	52.85	Pass	6231
653	709	0.1	RMS	663.6	19.01	60	40.99	Pass	561
709	1000	0.1	RMS	991.7	-65.11	-13	52.11	Pass	2911
1000	3000	1	RMS	2990	-51.44	-13	38.44	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.32	-73.07	-13	60.07	Pass	2986
30	653	0.1	RMS	615.3	-66.13	-13	53.13	Pass	6231
653	709	0.1	RMS	676.1	20.02	60	39.98	Pass	561
709	1000	0.1	RMS	862.1	-65.12	-13	52.12	Pass	2911
1000	3000	1	RMS	1352	-50.4	-13	37.4	Pass	2001
3000	10000	1	RMS	6798	-45.66	-13	32.66	Pass	7001




11.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:133297, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.15	-72.72	-13	59.72	Pass	2986
30	653	0.1	RMS	489.3	-66.06	-13	53.06	Pass	6231
653	709	0.1	RMS	676.1	19.07	60	40.93	Pass	561
709	1000	0.1	RMS	862.2	-64.95	-13	51.95	Pass	2911
1000	3000	1	RMS	1352	-50.94	-13	37.94	Pass	2001
3000	10000	1	RMS	6799	-45.73	-13	32.73	Pass	7001




11.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.17	-72.88	-13	59.88	Pass	2986
30	653	0.1	RMS	486.2	-66.15	-13	53.15	Pass	6231
653	709	0.1	RMS	688.6	19.33	60	40.67	Pass	561
709	1000	0.1	RMS	888.6	-64.97	-13	51.97	Pass	2911
1000	3000	1	RMS	1377	-50.87	-13	37.87	Pass	2001
3000	10000	1	RMS	6802	-45.65	-13	32.65	Pass	7001




11.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:133422, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	59.34	Pass	2986
30	653	0.1	RMS	480.5	-66.1	-13	53.1	Pass	6231
653	709	0.1	RMS	688.6	18.7	60	41.3	Pass	561
709	1000	0.1	RMS	981.9	-65.04	-13	52.04	Pass	2911
1000	3000	1	RMS	1377	-51.41	-13	38.41	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




11.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	653	0.1	RMS	509.1	-66.05	-13	53.05	Pass	6231
653	709	0.1	RMS	663.8	19.28	60	40.72	Pass	561
709	1000	0.1	RMS	833.9	-65.03	-13	52.03	Pass	2911
1000	3000	1	RMS	2978	-51.46	-13	38.46	Pass	2001
3000	10000	1	RMS	6801	-45.64	-13	32.64	Pass	7001




11.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:133197, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	653	0.1	RMS	484.3	-66.01	-13	53.01	Pass	6231
653	709	0.1	RMS	663.8	18.35	60	41.65	Pass	561
709	1000	0.1	RMS	928.9	-65.18	-13	52.18	Pass	2911
1000	3000	1	RMS	2995	-51.46	-13	38.46	Pass	2001
3000	10000	1	RMS	6797	-45.68	-13	32.68	Pass	7001




11.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.17	-72.68	-13	59.68	Pass	2986
30	653	0.1	RMS	630.2	-66.06	-13	53.06	Pass	6231
653	709	0.1	RMS	673.8	19.53	60	40.47	Pass	561
709	1000	0.1	RMS	849	-65.22	-13	52.22	Pass	2911
1000	3000	1	RMS	1347	-49.7	-13	36.7	Pass	2001
3000	10000	1	RMS	6801	-45.65	-13	32.65	Pass	7001




11.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:133297, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	59.55	Pass	2986
30	653	0.1	RMS	494	-66.08	-13	53.08	Pass	6231
653	709	0.1	RMS	673.8	18.54	60	41.46	Pass	561
709	1000	0.1	RMS	885.5	-65.16	-13	52.16	Pass	2911
1000	3000	1	RMS	1347	-50.4	-13	37.4	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




11.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	653	0.1	RMS	622.9	-66.1	-13	53.1	Pass	6231
653	709	0.1	RMS	683.8	18.61	60	41.39	Pass	561
709	1000	0.1	RMS	851.4	-65.11	-13	52.11	Pass	2911
1000	3000	1	RMS	1367	-50.65	-13	37.65	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




11.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:133397, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.26	-72.45	-13	59.45	Pass	2986
30	653	0.1	RMS	484.5	-66.11	-13	53.11	Pass	6231
653	709	0.1	RMS	683.8	17.94	60	42.06	Pass	561
709	1000	0.1	RMS	889.9	-65.02	-13	52.02	Pass	2911
1000	3000	1	RMS	1367	-51.26	-13	38.26	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




11.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-13	59.68	Pass	2986
30	653	0.1	RMS	490.8	-66.12	-13	53.12	Pass	6231
653	709	0.1	RMS	664.1	19.91	60	40.09	Pass	561
709	1000	0.1	RMS	854.8	-65	-13	52	Pass	2911
1000	3000	1	RMS	2988	-51.45	-13	38.45	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




11.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:133222, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.2	-72.24	-13	59.24	Pass	2986
30	653	0.1	RMS	603.5	-66.05	-13	53.05	Pass	6231
653	709	0.1	RMS	664.1	19.11	60	40.89	Pass	561
709	1000	0.1	RMS	840	-65.07	-13	52.07	Pass	2911
1000	3000	1	RMS	2999	-51.45	-13	38.45	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001




11.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:133297, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	58.25	Pass	2986
30	653	0.1	RMS	502.4	-65.99	-13	52.99	Pass	6231
653	709	0.1	RMS	671.6	19.79	60	40.21	Pass	561
709	1000	0.1	RMS	990.9	-65.04	-13	52.04	Pass	2911
1000	3000	1	RMS	1343	-50.25	-13	37.25	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




11.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:133297, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	59.54	Pass	2986
30	653	0.1	RMS	594.9	-66.16	-13	53.16	Pass	6231
653	709	0.1	RMS	671.6	19.13	60	40.87	Pass	561
709	1000	0.1	RMS	853.8	-65.19	-13	52.19	Pass	2911
1000	3000	1	RMS	1343	-50.92	-13	37.92	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001




11.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.17	-72.39	-13	59.39	Pass	2986
30	653	0.1	RMS	509.8	-65.97	-13	52.97	Pass	6231
653	709	0.1	RMS	679.1	19.83	60	40.17	Pass	561
709	1000	0.1	RMS	973.9	-65	-13	52	Pass	2911
1000	3000	1	RMS	1358	-50.24	-13	37.24	Pass	2001
3000	10000	1	RMS	6802	-45.65	-13	32.65	Pass	7001



11.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:133372, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	653	0.1	RMS	506.7	-66.04	-13	53.04	Pass	6231
653	709	0.1	RMS	679.1	19	60	41	Pass	561
709	1000	0.1	RMS	838.7	-65.14	-13	52.14	Pass	2911
1000	3000	1	RMS	1358	-50.81	-13	37.81	Pass	2001
3000	10000	1	RMS	6799	-45.67	-13	32.67	Pass	7001



12. LTE_Band38


**12.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1,
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.55	-25	43.55	Pass	401
0.15	30	0.01	RMS	0.16	-68.44	-25	43.44	Pass	2986
30	1000	0.1	RMS	927.052	-61.4	-25	36.4	Pass	9701
1000	2560	1	RMS	2560	-48.03	-25	23.03	Pass	1561
2560	2630	1	RMS	2570.15	20.95	60	39.05	Pass	401
2630	3000	1	RMS	2900.1	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5141	-46.88	-25	21.88	Pass	9002
12000	26500	1	RMS	25501	-50.91	-25	25.91	Pass	14502




12.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.84	-25	42.84	Pass	401
0.15	30	0.01	RMS	0.16	-68.52	-25	43.52	Pass	2986
30	1000	0.1	RMS	843.7	-61.37	-25	36.37	Pass	9701
1000	2560	1	RMS	2557	-47.9	-25	22.9	Pass	1561
2560	2630	1	RMS	2570.15	20.34	60	39.66	Pass	401
2630	3000	1	RMS	2901.025	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	5141	-47.72	-25	22.72	Pass	9002
12000	26500	1	RMS	25490	-50.9	-25	25.9	Pass	14502




12.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.06	-25	44.06	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	875.217	-61.44	-25	36.44	Pass	9701
1000	2560	1	RMS	2526	-48.36	-25	23.36	Pass	1561
2560	2630	1	RMS	2592.9	19.83	60	40.17	Pass	401
2630	3000	1	RMS	2899.175	-46.32	-25	21.32	Pass	401
3000	12000	1	RMS	5186	-48.31	-25	23.31	Pass	9002
12000	26500	1	RMS	25499	-50.87	-25	25.87	Pass	14502




12.37. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-69.1	-25	44.1	Pass	401
0.15	30	0.01	RMS	0.16	-68.14	-25	43.14	Pass	2986
30	1000	0.1	RMS	966.178	-61.44	-25	36.44	Pass	9701
1000	2560	1	RMS	2525	-48.27	-25	23.27	Pass	1561
2560	2630	1	RMS	2592.9	19.17	60	40.83	Pass	401
2630	3000	1	RMS	2899.175	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	11955	-49.84	-25	24.84	Pass	9002
12000	26500	1	RMS	25507	-50.9	-25	25.9	Pass	14502




12.38. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.78	-25	43.78	Pass	401
0.15	30	0.01	RMS	0.15	-67.66	-25	42.66	Pass	2986
30	1000	0.1	RMS	850.201	-61.48	-25	36.48	Pass	9701
1000	2560	1	RMS	2534	-48.33	-25	23.33	Pass	1561
2560	2630	1	RMS	2615.125	20.5	60	39.5	Pass	401
2630	3000	1	RMS	2902.875	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5231	-47.74	-25	22.74	Pass	9002
12000	26500	1	RMS	25494	-50.93	-25	25.93	Pass	14502




12.39. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.51	-25	43.51	Pass	401
0.15	30	0.01	RMS	0.15	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	872.516	-61.44	-25	36.44	Pass	9701
1000	2560	1	RMS	2497	-48.31	-25	23.31	Pass	1561
2560	2630	1	RMS	2615.3	20.08	60	39.92	Pass	401
2630	3000	1	RMS	2900.1	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	5231	-48.52	-25	23.52	Pass	9002
12000	26500	1	RMS	25493	-50.94	-25	25.94	Pass	14502




12.40. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.52	-25	43.52	Pass	401
0.15	30	0.01	RMS	0.15	-68.05	-25	43.05	Pass	2986
30	1000	0.1	RMS	854.904	-61.38	-25	36.38	Pass	9701
1000	2560	1	RMS	2553	-44.53	-25	19.53	Pass	1561
2560	2630	1	RMS	2570.675	20.99	60	39.01	Pass	401
2630	3000	1	RMS	2903.8	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	5141	-46.5	-25	21.5	Pass	9002
12000	26500	1	RMS	25506	-50.89	-25	25.89	Pass	14502




12.41. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.22	-25	43.22	Pass	401
0.15	30	0.01	RMS	0.19	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	888.526	-61.52	-25	36.52	Pass	9701
1000	2560	1	RMS	2553	-44.34	-25	19.34	Pass	1561
2560	2630	1	RMS	2570.325	20.09	60	39.91	Pass	401
2630	3000	1	RMS	2901.025	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	5141	-48.1	-25	23.1	Pass	9002
12000	26500	1	RMS	25502	-50.9	-25	25.9	Pass	14502




12.42. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.26	-25	43.26	Pass	401
0.15	30	0.01	RMS	0.15	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	967.078	-61.36	-25	36.36	Pass	9701
1000	2560	1	RMS	2526	-48.29	-25	23.29	Pass	1561
2560	2630	1	RMS	2590.625	19.53	60	40.47	Pass	401
2630	3000	1	RMS	2901.95	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5181	-49.49	-25	24.49	Pass	9002
12000	26500	1	RMS	25498	-50.95	-25	25.95	Pass	14502




12.43. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.04	-25	44.04	Pass	401
0.15	30	0.01	RMS	0.15	-68.69	-25	43.69	Pass	2986
30	1000	0.1	RMS	851.402	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2524	-48.38	-25	23.38	Pass	1561
2560	2630	1	RMS	2590.45	19.31	60	40.69	Pass	401
2630	3000	1	RMS	2909.35	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	5181	-47.84	-25	22.84	Pass	9002
12000	26500	1	RMS	25494	-50.95	-25	25.95	Pass	14502




12.44. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.75	-25	43.75	Pass	401
0.15	30	0.01	RMS	0.15	-68.27	-25	43.27	Pass	2986
30	1000	0.1	RMS	964.276	-61.52	-25	36.52	Pass	9701
1000	2560	1	RMS	2502	-48.34	-25	23.34	Pass	1561
2560	2630	1	RMS	2610.4	19.98	60	40.02	Pass	401
2630	3000	1	RMS	2900.1	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11967	-49.88	-25	24.88	Pass	9002
12000	26500	1	RMS	25507	-50.92	-25	25.92	Pass	14502




12.45. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.26	-68.34	-25	43.34	Pass	2986
30	1000	0.1	RMS	887.125	-61.43	-25	36.43	Pass	9701
1000	2560	1	RMS	2518	-48.37	-25	23.37	Pass	1561
2560	2630	1	RMS	2610.4	19.43	60	40.57	Pass	401
2630	3000	1	RMS	2901.025	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	11961	-49.9	-25	24.9	Pass	9002
12000	26500	1	RMS	25499	-50.98	-25	25.98	Pass	14502




12.46. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.45	-25	44.45	Pass	401
0.15	30	0.01	RMS	0.18	-67.83	-25	42.83	Pass	2986
30	1000	0.1	RMS	850.701	-61.44	-25	36.44	Pass	9701
1000	2560	1	RMS	2558	-40.8	-25	15.8	Pass	1561
2560	2630	1	RMS	2570.675	20.21	60	39.79	Pass	401
2630	3000	1	RMS	2900.1	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	5141	-49.45	-25	24.45	Pass	9002
12000	26500	1	RMS	25897	-50.88	-25	25.88	Pass	14502




12.47. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.65	-25	43.65	Pass	401
0.15	30	0.01	RMS	0.15	-67.67	-25	42.67	Pass	2986
30	1000	0.1	RMS	872.516	-61.44	-25	36.44	Pass	9701
1000	2560	1	RMS	2558	-38.6	-25	13.6	Pass	1561
2560	2630	1	RMS	2570.675	19.37	60	40.63	Pass	401
2630	3000	1	RMS	2905.65	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11952	-49.87	-25	24.87	Pass	9002
12000	26500	1	RMS	25503	-50.91	-25	25.91	Pass	14502




12.48. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.65	-25	43.65	Pass	401
0.15	30	0.01	RMS	0.19	-68.91	-25	43.91	Pass	2986
30	1000	0.1	RMS	945.064	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2533	-48.36	-25	23.36	Pass	1561
2560	2630	1	RMS	2588.175	19.64	60	40.36	Pass	401
2630	3000	1	RMS	2900.1	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5177	-48.88	-25	23.88	Pass	9002
12000	26500	1	RMS	25510	-50.94	-25	25.94	Pass	14502




12.49. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.91	-25	43.91	Pass	401
0.15	30	0.01	RMS	0.15	-68.3	-25	43.3	Pass	2986
30	1000	0.1	RMS	904.537	-61.48	-25	36.48	Pass	9701
1000	2560	1	RMS	2489	-48.35	-25	23.35	Pass	1561
2560	2630	1	RMS	2588.35	18.69	60	41.31	Pass	401
2630	3000	1	RMS	2900.1	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	5177	-49.03	-25	24.03	Pass	9002
12000	26500	1	RMS	25501	-50.93	-25	25.93	Pass	14502




12.50. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.11	-25	43.11	Pass	401
0.15	30	0.01	RMS	0.15	-67.52	-25	42.52	Pass	2986
30	1000	0.1	RMS	974.583	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2502	-48.31	-25	23.31	Pass	1561
2560	2630	1	RMS	2605.675	19.84	60	40.16	Pass	401
2630	3000	1	RMS	2897.325	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	11957	-49.88	-25	24.88	Pass	9002
12000	26500	1	RMS	25501	-50.88	-25	25.88	Pass	14502




12.51. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.41	-25	42.41	Pass	401
0.15	30	0.01	RMS	0.15	-68.27	-25	43.27	Pass	2986
30	1000	0.1	RMS	983.289	-61.33	-25	36.33	Pass	9701
1000	2560	1	RMS	2491	-48.31	-25	23.31	Pass	1561
2560	2630	1	RMS	2605.85	19.61	60	40.39	Pass	401
2630	3000	1	RMS	2900.1	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	11948	-49.89	-25	24.89	Pass	9002
12000	26500	1	RMS	25489	-50.94	-25	25.94	Pass	14502




12.52. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.11	-25	43.11	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	972.882	-61.45	-25	36.45	Pass	9701
1000	2560	1	RMS	2554	-43.5	-25	18.5	Pass	1561
2560	2630	1	RMS	2571.025	21.05	60	38.95	Pass	401
2630	3000	1	RMS	2900.1	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11994	-49.93	-25	24.93	Pass	9002
12000	26500	1	RMS	25499	-50.99	-25	25.99	Pass	14502




12.53. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.64	-25	43.64	Pass	401
0.15	30	0.01	RMS	0.15	-67.24	-25	42.24	Pass	2986
30	1000	0.1	RMS	978.986	-61.42	-25	36.42	Pass	9701
1000	2560	1	RMS	2553	-41.11	-25	16.11	Pass	1561
2560	2630	1	RMS	2571.025	20.19	60	39.81	Pass	401
2630	3000	1	RMS	2902.875	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11958	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25509	-50.86	-25	25.86	Pass	14502




12.54. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.4	-25	42.4	Pass	401
0.15	30	0.01	RMS	0.15	-67.79	-25	42.79	Pass	2986
30	1000	0.1	RMS	927.452	-61.38	-25	36.38	Pass	9701
1000	2560	1	RMS	2550	-46.42	-25	21.42	Pass	1561
2560	2630	1	RMS	2585.9	20.53	60	39.47	Pass	401
2630	3000	1	RMS	2900.1	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	5172	-49.66	-25	24.66	Pass	9002
12000	26500	1	RMS	25501	-50.94	-25	25.94	Pass	14502




12.55. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.89	-25	43.89	Pass	401
0.15	30	0.01	RMS	0.17	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	906.238	-61.4	-25	36.4	Pass	9701
1000	2560	1	RMS	2551	-43.71	-25	18.71	Pass	1561
2560	2630	1	RMS	2586.075	19.95	60	40.05	Pass	401
2630	3000	1	RMS	2900.1	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11982	-49.89	-25	24.89	Pass	9002
12000	26500	1	RMS	25508	-50.86	-25	25.86	Pass	14502




12.56. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.95	-25	42.95	Pass	401
0.15	30	0.01	RMS	0.15	-68.41	-25	43.41	Pass	2986
30	1000	0.1	RMS	981.988	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2503	-48.32	-25	23.32	Pass	1561
2560	2630	1	RMS	2600.95	19.98	60	40.02	Pass	401
2630	3000	1	RMS	2636.475	-44.82	-25	19.82	Pass	401
3000	12000	1	RMS	5202	-47.76	-25	22.76	Pass	9002
12000	26500	1	RMS	25499	-50.85	-25	25.85	Pass	14502



12.57. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.62	-25	43.62	Pass	401
0.15	30	0.01	RMS	0.21	-68.39	-25	43.39	Pass	2986
30	1000	0.1	RMS	852.702	-61.25	-25	36.25	Pass	9701
1000	2560	1	RMS	2512	-48.36	-25	23.36	Pass	1561
2560	2630	1	RMS	2601.125	19.07	60	40.93	Pass	401
2630	3000	1	RMS	2636.475	-44.42	-25	19.42	Pass	401
3000	12000	1	RMS	11956	-49.87	-25	24.87	Pass	9002
12000	26500	1	RMS	25495	-50.87	-25	25.87	Pass	14502



13. LTE_Band41 full


13.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.06	-25	43.06	Pass	401
0.15	30	0.01	RMS	0.2	-68.45	-25	43.45	Pass	2986
30	1000	0.1	RMS	535.6	-60.74	-25	35.74	Pass	9701
1000	2486	1	RMS	2484	-47.88	-25	22.88	Pass	1487
2486	2700	1	RMS	2496.165	21.86	60	38.14	Pass	401
2700	3000	1	RMS	2899.5	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	4993	-53.83	-25	28.83	Pass	9002
12000	26500	1	RMS	25498	-50.27	-25	25.27	Pass	14502




13.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.58	-25	42.58	Pass	401
0.15	30	0.01	RMS	0.15	-67.48	-25	42.48	Pass	2986
30	1000	0.1	RMS	847.8	-61.48	-25	36.48	Pass	9701
1000	2486	1	RMS	2483	-47.66	-25	22.66	Pass	1487
2486	2700	1	RMS	2496.165	20.58	60	39.42	Pass	401
2700	3000	1	RMS	2901.75	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	4993	-48.26	-25	23.26	Pass	9002
12000	26500	1	RMS	25509	-50.29	-25	25.29	Pass	14502



13.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.75	-25	43.75	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	984.29	-61.43	-25	36.43	Pass	9701
1000	2486	1	RMS	2482	-48.51	-25	23.51	Pass	1487
2486	2700	1	RMS	2590.325	20.58	60	39.42	Pass	401
2700	3000	1	RMS	2899.5	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5181	-52.11	-25	27.11	Pass	9002
12000	26500	1	RMS	25507	-50.17	-25	25.17	Pass	14502




13.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.67	-25	43.67	Pass	401
0.15	30	0.01	RMS	0.16	-68.56	-25	43.56	Pass	2986
30	1000	0.1	RMS	983.889	-61.42	-25	36.42	Pass	9701
1000	2486	1	RMS	2486	-48.44	-25	23.44	Pass	1487
2486	2700	1	RMS	2590.325	20.55	60	39.45	Pass	401
2700	3000	1	RMS	2903.25	-46.32	-25	21.32	Pass	401
3000	12000	1	RMS	5181	-55.14	-25	30.14	Pass	9002
12000	26500	1	RMS	25501	-50.15	-25	25.15	Pass	14502




13.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.53	-25	43.53	Pass	401
0.15	30	0.01	RMS	0.15	-67.09	-25	42.09	Pass	2986
30	1000	0.1	RMS	724.7	-60.88	-25	35.88	Pass	9701
1000	2486	1	RMS	2480	-48.54	-25	23.54	Pass	1487
2486	2700	1	RMS	2685.02	22.91	60	37.09	Pass	401
2700	3000	1	RMS	2899.5	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	5371	-49.33	-25	24.33	Pass	9002
12000	26500	1	RMS	25507	-50.22	-25	25.22	Pass	14502



13.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.99	-25	43.99	Pass	401
0.15	30	0.01	RMS	0.15	-67.53	-25	42.53	Pass	2986
30	1000	0.1	RMS	724.6	-60.3	-25	35.3	Pass	9701
1000	2486	1	RMS	2482	-48.46	-25	23.46	Pass	1487
2486	2700	1	RMS	2685.02	20.68	60	39.32	Pass	401
2700	3000	1	RMS	2901.75	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	5371	-49.36	-25	24.36	Pass	9002
12000	26500	1	RMS	25505	-50.23	-25	25.23	Pass	14502



13.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.44	-25	43.44	Pass	401
0.15	30	0.01	RMS	0.15	-67.68	-25	42.68	Pass	2986
30	1000	0.1	RMS	535.9	-59.85	-25	34.85	Pass	9701
1000	2486	1	RMS	2486	-47.29	-25	22.29	Pass	1487
2486	2700	1	RMS	2496.165	21.65	60	38.35	Pass	401
2700	3000	1	RMS	2900.25	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	4993	-51.93	-25	26.93	Pass	9002
12000	26500	1	RMS	25501	-50.24	-25	25.24	Pass	14502



13.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.39	-25	43.39	Pass	401
0.15	30	0.01	RMS	0.15	-67.71	-25	42.71	Pass	2986
30	1000	0.1	RMS	970.18	-61.56	-25	36.56	Pass	9701
1000	2486	1	RMS	2480	-47.35	-25	22.35	Pass	1487
2486	2700	1	RMS	2496.165	21.63	60	38.37	Pass	401
2700	3000	1	RMS	2899.5	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	4993	-50.95	-25	25.95	Pass	9002
12000	26500	1	RMS	25503	-50.25	-25	25.25	Pass	14502



13.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.58	-25	43.58	Pass	401
0.15	30	0.01	RMS	0.15	-67.75	-25	42.75	Pass	2986
30	1000	0.1	RMS	924.35	-61.45	-25	36.45	Pass	9701
1000	2486	1	RMS	2486	-48.45	-25	23.45	Pass	1487
2486	2700	1	RMS	2588.185	21.91	60	38.09	Pass	401
2700	3000	1	RMS	2900.25	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	5178	-56.38	-25	31.38	Pass	9002
12000	26500	1	RMS	25507	-50.26	-25	25.26	Pass	14502



13.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68	-25	43	Pass	401
0.15	30	0.01	RMS	0.15	-67.27	-25	42.27	Pass	2986
30	1000	0.1	RMS	973.883	-61.48	-25	36.48	Pass	9701
1000	2486	1	RMS	2477	-48.48	-25	23.48	Pass	1487
2486	2700	1	RMS	2588.185	20.7	60	39.3	Pass	401
2700	3000	1	RMS	2899.5	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	5177	-56.3	-25	31.3	Pass	9002
12000	26500	1	RMS	25502	-50.24	-25	25.24	Pass	14502




13.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.39	-25	43.39	Pass	401
0.15	30	0.01	RMS	0.16	-67.67	-25	42.67	Pass	2986
30	1000	0.1	RMS	719.9	-58.96	-25	33.96	Pass	9701
1000	2486	1	RMS	2480	-48.44	-25	23.44	Pass	1487
2486	2700	1	RMS	2680.205	22.34	60	37.66	Pass	401
2700	3000	1	RMS	2900.25	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5362	-52.27	-25	27.27	Pass	9002
12000	26500	1	RMS	25518	-50.23	-25	25.23	Pass	14502




13.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.84	-25	43.84	Pass	401
0.15	30	0.01	RMS	0.17	-68.84	-25	43.84	Pass	2986
30	1000	0.1	RMS	902.936	-61.44	-25	36.44	Pass	9701
1000	2486	1	RMS	2485	-48.51	-25	23.51	Pass	1487
2486	2700	1	RMS	2680.205	20.9	60	39.1	Pass	401
2700	3000	1	RMS	2898.75	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	8042	-57.22	-25	32.22	Pass	9002
12000	26500	1	RMS	25497	-50.11	-25	25.11	Pass	14502




13.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.52	-25	43.52	Pass	401
0.15	30	0.01	RMS	0.22	-68.76	-25	43.76	Pass	2986
30	1000	0.1	RMS	536.1	-60.67	-25	35.67	Pass	9701
1000	2486	1	RMS	2483	-38.55	-25	13.55	Pass	1487
2486	2700	1	RMS	2496.7	21.32	60	38.68	Pass	401
2700	3000	1	RMS	2900.25	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	4994	-50.29	-25	25.29	Pass	9002
12000	26500	1	RMS	25500	-50.24	-25	25.24	Pass	14502



13.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.25	-25	43.25	Pass	401
0.15	30	0.01	RMS	0.19	-68.44	-25	43.44	Pass	2986
30	1000	0.1	RMS	536.1	-61.3	-25	36.3	Pass	9701
1000	2486	1	RMS	2483	-38.47	-25	13.47	Pass	1487
2486	2700	1	RMS	2496.7	21.86	60	38.14	Pass	401
2700	3000	1	RMS	2903.25	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	4993	-51.21	-25	26.21	Pass	9002
12000	26500	1	RMS	25504	-50.29	-25	25.29	Pass	14502




13.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.47	-25	43.47	Pass	401
0.15	30	0.01	RMS	0.19	-67.9	-25	42.9	Pass	2986
30	1000	0.1	RMS	848.5	-61.51	-25	36.51	Pass	9701
1000	2486	1	RMS	2486	-48.45	-25	23.45	Pass	1487
2486	2700	1	RMS	2586.045	21.75	60	38.25	Pass	401
2700	3000	1	RMS	2899.5	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	5172	-51.43	-25	26.43	Pass	9002
12000	26500	1	RMS	25504	-50.18	-25	25.18	Pass	14502




13.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:40620, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.39	-25	43.39	Pass	401
0.15	30	0.01	RMS	0.16	-68.15	-25	43.15	Pass	2986
30	1000	0.1	RMS	975.384	-61.4	-25	36.4	Pass	9701
1000	2486	1	RMS	2482	-48.44	-25	23.44	Pass	1487
2486	2700	1	RMS	2586.045	19.7	60	40.3	Pass	401
2700	3000	1	RMS	2900.25	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	5172	-50.05	-25	25.05	Pass	9002
12000	26500	1	RMS	25515	-50.27	-25	25.27	Pass	14502




13.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.57	-25	43.57	Pass	401
0.15	30	0.01	RMS	0.15	-67.52	-25	42.52	Pass	2986
30	1000	0.1	RMS	715.2	-60.48	-25	35.48	Pass	9701
1000	2486	1	RMS	2485	-48.42	-25	23.42	Pass	1487
2486	2700	1	RMS	2675.39	21.68	60	38.32	Pass	401
2700	3000	1	RMS	2899.5	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	5352	-48.89	-25	23.89	Pass	9002
12000	26500	1	RMS	25502	-50.25	-25	25.25	Pass	14502




13.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.8	-25	43.8	Pass	401
0.15	30	0.01	RMS	0.17	-67.62	-25	42.62	Pass	2986
30	1000	0.1	RMS	715.2	-61.24	-25	36.24	Pass	9701
1000	2486	1	RMS	2485	-48.42	-25	23.42	Pass	1487
2486	2700	1	RMS	2675.925	20.75	60	39.25	Pass	401
2700	3000	1	RMS	2900.25	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	5351	-51.62	-25	26.62	Pass	9002
12000	26500	1	RMS	25508	-50.24	-25	25.24	Pass	14502



13.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.47	-25	43.47	Pass	401
0.15	30	0.01	RMS	0.15	-68.08	-25	43.08	Pass	2986
30	1000	0.1	RMS	985.59	-61.36	-25	36.36	Pass	9701
1000	2486	1	RMS	2480	-42.21	-25	17.21	Pass	1487
2486	2700	1	RMS	2496.7	21.55	60	38.45	Pass	401
2700	3000	1	RMS	2900.25	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	4995	-50.59	-25	25.59	Pass	9002
12000	26500	1	RMS	25503	-50.14	-25	25.14	Pass	14502




13.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.24	-25	43.24	Pass	401
0.15	30	0.01	RMS	0.15	-67.37	-25	42.37	Pass	2986
30	1000	0.1	RMS	884.423	-61.39	-25	36.39	Pass	9701
1000	2486	1	RMS	2462	-41.14	-25	16.14	Pass	1487
2486	2700	1	RMS	2496.7	21.43	60	38.57	Pass	401
2700	3000	1	RMS	2900.25	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	4995	-55.53	-25	30.53	Pass	9002
12000	26500	1	RMS	25509	-50.25	-25	25.25	Pass	14502



13.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.55	-25	42.55	Pass	401
0.15	30	0.01	RMS	0.16	-68.55	-25	43.55	Pass	2986
30	1000	0.1	RMS	845.9	-61.34	-25	36.34	Pass	9701
1000	2486	1	RMS	2486	-48.51	-25	23.51	Pass	1487
2486	2700	1	RMS	2583.905	22.15	60	37.85	Pass	401
2700	3000	1	RMS	2898.75	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5169	-50.72	-25	25.72	Pass	9002
12000	26500	1	RMS	25506	-50.27	-25	25.27	Pass	14502




13.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:40620, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.84	-25	43.84	Pass	401
0.15	30	0.01	RMS	0.15	-68.49	-25	43.49	Pass	2986
30	1000	0.1	RMS	924.65	-61.34	-25	36.34	Pass	9701
1000	2486	1	RMS	2483	-48.44	-25	23.44	Pass	1487
2486	2700	1	RMS	2583.905	20.62	60	39.38	Pass	401
2700	3000	1	RMS	2901	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5168	-46.97	-25	21.97	Pass	9002
12000	26500	1	RMS	25506	-50.24	-25	25.24	Pass	14502



13.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.26	-25	43.26	Pass	401
0.15	30	0.01	RMS	0.17	-68.92	-25	43.92	Pass	2986
30	1000	0.1	RMS	710.4	-59.32	-25	34.32	Pass	9701
1000	2486	1	RMS	2486	-48.47	-25	23.47	Pass	1487
2486	2700	1	RMS	2670.575	22.27	60	37.73	Pass	401
2700	3000	1	RMS	2706	-45.29	-25	20.29	Pass	401
3000	12000	1	RMS	5342	-48.39	-25	23.39	Pass	9002
12000	26500	1	RMS	25519	-50.18	-25	25.18	Pass	14502



13.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.7	-25	42.7	Pass	401
0.15	30	0.01	RMS	0.16	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	710.3	-61.16	-25	36.16	Pass	9701
1000	2486	1	RMS	2480	-48.48	-25	23.48	Pass	1487
2486	2700	1	RMS	2670.575	21.52	60	38.48	Pass	401
2700	3000	1	RMS	2706.75	-44.09	-25	19.09	Pass	401
3000	12000	1	RMS	5342	-50.38	-25	25.38	Pass	9002
12000	26500	1	RMS	25499	-50.24	-25	25.24	Pass	14502



14. LTE_Band40(2305-2315)_Part27

14.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:38725, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.78	-40	27.78	Pass	401
0.15	30	0.01	RMS	0.15	-67.64	-40	27.64	Pass	2986
30	1000	0.1	RMS	871.215	-61.45	-40	21.45	Pass	9701
1000	2200	1	RMS	2183	-49.03	-40	9.03	Pass	1201
2200	2395	1	RMS	2305.3	12.78	60	47.22	Pass	401
2395	3000	1	RMS	2899	-46.29	-40	6.29	Pass	606
3000	12000	1	RMS	11957	-60.07	-40	20.07	Pass	9002
12000	26500	1	RMS	25499	-50.91	-40	10.91	Pass	14502



14.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:38725, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.25	-40	29.25	Pass	401
0.15	30	0.01	RMS	0.15	-68.55	-40	28.55	Pass	2986
30	1000	0.1	RMS	834.3	-61.33	-40	21.33	Pass	9701
1000	2200	1	RMS	2191	-49.01	-40	9.01	Pass	1201
2200	2395	1	RMS	2304.813	12.04	60	47.96	Pass	401
2395	3000	1	RMS	2902	-46.24	-40	6.24	Pass	606
3000	12000	1	RMS	11980	-60.09	-40	20.09	Pass	9002
12000	26500	1	RMS	25495	-50.97	-40	10.97	Pass	14502



14.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:38750, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.37	-40	28.37	Pass	401
0.15	30	0.01	RMS	0.24	-68.21	-40	28.21	Pass	2986
30	1000	0.1	RMS	984.89	-61.36	-40	21.36	Pass	9701
1000	2200	1	RMS	2179	-48.98	-40	8.98	Pass	1201
2200	2395	1	RMS	2307.738	12.62	60	47.38	Pass	401
2395	3000	1	RMS	2905	-46.27	-40	6.27	Pass	606
3000	12000	1	RMS	3405	-59.02	-40	19.02	Pass	9002
12000	26500	1	RMS	25492	-50.98	-40	10.98	Pass	14502



14.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:38750, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.08	-40	29.08	Pass	401
0.15	30	0.01	RMS	0.15	-67.44	-40	27.44	Pass	2986
30	1000	0.1	RMS	885.924	-61.29	-40	21.29	Pass	9701
1000	2200	1	RMS	2197	-49.01	-40	9.01	Pass	1201
2200	2395	1	RMS	2307.25	11.71	60	48.29	Pass	401
2395	3000	1	RMS	2899	-46.23	-40	6.23	Pass	606
3000	12000	1	RMS	11951	-60.04	-40	20.04	Pass	9002
12000	26500	1	RMS	25503	-50.91	-40	10.91	Pass	14502



14.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:38775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.26	-40	28.26	Pass	401
0.15	30	0.01	RMS	0.15	-68.28	-40	28.28	Pass	2986
30	1000	0.1	RMS	856.205	-61.43	-40	21.43	Pass	9701
1000	2200	1	RMS	2182	-48.99	-40	8.99	Pass	1201
2200	2395	1	RMS	2310.175	12.74	60	47.26	Pass	401
2395	3000	1	RMS	2901	-46.27	-40	6.27	Pass	606
3000	12000	1	RMS	11948	-60.1	-40	20.1	Pass	9002
12000	26500	1	RMS	25502	-50.94	-40	10.94	Pass	14502



14.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:38775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.32	-40	28.32	Pass	401
0.15	30	0.01	RMS	0.18	-68.79	-40	28.79	Pass	2986
30	1000	0.1	RMS	849.1	-61.48	-40	21.48	Pass	9701
1000	2200	1	RMS	2190	-49.03	-40	9.03	Pass	1201
2200	2395	1	RMS	2310.175	12.24	60	47.76	Pass	401
2395	3000	1	RMS	2902	-46.29	-40	6.29	Pass	606
3000	12000	1	RMS	11956	-60.04	-40	20.04	Pass	9002
12000	26500	1	RMS	25503	-50.91	-40	10.91	Pass	14502



14.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.11	-40	28.11	Pass	401
0.15	30	0.01	RMS	0.15	-68.72	-40	28.72	Pass	2986
30	1000	0.1	RMS	996.498	-61.36	-40	21.36	Pass	9701
1000	2200	1	RMS	2189	-48.98	-40	8.98	Pass	1201
2200	2395	1	RMS	2305.3	13.63	60	46.37	Pass	401
2395	3000	1	RMS	2901	-46.24	-40	6.24	Pass	606
3000	12000	1	RMS	11962	-60.06	-40	20.06	Pass	9002
12000	26500	1	RMS	25497	-50.94	-40	10.94	Pass	14502



14.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:38750, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.57	-40	28.57	Pass	401
0.15	30	0.01	RMS	0.17	-68.69	-40	28.69	Pass	2986
30	1000	0.1	RMS	840.7	-61.36	-40	21.36	Pass	9701
1000	2200	1	RMS	2186	-49	-40	9	Pass	1201
2200	2395	1	RMS	2305.3	12.98	60	47.02	Pass	401
2395	3000	1	RMS	2902	-46.28	-40	6.28	Pass	606
3000	12000	1	RMS	3410	-58.68	-40	18.68	Pass	9002
12000	26500	1	RMS	25499	-50.87	-40	10.87	Pass	14502



15. LTE_Band40(2350-2360)_Part27

15.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.25	-40	28.25	Pass	401
0.15	30	0.01	RMS	0.15	-67.98	-40	27.98	Pass	2986
30	1000	0.1	RMS	961.474	-61.34	-40	21.34	Pass	9701
1000	2200	1	RMS	2187	-48.99	-40	8.99	Pass	1201
2200	2395	1	RMS	2350.15	12.63	60	47.37	Pass	401
2395	3000	1	RMS	2901	-46.24	-40	6.24	Pass	606
3000	12000	1	RMS	11992	-60.04	-40	20.04	Pass	9002
12000	26500	1	RMS	25497	-50.9	-40	10.9	Pass	14502



15.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:39175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.73	-40	28.73	Pass	401
0.15	30	0.01	RMS	0.21	-68.55	-40	28.55	Pass	2986
30	1000	0.1	RMS	968.379	-61.4	-40	21.4	Pass	9701
1000	2200	1	RMS	2178	-49	-40	9	Pass	1201
2200	2395	1	RMS	2350.15	10.78	60	49.22	Pass	401
2395	3000	1	RMS	2902	-46.23	-40	6.23	Pass	606
3000	12000	1	RMS	3443	-57.22	-40	17.22	Pass	9002
12000	26500	1	RMS	25510	-50.99	-40	10.99	Pass	14502



15.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:39200, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.38	-40	28.38	Pass	401
0.15	30	0.01	RMS	0.16	-68.6	-40	28.6	Pass	2986
30	1000	0.1	RMS	999.3	-61.37	-40	21.37	Pass	9701
1000	2200	1	RMS	2182	-49.02	-40	9.02	Pass	1201
2200	2395	1	RMS	2352.588	11.71	60	48.29	Pass	401
2395	3000	1	RMS	2903	-46.18	-40	6.18	Pass	606
3000	12000	1	RMS	11961	-60.05	-40	20.05	Pass	9002
12000	26500	1	RMS	25500	-50.93	-40	10.93	Pass	14502



15.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:39200, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.38	-40	28.38	Pass	401
0.15	30	0.01	RMS	0.15	-68.08	-40	28.08	Pass	2986
30	1000	0.1	RMS	845.5	-61.36	-40	21.36	Pass	9701
1000	2200	1	RMS	2179	-48.99	-40	8.99	Pass	1201
2200	2395	1	RMS	2352.588	10.94	60	49.06	Pass	401
2395	3000	1	RMS	2903	-46.23	-40	6.23	Pass	606
3000	12000	1	RMS	11951	-60.05	-40	20.05	Pass	9002
12000	26500	1	RMS	25499	-50.91	-40	10.91	Pass	14502



15.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:39225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.19	-40	28.19	Pass	401
0.15	30	0.01	RMS	0.15	-67.79	-40	27.79	Pass	2986
30	1000	0.1	RMS	973.883	-61.36	-40	21.36	Pass	9701
1000	2200	1	RMS	2183	-49.04	-40	9.04	Pass	1201
2200	2395	1	RMS	2355.025	12.97	60	47.03	Pass	401
2395	3000	1	RMS	2901	-46.23	-40	6.23	Pass	606
3000	12000	1	RMS	11952	-60.01	-40	20.01	Pass	9002
12000	26500	1	RMS	25505	-50.91	-40	10.91	Pass	14502



15.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:39225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.07	-40	28.07	Pass	401
0.15	30	0.01	RMS	0.16	-66.54	-40	26.54	Pass	2986
30	1000	0.1	RMS	843	-61.37	-40	21.37	Pass	9701
1000	2200	1	RMS	2185	-49	-40	9	Pass	1201
2200	2395	1	RMS	2355.025	12.18	60	47.82	Pass	401
2395	3000	1	RMS	2910	-46.24	-40	6.24	Pass	606
3000	12000	1	RMS	3405	-59.99	-40	19.99	Pass	9002
12000	26500	1	RMS	25505	-50.91	-40	10.91	Pass	14502



15.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:39200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.69	-40	28.69	Pass	401
0.15	30	0.01	RMS	0.17	-68.37	-40	28.37	Pass	2986
30	1000	0.1	RMS	860.708	-61.37	-40	21.37	Pass	9701
1000	2200	1	RMS	2188	-48.98	-40	8.98	Pass	1201
2200	2395	1	RMS	2350.15	11.53	60	48.47	Pass	401
2395	3000	1	RMS	2902	-46.23	-40	6.23	Pass	606
3000	12000	1	RMS	11953	-60.04	-40	20.04	Pass	9002
12000	26500	1	RMS	25496	-50.88	-40	10.88	Pass	14502



15.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:39200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.93	-40	28.93	Pass	401
0.15	30	0.01	RMS	0.21	-67.88	-40	27.88	Pass	2986
30	1000	0.1	RMS	988.392	-61.36	-40	21.36	Pass	9701
1000	2200	1	RMS	2174	-48.99	-40	8.99	Pass	1201
2200	2395	1	RMS	2350.15	11.55	60	48.45	Pass	401
2395	3000	1	RMS	2904	-46.21	-40	6.21	Pass	606
3000	12000	1	RMS	11951	-59.99	-40	19.99	Pass	9002
12000	26500	1	RMS	25495	-50.89	-40	10.89	Pass	14502

