

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_19.47.02

EUT Name: AI Recorder 3 pro

Temp.(°C): 20.3

Model Number: CAM20

Humidity (%RH): 53

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2GWIFI 11a CH44 P=12.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器 A12

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.250	45.97	-16.14	74.0	28.03	Peak	268.00	150	Vertical	Pass
1**	1498.250	30.99	-16.14	54.0	23.01	AV	268.00	150	Vertical	Pass
2	2493.500	46.98	-11.98	74.0	27.02	Peak	102.00	150	Vertical	Pass
2**	2493.500	33.35	-11.98	54.0	20.65	AV	102.00	150	Vertical	Pass
3	3963.000	45.56	-3.82	74.0	28.44	Peak	318.00	150	Vertical	Pass
3**	3963.000	35.30	-3.82	54.0	18.70	AV	318.00	150	Vertical	Pass
4	5217.000	98.62	-2.34	74.0	-24.62	Peak	147.00	150	Vertical	N/A
4**	5217.000	90.86	-2.34	54.0	-36.86	AV	147.00	150	Vertical	N/A
5	10438.651	47.79	-3.41	74.0	26.21	Peak	148.00	150	Vertical	Pass
5**	10438.651	42.01	-3.41	54.0	11.99	AV	148.00	150	Vertical	Pass
6	17251.875	50.45	-0.66	74.0	23.55	Peak	184.00	150	Vertical	Pass
6**	17251.875	38.94	-0.66	54.0	15.06	AV	184.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_19.53.09

EUT Name: AI Recorder 3 pro

Temp.(°C): 20.3

Model Number: CAM20

Humidity (%RH): 53

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2GWIFI 11a CH44 P=12.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器 A12

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.000	41.30	-16.04	74.0	32.70	Peak	144.00	150	Horizontal	Pass
1**	1335.000	35.59	-16.04	54.0	18.41	AV	144.00	150	Horizontal	Pass
2	2034.250	42.33	-13.42	74.0	31.67	Peak	2.00	150	Horizontal	Pass
2**	2034.250	30.19	-13.42	54.0	23.81	AV	2.00	150	Horizontal	Pass
3	3393.000	46.96	-5.84	74.0	27.04	Peak	359.00	150	Horizontal	Pass
3**	3393.000	35.86	-5.84	54.0	18.14	AV	359.00	150	Horizontal	Pass
4	5215.000	99.76	-2.34	74.0	-25.76	Peak	57.00	150	Horizontal	N/A
4**	5215.000	91.93	-2.34	54.0	-37.93	AV	57.00	150	Horizontal	N/A
5	10437.224	46.98	-3.31	74.0	27.02	Peak	78.00	150	Horizontal	Pass
5**	10437.224	40.51	-3.31	54.0	13.49	AV	78.00	150	Horizontal	Pass
6	16688.026	49.09	-1.04	74.0	24.91	Peak	47.00	150	Horizontal	Pass
6**	16688.026	38.17	-1.04	54.0	15.83	AV	47.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_20.29.58

EUT Name: AI Recorder 3 pro

Temp.(°C): 20.3

Model Number: CAM20

Humidity (%RH): 53

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2GWIFI 11n20 CH44 P=12.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器 A12

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.000	47.51	-16.15	74.0	26.49	Peak	262.00	150	Vertical	Pass
1**	1497.000	36.77	-16.15	54.0	17.23	AV	262.00	150	Vertical	Pass
2	2493.500	47.78	-11.98	74.0	26.22	Peak	102.00	150	Vertical	Pass
2**	2493.500	31.22	-11.98	54.0	22.78	AV	102.00	150	Vertical	Pass
3	4095.500	46.49	-4.85	74.0	27.51	Peak	357.00	150	Vertical	Pass
3**	4095.500	34.73	-4.85	54.0	19.27	AV	357.00	150	Vertical	Pass
4	5224.500	98.73	-2.35	74.0	-24.73	Peak	146.00	150	Vertical	N/A
4**	5224.500	90.73	-2.35	54.0	-36.73	AV	146.00	150	Vertical	N/A
5	10439.599	48.50	-3.45	74.0	25.50	Peak	348.00	150	Vertical	Pass
5**	10439.599	42.51	-3.45	54.0	11.49	AV	348.00	150	Vertical	Pass
6	16891.725	48.79	-0.43	74.0	25.21	Peak	109.00	150	Vertical	Pass
6**	16891.725	38.56	-0.43	54.0	15.44	AV	109.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_20.37.21

EUT Name: AI Recorder 3 pro

Temp.(°C): 20.3

Model Number: CAM20

Humidity (%RH): 53

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2GWIFI 11n20 CH44 P=12.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器 A12

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1223.500	40.79	-15.99	74.0	33.21	Peak	255.00	150	Horizontal	Pass
1**	1223.500	31.84	-15.99	54.0	22.16	AV	255.00	150	Horizontal	Pass
2	2308.750	41.51	-12.52	74.0	32.49	Peak	284.00	150	Horizontal	Pass
2**	2308.750	30.83	-12.52	54.0	23.17	AV	284.00	150	Horizontal	Pass
3	3808.000	46.10	-4.34	74.0	27.90	Peak	147.00	150	Horizontal	Pass
3**	3808.000	35.11	-4.34	54.0	18.89	AV	147.00	150	Horizontal	Pass
4	5222.500	99.46	-2.36	74.0	-25.46	Peak	60.00	150	Horizontal	N/A
4**	5222.500	91.41	-2.36	54.0	-37.41	AV	60.00	150	Horizontal	N/A
5	10439.125	45.59	-3.46	74.0	28.41	Peak	96.00	150	Horizontal	Pass
5**	10439.125	39.24	-3.46	54.0	14.76	AV	96.00	150	Horizontal	Pass
6	17246.099	48.91	-0.69	74.0	25.09	Peak	360.00	150	Horizontal	Pass
6**	17246.099	39.18	-0.69	54.0	14.82	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_20.52.51

EUT Name: AI Recorder 3 pro

Temp.(°C): 20.3

Model Number: CAM20

Humidity (%RH): 53

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2GWIFI 11n40 CH38 P=12.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器 A12

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.000	50.63	-16.15	74.0	23.37	Peak	118.00	150	Vertical	Pass
1**	1497.000	35.72	-16.15	54.0	18.28	AV	118.00	150	Vertical	Pass
2	2610.000	48.17	-10.86	74.0	25.83	Peak	113.00	150	Vertical	Pass
2**	2610.000	37.37	-10.86	54.0	16.63	AV	113.00	150	Vertical	Pass
3	3996.000	46.54	-4.81	74.0	27.46	Peak	131.00	150	Vertical	Pass
3**	3996.000	35.22	-4.81	54.0	18.78	AV	131.00	150	Vertical	Pass
4	5185.500	97.87	-2.32	74.0	-23.87	Peak	71.00	150	Vertical	N/A
4**	5185.500	90.41	-2.32	54.0	-36.41	AV	71.00	150	Vertical	N/A
5	10377.375	47.82	-3.42	74.0	26.18	Peak	347.00	150	Vertical	Pass
5**	10377.375	42.89	-3.42	54.0	11.11	AV	347.00	150	Vertical	Pass
6	17345.063	49.44	0.31	74.0	24.56	Peak	310.00	150	Vertical	Pass
6**	17345.063	38.73	0.31	54.0	15.27	AV	310.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_20.47.52

EUT Name: AI Recorder 3 pro

Temp.(°C): 20.3

Model Number: CAM20

Humidity (%RH): 53

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2GWIFI 11n40 CH38 P=12.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器 A12

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.000	41.25	-16.04	74.0	32.75	Peak	190.00	150	Horizontal	Pass
1**	1335.000	35.37	-16.04	54.0	18.63	AV	190.00	150	Horizontal	Pass
2	2302.250	41.88	-12.92	74.0	32.12	Peak	326.00	150	Horizontal	Pass
2**	2302.250	30.72	-12.92	54.0	23.28	AV	326.00	150	Horizontal	Pass
3	3970.000	46.44	-4.06	74.0	27.56	Peak	360.00	150	Horizontal	Pass
3**	3970.000	35.09	-4.06	54.0	18.91	AV	360.00	150	Horizontal	Pass
4	5182.000	100.38	-2.33	74.0	-26.38	Peak	58.00	150	Horizontal	N/A
4**	5182.000	92.31	-2.33	54.0	-38.31	AV	58.00	150	Horizontal	N/A
5	10376.901	47.62	-3.42	74.0	26.38	Peak	96.00	150	Horizontal	Pass
5**	10376.901	40.72	-3.42	54.0	13.28	AV	96.00	150	Horizontal	Pass
6	16895.400	49.12	-0.48	74.0	24.88	Peak	313.00	150	Horizontal	Pass
6**	16895.400	38.49	-0.48	54.0	15.51	AV	313.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_01.38.46

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11a CH157 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1224.000	38.17	-16.00	74.0	35.83	Peak	320.00	150	Vertical	Pass
1**	1224.000	29.30	-16.00	54.0	24.70	AV	320.00	150	Vertical	Pass
2	2108.250	41.33	-13.60	74.0	32.67	Peak	14.00	150	Vertical	Pass
2**	2108.250	30.13	-13.60	54.0	23.87	AV	14.00	150	Vertical	Pass
3	4793.000	48.34	-3.12	74.0	25.66	Peak	0.00	150	Vertical	Pass
3**	4793.000	38.20	-3.12	54.0	15.80	AV	0.00	150	Vertical	Pass
4	5790.000	106.61	-1.52	74.0	-32.61	Peak	137.00	150	Vertical	N/A
4**	5790.000	99.17	-1.52	54.0	-45.17	AV	137.00	150	Vertical	N/A
5	10111.612	46.61	-3.97	74.0	27.39	Peak	264.00	150	Vertical	Pass
5**	10111.612	35.53	-3.97	54.0	18.47	AV	264.00	150	Vertical	Pass
6	15799.725	48.51	-1.56	74.0	25.49	Peak	182.00	150	Vertical	Pass
6**	15799.725	37.44	-1.56	54.0	16.56	AV	182.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_01.48.18

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11a CH157 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1056.000	39.65	-15.38	74.0	34.35	Peak	138.00	150	Horizontal	Pass
1**	1056.000	29.83	-15.38	54.0	24.17	AV	138.00	150	Horizontal	Pass
2	2126.750	41.22	-13.28	74.0	32.78	Peak	209.00	150	Horizontal	Pass
2**	2126.750	30.21	-13.28	54.0	23.79	AV	209.00	150	Horizontal	Pass
3	4032.000	46.42	-4.10	74.0	27.58	Peak	51.00	150	Horizontal	Pass
3**	4032.000	34.71	-4.10	54.0	19.29	AV	51.00	150	Horizontal	Pass
4	5781.500	102.92	-1.53	74.0	-28.92	Peak	266.00	150	Horizontal	N/A
4**	5781.500	94.72	-1.53	54.0	-40.72	AV	266.00	150	Horizontal	N/A
5	8645.526	46.43	-5.70	74.0	27.57	Peak	360.00	150	Horizontal	Pass
5**	8645.526	35.52	-5.70	54.0	18.48	AV	360.00	150	Horizontal	Pass
6	16794.864	48.81	-1.38	74.0	25.19	Peak	348.00	150	Horizontal	Pass
6**	16794.864	37.62	-1.38	54.0	16.38	AV	348.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_02.14.48

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11n20 CH157 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1222.500	38.06	-15.98	74.0	35.94	Peak	260.00	150	Vertical	Pass
1**	1222.500	28.04	-15.98	54.0	25.96	AV	260.00	150	Vertical	Pass
2	2047.250	40.80	-13.53	74.0	33.20	Peak	360.00	150	Vertical	Pass
2**	2047.250	29.62	-13.53	54.0	24.38	AV	360.00	150	Vertical	Pass
3	4227.500	46.52	-3.95	74.0	27.48	Peak	0.00	150	Vertical	Pass
3**	4227.500	35.45	-3.95	54.0	18.55	AV	0.00	150	Vertical	Pass
4	5789.500	105.54	-1.52	74.0	-31.54	Peak	143.00	150	Vertical	N/A
4**	5789.500	97.91	-1.52	54.0	-43.91	AV	143.00	150	Vertical	N/A
5	10100.213	46.37	-3.95	74.0	27.63	Peak	0.00	150	Vertical	Pass
5**	10100.213	36.71	-3.95	54.0	17.29	AV	0.00	150	Vertical	Pass
6	14409.525	49.26	-2.40	74.0	24.74	Peak	150.00	150	Vertical	Pass
6**	14409.525	37.98	-2.40	54.0	16.02	AV	150.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_02.10.11

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11n20 CH157 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1071.750	39.27	-15.23	74.0	34.73	Peak	188.00	150	Horizontal	Pass
1**	1071.750	28.20	-15.23	54.0	25.80	AV	188.00	150	Horizontal	Pass
2	2994.000	44.81	-8.94	74.0	29.19	Peak	1.00	150	Horizontal	Pass
2**	2994.000	33.90	-8.94	54.0	20.10	AV	1.00	150	Horizontal	Pass
3	4840.000	49.03	-1.92	74.0	24.97	Peak	0.00	150	Horizontal	Pass
3**	4840.000	38.16	-1.92	54.0	15.84	AV	0.00	150	Horizontal	Pass
4	5782.500	100.84	-1.53	74.0	-26.84	Peak	89.00	150	Horizontal	N/A
4**	5782.500	92.82	-1.53	54.0	-38.82	AV	89.00	150	Horizontal	N/A
5	8282.387	47.71	-4.73	74.0	26.29	Peak	360.00	150	Horizontal	Pass
5**	8282.387	36.10	-4.73	54.0	17.90	AV	360.00	150	Horizontal	Pass
6	14407.687	48.67	-2.40	74.0	25.33	Peak	0.00	150	Horizontal	Pass
6**	14407.687	37.63	-2.40	54.0	16.37	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_02.34.35

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11n40 CH159 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1226.750	38.66	-15.99	74.0	35.34	Peak	76.00	150	Vertical	Pass
1**	1226.750	27.75	-15.99	54.0	26.25	AV	76.00	150	Vertical	Pass
2	2298.250	41.82	-13.16	74.0	32.18	Peak	360.00	150	Vertical	Pass
2**	2298.250	31.08	-13.16	54.0	22.92	AV	360.00	150	Vertical	Pass
3	4367.500	46.98	-3.27	74.0	27.02	Peak	260.00	150	Vertical	Pass
3**	4367.500	35.88	-3.27	54.0	18.12	AV	260.00	150	Vertical	Pass
4	5791.000	102.89	-1.54	74.0	-28.89	Peak	145.00	150	Vertical	N/A
4**	5791.000	95.15	-1.54	54.0	-41.15	AV	145.00	150	Vertical	N/A
5	9186.076	46.59	-5.37	74.0	27.41	Peak	0.00	150	Vertical	Pass
5**	9186.076	34.90	-5.37	54.0	19.10	AV	0.00	150	Vertical	Pass
6	17229.038	49.40	-0.40	74.0	24.60	Peak	15.00	150	Vertical	Pass
6**	17229.038	38.88	-0.40	54.0	15.12	AV	15.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_02.41.06

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11n40 CH159 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1081.500	38.66	-15.61	74.0	35.34	Peak	280.00	150	Horizontal	Pass
1**	1081.500	30.93	-15.61	54.0	23.07	AV	280.00	150	Horizontal	Pass
2	2207.250	41.69	-13.32	74.0	32.31	Peak	323.00	150	Horizontal	Pass
2**	2207.250	29.75	-13.32	54.0	24.25	AV	323.00	150	Horizontal	Pass
3	4950.500	49.10	-1.70	74.0	24.90	Peak	292.00	150	Horizontal	Pass
3**	4950.500	37.86	-1.70	54.0	16.14	AV	292.00	150	Horizontal	Pass
4	5807.500	97.55	-1.36	74.0	-23.55	Peak	88.00	150	Horizontal	N/A
4**	5807.500	89.34	-1.36	54.0	-35.34	AV	88.00	150	Horizontal	N/A
5	10523.675	46.79	-3.45	74.0	27.21	Peak	1.00	150	Horizontal	Pass
5**	10523.675	35.89	-3.45	54.0	18.11	AV	1.00	150	Horizontal	Pass
6	16647.863	48.81	-1.32	74.0	25.19	Peak	283.00	150	Horizontal	Pass
6**	16647.863	38.22	-1.32	54.0	15.78	AV	283.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-26_03.46.32

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.1

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E


Work Mode: Normal working Link(5G WIFI)

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	55.269	25.13	-25.11	40.0	14.87	Peak	0.00	100	Vertical	Pass
2	96.008	23.96	-26.52	43.5	19.54	Peak	133.00	100	Vertical	Pass
3	148.340	31.12	-29.59	43.5	12.38	Peak	156.00	200	Vertical	Pass
4	249.414	32.68	-24.07	46.0	13.32	Peak	86.00	100	Vertical	Pass
5	445.014	33.58	-19.52	46.0	12.42	Peak	80.00	100	Vertical	Pass
6	593.376	42.07	-15.22	46.0	3.93	Peak	115.00	200	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-26_03.49.31

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.1

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E


Work Mode: Normal working Link(5G WIFI)

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	99.743	25.05	-26.12	43.5	18.45	Peak	68.00	200	Horizontal	Pass
2	148.340	35.22	-29.59	43.5	8.28	Peak	145.00	100	Horizontal	Pass
3	222.497	31.83	-25.59	46.0	14.17	Peak	120.00	200	Horizontal	Pass
4	445.014	37.27	-19.52	46.0	8.73	Peak	84.00	200	Horizontal	Pass
5	519.171	40.60	-17.66	46.0	5.40	Peak	20.00	100	Horizontal	Pass
6	847.953	42.21	-10.49	46.0	3.79	Peak	93.00	100	Horizontal	Pass