

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_19.43.06

EUT Name: AI Recorder 3 pro

Temp.(°C): 20.3

Model Number: CAM20

Humidity (%RH): 53

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2GWIFI 11a CH36 P=12.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.13	3.82	74.0	19.87	Peak	101.98	150	Vertical	Pass
1**	5150.000	44.04	3.82	54.0	9.96	AV	101.98	150	Vertical	Pass
2	5127.250	55.18	3.83	74.0	18.82	Peak	23.00	150	Vertical	Pass
2**	5127.250	43.44	3.83	54.0	10.56	AV	23.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_19.40.22

EUT Name: AI Recorder 3 pro

Temp.(°C): 20.3

Model Number: CAM20

Humidity (%RH): 53

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2GWIFI 11a CH36 P=12.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.55	3.82	74.0	20.45	Peak	197.97	150	Horizontal	Pass
1**	5150.000	43.90	3.82	54.0	10.10	AV	197.97	150	Horizontal	Pass
2	5092.150	55.34	3.58	74.0	18.66	Peak	170.00	150	Horizontal	Pass
2**	5092.150	43.50	3.58	54.0	10.50	AV	170.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_20.03.20

EUT Name: AI Recorder 3 pro

Temp.(°C): 20.3

Model Number: CAM20

Humidity (%RH): 53

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2GWIFI 11a CH48 P=12.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.85	4.04	74.0	20.15	Peak	0.00	150	Vertical	Pass
1**	5350.000	43.55	4.04	54.0	10.45	AV	0.00	150	Vertical	Pass
2	5350.660	55.75	4.05	74.0	18.25	Peak	0.00	150	Vertical	Pass
2**	5350.660	43.65	4.05	54.0	10.35	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_19.59.49

EUT Name: AI Recorder 3 pro

Temp.(°C): 20.3

Model Number: CAM20

Humidity (%RH): 53

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2GWIFI 11a CH48 P=12.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.85	4.04	74.0	20.15	Peak	182.00	150	Horizontal	Pass
1**	5350.000	43.59	4.04	54.0	10.41	AV	182.00	150	Horizontal	Pass
2	5356.600	55.15	4.18	74.0	18.85	Peak	78.00	150	Horizontal	Pass
2**	5356.600	43.50	4.18	54.0	10.50	AV	78.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_20.07.35

EUT Name: AI Recorder 3 pro

Temp.(°C): 20.3

Model Number: CAM20

Humidity (%RH): 53

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2GWIFI 11n20 CH36 P=12.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.35	3.82	74.0	18.65	Peak	326.94	150	Vertical	Pass
1**	5150.000	43.82	3.82	54.0	10.18	AV	326.94	150	Vertical	Pass
2	5051.850	54.99	3.69	74.0	19.01	Peak	109.00	150	Vertical	Pass
2**	5051.850	43.50	3.69	54.0	10.50	AV	109.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_20.13.03

EUT Name: AI Recorder 3 pro

Temp.(°C): 20.3

Model Number: CAM20

Humidity (%RH): 53

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2GWIFI 11n20 CH36 P=12.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.57	3.82	74.0	19.43	Peak	128.97	150	Horizontal	Pass
1**	5150.000	44.04	3.82	54.0	9.96	AV	128.97	150	Horizontal	Pass
2	5143.500	55.45	4.01	74.0	18.55	Peak	64.00	150	Horizontal	Pass
2**	5143.500	43.76	4.01	54.0	10.24	AV	64.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_20.24.31

EUT Name: AI Recorder 3 pro

Temp.(°C): 20.3

Model Number: CAM20

Humidity (%RH): 53

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2GWIFI 11n20 CH48 P=12.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.48	4.04	74.0	20.52	Peak	132.00	150	Vertical	Pass
1**	5350.000	43.90	4.04	54.0	10.10	AV	132.00	150	Vertical	Pass
2	5378.600	55.66	4.05	74.0	18.34	Peak	220.00	150	Vertical	Pass
2**	5378.600	43.66	4.05	54.0	10.34	AV	220.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_20.22.47

EUT Name: AI Recorder 3 pro

Temp.(°C): 20.3

Model Number: CAM20

Humidity (%RH): 53

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2GWIFI 11n20 CH48 P=12.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.17	4.04	74.0	20.83	Peak	52.00	150	Horizontal	Pass
1**	5350.000	43.47	4.04	54.0	10.53	AV	52.00	150	Horizontal	Pass
2	5357.370	56.07	4.20	74.0	17.93	Peak	216.00	150	Horizontal	Pass
2**	5357.370	43.90	4.20	54.0	10.10	AV	216.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_21.13.28

EUT Name: AI Recorder 3 pro

Temp.(°C): 20.3

Model Number: CAM20

Humidity (%RH): 53

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2GWIFI 11n40 CH38 P=12.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.30	3.82	74.0	16.70	Peak	108.04	150	Vertical	Pass
1**	5150.000	47.15	3.82	54.0	6.85	AV	108.04	150	Vertical	Pass
2	5148.050	58.49	3.87	74.0	15.51	Peak	328.00	150	Vertical	Pass
2**	5148.050	46.74	3.87	54.0	7.26	AV	328.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_21.10.58

EUT Name: AI Recorder 3 pro

Temp.(°C): 20.3

Model Number: CAM20

Humidity (%RH): 53

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2GWIFI 11n40 CH38 P=12.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.27	3.82	74.0	15.73	Peak	62.00	150	Horizontal	Pass
1**	5150.000	48.36	3.82	54.0	5.64	AV	62.00	150	Horizontal	Pass
2	5147.400	60.68	3.89	74.0	13.32	Peak	66.00	150	Horizontal	Pass
2**	5147.400	47.24	3.89	54.0	6.76	AV	66.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_21.18.14

EUT Name: AI Recorder 3 pro

Temp.(°C): 20.3

Model Number: CAM20

Humidity (%RH): 53

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2GWIFI 11n40 CH46 P=12.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.62	4.04	74.0	19.38	Peak	290.00	150	Vertical	Pass
1**	5350.000	43.73	4.04	54.0	10.27	AV	290.00	150	Vertical	Pass
2	5354.620	55.80	4.13	74.0	18.20	Peak	80.00	150	Vertical	Pass
2**	5354.620	43.66	4.13	54.0	10.34	AV	80.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-24_21.20.20

EUT Name:	AI Recorder 3 pro	Temp.(°C):	20.3
Model Number:	CAM20	Humidity (%RH):	53
Sample Number:	CC26010215-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2GWIFI 11n40 CH46 P=12.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器 A12



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.81	4.04	74.0	20.19	Peak	246.00	150	Horizontal	Pass
1**	5350.000	43.72	4.04	54.0	10.28	AV	246.00	150	Horizontal	Pass
2	5360.120	55.37	4.24	74.0	18.63	Peak	234.00	150	Horizontal	Pass
2**	5360.120	43.73	4.24	54.0	10.27	AV	234.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_01.57.02

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11a CH149 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band4_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.50	3.81	68.2	13.70	Peak	268.01	150	Vertical	Pass
2	5640.625	56.75	3.74	68.2	11.45	Peak	7.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_01.54.57

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11a CH149 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band4_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.77	3.81	68.2	13.43	Peak	277.80	150	Horizontal	Pass
2	5648.500	56.01	3.80	68.2	12.19	Peak	268.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_02.00.38

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11a CH165 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.67	6.44	68.2	12.53	Peak	161.19	150	Vertical	Pass
2	5986.200	57.62	6.23	68.2	10.58	Peak	4.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_02.02.18

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11a CH165 P=17

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.95	6.44	68.2	12.25	Peak	261.66	150	Horizontal	Pass
2	5962.650	57.89	6.16	68.2	10.31	Peak	58.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_02.20.56

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11n20 CH149 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band4_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.78	3.81	68.2	13.42	Peak	46.14	150	Vertical	Pass
2	5649.500	56.92	3.81	68.2	11.28	Peak	65.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_02.22.48

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11n20 CH149 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band4_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.26	3.81	68.2	13.94	Peak	340.65	150	Horizontal	Pass
2	5641.875	56.34	3.74	68.2	11.86	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_02.28.34

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11n20 CH165 P=16

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.57	6.44	68.2	11.63	Peak	186.89	150	Vertical	Pass
2	5944.200	58.32	6.13	68.2	9.88	Peak	141.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_02.26.03

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11n20 CH165 P=16

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.21	6.44	68.2	12.99	Peak	359.59	150	Horizontal	Pass
2	5985.300	57.66	6.21	68.2	10.54	Peak	298.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_02.52.53

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11n40 CH151 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band4_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.88	3.81	68.2	12.32	Peak	11.32	150	Vertical	Pass
2	5641.500	55.95	3.74	68.2	12.25	Peak	35.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_02.56.20

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11n40 CH151 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band4_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.11	3.81	68.2	13.09	Peak	193.12	150	Horizontal	Pass
2	5643.625	56.06	3.76	68.2	12.14	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_02.47.44

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11n40 CH159 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.25	6.44	68.2	11.95	Peak	93.88	150	Vertical	Pass
2	5930.400	57.63	6.30	68.2	10.57	Peak	163.00	150	Vertical	Pass

Test Result

Project Number: P-CC26010187

Test Time: 2026-03-25_02.46.16

EUT Name: AI Recorder 3 pro

Temp.(°C): 23.2

Model Number: CAM20

Humidity (%RH): 54

Sample Number: CC26010215-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11n40 CH159 P=16

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器 A12

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.61	6.44	68.2	12.59	Peak	26.26	150	Horizontal	Pass
2	5952.600	57.55	6.18	68.2	10.65	Peak	360.00	150	Horizontal	Pass