



WaveLinX LITE Low-Voltage Dual Tech Occ Ceiling Sensor 600sqft
OCS-L-D-06

Input: 12-24 VDC, 25 mA, Class 2

Indoor 40°C



442296559241

FCC ID: 2AKGY-OCS-L-P-D

IC: 4706A-OCSLPD

Made In Malaysia



WaveLinX LITE Low-Voltage Dual Tech Occ Ceiling Sensor 1200sqft
OCS-L-D-12

Input: 12-24 VDC, 25 mA, Class 2

Indoor 40°C



442296559341

FCC ID: 2AKGY-OCS-L-P-D

IC: 4706A-OCSLPD

Made In Malaysia



WaveLinX LITE Low-Voltage Dual Tech Occ Ceiling Sensor 2000sqft
OCS-L-D-20

Input: 12-24 VDC, 25 mA, Class 2

Indoor 40°C



442296559611

FCC ID: 2AKGY-OCS-L-P-D

IC: 4706A-OCSLPD

Made In Malaysia



WaveLinX LITE Line-Voltage Dual Tech Occ Ceiling Sensor 600sqft
OCS-L-D-06-MV

Input: 120/277 VAC, 50/60 HZ, 25 mA rms
Output: Line Voltage Output
Load: 120-277 Vac
3A General Use, 3A Standard Ballast
3A Electric Ballast, 3A Resistive
1/6 HP Motor Load

Indoor 40°C



442296552991

FCC ID: 2AKGY-OCS-L-P-D

IC: 4706A-OCSLPD

Made In Malaysia



WaveLinX PRO Low-Voltage Dual Tech Occ Ceiling Sensor 600sqft
OCS-P-D-06

Input: 12-24 VDC, 25 mA, Class 2

Indoor 40°C



442296559211

FCC ID: 2AKGY-OCS-L-P-D

IC: 4706A-OCSLPD

Made In Malaysia



WaveLinX PRO Low-Voltage Dual Tech Occ Ceiling Sensor 1200sqft
OCS-P-D-12

Input: 12-24 VDC, 25 mA, Class 2

Indoor 40°C



442296559261

FCC ID: 2AKGY-OCS-L-P-D

IC: 4706A-OCSLPD

Made In Malaysia



WaveLinX PRO Low-Voltage Dual Tech Occ Ceiling Sensor 2000sqft
OCS-P-D-20

Input: 12-24 VDC, 25 mA, Class 2

Indoor 40°C



442296559691

FCC ID: 2AKGY-OCS-L-P-D

IC: 4706A-OCSLPD

Made In Malaysia



WaveLinX PRO Line-Voltage Dual Tech Occ Ceiling Sensor 600sqft
OCS-P-D-06-MV

Input: 120/277 VAC, 50/60 HZ, 25 mA rms
Output: Line Voltage Output
Load: 120-277 Vac
3A General Use, 3A Standard Ballast
3A Electric Ballast, 3A Resistive
1/6 HP Motor Load

Indoor 40°C



442296547661

FCC ID: 2AKGY-OCS-L-P-D

IC: 4706A-OCSLPD

Made In Malaysia





WaveLinX LITE Line-Voltage Dual Tech Occ Ceiling Sensor 1200sqft
OCS-L-D-12-MV

Input: 120/277 VAC, 50/60 HZ, 25 mA rms
Output: Line Voltage Output
Load: 120-277 Vac
3A General Use, 3A Standard Ballast
3A Electric Ballast, 3A Resistive
1/6 HP Motor Load

FCC ID: 2AKCY-OCS-L-P-D
IC: 4706A-OCSLPD

Made In Malaysia

Indoor 40°C



442296552971



WaveLinX PRO Line-Voltage Dual Tech Occ Ceiling Sensor 1200sqft
OCS-P-D-12-MV

Input: 120/277 VAC, 50/60 HZ, 25 mA rms
Output: Line Voltage Output
Load: 120-277 Vac
3A General Use, 3A Standard Ballast
3A Electric Ballast, 3A Resistive
1/6 HP Motor Load

FCC ID: 2AKCY-OCS-L-P-D
IC: 4706A-OCSLPD

Made In Malaysia

Indoor 40°C



442296553071



WaveLinX LITE Line-Voltage Dual Tech Occ Ceiling Sensor 2000sqft
OCS-L-D-20-MV

Input: 120/277 VAC, 50/60 HZ, 25 mA rms
Output: Line Voltage Output
Load: 120-277 Vac
3A General Use, 3A Standard Ballast
3A Electric Ballast, 3A Resistive
1/6 HP Motor Load

FCC ID: 2AKCY-OCS-L-P-D
IC: 4706A-OCSLPD

Made In Malaysia

Indoor 40°C



442296554491



WaveLinX PRO Line-Voltage Dual Tech Occ Ceiling Sensor 2000sqft
OCS-P-D-20-MV

Input: 120/277 VAC, 50/60 HZ, 25 mA rms
Output: Line Voltage Output
Load: 120-277 Vac
3A General Use, 3A Standard Ballast
3A Electric Ballast, 3A Resistive
1/6 HP Motor Load

FCC ID: 2AKCY-OCS-L-P-D
IC: 4706A-OCSLPD

Made In Malaysia

Indoor 40°C



442296554461





Label Location - Line Voltage



Label Location – Low Voltage