






















Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	2.56	24	Pass
NVNT	a	5600	Ant1	3.12	24	Pass
NVNT	a	5700	Ant1	3.81	24	Pass
NVNT	n20	5500	Ant1	2.55	24	Pass
NVNT	n20	5600	Ant1	3.18	24	Pass
NVNT	n20	5700	Ant1	3.91	24	Pass
NVNT	n40	5510	Ant1	2.66	24	Pass
NVNT	n40	5590	Ant1	2.93	24	Pass
NVNT	n40	5670	Ant1	3.63	24	Pass
NVNT	ac20	5500	Ant1	2.63	24	Pass
NVNT	ac20	5600	Ant1	3.16	24	Pass
NVNT	ac20	5700	Ant1	3.86	24	Pass
NVNT	ac40	5510	Ant1	2.39	24	Pass
NVNT	ac40	5590	Ant1	2.94	24	Pass
NVNT	ac40	5670	Ant1	3.67	24	Pass
NVNT	ax20	5500	Ant1	2.54	24	Pass
NVNT	ax20	5600	Ant1	3.19	24	Pass
NVNT	ax20	5700	Ant1	3.82	24	Pass
NVNT	ax40	5510	Ant1	2.51	24	Pass
NVNT	ax40	5590	Ant1	3.01	24	Pass
NVNT	ax40	5670	Ant1	3.8	24	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	23.424	Pass
NVNT	a	5600	Ant1	23.064	Pass
NVNT	a	5700	Ant1	23.43	Pass
NVNT	n20	5500	Ant1	25.077	Pass
NVNT	n20	5600	Ant1	24.27	Pass
NVNT	n20	5700	Ant1	24.579	Pass
NVNT	n40	5510	Ant1	49.974	Pass
NVNT	n40	5590	Ant1	49.524	Pass
NVNT	n40	5670	Ant1	50.166	Pass
NVNT	ac20	5500	Ant1	26.232	Pass
NVNT	ac20	5600	Ant1	25.164	Pass
NVNT	ac20	5700	Ant1	24.534	Pass
NVNT	ac40	5510	Ant1	49.026	Pass
NVNT	ac40	5590	Ant1	49.962	Pass
NVNT	ac40	5670	Ant1	49.338	Pass
NVNT	ax20	5500	Ant1	24.33	Pass
NVNT	ax20	5600	Ant1	23.148	Pass
NVNT	ax20	5700	Ant1	23.409	Pass
NVNT	ax40	5510	Ant1	45.726	Pass
NVNT	ax40	5590	Ant1	46.392	Pass
NVNT	ax40	5670	Ant1	44.712	Pass


Test Graphs


-26dB Bandwidth NVNT a 5500MHz Ant1





-26dB Bandwidth NVNT a 5600MHz Ant1






























Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5500	Ant1	16.627
NVNT	a	5600	Ant1	16.843
NVNT	a	5700	Ant1	16.915
NVNT	n20	5500	Ant1	17.926
NVNT	n20	5600	Ant1	17.995
NVNT	n20	5700	Ant1	17.953
NVNT	n40	5510	Ant1	36.896
NVNT	n40	5590	Ant1	36.878
NVNT	n40	5670	Ant1	36.848
NVNT	ac20	5500	Ant1	17.809
NVNT	ac20	5600	Ant1	17.974
NVNT	ac20	5700	Ant1	18.022
NVNT	ac40	5510	Ant1	36.836
NVNT	ac40	5590	Ant1	36.782
NVNT	ac40	5670	Ant1	36.812
NVNT	ax20	5500	Ant1	19.162
NVNT	ax20	5600	Ant1	19.12
NVNT	ax20	5700	Ant1	19.252
NVNT	ax40	5510	Ant1	37.982
NVNT	ax40	5590	Ant1	37.97
NVNT	ax40	5670	Ant1	37.97


Test Graphs


OBW NVNT a 5500MHz Ant1





OBW NVNT a 5600MHz Ant1






























Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	-13.34	0.23	-13.11	11	Pass
NVNT	a	5600	Ant1	-11.87	0.19	-11.68	11	Pass
NVNT	a	5700	Ant1	-11.61	0.19	-11.42	11	Pass
NVNT	n20	5500	Ant1	-13.67	0.24	-13.43	11	Pass
NVNT	n20	5600	Ant1	-12.66	0.23	-12.43	11	Pass
NVNT	n20	5700	Ant1	-12.21	0.23	-11.98	11	Pass
NVNT	n40	5510	Ant1	-18.49	0.5	-17.99	11	Pass
NVNT	n40	5590	Ant1	-17.53	0.53	-17	11	Pass
NVNT	n40	5670	Ant1	-16.99	0.54	-16.45	11	Pass
NVNT	ac20	5500	Ant1	-13.35	0.23	-13.12	11	Pass
NVNT	ac20	5600	Ant1	-12.71	0.25	-12.46	11	Pass
NVNT	ac20	5700	Ant1	-12.16	0.22	-11.94	11	Pass
NVNT	ac40	5510	Ant1	-18.21	0.5	-17.71	11	Pass
NVNT	ac40	5590	Ant1	-17.58	0.54	-17.04	11	Pass
NVNT	ac40	5670	Ant1	-16.98	0.53	-16.45	11	Pass
NVNT	ax20	5500	Ant1	-15.02	0.27	-14.75	11	Pass
NVNT	ax20	5600	Ant1	-13.61	0.24	-13.37	11	Pass
NVNT	ax20	5700	Ant1	-13.16	0.28	-12.88	11	Pass
NVNT	ax40	5510	Ant1	-18.99	0.68	-18.31	11	Pass
NVNT	ax40	5590	Ant1	-18.37	0.62	-17.75	11	Pass
NVNT	ax40	5670	Ant1	-17.69	0.59	-17.1	11	Pass


Test Graphs


PSD NVNT a 5500MHz Ant1





PSD NVNT a 5600MHz Ant1





























Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	-40.49	-27	Pass
NVNT	a	5700	Ant1	-38.72	-27	Pass
NVNT	n20	5500	Ant1	-40.4	-27	Pass
NVNT	n20	5700	Ant1	-37.61	-27	Pass
NVNT	n40	5510	Ant1	-40.01	-27	Pass
NVNT	n40	5670	Ant1	-38.88	-27	Pass
NVNT	ac20	5500	Ant1	-40.33	-27	Pass
NVNT	ac20	5700	Ant1	-38.54	-27	Pass
NVNT	ac40	5510	Ant1	-40.76	-27	Pass
NVNT	ac40	5670	Ant1	-38.67	-27	Pass
NVNT	ax20	5500	Ant1	-40.4	-27	Pass
NVNT	ax20	5700	Ant1	-39.09	-27	Pass
NVNT	ax40	5510	Ant1	-40.11	-27	Pass
NVNT	ax40	5670	Ant1	-39.1	-27	Pass