





8.2.3 -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE 2M	2402	Ant1	1.077	0.5	Pass
NVNT	BLE 2M	2440	Ant1	1.339	0.5	Pass
NVNT	BLE 2M	2480	Ant1	0.916	0.5	Pass


Test Graphs

-6dB Bandwidth NVNT BLE 2M 2402MHz Ant1




-6dB Bandwidth NVNT BLE 2M 2440MHz Ant1






8.2.4 Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE 2M	2402	Ant1	2.073
NVNT	BLE 2M	2440	Ant1	2.061
NVNT	BLE 2M	2480	Ant1	1.997






8.2.5 Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE 2M	2402	Ant1	-13.92	8	Pass
NVNT	BLE 2M	2440	Ant1	-14.3	8	Pass
NVNT	BLE 2M	2480	Ant1	-15	8	Pass






8.2.6 Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 2M	2402	Ant1	-54.9	-20	Pass
NVNT	BLE 2M	2480	Ant1	-45.24	-20	Pass








8.2.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 2M	2402	Ant1	-40.36	-20	Pass
NVNT	BLE 2M	2440	Ant1	-42.63	-20	Pass
NVNT	BLE 2M	2480	Ant1	-38.18	-20	Pass







END OF REPORT