




802.11ax-20 MHz(RU26) LOW CHANNEL




802.11ax-20 MHz(RU26) MIDDLE CHANNEL




802.11ax-20 MHz(RU26) HIGH CHANNEL




802.11ax-20 MHz(RU52) LOW CHANNEL




802.11ax-20 MHz(RU52) MIDDLE CHANNEL




802.11ax-20 MHz(RU52) HIGH CHANNEL




802.11ax-20 MHz(RU106) LOW CHANNEL



802.11ax-20 MHz(RU106) MIDDLE CHANNEL



802.11ax-20 MHz(RU106) HIGH CHANNEL



ANT3Test Data

802.11b Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-4.60	8	Pass
Middle	-3.80	8	Pass
High	-2.00	8	Pass

802.11g Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-6.01	8	Pass
Middle	-7.12	8	Pass
High	-6.66	8	Pass

802.11n-20 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-8.33	8	Pass
Middle	-6.32	8	Pass
High	-6.75	8	Pass

802.11ax-20 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-10.31	8	Pass
Middle	-9.43	8	Pass
High	-9.52	8	Pass

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-2.47	8	Pass
Middle	-4.08	8	Pass
High	-1.88	8	Pass

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-5.40	8	Pass
Middle	-4.77	8	Pass
High	-6.07	8	Pass

802.11ax-20 MHz(RU106) Mode:


Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-8.59	8	Pass
Middle	-8.64	8	Pass
High	-7.03	8	Pass

Test Plots


802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL




802.11n-20 MHz MIDDLE CHANNEL




802.11n-20 MHz HIGH CHANNEL




802.11ax-20 MHz(SU) LOW CHANNEL




802.11ax-20 MHz(SU) MIDDLE CHANNEL




802.11ax-20 MHz(SU) HIGH CHANNEL




802.11ax-20 MHz(RU26) LOW CHANNEL




802.11ax-20 MHz(RU26) MIDDLE CHANNEL




802.11ax-20 MHz(RU26) HIGH CHANNEL




802.11ax-20 MHz(RU52) LOW CHANNEL




802.11ax-20 MHz(RU52) MIDDLE CHANNEL




802.11ax-20 MHz(RU52) HIGH CHANNEL




802.11ax-20 MHz(RU106) LOW CHANNEL



802.11ax-20 MHz(RU106) MIDDLE CHANNEL



802.11ax-20 MHz(RU106) HIGH CHANNEL



MIMOTest Data

802.11b Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-1.90	8	Pass
Middle	-1.11	8	Pass
High	0.32	8	Pass

802.11g Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-3.44	8	Pass
Middle	-4.19	8	Pass
High	-4.02	8	Pass

802.11n-20 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-4.90	8	Pass
Middle	-3.99	8	Pass
High	-4.04	8	Pass

802.11ax-20 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-7.09	8	Pass
Middle	-6.42	8	Pass
High	-6.51	8	Pass

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	1.15	8	Pass
Middle	-0.55	8	Pass
High	0.30	8	Pass

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-2.89	8	Pass
Middle	-1.97	8	Pass
High	-2.92	8	Pass

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-5.10	8	Pass
Middle	-5.22	8	Pass
High	-4.54	8	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26060266-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26060266-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26060266-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--