


11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1349.900	42.06	74.0	31.94	Peak	1.00	400	Horizontal	Pass
1**	1349.900	33.18	54.0	20.82	AV	1.00	400	Horizontal	Pass
2	2787.800	48.16	74.0	25.84	Peak	186.00	400	Horizontal	Pass
2**	2787.800	38.47	54.0	15.53	AV	186.00	400	Horizontal	Pass
3	5396.750	50.94	74.0	23.06	Peak	165.00	150	Horizontal	Pass
3**	5396.750	46.37	54.0	7.63	AV	165.00	150	Horizontal	Pass
4	5747.250	103.69	--	--	Peak	295.00	400	Horizontal	N/A
4**	5747.250	95.83	--	--	AV	295.00	400	Horizontal	N/A
5	11921.599	49.00	74.0	25.00	Peak	39.00	300	Horizontal	Pass
5**	11921.599	39.90	54.0	14.10	AV	39.00	300	Horizontal	Pass
6	15383.925	49.89	74.0	24.11	Peak	137.00	200	Horizontal	Pass
6**	15383.925	41.38	54.0	12.62	AV	137.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.100	43.32	74.0	30.68	Peak	268.00	100	Vertical	Pass
1**	1597.100	36.24	54.0	17.76	AV	268.00	100	Vertical	Pass
2	2805.900	48.40	74.0	25.60	Peak	238.00	300	Vertical	Pass
2**	2805.900	39.21	54.0	14.79	AV	238.00	300	Vertical	Pass
3	5396.000	58.26	74.0	15.74	Peak	157.00	150	Vertical	Pass
3**	5396.000	50.62	54.0	3.38	AV	157.00	150	Vertical	Pass
4	5747.500	98.06	--	--	Peak	255.00	400	Vertical	N/A
4**	5747.500	89.75	--	--	AV	255.00	400	Vertical	N/A
5	12602.988	49.86	74.0	24.14	Peak	62.00	200	Vertical	Pass
5**	12602.988	39.98	54.0	14.02	AV	62.00	200	Vertical	Pass
6	15391.275	49.96	74.0	24.04	Peak	285.00	100	Vertical	Pass
6**	15391.275	40.40	54.0	13.60	AV	285.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.200	41.99	74.0	32.01	Peak	58.00	300	Horizontal	Pass
1**	1598.200	32.71	54.0	21.29	AV	58.00	300	Horizontal	Pass
2	2747.700	48.43	74.0	25.57	Peak	21.00	200	Horizontal	Pass
2**	2747.700	39.17	54.0	14.83	AV	21.00	200	Horizontal	Pass
3	5397.250	51.04	74.0	22.96	Peak	202.00	150	Horizontal	Pass
3**	5397.250	46.34	54.0	7.66	AV	202.00	150	Horizontal	Pass
4	5780.500	103.15	--	--	Peak	300.00	100	Horizontal	N/A
4**	5780.500	94.12	--	--	AV	300.00	100	Horizontal	N/A
5	12393.037	49.63	74.0	24.37	Peak	68.00	200	Horizontal	Pass
5**	12393.037	40.08	54.0	13.92	AV	68.00	200	Horizontal	Pass
6	15394.425	50.74	74.0	23.26	Peak	143.00	200	Horizontal	Pass
6**	15394.425	40.70	54.0	13.30	AV	143.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.500	42.83	74.0	31.17	Peak	275.00	100	Vertical	Pass
1**	1596.500	33.78	54.0	20.22	AV	275.00	100	Vertical	Pass
2	2857.300	48.87	74.0	25.13	Peak	353.00	300	Vertical	Pass
2**	2857.300	39.39	54.0	14.61	AV	353.00	300	Vertical	Pass
3	5399.250	58.32	74.0	15.68	Peak	286.00	150	Vertical	Pass
3**	5399.250	50.97	54.0	3.03	AV	286.00	150	Vertical	Pass
4	5788.000	98.55	--	--	Peak	294.00	200	Vertical	N/A
4**	5788.000	90.98	--	--	AV	294.00	200	Vertical	N/A
5	11924.213	49.40	74.0	24.60	Peak	30.00	200	Vertical	Pass
5**	11924.213	40.35	54.0	13.65	AV	30.00	200	Vertical	Pass
6	15377.100	50.39	74.0	23.61	Peak	339.00	100	Vertical	Pass
6**	15377.100	41.25	54.0	12.75	AV	339.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1384.400	42.06	74.0	31.94	Peak	88.00	300	Horizontal	Pass
1**	1384.400	32.25	54.0	21.75	AV	88.00	300	Horizontal	Pass
2	2804.500	48.33	74.0	25.67	Peak	334.00	300	Horizontal	Pass
2**	2804.500	38.78	54.0	15.22	AV	334.00	300	Horizontal	Pass
3	5400.000	55.58	74.0	18.42	Peak	174.00	100	Horizontal	Pass
3**	5400.000	46.79	54.0	7.21	AV	174.00	100	Horizontal	Pass
4	5827.500	102.16	--	--	Peak	289.00	300	Horizontal	N/A
4**	5827.500	95.15	--	--	AV	289.00	300	Horizontal	N/A
5	12246.263	49.80	74.0	24.20	Peak	218.00	400	Horizontal	Pass
5**	12246.263	39.74	54.0	14.26	AV	218.00	400	Horizontal	Pass
6	15383.925	49.91	74.0	24.09	Peak	359.00	100	Horizontal	Pass
6**	15383.925	40.83	54.0	13.17	AV	359.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1182.100	42.95	74.0	31.05	Peak	266.00	200	Vertical	Pass
1**	1182.100	37.08	54.0	16.92	AV	266.00	200	Vertical	Pass
2	2720.900	48.61	74.0	25.39	Peak	289.00	400	Vertical	Pass
2**	2720.900	39.03	54.0	14.97	AV	289.00	400	Vertical	Pass
3	5385.000	56.74	74.0	17.26	Peak	158.00	100	Vertical	Pass
3**	5385.000	50.54	54.0	3.46	AV	158.00	100	Vertical	Pass
4	5827.250	98.69	--	--	Peak	271.00	100	Vertical	N/A
4**	5827.250	91.55	--	--	AV	271.00	100	Vertical	N/A
5	10783.263	50.37	74.0	23.63	Peak	262.00	100	Vertical	Pass
5**	10783.263	38.27	54.0	15.73	AV	262.00	100	Vertical	Pass
6	15374.737	49.83	74.0	24.17	Peak	277.00	200	Vertical	Pass
6**	15374.737	41.07	54.0	12.93	AV	277.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1186.300	41.59	74.0	32.41	Peak	161.00	400	Horizontal	Pass
1**	1186.300	31.70	54.0	22.30	AV	161.00	400	Horizontal	Pass
2	2860.500	48.93	74.0	25.07	Peak	289.00	100	Horizontal	Pass
2**	2860.500	39.42	54.0	14.58	AV	289.00	100	Horizontal	Pass
3	5382.750	51.62	74.0	22.38	Peak	166.00	150	Horizontal	Pass
3**	5382.750	46.47	54.0	7.53	AV	166.00	150	Horizontal	Pass
4	5765.500	100.94	--	--	Peak	287.00	300	Horizontal	N/A
4**	5765.500	93.09	--	--	AV	287.00	300	Horizontal	N/A
5	11892.625	49.23	74.0	24.77	Peak	75.00	100	Horizontal	Pass
5**	11892.625	39.77	54.0	14.23	AV	75.00	100	Horizontal	Pass
6	15451.388	50.08	74.0	23.92	Peak	1.00	150	Horizontal	Pass
6**	15451.388	40.43	54.0	13.57	AV	1.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.400	43.12	74.0	30.88	Peak	261.00	100	Vertical	Pass
1**	1597.400	36.64	54.0	17.36	AV	261.00	100	Vertical	Pass
2	2716.800	48.53	74.0	25.47	Peak	0.00	300	Vertical	Pass
2**	2716.800	38.95	54.0	15.05	AV	0.00	300	Vertical	Pass
3	5397.500	58.24	74.0	15.76	Peak	158.00	150	Vertical	Pass
3**	5397.500	50.69	54.0	3.31	AV	158.00	150	Vertical	Pass
4	5760.500	95.88	--	--	Peak	304.00	100	Vertical	N/A
4**	5760.500	87.05	--	--	AV	304.00	100	Vertical	N/A
5	10773.526	50.29	74.0	23.71	Peak	287.00	300	Vertical	Pass
5**	10773.526	38.41	54.0	15.59	AV	287.00	300	Vertical	Pass
6	15365.550	49.74	74.0	24.26	Peak	351.00	100	Vertical	Pass
6**	15365.550	41.04	54.0	12.96	AV	351.00	100	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1351.100	41.76	74.0	32.24	Peak	28.00	100	Horizontal	Pass
1**	1351.100	32.88	54.0	21.12	AV	28.00	100	Horizontal	Pass
2	2856.700	48.78	74.0	25.22	Peak	243.00	300	Horizontal	Pass
2**	2856.700	39.97	54.0	14.03	AV	243.00	300	Horizontal	Pass
3	5396.750	53.68	74.0	20.32	Peak	184.00	100	Horizontal	Pass
3**	5396.750	46.82	54.0	7.18	AV	184.00	100	Horizontal	Pass
4	5806.500	101.46	--	--	Peak	298.00	200	Horizontal	N/A
4**	5806.500	93.45	--	--	AV	298.00	200	Horizontal	N/A
5	12383.537	50.37	74.0	23.63	Peak	215.00	100	Horizontal	Pass
5**	12383.537	40.95	54.0	13.05	AV	215.00	100	Horizontal	Pass
6	15943.576	50.13	74.0	23.87	Peak	358.00	100	Horizontal	Pass
6**	15943.576	39.94	54.0	14.06	AV	358.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.600	43.96	74.0	30.04	Peak	258.00	100	Vertical	Pass
1**	1595.600	35.98	54.0	18.02	AV	258.00	100	Vertical	Pass
2	2871.200	48.57	74.0	25.43	Peak	109.00	200	Vertical	Pass
2**	2871.200	39.82	54.0	14.18	AV	109.00	200	Vertical	Pass
3	5385.750	56.75	74.0	17.25	Peak	160.00	100	Vertical	Pass
3**	5385.750	50.64	54.0	3.36	AV	160.00	100	Vertical	Pass
4	5786.500	97.83	--	--	Peak	289.00	100	Vertical	N/A
4**	5786.500	90.52	--	--	AV	289.00	100	Vertical	N/A
5	12209.212	49.79	74.0	24.21	Peak	14.00	200	Vertical	Pass
5**	12209.212	40.43	54.0	13.57	AV	14.00	200	Vertical	Pass
6	15444.825	50.65	74.0	23.35	Peak	75.00	100	Vertical	Pass
6**	15444.825	40.56	54.0	13.44	AV	75.00	100	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.300	42.25	74.0	31.75	Peak	35.00	400	Horizontal	Pass
1**	1595.300	32.41	54.0	21.59	AV	35.00	400	Horizontal	Pass
2	2861.600	48.67	74.0	25.33	Peak	326.00	400	Horizontal	Pass
2**	2861.600	39.83	54.0	14.17	AV	326.00	400	Horizontal	Pass
3	5391.500	54.07	74.0	19.93	Peak	166.00	100	Horizontal	Pass
3**	5391.500	44.92	54.0	9.08	AV	166.00	100	Horizontal	Pass
4	5767.500	97.41	--	--	Peak	289.00	400	Horizontal	N/A
4**	5767.500	90.66	--	--	AV	289.00	400	Horizontal	N/A
5	12644.787	49.66	74.0	24.34	Peak	353.00	100	Horizontal	Pass
5**	12644.787	40.62	54.0	13.38	AV	353.00	100	Horizontal	Pass
6	15352.162	50.61	74.0	23.39	Peak	261.00	100	Horizontal	Pass
6**	15352.162	41.56	54.0	12.44	AV	261.00	100	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.100	44.29	74.0	29.71	Peak	267.00	100	Vertical	Pass
1**	1594.100	36.91	54.0	17.09	AV	267.00	100	Vertical	Pass
2	2865.500	48.48	74.0	25.52	Peak	0.00	400	Vertical	Pass
2**	2865.500	38.93	54.0	15.07	AV	0.00	400	Vertical	Pass
3	5398.750	55.59	74.0	18.41	Peak	303.00	100	Vertical	Pass
3**	5398.750	50.80	54.0	3.20	AV	303.00	100	Vertical	Pass
4	5789.250	94.14	--	--	Peak	295.00	400	Vertical	N/A
4**	5789.250	84.43	--	--	AV	295.00	400	Vertical	N/A
5	12335.799	49.52	74.0	24.48	Peak	163.00	300	Vertical	Pass
5**	12335.799	39.36	54.0	14.64	AV	163.00	300	Vertical	Pass
6	15440.362	50.07	74.0	23.93	Peak	7.00	200	Vertical	Pass
6**	15440.362	40.83	54.0	13.17	AV	7.00	200	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.600	41.77	74.0	32.23	Peak	0.00	200	Horizontal	Pass
1**	1535.600	31.85	54.0	22.15	AV	0.00	200	Horizontal	Pass
2	2753.100	49.34	74.0	24.66	Peak	6.00	100	Horizontal	Pass
2**	2753.100	39.26	54.0	14.74	AV	6.00	100	Horizontal	Pass
3	5394.750	54.77	74.0	19.23	Peak	174.00	100	Horizontal	Pass
3**	5394.750	42.99	54.0	11.01	AV	174.00	100	Horizontal	Pass
4	5740.500	103.58	--	--	Peak	281.00	300	Horizontal	N/A
4**	5740.500	97.05	--	--	AV	281.00	300	Horizontal	N/A
5	11882.888	49.31	74.0	24.69	Peak	14.00	400	Horizontal	Pass
5**	11882.888	39.89	54.0	14.11	AV	14.00	400	Horizontal	Pass
6	15387.076	49.66	74.0	24.34	Peak	346.00	100	Horizontal	Pass
6**	15387.076	41.39	54.0	12.61	AV	346.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.500	43.57	74.0	30.43	Peak	266.00	200	Vertical	Pass
1**	1598.500	35.30	54.0	18.70	AV	266.00	200	Vertical	Pass
2	2837.600	48.38	74.0	25.62	Peak	133.00	100	Vertical	Pass
2**	2837.600	39.43	54.0	14.57	AV	133.00	100	Vertical	Pass
3	5395.250	57.61	74.0	16.39	Peak	157.00	100	Vertical	Pass
3**	5395.250	50.80	54.0	3.20	AV	157.00	100	Vertical	Pass
4	5748.750	98.30	--	--	Peak	264.00	400	Vertical	N/A
4**	5748.750	91.22	--	--	AV	264.00	400	Vertical	N/A
5	10779.700	49.87	74.0	24.13	Peak	262.00	100	Vertical	Pass
5**	10779.700	39.18	54.0	14.82	AV	262.00	100	Vertical	Pass
6	15382.875	49.53	74.0	24.47	Peak	5.00	150	Vertical	Pass
6**	15382.875	41.01	54.0	12.99	AV	5.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1386.700	42.02	74.0	31.98	Peak	279.00	100	Horizontal	Pass
1**	1386.700	32.46	54.0	21.54	AV	279.00	100	Horizontal	Pass
2	2858.200	48.43	74.0	25.57	Peak	331.00	200	Horizontal	Pass
2**	2858.200	39.31	54.0	14.69	AV	331.00	200	Horizontal	Pass
3	5400.250	54.92	74.0	19.08	Peak	179.00	100	Horizontal	Pass
3**	5400.250	43.42	54.0	10.58	AV	179.00	100	Horizontal	Pass
4	5787.500	102.94	--	--	Peak	284.00	100	Horizontal	N/A
4**	5787.500	94.54	--	--	AV	284.00	100	Horizontal	N/A
5	12383.062	49.01	74.0	24.99	Peak	93.00	200	Horizontal	Pass
5**	12383.062	39.70	54.0	14.30	AV	93.00	200	Horizontal	Pass
6	16102.651	49.80	74.0	24.20	Peak	359.00	100	Horizontal	Pass
6**	16102.651	39.64	54.0	14.36	AV	359.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.900	43.35	74.0	30.65	Peak	264.00	400	Vertical	Pass
1**	1596.900	34.94	54.0	19.06	AV	264.00	400	Vertical	Pass
2	2807.700	48.33	74.0	25.67	Peak	360.00	100	Vertical	Pass
2**	2807.700	39.21	54.0	14.79	AV	360.00	100	Vertical	Pass
3	5399.000	55.26	74.0	18.74	Peak	161.00	100	Vertical	Pass
3**	5399.000	50.93	54.0	3.07	AV	161.00	100	Vertical	Pass
4	5780.250	98.57	--	--	Peak	292.00	400	Vertical	N/A
4**	5780.250	90.63	--	--	AV	292.00	400	Vertical	N/A
5	10786.113	49.31	74.0	24.69	Peak	294.00	400	Vertical	Pass
5**	10786.113	38.88	54.0	15.12	AV	294.00	400	Vertical	Pass
6	15757.987	49.00	74.0	25.00	Peak	142.00	100	Vertical	Pass
6**	15757.987	39.48	54.0	14.52	AV	142.00	100	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.900	42.01	74.0	31.99	Peak	212.00	400	Horizontal	Pass
1**	1196.900	31.87	54.0	22.13	AV	212.00	400	Horizontal	Pass
2	2719.700	49.87	74.0	24.13	Peak	2.00	200	Horizontal	Pass
2**	2719.700	39.25	54.0	14.75	AV	2.00	200	Horizontal	Pass
3	5388.750	53.91	74.0	20.09	Peak	186.00	100	Horizontal	Pass
3**	5388.750	42.25	54.0	11.75	AV	186.00	100	Horizontal	Pass
4	5826.500	103.49	--	--	Peak	298.00	200	Horizontal	N/A
4**	5826.500	97.68	--	--	AV	298.00	200	Horizontal	N/A
5	11951.050	49.61	74.0	24.39	Peak	317.00	100	Horizontal	Pass
5**	11951.050	40.46	54.0	13.54	AV	317.00	100	Horizontal	Pass
6	15763.763	48.98	74.0	25.02	Peak	151.00	100	Horizontal	Pass
6**	15763.763	39.47	54.0	14.53	AV	151.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.200	45.44	74.0	28.56	Peak	258.00	100	Vertical	Pass
1**	1594.200	36.26	54.0	17.74	AV	258.00	100	Vertical	Pass
2	2845.200	48.47	74.0	25.53	Peak	101.00	400	Vertical	Pass
2**	2845.200	39.41	54.0	14.59	AV	101.00	400	Vertical	Pass
3	5381.750	55.92	74.0	18.08	Peak	307.00	100	Vertical	Pass
3**	5381.750	50.65	54.0	3.35	AV	307.00	100	Vertical	Pass
4	5827.250	99.83	--	--	Peak	274.00	300	Vertical	N/A
4**	5827.250	92.50	--	--	AV	274.00	300	Vertical	N/A
5	10779.700	50.49	74.0	23.51	Peak	261.00	400	Vertical	Pass
5**	10779.700	38.43	54.0	15.57	AV	261.00	400	Vertical	Pass
6	15379.987	50.46	74.0	23.54	Peak	310.00	200	Vertical	Pass
6**	15379.987	41.16	54.0	12.84	AV	310.00	200	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.600	41.62	74.0	32.38	Peak	114.00	100	Horizontal	Pass
1**	1480.600	31.47	54.0	22.53	AV	114.00	100	Horizontal	Pass
2	2737.300	48.66	74.0	25.34	Peak	91.00	400	Horizontal	Pass
2**	2737.300	39.07	54.0	14.93	AV	91.00	400	Horizontal	Pass
3	5393.000	54.62	74.0	19.38	Peak	128.00	100	Horizontal	Pass
3**	5393.000	43.81	54.0	10.19	AV	128.00	100	Horizontal	Pass
4	5757.750	101.63	--	--	Peak	284.00	200	Horizontal	N/A
4**	5757.750	92.79	--	--	AV	284.00	200	Horizontal	N/A
5	12470.700	49.58	74.0	24.42	Peak	20.00	400	Horizontal	Pass
5**	12470.700	39.29	54.0	14.71	AV	20.00	400	Horizontal	Pass
6	15362.400	49.67	74.0	24.33	Peak	217.00	150	Horizontal	Pass
6**	15362.400	41.28	54.0	12.72	AV	217.00	150	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.500	43.48	74.0	30.52	Peak	271.00	100	Vertical	Pass
1**	1598.500	35.74	54.0	18.26	AV	271.00	100	Vertical	Pass
2	2733.800	49.30	74.0	24.70	Peak	359.00	100	Vertical	Pass
2**	2733.800	38.55	54.0	15.45	AV	359.00	100	Vertical	Pass
3	5381.500	56.85	74.0	17.15	Peak	155.00	100	Vertical	Pass
3**	5381.500	50.87	54.0	3.13	AV	155.00	100	Vertical	Pass
4	5749.500	96.47	--	--	Peak	284.00	200	Vertical	N/A
4**	5749.500	88.83	--	--	AV	284.00	200	Vertical	N/A
5	10800.362	49.87	74.0	24.13	Peak	292.00	300	Vertical	Pass
5**	10800.362	39.58	54.0	14.42	AV	292.00	300	Vertical	Pass
6	15380.513	49.98	74.0	24.02	Peak	58.00	150	Vertical	Pass
6**	15380.513	41.05	54.0	12.95	AV	58.00	150	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.100	42.18	74.0	31.82	Peak	359.00	400	Horizontal	Pass
1**	1198.100	32.60	54.0	21.40	AV	359.00	400	Horizontal	Pass
2	2837.500	48.24	74.0	25.76	Peak	354.00	300	Horizontal	Pass
2**	2837.500	39.30	54.0	14.70	AV	354.00	300	Horizontal	Pass
3	5389.500	54.62	74.0	19.38	Peak	178.00	100	Horizontal	Pass
3**	5389.500	42.87	54.0	11.13	AV	178.00	100	Horizontal	Pass
4	5796.000	101.58	--	--	Peak	298.00	200	Horizontal	N/A
4**	5796.000	91.53	--	--	AV	298.00	200	Horizontal	N/A
5	12430.088	49.75	74.0	24.25	Peak	360.00	200	Horizontal	Pass
5**	12430.088	39.36	54.0	14.64	AV	360.00	200	Horizontal	Pass
6	15358.463	50.62	74.0	23.38	Peak	292.00	200	Horizontal	Pass
6**	15358.463	41.09	54.0	12.91	AV	292.00	200	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.100	44.21	74.0	29.79	Peak	264.00	200	Vertical	Pass
1**	1594.100	34.90	54.0	19.10	AV	264.00	200	Vertical	Pass
2	2747.200	49.20	74.0	24.80	Peak	302.00	100	Vertical	Pass
2**	2747.200	39.63	54.0	14.37	AV	302.00	100	Vertical	Pass
3	5383.500	56.27	74.0	17.73	Peak	323.00	100	Vertical	Pass
3**	5383.500	50.90	54.0	3.10	AV	323.00	100	Vertical	Pass
4	5787.500	97.10	--	--	Peak	298.00	400	Vertical	N/A
4**	5787.500	87.48	--	--	AV	298.00	400	Vertical	N/A
5	12377.362	49.40	74.0	24.60	Peak	171.00	100	Vertical	Pass
5**	12377.362	40.83	54.0	13.17	AV	171.00	100	Vertical	Pass
6	15372.637	50.07	74.0	23.93	Peak	212.00	200	Vertical	Pass
6**	15372.637	42.13	54.0	11.87	AV	212.00	200	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1320.400	42.51	74.0	31.49	Peak	358.00	100	Horizontal	Pass
1**	1320.400	32.87	54.0	21.13	AV	358.00	100	Horizontal	Pass
2	2855.200	48.77	74.0	25.23	Peak	207.00	100	Horizontal	Pass
2**	2855.200	39.47	54.0	14.53	AV	207.00	100	Horizontal	Pass
3	5383.250	54.41	74.0	19.59	Peak	174.00	100	Horizontal	Pass
3**	5383.250	44.71	54.0	9.29	AV	174.00	100	Horizontal	Pass
4	5756.500	97.58	--	--	Peak	287.00	100	Horizontal	N/A
4**	5756.500	88.84	--	--	AV	287.00	100	Horizontal	N/A
5	12557.625	49.45	74.0	24.55	Peak	80.00	100	Horizontal	Pass
5**	12557.625	40.15	54.0	13.85	AV	80.00	100	Horizontal	Pass
6	15380.775	50.09	74.0	23.91	Peak	235.00	150	Horizontal	Pass
6**	15380.775	40.97	54.0	13.03	AV	235.00	150	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1182.300	43.90	74.0	30.10	Peak	276.00	300	Vertical	Pass
1**	1182.300	37.34	54.0	16.66	AV	276.00	300	Vertical	Pass
2	2834.300	48.78	74.0	25.22	Peak	14.00	300	Vertical	Pass
2**	2834.300	38.80	54.0	15.20	AV	14.00	300	Vertical	Pass
3	5396.000	58.10	74.0	15.90	Peak	287.00	100	Vertical	Pass
3**	5396.000	50.85	54.0	3.15	AV	287.00	100	Vertical	Pass
4	5780.750	93.35	--	--	Peak	279.00	100	Vertical	N/A
4**	5780.750	85.17	--	--	AV	279.00	100	Vertical	N/A
5	10785.875	49.94	74.0	24.06	Peak	282.00	200	Vertical	Pass
5**	10785.875	39.19	54.0	14.81	AV	282.00	200	Vertical	Pass
6	15851.963	49.85	74.0	24.15	Peak	162.00	150	Vertical	Pass
6**	15851.963	39.52	54.0	14.48	AV	162.00	150	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass

	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass


Note ¹: All antenna were pre tested, but only the worst case has been reported in this report.

Note ²: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note ³: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.


Test Data and Plots

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	57.31	-0.01	74.0	16.69	Peak	263.00	300	Horizontal	Pass
1**	5148.700	43.25	-0.01	54.0	10.75	AV	263.00	300	Horizontal	Pass
2	5150.000	56.49	0.06	74.0	17.51	Peak	19.00	400	Horizontal	Pass
2**	5150.000	43.28	0.06	54.0	10.72	AV	19.00	400	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.31	-1.41	74.0	22.69	Peak	267.00	400	Horizontal	Pass
1**	5350.000	40.79	-1.41	54.0	13.21	AV	267.00	400	Horizontal	Pass
2	5380.983	56.29	0.69	74.0	17.71	Peak	233.00	200	Horizontal	Pass
2**	5380.983	43.39	0.69	54.0	10.61	AV	233.00	200	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	56.91	0.20	74.0	17.09	Peak	23.00	300	Horizontal	Pass
1**	5149.350	43.52	0.20	54.0	10.48	AV	23.00	300	Horizontal	Pass
2	5150.000	56.99	0.06	74.0	17.01	Peak	272.00	200	Horizontal	Pass
2**	5150.000	43.61	0.06	54.0	10.39	AV	272.00	200	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.39	-1.41	74.0	21.61	Peak	12.00	100	Horizontal	Pass
1**	5350.000	40.90	-1.41	54.0	13.10	AV	12.00	100	Horizontal	Pass
2	5382.633	55.67	0.40	74.0	18.33	Peak	223.00	300	Horizontal	Pass
2**	5382.633	43.33	0.40	54.0	10.67	AV	223.00	300	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	55.90	0.20	74.0	18.10	Peak	31.00	200	Horizontal	Pass
1**	5149.350	44.94	0.20	54.0	9.06	AV	31.00	200	Horizontal	Pass
2	5150.000	54.50	0.06	74.0	19.50	Peak	31.00	300	Horizontal	Pass
2**	5150.000	44.61	0.06	54.0	9.39	AV	31.00	300	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.08	-1.41	74.0	22.92	Peak	347.00	100	Horizontal	Pass
1**	5350.000	40.84	-1.41	54.0	13.16	AV	347.00	100	Horizontal	Pass
2	5390.700	55.19	-0.38	74.0	18.81	Peak	234.00	100	Horizontal	Pass
2**	5390.700	42.63	-0.38	54.0	11.37	AV	234.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	56.97	0.21	74.0	17.03	Peak	19.00	300	Horizontal	Pass
1**	5146.750	43.48	0.21	54.0	10.52	AV	19.00	300	Horizontal	Pass
2	5150.000	55.96	0.06	74.0	18.04	Peak	15.00	300	Horizontal	Pass
2**	5150.000	43.32	0.06	54.0	10.68	AV	15.00	300	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.95	-1.41	74.0	23.05	Peak	0.00	400	Horizontal	Pass
1**	5350.000	40.89	-1.41	54.0	13.11	AV	0.00	400	Horizontal	Pass
2	5380.617	55.36	0.55	74.0	18.64	Peak	236.00	400	Horizontal	Pass
2**	5380.617	42.89	0.55	54.0	11.11	AV	236.00	400	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	55.63	0.20	74.0	18.37	Peak	261.00	300	Horizontal	Pass
1**	5149.350	44.55	0.20	54.0	9.45	AV	261.00	300	Horizontal	Pass
2	5150.000	55.58	0.06	74.0	18.42	Peak	17.00	100	Horizontal	Pass
2**	5150.000	44.27	0.06	54.0	9.73	AV	17.00	100	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.22	-1.41	74.0	22.78	Peak	350.00	100	Horizontal	Pass
1**	5350.000	40.92	-1.41	54.0	13.08	AV	350.00	100	Horizontal	Pass
2	5385.750	55.65	-0.00	74.0	18.35	Peak	235.00	100	Horizontal	Pass
2**	5385.750	42.66	-0.00	54.0	11.34	AV	235.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5130.825	56.13	-0.33	74.0	17.87	Peak	18.00	100	Horizontal	Pass
1**	5130.825	42.67	-0.33	54.0	11.33	AV	18.00	100	Horizontal	Pass
2	5150.000	52.95	0.06	74.0	21.05	Peak	275.00	300	Horizontal	Pass
2**	5150.000	43.51	0.06	54.0	10.49	AV	275.00	300	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.82	-1.41	74.0	23.18	Peak	68.00	300	Horizontal	Pass
1**	5350.000	40.89	-1.41	54.0	13.11	AV	68.00	300	Horizontal	Pass
2	5381.167	55.59	0.76	74.0	18.41	Peak	61.00	100	Horizontal	Pass
2**	5381.167	43.36	0.76	54.0	10.64	AV	61.00	100	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	56.84	0.10	74.0	17.16	Peak	275.00	200	Horizontal	Pass
1**	5149.025	43.57	0.10	54.0	10.43	AV	275.00	200	Horizontal	Pass
2	5150.000	55.74	0.06	74.0	18.26	Peak	284.00	300	Horizontal	Pass
2**	5150.000	43.36	0.06	54.0	10.64	AV	284.00	300	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.01	-1.41	74.0	22.99	Peak	74.00	200	Horizontal	Pass
1**	5350.000	40.69	-1.41	54.0	13.31	AV	74.00	200	Horizontal	Pass
2	5386.666	55.70	0.06	74.0	18.30	Peak	233.00	300	Horizontal	Pass
2**	5386.666	43.07	0.06	54.0	10.93	AV	233.00	300	Horizontal	Pass

U-NII-1 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	54.88	-0.01	74.0	19.12	Peak	19.00	400	Horizontal	Pass
1**	5148.700	43.79	-0.01	54.0	10.21	AV	19.00	400	Horizontal	Pass
2	5150.000	54.02	0.06	74.0	19.98	Peak	273.00	100	Horizontal	Pass
2**	5150.000	44.55	0.06	54.0	9.45	AV	273.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.25	-1.41	74.0	22.75	Peak	214.00	200	Horizontal	Pass
1**	5350.000	40.86	-1.41	54.0	13.14	AV	214.00	200	Horizontal	Pass
2	5381.900	55.82	0.68	74.0	18.18	Peak	235.00	300	Horizontal	Pass
2**	5381.900	43.75	0.68	54.0	10.25	AV	235.00	300	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.875	55.26	0.14	74.0	18.74	Peak	32.00	100	Horizontal	Pass
1**	5128.875	42.84	0.14	54.0	11.16	AV	32.00	100	Horizontal	Pass
2	5150.000	53.43	0.06	74.0	20.57	Peak	360.00	400	Horizontal	Pass
2**	5150.000	43.03	0.06	54.0	10.97	AV	360.00	400	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.31	-1.41	74.0	22.69	Peak	0.00	100	Horizontal	Pass
1**	5350.000	40.93	-1.41	54.0	13.07	AV	0.00	100	Horizontal	Pass
2	5387.033	55.02	-0.09	74.0	18.98	Peak	240.00	200	Horizontal	Pass
2**	5387.033	42.61	-0.09	54.0	11.39	AV	240.00	200	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.475	53.80	0.15	74.0	20.20	Peak	0.00	300	Horizontal	Pass
1**	5144.475	42.92	0.15	54.0	11.08	AV	0.00	300	Horizontal	Pass
2	5150.000	52.13	0.06	74.0	21.87	Peak	5.00	200	Horizontal	Pass
2**	5150.000	43.15	0.06	54.0	10.85	AV	5.00	200	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.03	-1.41	74.0	16.97	Peak	31.00	400	Horizontal	Pass
1**	5350.000	41.35	-1.41	54.0	12.65	AV	31.00	400	Horizontal	Pass
2	5352.383	58.63	-0.61	74.0	15.37	Peak	20.00	200	Horizontal	Pass
2**	5352.383	41.87	-0.61	54.0	12.13	AV	20.00	200	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4851.975	54.24	-0.21	74.0	19.76	Peak	318.00	300	Horizontal	Pass
1**	4851.975	43.15	-0.21	54.0	10.85	AV	318.00	300	Horizontal	Pass
2	5150.000	52.30	0.06	74.0	21.70	Peak	72.00	200	Horizontal	Pass
2**	5150.000	42.92	0.06	54.0	11.08	AV	72.00	200	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.67	-1.41	74.0	16.33	Peak	360.00	200	Horizontal	Pass
1**	5350.000	41.10	-1.41	54.0	12.90	AV	360.00	200	Horizontal	Pass
2	5352.200	58.57	-0.71	74.0	15.43	Peak	24.00	400	Horizontal	Pass
2**	5352.200	41.70	-0.71	54.0	12.30	AV	24.00	400	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4890.975	54.06	-1.01	74.0	19.94	Peak	8.00	100	Horizontal	Pass
1**	4890.975	41.09	-1.01	54.0	12.91	AV	8.00	100	Horizontal	Pass
2	5150.000	52.77	0.06	74.0	21.23	Peak	304.00	100	Horizontal	Pass
2**	5150.000	42.74	0.06	54.0	11.26	AV	304.00	100	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.24	-1.41	74.0	21.76	Peak	360.00	200	Horizontal	Pass
1**	5350.000	41.84	-1.41	54.0	12.16	AV	360.00	200	Horizontal	Pass
2	5397.484	55.43	-0.26	74.0	18.57	Peak	235.00	100	Horizontal	Pass
2**	5397.484	42.91	-0.26	54.0	11.09	AV	235.00	100	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.450	53.88	0.06	74.0	20.12	Peak	258.00	300	Horizontal	Pass
1**	5145.450	42.58	0.06	54.0	11.42	AV	258.00	300	Horizontal	Pass
2	5150.000	52.22	0.06	74.0	21.78	Peak	271.00	400	Horizontal	Pass
2**	5150.000	43.03	0.06	54.0	10.97	AV	271.00	400	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.59	-1.41	74.0	16.41	Peak	360.00	300	Horizontal	Pass
1**	5350.000	41.46	-1.41	54.0	12.54	AV	360.00	300	Horizontal	Pass
2	5350.550	58.21	-1.15	74.0	15.79	Peak	21.00	300	Horizontal	Pass
2**	5350.550	41.49	-1.15	54.0	12.51	AV	21.00	300	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5121.075	53.72	-0.23	74.0	20.28	Peak	130.00	400	Horizontal	Pass
1**	5121.075	42.39	-0.23	54.0	11.61	AV	130.00	400	Horizontal	Pass
2	5150.000	52.59	0.06	74.0	21.41	Peak	0.00	400	Horizontal	Pass
2**	5150.000	42.90	0.06	54.0	11.10	AV	0.00	400	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.17	-1.41	74.0	21.83	Peak	258.00	300	Horizontal	Pass
1**	5350.000	41.96	-1.41	54.0	12.04	AV	258.00	300	Horizontal	Pass
2	5382.817	55.49	0.32	74.0	18.51	Peak	241.00	400	Horizontal	Pass
2**	5382.817	43.13	0.32	54.0	10.87	AV	241.00	400	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4848.725	54.61	-0.15	74.0	19.39	Peak	201.00	300	Horizontal	Pass
1**	4848.725	43.39	-0.15	54.0	10.61	AV	201.00	300	Horizontal	Pass
2	5150.000	51.96	0.06	74.0	22.04	Peak	76.00	400	Horizontal	Pass
2**	5150.000	42.87	0.06	54.0	11.13	AV	76.00	400	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.50	-1.41	74.0	22.50	Peak	191.00	200	Horizontal	Pass
1**	5350.000	41.21	-1.41	54.0	12.79	AV	191.00	200	Horizontal	Pass
2	5397.850	55.45	-0.45	74.0	18.55	Peak	234.00	100	Horizontal	Pass
2**	5397.850	42.54	-0.45	54.0	11.46	AV	234.00	100	Horizontal	Pass

U-NII-2A 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5130.175	54.68	-0.30	74.0	19.32	Peak	0.00	200	Horizontal	Pass
1**	5130.175	42.87	-0.30	54.0	11.13	AV	0.00	200	Horizontal	Pass
2	5150.000	53.90	0.06	74.0	20.10	Peak	0.00	400	Horizontal	Pass
2**	5150.000	43.36	0.06	54.0	10.64	AV	0.00	400	Horizontal	Pass

U-NII-2A 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.65	-1.41	74.0	18.35	Peak	13.00	300	Horizontal	Pass
1**	5350.000	41.27	-1.41	54.0	12.73	AV	13.00	300	Horizontal	Pass
2	5350.733	56.77	-1.06	74.0	17.23	Peak	13.00	100	Horizontal	Pass
2**	5350.733	41.72	-1.06	54.0	12.28	AV	13.00	100	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4850.025	53.89	-0.14	74.0	20.11	Peak	190.00	200	Horizontal	Pass
1**	4850.025	43.31	-0.14	54.0	10.69	AV	190.00	200	Horizontal	Pass
2	5150.000	52.10	0.06	74.0	21.90	Peak	333.00	200	Horizontal	Pass
2**	5150.000	42.85	0.06	54.0	11.15	AV	333.00	200	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.88	-1.41	74.0	17.12	Peak	0.00	400	Horizontal	Pass
1**	5350.000	41.29	-1.41	54.0	12.71	AV	0.00	400	Horizontal	Pass
2	5352.933	58.58	-0.90	74.0	15.42	Peak	19.00	200	Horizontal	Pass
2**	5352.933	41.53	-0.90	54.0	12.47	AV	19.00	200	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5041.450	54.01	-0.36	74.0	19.99	Peak	81.00	100	Horizontal	Pass
1**	5041.450	42.02	-0.36	54.0	11.98	AV	81.00	100	Horizontal	Pass
2	5150.000	53.61	0.06	74.0	20.39	Peak	131.00	400	Horizontal	Pass
2**	5150.000	42.58	0.06	54.0	11.42	AV	131.00	400	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.41	-1.41	74.0	22.59	Peak	355.00	400	Horizontal	Pass
1**	5350.000	41.47	-1.41	54.0	12.53	AV	355.00	400	Horizontal	Pass
2	5399.133	54.94	-0.65	74.0	19.06	Peak	234.00	200	Horizontal	Pass
2**	5399.133	42.09	-0.65	54.0	11.91	AV	234.00	200	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4845.150	54.29	-0.31	74.0	19.71	Peak	349.00	100	Horizontal	Pass
1**	4845.150	43.34	-0.31	54.0	10.66	AV	349.00	100	Horizontal	Pass
2	5150.000	52.71	0.06	74.0	21.29	Peak	356.00	100	Horizontal	Pass
2**	5150.000	42.86	0.06	54.0	11.14	AV	356.00	100	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.26	-1.41	74.0	22.74	Peak	99.00	400	Horizontal	Pass
1**	5350.000	41.20	-1.41	54.0	12.80	AV	99.00	400	Horizontal	Pass
2	5380.800	55.51	0.62	74.0	18.49	Peak	27.00	400	Horizontal	Pass
2**	5380.800	43.13	0.62	54.0	10.87	AV	27.00	400	Horizontal	Pass

U-NII-2A 11ax160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.375	54.66	-0.08	74.0	19.34	Peak	275.00	400	Horizontal	Pass
1**	5148.375	43.57	-0.08	54.0	10.43	AV	275.00	400	Horizontal	Pass
2	5150.000	53.47	0.06	74.0	20.53	Peak	280.00	300	Horizontal	Pass
2**	5150.000	43.88	0.06	54.0	10.12	AV	280.00	300	Horizontal	Pass

U-NII-2A 11ax160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.45	-1.41	74.0	19.55	Peak	356.00	100	Horizontal	Pass
1**	5350.000	41.40	-1.41	54.0	12.60	AV	356.00	100	Horizontal	Pass
2	5351.100	55.49	-1.02	74.0	18.51	Peak	0.00	100	Horizontal	Pass
2**	5351.100	41.52	-1.02	54.0	12.48	AV	0.00	100	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5395.000	55.99	-0.13	74.0	18.01	Peak	237.00	100	Horizontal	Pass
1**	5395.000	42.79	-0.13	54.0	11.21	AV	237.00	100	Horizontal	Pass
2	5460.000	51.96	-0.92	74.0	22.04	Peak	41.00	100	Horizontal	Pass
2**	5460.000	41.35	-0.92	54.0	12.65	AV	41.00	100	Horizontal	Pass
3	5466.000	56.82	-0.27	68.2	11.38	Peak	17.00	300	Horizontal	Pass
3**	5466.000	41.93	-0.27	--	--	AV	17.00	300	Horizontal	N/A
4	5470.000	54.82	-0.10	68.2	13.38	Peak	270.00	400	Horizontal	Pass
4**	5470.000	42.17	-0.10	--	--	AV	270.00	400	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.80	-0.12	68.2	7.40	Peak	357.00	300	Horizontal	Pass
2	5725.209	61.50	-0.12	68.2	6.70	Peak	348.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5381.600	56.07	0.78	74.0	17.93	Peak	228.00	300	Horizontal	Pass
1**	5381.600	43.58	0.78	54.0	10.42	AV	228.00	300	Horizontal	Pass
2	5460.000	52.22	-0.92	74.0	21.78	Peak	32.00	300	Horizontal	Pass
2**	5460.000	41.30	-0.92	54.0	12.70	AV	32.00	300	Horizontal	Pass
3	5468.000	57.35	-0.02	68.2	10.85	Peak	272.00	200	Horizontal	Pass
3**	5468.000	42.18	-0.02	--	--	AV	272.00	200	Horizontal	N/A
4	5470.000	56.98	-0.10	68.2	11.22	Peak	283.00	100	Horizontal	Pass
4**	5470.000	42.30	-0.10	--	--	AV	283.00	100	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.95	-0.12	68.2	6.25	Peak	356.00	200	Horizontal	Pass
2	5725.416	62.06	-0.11	68.2	6.14	Peak	20.00	400	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5380.800	56.05	0.62	74.0	17.95	Peak	233.00	400	Horizontal	Pass
1**	5380.800	43.29	0.62	54.0	10.71	AV	233.00	400	Horizontal	Pass
2	5460.000	51.65	-0.92	74.0	22.35	Peak	24.00	100	Horizontal	Pass
2**	5460.000	41.45	-0.92	54.0	12.55	AV	24.00	100	Horizontal	Pass
3	5469.400	54.45	-0.34	68.2	13.75	Peak	267.00	300	Horizontal	Pass
3**	5469.400	42.19	-0.34	--	--	AV	267.00	300	Horizontal	N/A
4	5470.000	54.38	-0.10	68.2	13.82	Peak	36.00	200	Horizontal	Pass
4**	5470.000	42.58	-0.10	--	--	AV	36.00	200	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.68	-0.12	68.2	15.52	Peak	231.00	300	Horizontal	Pass
2	5773.334	55.31	1.59	68.2	12.89	Peak	8.00	100	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5381.200	55.94	0.77	74.0	18.06	Peak	240.00	200	Horizontal	Pass
1**	5381.200	43.93	0.77	54.0	10.07	AV	240.00	200	Horizontal	Pass
2	5460.000	53.02	-0.92	74.0	20.98	Peak	162.00	200	Horizontal	Pass
2**	5460.000	41.39	-0.92	54.0	12.61	AV	162.00	200	Horizontal	Pass
3	5467.800	56.62	-0.16	68.2	11.58	Peak	275.00	400	Horizontal	Pass
3**	5467.800	42.07	-0.16	--	--	AV	275.00	400	Horizontal	N/A
4	5470.000	55.51	-0.10	68.2	12.69	Peak	20.00	400	Horizontal	Pass
4**	5470.000	42.24	-0.10	--	--	AV	20.00	400	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.55	-0.12	68.2	6.65	Peak	355.00	200	Horizontal	Pass
2	5725.834	61.59	-0.06	68.2	6.61	Peak	5.00	400	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5382.600	55.33	0.42	74.0	18.67	Peak	240.00	300	Horizontal	Pass
1**	5382.600	43.10	0.42	54.0	10.90	AV	240.00	300	Horizontal	Pass
2	5460.000	51.48	-0.92	74.0	22.52	Peak	8.00	100	Horizontal	Pass
2**	5460.000	41.35	-0.92	54.0	12.65	AV	8.00	100	Horizontal	Pass
3	5469.800	54.80	-0.18	68.2	13.40	Peak	254.00	200	Horizontal	Pass
3**	5469.800	42.25	-0.18	--	--	AV	254.00	200	Horizontal	N/A
4	5470.000	54.85	-0.10	68.2	13.35	Peak	268.00	100	Horizontal	Pass
4**	5470.000	42.26	-0.10	--	--	AV	268.00	100	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.17	-0.12	68.2	15.03	Peak	142.00	100	Horizontal	Pass
2	5766.667	55.12	1.05	68.2	13.08	Peak	33.00	200	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5380.600	55.73	0.54	74.0	18.27	Peak	236.00	400	Horizontal	Pass
1**	5380.600	42.69	0.54	54.0	11.31	AV	236.00	400	Horizontal	Pass
2	5460.000	51.62	-0.92	74.0	22.38	Peak	152.00	400	Horizontal	Pass
2**	5460.000	41.33	-0.92	54.0	12.67	AV	152.00	400	Horizontal	Pass
3	5468.000	55.05	-0.02	68.2	13.15	Peak	14.00	400	Horizontal	Pass
3**	5468.000	42.42	-0.02	--	--	AV	14.00	400	Horizontal	N/A
4	5470.000	53.42	-0.10	68.2	14.78	Peak	250.00	300	Horizontal	Pass
4**	5470.000	42.34	-0.10	--	--	AV	250.00	300	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.66	-0.12	68.2	15.54	Peak	360.00	400	Horizontal	Pass
2	5770.833	55.39	1.50	68.2	12.81	Peak	35.00	300	Horizontal	Pass

U-NII-2C 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5381.000	55.56	0.70	74.0	18.44	Peak	35.00	300	Horizontal	Pass
1**	5381.000	43.28	0.70	54.0	10.72	AV	35.00	300	Horizontal	Pass
2	5460.000	51.64	-0.92	74.0	22.36	Peak	104.00	400	Horizontal	Pass
2**	5460.000	41.68	-0.92	54.0	12.32	AV	104.00	400	Horizontal	Pass
3	5468.800	54.01	-0.45	68.2	14.19	Peak	256.00	200	Horizontal	Pass
3**	5468.800	42.28	-0.45	--	--	AV	256.00	200	Horizontal	N/A
4	5470.000	52.46	-0.10	68.2	15.74	Peak	275.00	300	Horizontal	Pass
4**	5470.000	42.14	-0.10	--	--	AV	275.00	300	Horizontal	N/A

U-NII-2C 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.82	-0.12	68.2	15.38	Peak	196.00	200	Horizontal	Pass
2	5769.375	55.24	1.06	68.2	12.96	Peak	42.00	400	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5381.600	55.82	0.78	74.0	18.18	Peak	238.00	100	Horizontal	Pass
1**	5381.600	43.47	0.78	54.0	10.53	AV	238.00	100	Horizontal	Pass
2	5460.000	51.59	-0.92	74.0	22.41	Peak	68.00	200	Horizontal	Pass
2**	5460.000	41.15	-0.92	54.0	12.85	AV	68.00	200	Horizontal	Pass
3	5469.800	56.16	-0.18	68.2	12.04	Peak	266.00	400	Horizontal	Pass
3**	5469.800	42.01	-0.18	--	--	AV	266.00	400	Horizontal	N/A
4	5470.000	55.70	-0.10	68.2	12.50	Peak	16.00	100	Horizontal	Pass
4**	5470.000	42.18	-0.10	--	--	AV	16.00	100	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.20	-0.12	68.2	7.00	Peak	6.00	300	Horizontal	Pass
2	5725.625	61.44	-0.10	68.2	6.76	Peak	360.00	100	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5388.800	55.24	-0.18	74.0	18.76	Peak	244.00	100	Horizontal	Pass
1**	5388.800	42.78	-0.18	54.0	11.22	AV	244.00	100	Horizontal	Pass
2	5460.000	52.66	-0.92	74.0	21.34	Peak	355.00	100	Horizontal	Pass
2**	5460.000	41.32	-0.92	54.0	12.68	AV	355.00	100	Horizontal	Pass
3	5469.400	54.26	-0.34	68.2	13.94	Peak	268.00	100	Horizontal	Pass
3**	5469.400	42.24	-0.34	--	--	AV	268.00	100	Horizontal	N/A
4	5470.000	53.12	-0.10	68.2	15.08	Peak	45.00	100	Horizontal	Pass
4**	5470.000	42.50	-0.10	--	--	AV	45.00	100	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.29	-0.12	68.2	15.91	Peak	360.00	300	Horizontal	Pass
2	5849.166	55.38	1.09	68.2	12.82	Peak	0.00	400	Horizontal	Pass

U-NII-2C 11ax80(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5394.800	55.66	-0.25	74.0	18.34	Peak	247.00	200	Horizontal	Pass
1**	5394.800	42.72	-0.25	54.0	11.28	AV	247.00	200	Horizontal	Pass
2	5460.000	51.83	-0.92	74.0	22.17	Peak	276.00	100	Horizontal	Pass
2**	5460.000	41.41	-0.92	54.0	12.59	AV	276.00	100	Horizontal	Pass
3	5466.200	54.39	-0.28	68.2	13.81	Peak	40.00	100	Horizontal	Pass
3**	5466.200	42.01	-0.28	--	--	AV	40.00	100	Horizontal	N/A
4	5470.000	52.96	-0.10	68.2	15.24	Peak	46.00	300	Horizontal	Pass
4**	5470.000	42.42	-0.10	--	--	AV	46.00	300	Horizontal	N/A

U-NII-2C 11ax80(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.39	-0.12	68.2	15.81	Peak	249.00	200	Horizontal	Pass
2	5840.416	55.11	1.22	68.2	13.09	Peak	135.00	300	Horizontal	Pass

U-NII-2C 11ax160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5387.800	55.18	-0.23	74.0	18.82	Peak	239.00	100	Horizontal	Pass
1**	5387.800	42.73	-0.23	54.0	11.27	AV	239.00	100	Horizontal	Pass
2	5460.000	51.90	-0.92	74.0	22.10	Peak	347.00	400	Horizontal	Pass
2**	5460.000	41.63	-0.92	54.0	12.37	AV	347.00	400	Horizontal	Pass
3	5468.000	53.50	-0.02	68.2	14.70	Peak	354.00	200	Horizontal	Pass
3**	5468.000	42.56	-0.02	--	--	AV	354.00	200	Horizontal	N/A
4	5470.000	53.80	-0.10	68.2	14.40	Peak	13.00	400	Horizontal	Pass
4**	5470.000	42.31	-0.10	--	--	AV	13.00	400	Horizontal	N/A

U-NII-2C 11ax160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.30	-0.12	68.2	15.90	Peak	360.00	200	Horizontal	Pass
2	5843.125	55.83	1.24	68.2	12.37	Peak	149.00	200	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5619.167	57.82	68.2	10.38	Peak	135.00	100	Horizontal	Pass
2	5650.000	55.79	68.2	12.41	Peak	352.00	100	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.05	68.4	11.35	Peak	180.00	300	Horizontal	Pass
2	5934.250	59.03	68.2	9.17	Peak	50.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5605.000	57.46	68.2	10.74	Peak	40.00	400	Horizontal	Pass
2	5650.000	55.29	68.2	12.91	Peak	360.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.35	68.4	11.05	Peak	272.00	200	Horizontal	Pass
2	5930.000	58.60	68.2	9.60	Peak	0.00	300	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5617.500	57.31	68.2	10.89	Peak	14.00	400	Horizontal	Pass
2	5650.000	56.96	68.2	11.24	Peak	38.00	100	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.24	68.4	11.16	Peak	202.00	100	Horizontal	Pass
2	5931.250	59.00	68.2	9.20	Peak	182.00	400	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.209	57.72	68.2	10.48	Peak	78.00	100	Horizontal	Pass
2	5650.000	55.53	68.2	12.67	Peak	11.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	56.84	68.4	11.56	Peak	101.00	300	Horizontal	Pass
2	5963.500	59.09	68.2	9.11	Peak	208.00	100	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5616.250	58.01	68.2	10.19	Peak	282.00	400	Horizontal	Pass
2	5650.000	55.88	68.2	12.32	Peak	147.00	300	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.47	68.4	10.93	Peak	274.00	200	Horizontal	Pass
2	5957.000	59.04	68.2	9.16	Peak	163.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5621.042	57.27	68.2	10.93	Peak	0.00	200	Horizontal	Pass
2	5650.000	55.72	68.2	12.48	Peak	101.00	400	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.57	68.4	10.83	Peak	116.00	400	Horizontal	Pass
2	5939.000	59.19	68.2	9.01	Peak	269.00	100	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5607.917	57.84	68.2	10.36	Peak	212.00	100	Horizontal	Pass
2	5650.000	55.93	68.2	12.27	Peak	3.00	300	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.40	68.4	11.00	Peak	359.00	300	Horizontal	Pass
2	5932.250	58.58	68.2	9.62	Peak	45.00	300	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5617.083	58.83	68.2	9.37	Peak	26.00	400	Horizontal	Pass
2	5650.000	55.92	68.2	12.28	Peak	302.00	300	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.36	68.4	11.04	Peak	352.00	100	Horizontal	Pass
2	5939.500	58.94	68.2	9.26	Peak	226.00	400	Horizontal	Pass

U-NII-3 11ax80(SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5617.083	57.71	68.2	10.49	Peak	220.00	100	Horizontal	Pass
2	5650.000	55.54	68.2	12.66	Peak	200.00	300	Horizontal	Pass

U-NII-3 11ax80(SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.11	68.4	11.29	Peak	0.00	400	Horizontal	Pass
2	5935.500	59.35	68.2	8.85	Peak	331.00	400	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26030305-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26030305-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26030305-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--