
catalog

1. BOM/material certificate
2. QC engineering drawing
3. 2D drawing/package drawing
4. Material specification
5. Environmental report list & environmental information
6. Packaging and shipping method
7. Reliability Report
8. Supplier inspection report (dimensions, appearance)
9. Sample test report (Hanwang Youji self-test, review)




1: Material proof


Coaxial cable: 0.81mm double-tin wire, third-generation terminal, total length 43mm

FPC: green oil on copper foil surface, total thickness 0.15mm, size 31.2*17mm


2: QC engineering drawing



FPC and coaxial cable welding



3: 2D diagram/package diagram




Antenna physical picture

4: Material specification



汉王友基
HANVON UGEE

Shenzhen Hanwang Youji Technology Co., Ltd.-Acknowledgment Letter (Electronic)




HWYG-4-DC-023 A0



汉王友基
HANVON UGEE

Shenzhen Hanwang Youji Technology Co., Ltd.-Acknowledgment Letter (Electronic)





汉王友基
HANVON UGEE

Shenzhen Hanwang Youji Technology Co., Ltd.-Acknowledgment Letter (Electronic)

6: Packing method




As shown in the picture above:
200 pieces per small package



As shown in the picture above: each
large package is subject to the order
quantity

7: Reliability Report



HWYG-4-DC-023 A0




(VSWR):

Antenna Efficiency Gain:

Test Point ID	Freq(Mhz)	Efficiency (%)	Gain(dBi)
1	2400	45. 3%	2. 54
2	2410	45. 6%	2. 87
3	2420	46. 6%	2. 89
4	2430	48. 3%	3. 12
5	2440	48. 9%	3. 24
6	2450	48. 1%	3. 46
7	2460	49. 6%	3. 52
8	2470	49. 8%	3. 87
9	2480	49. 0%	3. 05
10	2490	47. 8%	2. 77
11	2500	46. 2%	2. 13

Antenna pattern (2470MHz)



8: Supplier inspection report (size, appearance)