DH5-Ant1-2402-PASS



3DH5-Ant1-2402-PASS



2DH5-Ant1-2402-PASS



Appendix G: Conducted Spurious Emission

Left earbud

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	30~26500	2.21	-36.53	≤-17.79	PASS
DH5	Ant1	2441	30~26500	1.77	-38.84	≤-18.23	PASS
DH5	Ant1	2480	30~26500	0.93	-40.5	≤-19.07	PASS
2DH5	Ant1	2402	30~26500	-0.36	-42.36	≤-20.36	PASS
2DH5	Ant1	2441	30~26500	-1.06	-43.16	≤-21.06	PASS
2DH5	Ant1	2480	30~26500	-2.35	-42.85	≤-22.35	PASS
3DH5	Ant1	2402	30~26500	-0.13	-42.66	≤-20.13	PASS
3DH5	Ant1	2441	30~26500	-0.82	-42.78	≤-20.82	PASS
3DH5	Ant1	2480	30~26500	-2.77	-42.82	≤-22.77	PASS

Test Graphs

DH5-Ant1-2402-30~26500-PASS



DH5-Ant1-2441-30~26500-PASS

DH5-Ant1-2480-30~26500-PASS

2DH5-Ant1-2402-30~26500-PASS



2DH5-Ant1-2441-30~26500-PASS



2DH5-Ant1-2480-30~26500-PASS



3DH5-Ant1-2402-30~26500-PASS



3DH5-Ant1-2441-30~26500-PASS



3DH5-Ant1-2480-30~26500-PASS



Right earbud

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	30~26500	3.06	-37.67	≤-16.94	PASS
DH5	Ant1	2441	30~26500	2.39	-40.35	≤-17.61	PASS
DH5	Ant1	2480	30~26500	0.88	-38.08	≤-19.12	PASS
2DH5	Ant1	2402	30~26500	-0.42	-41.57	≤-20.42	PASS
2DH5	Ant1	2441	30~26500	-0.84	-41.26	≤-20.84	PASS
2DH5	Ant1	2480	30~26500	-1.80	-42.43	≤-21.8	PASS
3DH5	Ant1	2402	30~26500	0.04	-42.3	≤-19.96	PASS
3DH5	Ant1	2441	30~26500	-0.70	-42.79	≤-20.7	PASS
3DH5	Ant1	2480	30~26500	-1.45	-42.23	≤-21.45	PASS

Test Graphs

DH5-Ant1-2402-30~26500-PASS



DH5-Ant1-2441-30~26500-PASS

DH5-Ant1-2480-30~26500-PASS

2DH5-Ant1-2402-30~26500-PASS



2DH5-Ant1-2441-30~26500-PASS



2DH5-Ant1-2480-30~26500-PASS



3DH5-Ant1-2402-30~26500-PASS



3DH5-Ant1-2441-30~26500-PASS



3DH5-Ant1-2480-30~26500-PASS



Appendix H: Reference level measurement

Left earbud
Test Result

TestMode	Antenna	Freq(MHz)	Max.Point[MHz]	Result[dBm]
DH5	Ant1	2402	2401.97	2.21
DH5	Ant1	2441	2441.17	1.77
DH5	Ant1	2480	2479.99	0.93
2DH5	Ant1	2402	2402.00	-0.36
2DH5	Ant1	2441	2441.01	-1.06
2DH5	Ant1	2480	2480.02	-2.35
3DH5	Ant1	2402	2401.99	-0.13
3DH5	Ant1	2441	2441.01	-0.82
3DH5	Ant1	2480	2480.15	-2.77

Test Graphs

DH5-Ant1-2402-PASS

DH5-Ant1-2441-PASS

DH5-Ant1-2480-PASS

2DH5-Ant1-2402-PASS



2DH5-Ant1-2441-PASS



2DH5-Ant1-2480-PASS



3DH5-Ant1-2402-PASS

3DH5-Ant1-2441-PASS



3DH5-Ant1-2480-PASS



Right earbud

Test Result

TestMode	Antenna	Freq(MHz)	Max.Point[MHz]	Result[dBm]
DH5	Ant1	2402	2402.01	3.06
DH5	Ant1	2441	2441.00	2.39
DH5	Ant1	2480	2479.84	0.88
2DH5	Ant1	2402	2402.18	-0.42
2DH5	Ant1	2441	2440.99	-0.84
2DH5	Ant1	2480	2480.01	-1.80
3DH5	Ant1	2402	2402.02	0.04
3DH5	Ant1	2441	2441.00	-0.70
3DH5	Ant1	2480	2480.01	-1.45

Test Graphs

DH5-Ant1-2402-PASS



DH5-Ant1-2441-PASS



DH5-Ant1-2480-PASS

2DH5-Ant1-2402-PASS

2DH5-Ant1-2441-PASS

2DH5-Ant1-2480-PASS



3DH5-Ant1-2402-PASS

3DH5-Ant1-2441-PASS



3DH5-Ant1-2480-PASS



14. TEST SETUP PHOTO

Conducted Test



Radiated Test (Below 1GHz)



Radiated Test (Above 1GHz)



15. EUT PHOTO

External Photos

M/N: Defunc TRUE GO SLIM



Internal Photos

M/N: Defunc TRUE GO SLIM

External Photos

M/N: Defunc TRUE GO SLIM



External Photos

M/N: Defunc TRUE GO SLIM

External Photos

M/N: Defunc TRUE GO SLIM

External Photos

M/N: Defunc TRUE GO SLIM

Internal Photos

M/N: Defunc TRUE GO SLIM





Internal Photos

M/N: Defunc TRUE GO SLIM





Internal Photos

M/N: Defunc TRUE GO SLIM



End of Test Report