







NTNV-11AC20SISO-Ant1-5785




NTNV-11AC20SISO-Ant1-5825




NTNV-11AC40SISO-Ant1-5755




NTNV-11AC40SISO-Ant1-5795




NTNV-11AX20SISO-Ant1-5745




NTNV-11AX20SISO-Ant1-5785



NTNV-11AX20ISO-Ant1-5825



NTNV-11AX40ISO-Ant1-5755



NTNV-11AX40ISO-Ant1-5795


Appendix C: Maximum conducted output power**Test Result Channel Power**

Test Mode	Antenna	Frequency [MHz]	TPC	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5745	NA	14.76	≤30.00	PASS
11A	Ant1	5785	NA	15.01	≤30.00	PASS
11A	Ant1	5825	NA	15.57	≤30.00	PASS
11N20SISO	Ant1	5745	NA	11.29	≤30.00	PASS
11N20SISO	Ant1	5785	NA	11.95	≤30.00	PASS
11N20SISO	Ant1	5825	NA	12.11	≤30.00	PASS
11N40SISO	Ant1	5755	NA	11.18	≤30.00	PASS
11N40SISO	Ant1	5795	NA	12.03	≤30.00	PASS
11AC20SISO	Ant1	5745	NA	11.53	≤30.00	PASS
11AC20SISO	Ant1	5785	NA	11.95	≤30.00	PASS
11AC20SISO	Ant1	5825	NA	12.12	≤30.00	PASS
11AC40SISO	Ant1	5755	NA	11.51	≤30.00	PASS
11AC40SISO	Ant1	5795	NA	11.91	≤30.00	PASS
11AX20SISO	Ant1	5745	NA	11.31	≤30.00	PASS
11AX20SISO	Ant1	5785	NA	11.87	≤30.00	PASS
11AX20SISO	Ant1	5825	NA	12.09	≤30.00	PASS
11AX40SISO	Ant1	5755	NA	11.40	≤30.00	PASS
11AX40SISO	Ant1	5795	NA	12.36	≤30.00	PASS


Note: The Duty Cycle Factor is compensated in the graph.

Test Graphs Channel Power







11N20SISO-Ant1-5745-PASS




11N20SISO-Ant1-5785-PASS




11N20SISO-Ant1-5825-PASS




11N40SISO-Ant1-5755-PASS




11N40SISO-Ant1-5795-PASS




11AC20SISO-Ant1-5745-PASS




11AC20SISO-Ant1-5785-PASS




11AC20SISO-Ant1-5825-PASS




11AC40SISO-Ant1-5755-PASS




11AC40SISO-Ant1-5795-PASS




11AX20SISO-Ant1-5745-PASS




11AX20SISO-Ant1-5785-PASS



11AX20SISO-Ant1-5825-PASS



11AX40SISO-Ant1-5755-PASS



11AX40SISO-Ant1-5795-PASS

Appendix D: Maximum power spectral density**Test Result**

TestMode	Antenna	Frequency[MHz]	Result [dBm/500kHz]	Limit[dBm/500KHz]	Verdict
11A	Ant1	5745	0.52	≤30.00	PASS
11A	Ant1	5785	1.24	≤30.00	PASS
11A	Ant1	5825	1.74	≤30.00	PASS
11N20SISO	Ant1	5745	-3.03	≤30.00	PASS
11N20SISO	Ant1	5785	-2.51	≤30.00	PASS
11N20SISO	Ant1	5825	-2.26	≤30.00	PASS
11N40SISO	Ant1	5755	-5.56	≤30.00	PASS
11N40SISO	Ant1	5795	-5.08	≤30.00	PASS
11AC20SISO	Ant1	5745	-2.86	≤30.00	PASS
11AC20SISO	Ant1	5785	-2.35	≤30.00	PASS
11AC20SISO	Ant1	5825	-2.32	≤30.00	PASS
11AC40SISO	Ant1	5755	-5.92	≤30.00	PASS
11AC40SISO	Ant1	5795	-4.69	≤30.00	PASS
11AX20SISO	Ant1	5745	-3.04	≤30.00	PASS
11AX20SISO	Ant1	5785	-2.02	≤30.00	PASS
11AX20SISO	Ant1	5825	-2.66	≤30.00	PASS
11AX40SISO	Ant1	5755	-5.99	≤30.00	PASS
11AX40SISO	Ant1	5795	-5.19	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The RBW Factor is compensated in the graph.


Test Graphs



11A-Ant1-5745-PASS




11A-Ant1-5785-PASS




11A-Ant1-5825-PASS




11N20SISO-Ant1-5745-PASS




11N20SISO-Ant1-5785-PASS




11N20SISO-Ant1-5825-PASS



11N40SISO-Ant1-5755-PASS




11N40SISO-Ant1-5795-PASS




11AC20SISO-Ant1-5745-PASS




11AC20SISO-Ant1-5785-PASS




11AC20SISO-Ant1-5825-PASS




11AC40SISO-Ant1-5755-PASS



11AC40SISO-Ant1-5795-PASS



11AX20SISO-Ant1-5745-PASS



11AX20SISO-Ant1-5785-PASS