



Test Mode:	802.11g	Test Date:	2024-09-16
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1266.00	61.62	38.54	-23.08	74.00	35.46	150	84	PK	Horizontal	PASS
2	1767.00	62.74	42.98	-19.76	74.00	31.02	150	103	PK	Horizontal	PASS
3	1994.00	63.99	45.77	-18.22	74.00	28.23	150	87	PK	Horizontal	PASS
4	2612.00	65.72	50.23	-15.49	74.00	23.77	150	38	PK	Horizontal	PASS
5	4672.00	53.63	46.62	-7.01	74.00	27.38	150	177	PK	Horizontal	PASS
6	5887.00	54.63	49.53	-5.10	74.00	24.47	150	225	PK	Horizontal	PASS
7	1275.00	47.11	24.08	-23.03	54.00	29.92	150	110	AV	Horizontal	PASS
8	1767.00	58.28	38.52	-19.76	54.00	15.48	150	65	AV	Horizontal	PASS
9	1993.00	48.33	30.11	-18.22	54.00	23.89	150	94	AV	Horizontal	PASS
10	2612.00	58.95	43.46	-15.49	54.00	10.54	150	38	AV	Horizontal	PASS
11	4807.00	44.68	37.91	-6.77	54.00	16.09	150	144	AV	Horizontal	PASS
12	5873.00	45.23	40.10	-5.13	54.00	13.90	150	155	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1196.00	63.65	41.16	-22.49	74.00	32.84	150	109	PK	Vertical	PASS
2	1767.00	65.29	46.12	-19.17	74.00	27.88	150	360	PK	Vertical	PASS
3	1996.00	64.31	46.52	-17.79	74.00	27.48	150	72	PK	Vertical	PASS
4	2990.00	55.61	41.23	-14.38	74.00	32.77	150	0	PK	Vertical	PASS
5	4116.00	54.58	46.67	-7.91	74.00	27.33	150	0	PK	Vertical	PASS
6	5898.00	54.33	49.18	-5.15	74.00	24.82	150	360	PK	Vertical	PASS
7	1196.00	49.27	26.78	-22.49	54.00	27.22	150	101	AV	Vertical	PASS
8	1768.00	58.70	39.53	-19.17	54.00	14.47	150	360	AV	Vertical	PASS
9	1995.00	52.95	35.15	-17.80	54.00	18.85	150	120	AV	Vertical	PASS
10	3000.00	47.43	33.08	-14.35	54.00	20.92	150	79	AV	Vertical	PASS
11	4149.00	44.44	36.52	-7.92	54.00	17.48	150	165	AV	Vertical	PASS
12	5920.00	44.86	39.74	-5.12	54.00	14.26	150	260	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g	Test Date:	2024-09-16
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1100.00	62.94	39.10	-23.84	74.00	34.90	150	140	PK	Horizontal	PASS
2	1994.00	62.37	44.15	-18.22	74.00	29.85	150	91	PK	Horizontal	PASS
3	2298.00	59.59	42.75	-16.84	74.00	31.25	150	91	PK	Horizontal	PASS
4	4040.00	53.81	45.43	-8.38	74.00	28.57	150	197	PK	Horizontal	PASS
5	4836.00	53.81	47.12	-6.69	74.00	26.88	150	16	PK	Horizontal	PASS
6	5788.00	54.46	49.14	-5.32	74.00	24.86	150	106	PK	Horizontal	PASS
7	1104.00	47.43	23.61	-23.82	54.00	30.39	150	167	AV	Horizontal	PASS
8	1996.00	48.43	30.24	-18.19	54.00	23.76	150	94	AV	Horizontal	PASS
9	2348.00	47.09	30.51	-16.58	54.00	23.49	150	152	AV	Horizontal	PASS
10	3961.00	44.42	35.58	-8.84	54.00	18.42	150	0	AV	Horizontal	PASS
11	4807.00	44.47	37.70	-6.77	54.00	16.30	150	136	AV	Horizontal	PASS
12	5843.00	45.04	39.85	-5.19	54.00	14.15	150	129	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1244.00	66.19	43.94	-22.25	74.00	30.06	150	103	PK	Vertical	PASS
2	1775.00	63.59	44.48	-19.11	74.00	29.52	150	210	PK	Vertical	PASS
3	2190.00	62.46	45.34	-17.12	74.00	28.66	150	32	PK	Vertical	PASS
4	3197.00	55.50	42.32	-13.18	74.00	31.68	150	92	PK	Vertical	PASS
5	4847.00	53.30	46.06	-7.24	74.00	27.94	150	236	PK	Vertical	PASS
6	5809.00	54.57	49.25	-5.32	74.00	24.75	150	40	PK	Vertical	PASS
7	1244.00	55.61	33.36	-22.25	54.00	20.64	150	103	AV	Vertical	PASS
8	1775.00	57.68	38.57	-19.11	54.00	15.43	150	210	AV	Vertical	PASS
9	2190.00	52.26	35.14	-17.12	54.00	18.86	150	32	AV	Vertical	PASS
10	3197.00	44.41	31.23	-13.18	54.00	22.77	150	78	AV	Vertical	PASS
11	4807.00	43.92	36.60	-7.32	54.00	17.40	150	358	AV	Vertical	PASS
12	5895.00	45.34	40.18	-5.16	54.00	13.82	150	360	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g	Test Date:	2024-09-16
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1244.00	59.68	36.47	-23.21	74.00	37.53	150	94	PK	Horizontal	PASS
2	1766.00	60.02	40.25	-19.77	74.00	33.75	150	6	PK	Horizontal	PASS
3	2389.00	57.58	41.22	-16.36	74.00	32.78	150	94	PK	Horizontal	PASS
4	3520.00	54.71	42.51	-12.20	74.00	31.49	150	309	PK	Horizontal	PASS
5	4543.00	53.44	46.28	-7.16	74.00	27.72	150	256	PK	Horizontal	PASS
6	5926.00	54.46	49.43	-5.03	74.00	24.57	150	8	PK	Horizontal	PASS
7	1244.00	48.57	25.36	-23.21	54.00	28.64	150	94	AV	Horizontal	PASS
8	1766.00	53.25	33.48	-19.77	54.00	20.52	150	6	AV	Horizontal	PASS
9	2356.00	47.46	30.92	-16.54	54.00	23.08	150	151	AV	Horizontal	PASS
10	3537.00	43.69	31.64	-12.05	54.00	22.36	150	43	AV	Horizontal	PASS
11	4488.00	44.07	36.77	-7.30	54.00	17.23	150	162	AV	Horizontal	PASS
12	5800.00	45.24	39.96	-5.28	54.00	14.04	150	0	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1198.00	61.66	39.18	-22.48	74.00	34.82	150	146	PK	Vertical	PASS
2	1766.00	63.18	43.99	-19.19	74.00	30.01	150	175	PK	Vertical	PASS
3	1999.00	65.43	47.66	-17.77	74.00	26.34	150	115	PK	Vertical	PASS
4	3191.00	56.39	43.18	-13.21	74.00	30.82	150	92	PK	Vertical	PASS
5	4948.00	54.01	47.09	-6.92	74.00	26.91	150	309	PK	Vertical	PASS
6	5950.00	55.39	50.31	-5.08	74.00	23.69	150	305	PK	Vertical	PASS
7	1198.00	52.02	29.54	-22.48	54.00	24.46	150	146	AV	Vertical	PASS
8	1766.00	56.95	37.76	-19.19	54.00	16.24	150	175	AV	Vertical	PASS
9	1991.00	52.74	34.90	-17.84	54.00	19.10	150	95	AV	Vertical	PASS
10	3158.00	44.38	30.96	-13.42	54.00	23.04	150	360	AV	Vertical	PASS
11	4966.00	43.65	36.80	-6.85	54.00	17.20	150	360	AV	Vertical	PASS
12	5803.00	45.67	40.33	-5.34	54.00	13.67	150	49	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20	Test Date:	2024-09-16
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1275.00	64.43	41.40	-23.03	74.00	32.60	150	87	PK	Horizontal	PASS
2	1766.00	59.71	39.94	-19.77	74.00	34.06	150	91	PK	Horizontal	PASS
3	1998.00	61.15	42.97	-18.18	74.00	31.03	150	91	PK	Horizontal	PASS
4	3406.00	54.27	41.51	-12.76	74.00	32.49	150	260	PK	Horizontal	PASS
5	4541.00	53.57	46.41	-7.16	74.00	27.59	150	117	PK	Horizontal	PASS
6	5901.00	55.08	50.01	-5.07	74.00	23.99	150	343	PK	Horizontal	PASS
7	1260.00	48.36	25.25	-23.11	54.00	28.75	150	91	AV	Horizontal	PASS
8	1766.00	53.40	33.63	-19.77	54.00	20.37	150	91	AV	Horizontal	PASS
9	1997.00	49.72	31.53	-18.19	54.00	22.47	150	155	AV	Horizontal	PASS
10	3322.00	43.95	30.90	-13.05	54.00	23.10	150	28	AV	Horizontal	PASS
11	4536.00	43.99	36.81	-7.18	54.00	17.19	150	79	AV	Horizontal	PASS
12	5896.00	45.35	40.27	-5.08	54.00	13.73	150	226	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1195.00	64.22	41.73	-22.49	74.00	32.27	150	123	PK	Vertical	PASS
2	1992.00	66.71	48.89	-17.82	74.00	25.11	150	116	PK	Vertical	PASS
3	2252.00	62.70	45.73	-16.97	74.00	28.27	150	291	PK	Vertical	PASS
4	3988.00	53.75	45.40	-8.35	74.00	28.60	150	116	PK	Vertical	PASS
5	4908.00	53.23	46.14	-7.09	74.00	27.86	150	298	PK	Vertical	PASS
6	5897.00	54.83	49.68	-5.15	74.00	24.32	150	309	PK	Vertical	PASS
7	1195.00	51.57	29.08	-22.49	54.00	24.92	150	123	AV	Vertical	PASS
8	1993.00	51.44	33.62	-17.82	54.00	20.38	150	123	AV	Vertical	PASS
9	2252.00	52.60	35.63	-16.97	54.00	18.37	150	291	AV	Vertical	PASS
10	4044.00	43.99	35.87	-8.12	54.00	18.13	150	1	AV	Vertical	PASS
11	5015.00	43.74	37.04	-6.70	54.00	16.96	150	160	AV	Vertical	PASS
12	5900.00	44.96	39.81	-5.15	54.00	14.19	150	283	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20	Test Date:	2024-09-16
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1107.00	66.65	42.84	-23.81	74.00	31.16	150	87	PK	Horizontal	PASS
2	1784.00	63.74	44.12	-19.62	74.00	29.88	150	15	PK	Horizontal	PASS
3	1998.00	60.83	42.65	-18.18	74.00	31.35	150	99	PK	Horizontal	PASS
4	3768.00	54.16	43.70	-10.46	74.00	30.30	150	43	PK	Horizontal	PASS
5	4888.00	53.27	46.74	-6.53	74.00	27.26	150	186	PK	Horizontal	PASS
6	5860.00	54.71	49.56	-5.15	74.00	24.44	150	36	PK	Horizontal	PASS
7	1103.00	48.74	24.91	-23.83	54.00	29.09	150	87	AV	Horizontal	PASS
8	1784.00	58.60	38.98	-19.62	54.00	15.02	150	19	AV	Horizontal	PASS
9	1992.00	49.98	31.75	-18.23	54.00	22.25	150	87	AV	Horizontal	PASS
10	3777.00	43.79	33.41	-10.38	54.00	20.59	150	300	AV	Horizontal	PASS
11	4921.00	43.95	37.55	-6.40	54.00	16.45	150	8	AV	Horizontal	PASS
12	5896.00	45.42	40.34	-5.08	54.00	13.66	150	259	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1255.00	62.35	40.15	-22.20	74.00	33.85	150	134	PK	Vertical	PASS
2	1798.00	64.83	45.89	-18.94	74.00	28.11	150	76	PK	Vertical	PASS
3	2194.00	63.79	46.68	-17.11	74.00	27.32	150	109	PK	Vertical	PASS
4	3992.00	54.49	46.16	-8.33	74.00	27.84	150	119	PK	Vertical	PASS
5	4790.00	53.30	45.95	-7.35	74.00	28.05	150	276	PK	Vertical	PASS
6	5924.00	55.42	50.30	-5.12	74.00	23.70	150	14	PK	Vertical	PASS
7	1256.00	47.98	25.79	-22.19	54.00	28.21	150	119	AV	Vertical	PASS
8	1797.00	50.09	31.14	-18.95	54.00	22.86	150	80	AV	Vertical	PASS
9	2194.00	52.14	35.03	-17.11	54.00	18.97	150	109	AV	Vertical	PASS
10	3982.00	43.90	35.51	-8.39	54.00	18.49	150	76	AV	Vertical	PASS
11	4837.00	44.03	36.78	-7.25	54.00	17.22	150	206	AV	Vertical	PASS
12	5980.00	45.32	40.28	-5.04	54.00	13.72	150	276	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20	Test Date:	2024-09-16
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1245.00	62.62	39.42	-23.20	74.00	34.58	150	116	PK	Horizontal	PASS
2	1795.00	61.00	41.48	-19.52	74.00	32.52	150	86	PK	Horizontal	PASS
3	1994.00	63.14	44.92	-18.22	74.00	29.08	150	154	PK	Horizontal	PASS
4	3401.00	54.14	41.36	-12.78	74.00	32.64	150	150	PK	Horizontal	PASS
5	4884.00	53.30	46.76	-6.54	74.00	27.24	150	123	PK	Horizontal	PASS
6	5753.00	55.06	49.61	-5.45	74.00	24.39	150	14	PK	Horizontal	PASS
7	1245.00	52.31	29.11	-23.20	54.00	24.89	150	116	AV	Horizontal	PASS
8	1784.00	49.96	30.34	-19.62	54.00	23.66	150	0	AV	Horizontal	PASS
9	1994.00	49.74	31.52	-18.22	54.00	22.48	150	93	AV	Horizontal	PASS
10	3420.00	43.89	31.19	-12.70	54.00	22.81	150	225	AV	Horizontal	PASS
11	4807.00	45.08	38.31	-6.77	54.00	15.69	150	142	AV	Horizontal	PASS
12	5907.00	45.36	40.31	-5.05	54.00	13.69	150	139	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1198.00	62.68	40.20	-22.48	74.00	33.80	150	116	PK	Vertical	PASS
2	1766.00	62.64	43.45	-19.19	74.00	30.55	150	300	PK	Vertical	PASS
3	1998.00	65.84	48.06	-17.78	74.00	25.94	150	97	PK	Vertical	PASS
4	3190.00	55.40	42.17	-13.23	74.00	31.83	150	97	PK	Vertical	PASS
5	4780.00	53.98	46.62	-7.36	74.00	27.38	150	282	PK	Vertical	PASS
6	5996.00	55.47	50.46	-5.01	74.00	23.54	150	226	PK	Vertical	PASS
7	1195.00	50.44	27.95	-22.49	54.00	26.05	150	89	AV	Vertical	PASS
8	1766.00	58.98	39.79	-19.19	54.00	14.21	150	300	AV	Vertical	PASS
9	1996.00	52.26	34.47	-17.79	54.00	19.53	150	111	AV	Vertical	PASS
10	3186.00	44.62	31.37	-13.25	54.00	22.63	150	89	AV	Vertical	PASS
11	4807.00	44.31	36.99	-7.32	54.00	17.01	150	358	AV	Vertical	PASS
12	5928.00	45.08	39.97	-5.11	54.00	14.03	150	345	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40	Test Date:	2024-09-16
Test Channel:	3	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1197.00	60.61	37.15	-23.46	74.00	36.85	150	120	PK	Horizontal	PASS
2	1776.00	61.47	41.79	-19.68	74.00	32.21	150	23	PK	Horizontal	PASS
3	2192.00	59.32	42.07	-17.25	74.00	31.93	150	176	PK	Horizontal	PASS
4	3759.00	53.75	43.21	-10.54	74.00	30.79	150	132	PK	Horizontal	PASS
5	4781.00	53.73	46.90	-6.83	74.00	27.10	150	290	PK	Horizontal	PASS
6	5900.00	54.72	49.65	-5.07	74.00	24.35	150	225	PK	Horizontal	PASS
7	1197.00	49.29	25.83	-23.46	54.00	28.17	150	120	AV	Horizontal	PASS
8	1776.00	55.82	36.14	-19.68	54.00	17.86	150	23	AV	Horizontal	PASS
9	2207.00	46.56	29.38	-17.18	54.00	24.62	150	168	AV	Horizontal	PASS
10	3749.00	43.93	33.31	-10.62	54.00	20.69	150	98	AV	Horizontal	PASS
11	4807.00	44.64	37.87	-6.77	54.00	16.13	150	139	AV	Horizontal	PASS
12	5898.00	45.36	40.29	-5.07	54.00	13.71	150	237	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1195.00	61.92	39.43	-22.49	74.00	34.57	150	151	PK	Vertical	PASS
2	1799.00	62.88	43.95	-18.93	74.00	30.05	150	314	PK	Vertical	PASS
3	1997.00	64.09	46.30	-17.79	74.00	27.70	150	111	PK	Vertical	PASS
4	3982.00	54.22	45.83	-8.39	74.00	28.17	150	107	PK	Vertical	PASS
5	4928.00	53.45	46.44	-7.01	74.00	27.56	150	181	PK	Vertical	PASS
6	5887.00	54.55	49.37	-5.18	74.00	24.63	150	188	PK	Vertical	PASS
7	1195.00	51.01	28.52	-22.49	54.00	25.48	150	151	AV	Vertical	PASS
8	1766.00	49.21	30.02	-19.19	54.00	23.98	150	81	AV	Vertical	PASS
9	2000.00	50.71	32.95	-17.76	54.00	21.05	150	107	AV	Vertical	PASS
10	3982.00	44.23	35.84	-8.39	54.00	18.16	150	114	AV	Vertical	PASS
11	4807.00	44.34	37.02	-7.32	54.00	16.98	150	300	AV	Vertical	PASS
12	5920.00	45.45	40.33	-5.12	54.00	13.67	150	195	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40	Test Date:	2024-09-16
Test Channel:	6	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1111.00	63.63	39.83	-23.80	74.00	34.17	150	9	PK	Horizontal	PASS
2	1773.00	65.51	45.80	-19.71	74.00	28.20	150	123	PK	Horizontal	PASS
3	2371.00	58.08	41.62	-16.46	74.00	32.38	150	97	PK	Horizontal	PASS
4	3506.00	53.44	41.12	-12.32	74.00	32.88	150	53	PK	Horizontal	PASS
5	4705.00	53.32	46.31	-7.01	74.00	27.69	150	97	PK	Horizontal	PASS
6	5661.00	55.65	49.95	-5.70	74.00	24.05	150	24	PK	Horizontal	PASS
7	1113.00	49.09	25.30	-23.79	54.00	28.70	150	9	AV	Horizontal	PASS
8	1773.00	62.77	43.06	-19.71	54.00	10.94	150	123	AV	Horizontal	PASS
9	2378.00	46.66	30.24	-16.42	54.00	23.76	150	313	AV	Horizontal	PASS
10	3519.00	43.75	31.55	-12.20	54.00	22.45	150	193	AV	Horizontal	PASS
11	4807.00	44.75	37.98	-6.77	54.00	16.02	150	137	AV	Horizontal	PASS
12	5755.00	44.66	39.22	-5.44	54.00	14.78	150	352	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1249.00	64.54	42.32	-22.22	74.00	31.68	150	79	PK	Vertical	PASS
2	1784.00	66.79	47.75	-19.04	74.00	26.25	150	140	PK	Vertical	PASS
3	1999.00	65.29	47.52	-17.77	74.00	26.48	150	125	PK	Vertical	PASS
4	3194.00	55.82	42.62	-13.20	74.00	31.38	150	89	PK	Vertical	PASS
5	4335.00	53.81	46.13	-7.68	74.00	27.87	150	266	PK	Vertical	PASS
6	5791.00	54.85	49.48	-5.37	74.00	24.52	150	269	PK	Vertical	PASS
7	1198.00	50.06	27.58	-22.48	54.00	26.42	150	67	AV	Vertical	PASS
8	1784.00	60.29	41.25	-19.04	54.00	12.75	150	140	AV	Vertical	PASS
9	1999.00	51.52	33.75	-17.77	54.00	20.25	150	125	AV	Vertical	PASS
10	3192.00	44.27	31.06	-13.21	54.00	22.94	150	358	AV	Vertical	PASS
11	4347.00	44.03	36.35	-7.68	54.00	17.65	150	21	AV	Vertical	PASS
12	5887.00	45.03	39.85	-5.18	54.00	14.15	150	360	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40	Test Date:	2024-09-16
Test Channel:	9	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1195.00	59.45	35.98	-23.47	74.00	38.02	150	120	PK	Horizontal	PASS
2	1795.00	59.71	40.19	-19.52	74.00	33.81	150	82	PK	Horizontal	PASS
3	1992.00	60.73	42.50	-18.23	74.00	31.50	150	305	PK	Horizontal	PASS
4	3889.00	53.63	44.27	-9.36	74.00	29.73	150	230	PK	Horizontal	PASS
5	4990.00	52.85	46.78	-6.07	74.00	27.22	150	188	PK	Horizontal	PASS
6	5935.00	55.46	50.45	-5.01	74.00	23.55	150	331	PK	Horizontal	PASS
7	1195.00	50.11	26.64	-23.47	54.00	27.36	150	120	AV	Horizontal	PASS
8	1778.00	50.99	31.32	-19.67	54.00	22.68	150	8	AV	Horizontal	PASS
9	1998.00	50.89	32.71	-18.18	54.00	21.29	150	90	AV	Horizontal	PASS
10	3982.00	44.26	35.56	-8.70	54.00	18.44	150	327	AV	Horizontal	PASS
11	4807.00	44.81	38.04	-6.77	54.00	15.96	150	142	AV	Horizontal	PASS
12	5928.00	45.45	40.42	-5.03	54.00	13.58	150	267	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level



Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1249.00	65.83	43.61	-22.22	74.00	30.39	150	97	PK	Vertical	PASS
2	1799.00	63.99	45.06	-18.93	74.00	28.94	150	111	PK	Vertical	PASS
3	2391.00	63.38	46.88	-16.50	74.00	27.12	150	301	PK	Vertical	PASS
4	3982.00	54.22	45.83	-8.39	74.00	28.17	150	107	PK	Vertical	PASS
5	4780.00	55.37	48.01	-7.36	74.00	25.99	150	282	PK	Vertical	PASS
6	5881.00	54.21	49.03	-5.18	74.00	24.97	150	81	PK	Vertical	PASS
7	1249.00	50.36	28.14	-22.22	54.00	25.86	150	97	AV	Vertical	PASS
8	1778.00	51.40	32.31	-19.09	54.00	21.69	150	193	AV	Vertical	PASS
9	2391.00	51.40	34.90	-16.50	54.00	19.10	150	301	AV	Vertical	PASS
10	3982.00	43.67	35.28	-8.39	54.00	18.72	150	107	AV	Vertical	PASS
11	4807.00	43.75	36.43	-7.32	54.00	17.57	150	354	AV	Vertical	PASS
12	5796.00	45.47	40.12	-5.35	54.00	13.88	150	60	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level

6GHz-18GHz

Test Mode:	802.11b	Test Date:	2024-09-16
Test Channel:	01	Test Engineer:	Stone Zhang




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6432.00	48.07	42.89	-5.18	74.00	31.11	150	248	PK	Horizontal	PASS
2	7236.00	47.38	43.46	-3.92	74.00	30.54	150	227	PK	Horizontal	PASS
3	9451.50	43.15	42.82	-0.33	74.00	31.18	150	359	PK	Horizontal	PASS
4	12498.00	43.37	45.82	2.45	74.00	28.18	150	337	PK	Horizontal	PASS
5	15520.50	41.32	48.79	7.47	74.00	25.21	150	313	PK	Horizontal	PASS
6	17647.50	38.93	52.62	13.69	74.00	21.38	150	58	PK	Horizontal	PASS
7	6432.00	40.80	35.62	-5.18	54.00	18.38	150	243	AV	Horizontal	PASS
8	7234.50	41.92	37.99	-3.93	54.00	16.01	150	231	AV	Horizontal	PASS
9	9474.00	34.55	34.39	-0.16	54.00	19.61	150	165	AV	Horizontal	PASS
10	12487.50	33.70	36.13	2.43	54.00	17.87	150	282	AV	Horizontal	PASS
11	15297.00	32.79	40.02	7.23	54.00	13.98	150	215	AV	Horizontal	PASS
12	17628.00	29.63	43.44	13.81	54.00	10.56	150	144	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6367.50	45.54	40.93	-4.61	74.00	33.07	150	137	PK	Vertical	PASS
2	7876.50	43.84	42.38	-1.46	74.00	31.62	150	25	PK	Vertical	PASS
3	9502.50	43.44	43.48	0.04	74.00	30.52	150	298	PK	Vertical	PASS
4	11934.00	43.35	44.63	1.28	74.00	29.37	150	149	PK	Vertical	PASS
5	14419.50	41.58	47.00	5.42	74.00	27.00	150	59	PK	Vertical	PASS
6	17620.50	38.37	52.75	14.38	74.00	21.25	150	204	PK	Vertical	PASS
7	6300.00	36.53	32.57	-3.96	54.00	21.43	150	56	AV	Vertical	PASS
8	7882.50	35.47	34.14	-1.33	54.00	19.86	150	172	AV	Vertical	PASS
9	9460.50	35.29	35.03	-0.26	54.00	18.97	150	0	AV	Vertical	PASS
10	11883.00	34.10	35.30	1.20	54.00	18.70	150	286	AV	Vertical	PASS
11	14415.00	33.47	38.94	5.47	54.00	15.06	150	106	AV	Vertical	PASS
12	17602.50	29.75	44.24	14.49	54.00	9.76	150	168	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11b	Test Date:	2024-09-16
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6498.00	48.01	42.72	-5.29	74.00	31.28	150	238	PK	Horizontal	PASS
2	7314.00	45.45	42.08	-3.37	74.00	31.92	150	214	PK	Horizontal	PASS
3	9501.00	43.63	43.68	0.05	74.00	30.32	150	360	PK	Horizontal	PASS
4	12369.00	42.61	44.68	2.07	74.00	29.32	150	266	PK	Horizontal	PASS
5	15124.50	42.00	47.75	5.75	74.00	26.25	150	152	PK	Horizontal	PASS
6	17581.50	39.12	52.93	13.81	74.00	21.07	150	148	PK	Horizontal	PASS
7	6498.00	41.27	35.98	-5.29	54.00	18.02	150	242	AV	Horizontal	PASS
8	7309.50	39.80	36.40	-3.40	54.00	17.60	150	218	AV	Horizontal	PASS
9	9444.00	35.03	34.64	-0.39	54.00	19.36	150	331	AV	Horizontal	PASS
10	12478.50	33.70	36.12	2.42	54.00	17.88	150	61	AV	Horizontal	PASS
11	15157.50	34.64	40.31	5.67	54.00	13.69	150	70	AV	Horizontal	PASS
12	17647.50	29.94	43.63	13.69	54.00	10.37	150	288	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6498.00	46.25	41.26	-4.99	74.00	32.74	150	52	PK	Vertical	PASS
2	7879.50	42.88	41.48	-1.40	74.00	32.52	150	267	PK	Vertical	PASS
3	9843.00	42.94	42.96	0.02	74.00	31.04	150	298	PK	Vertical	PASS
4	12445.50	41.60	44.05	2.45	74.00	29.95	150	274	PK	Vertical	PASS
5	14421.00	41.32	46.73	5.41	74.00	27.27	150	330	PK	Vertical	PASS
6	17571.00	38.02	52.24	14.22	74.00	21.76	150	317	PK	Vertical	PASS
7	6498.00	39.04	34.05	-4.99	54.00	19.95	150	1	AV	Vertical	PASS
8	7887.00	34.81	33.57	-1.24	54.00	20.43	150	40	AV	Vertical	PASS
9	9816.00	33.89	33.94	0.05	54.00	20.06	150	345	AV	Vertical	PASS
10	12501.00	33.17	35.72	2.55	54.00	18.28	150	326	AV	Vertical	PASS
11	14394.00	32.77	38.36	5.59	54.00	15.64	150	345	AV	Vertical	PASS
12	17619.00	30.05	44.44	14.39	54.00	9.56	150	333	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11b	Test Date:	2024-09-16
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6564.00	46.43	40.86	-5.57	74.00	33.14	150	227	PK	Horizontal	PASS
2	7384.50	45.89	43.05	-2.84	74.00	30.95	150	254	PK	Horizontal	PASS
3	10006.50	42.42	42.40	-0.02	74.00	31.60	150	3	PK	Horizontal	PASS
4	12963.00	41.47	43.81	2.34	74.00	30.19	150	128	PK	Horizontal	PASS
5	15987.00	39.72	49.50	9.78	74.00	24.50	150	124	PK	Horizontal	PASS
6	17643.00	38.46	52.17	13.71	74.00	21.83	150	89	PK	Horizontal	PASS
7	6564.00	39.01	33.44	-5.57	54.00	20.56	150	238	AV	Horizontal	PASS
8	7383.00	41.89	39.04	-2.85	54.00	14.96	150	254	AV	Horizontal	PASS
9	10030.50	33.19	33.16	-0.03	54.00	20.84	150	42	AV	Horizontal	PASS
10	13014.00	32.10	34.86	2.76	54.00	19.14	150	131	AV	Horizontal	PASS
11	15972.00	32.06	41.84	9.78	54.00	12.16	150	243	AV	Horizontal	PASS
12	17577.00	29.65	43.41	13.76	54.00	10.59	150	197	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7383.00	45.14	42.29	-2.85	74.00	31.71	150	204	PK	Vertical	PASS
2	9759.00	42.74	42.37	-0.37	74.00	31.63	150	149	PK	Vertical	PASS
3	10881.00	42.39	43.42	1.03	74.00	30.58	150	329	PK	Vertical	PASS
4	13705.50	41.03	44.31	3.28	74.00	29.69	150	118	PK	Vertical	PASS
5	15955.50	40.59	49.88	9.29	74.00	24.12	150	28	PK	Vertical	PASS
6	17680.50	37.43	51.45	14.02	74.00	22.55	150	137	PK	Vertical	PASS
7	7387.50	38.95	36.13	-2.82	54.00	17.87	150	48	AV	Vertical	PASS
8	9724.50	34.83	34.08	-0.75	54.00	19.92	150	308	AV	Vertical	PASS
9	10855.50	33.56	34.50	0.94	54.00	19.50	150	297	AV	Vertical	PASS
10	13660.50	31.95	35.04	3.09	54.00	18.96	150	329	AV	Vertical	PASS
11	15969.00	32.12	41.41	9.29	54.00	12.59	150	308	AV	Vertical	PASS
12	17599.50	28.73	43.23	14.50	54.00	10.77	150	87	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g	Test Date:	2024-09-16
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6432.00	49.16	43.98	-5.18	74.00	30.02	150	238	PK	Horizontal	PASS
2	7236.00	53.15	49.23	-3.92	74.00	24.77	150	246	PK	Horizontal	PASS
3	9552.00	42.19	42.11	-0.08	74.00	31.89	150	312	PK	Horizontal	PASS
4	12544.50	41.60	43.96	2.36	74.00	30.04	150	22	PK	Horizontal	PASS
5	14806.50	40.65	46.06	5.41	74.00	27.94	150	359	PK	Horizontal	PASS
6	17574.00	37.81	51.54	13.73	74.00	22.46	150	359	PK	Horizontal	PASS
7	6432.00	40.91	35.73	-5.18	54.00	18.27	150	242	AV	Horizontal	PASS
8	7239.00	45.53	41.64	-3.89	54.00	12.36	150	235	AV	Horizontal	PASS
9	9507.00	33.98	34.01	0.03	54.00	19.99	150	53	AV	Horizontal	PASS
10	12462.00	32.69	35.08	2.39	54.00	18.92	150	276	AV	Horizontal	PASS
11	14763.00	31.96	37.38	5.42	54.00	16.62	150	142	AV	Horizontal	PASS
12	17614.50	29.15	43.04	13.89	54.00	10.96	150	300	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7233.00	48.26	44.32	-3.94	74.00	29.68	150	33	PK	Vertical	PASS
2	9052.50	42.76	41.98	-0.78	74.00	32.02	150	224	PK	Vertical	PASS
3	11227.50	41.84	42.86	1.02	74.00	31.14	150	4	PK	Vertical	PASS
4	13210.50	41.23	44.11	2.88	74.00	29.89	150	14	PK	Vertical	PASS
5	15990.00	39.82	49.11	9.29	74.00	24.89	150	256	PK	Vertical	PASS
6	17592.00	38.09	52.51	14.42	74.00	21.49	150	108	PK	Vertical	PASS
7	7237.50	40.38	36.47	-3.91	54.00	17.53	150	33	AV	Vertical	PASS
8	9000.00	34.87	34.09	-0.78	54.00	19.91	150	87	AV	Vertical	PASS
9	11217.00	32.85	33.86	1.01	54.00	20.14	150	6	AV	Vertical	PASS
10	13189.50	32.38	35.30	2.92	54.00	18.70	150	334	AV	Vertical	PASS
11	16009.50	32.16	41.31	9.15	54.00	12.69	150	68	AV	Vertical	PASS
12	17601.00	28.69	43.18	14.49	54.00	10.82	150	108	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g	Test Date:	2024-09-16
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7302.00	55.34	51.88	-3.46	74.00	22.12	150	245	PK	Horizontal	PASS
2	8985.00	44.61	43.77	-0.84	74.00	30.23	150	233	PK	Horizontal	PASS
3	12460.50	41.67	44.06	2.39	74.00	29.94	150	360	PK	Horizontal	PASS
4	14349.00	41.02	45.97	4.95	74.00	28.03	150	58	PK	Horizontal	PASS
5	16356.00	40.29	49.68	9.39	74.00	24.32	150	240	PK	Horizontal	PASS
6	17596.50	36.99	50.93	13.94	74.00	23.07	150	252	PK	Horizontal	PASS
7	7315.50	45.85	42.49	-3.36	54.00	11.51	150	245	AV	Horizontal	PASS
8	8944.50	33.98	32.98	-1.00	54.00	21.02	150	357	AV	Horizontal	PASS
9	12441.00	32.41	34.77	2.36	54.00	19.23	150	359	AV	Horizontal	PASS
10	14400.00	31.99	37.16	5.17	54.00	16.84	150	260	AV	Horizontal	PASS
11	15990.00	31.77	41.55	9.78	54.00	12.45	150	300	AV	Horizontal	PASS
12	17623.50	28.94	42.77	13.83	54.00	11.23	150	207	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7321.50	50.71	47.39	-3.32	74.00	26.61	150	32	PK	Vertical	PASS
2	10038.00	42.99	43.44	0.45	74.00	30.56	150	184	PK	Vertical	PASS
3	12685.50	42.30	43.81	1.51	74.00	30.19	150	305	PK	Vertical	PASS
4	14796.00	40.90	46.53	5.63	74.00	27.47	150	262	PK	Vertical	PASS
5	16378.50	40.32	49.95	9.63	74.00	24.05	150	94	PK	Vertical	PASS
6	17641.50	37.63	51.89	14.26	74.00	22.11	150	345	PK	Vertical	PASS
7	7314.00	42.27	38.90	-3.37	54.00	15.10	150	32	AV	Vertical	PASS
8	10081.50	33.68	34.10	0.42	54.00	19.90	150	262	AV	Vertical	PASS
9	12538.50	32.31	34.74	2.43	54.00	19.26	150	168	AV	Vertical	PASS
10	14775.00	31.81	37.44	5.63	54.00	16.56	150	267	AV	Vertical	PASS
11	16393.50	31.71	41.40	9.69	54.00	12.60	150	28	AV	Vertical	PASS
12	17631.00	29.96	44.27	14.31	54.00	9.73	150	348	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11g	Test Date:	2024-09-16
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7389.00	54.88	52.07	-2.81	74.00	21.93	150	240	PK	Horizontal	PASS
2	9462.00	42.15	41.90	-0.25	74.00	32.10	150	50	PK	Horizontal	PASS
3	12126.00	41.27	42.83	1.56	74.00	31.17	150	288	PK	Horizontal	PASS
4	14413.50	40.61	45.67	5.06	74.00	28.33	150	125	PK	Horizontal	PASS
5	15988.50	39.85	49.63	9.78	74.00	24.37	150	15	PK	Horizontal	PASS
6	17608.50	37.84	51.77	13.93	74.00	22.23	150	359	PK	Horizontal	PASS
7	7381.50	45.45	42.59	-2.86	54.00	11.41	150	240	AV	Horizontal	PASS
8	9510.00	33.74	33.77	0.03	54.00	20.23	150	288	AV	Horizontal	PASS
9	12130.50	32.89	34.46	1.57	54.00	19.54	150	67	AV	Horizontal	PASS
10	14355.00	32.25	37.22	4.97	54.00	16.78	150	186	AV	Horizontal	PASS
11	15957.00	31.49	41.27	9.78	54.00	12.73	150	213	AV	Horizontal	PASS
12	17602.50	29.28	43.25	13.97	54.00	10.75	150	106	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7380.00	51.51	48.64	-2.87	74.00	25.36	150	44	PK	Vertical	PASS
2	8451.00	43.57	42.26	-1.31	74.00	31.74	150	181	PK	Vertical	PASS
3	10486.50	41.77	42.85	1.08	74.00	31.15	150	72	PK	Vertical	PASS
4	12430.50	42.32	44.75	2.43	74.00	29.25	150	150	PK	Vertical	PASS
5	14325.00	40.28	45.67	5.39	74.00	28.33	150	181	PK	Vertical	PASS
6	17623.50	37.71	52.07	14.36	74.00	21.93	150	63	PK	Vertical	PASS
7	7381.50	43.24	40.38	-2.86	54.00	13.62	150	29	AV	Vertical	PASS
8	8383.50	34.35	33.33	-1.02	54.00	20.67	150	8	AV	Vertical	PASS
9	10494.00	33.03	34.17	1.14	54.00	19.83	150	0	AV	Vertical	PASS
10	12370.50	32.79	34.94	2.15	54.00	19.06	150	0	AV	Vertical	PASS
11	14326.50	32.78	38.18	5.40	54.00	15.82	150	193	AV	Vertical	PASS
12	17631.00	29.64	43.95	14.31	54.00	10.05	150	318	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20	Test Date:	2024-09-16
Test Channel:	01	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6430.50	49.75	44.57	-5.18	74.00	29.43	150	238	PK	Horizontal	PASS
2	7236.00	57.88	53.96	-3.92	74.00	20.04	150	226	PK	Horizontal	PASS
3	9127.50	44.26	43.38	-0.88	74.00	30.62	150	123	PK	Horizontal	PASS
4	12073.50	42.39	43.89	1.50	74.00	30.11	150	18	PK	Horizontal	PASS
5	14749.50	41.24	46.66	5.42	74.00	27.34	150	187	PK	Horizontal	PASS
6	17559.00	38.18	51.77	13.59	74.00	22.23	150	118	PK	Horizontal	PASS
7	6432.00	40.87	35.69	-5.18	54.00	18.31	150	238	AV	Horizontal	PASS
8	7236.00	45.59	41.67	-3.92	54.00	12.33	150	230	AV	Horizontal	PASS
9	9052.50	35.02	34.24	-0.78	54.00	19.76	150	15	AV	Horizontal	PASS
10	12105.00	33.53	35.03	1.50	54.00	18.97	150	322	AV	Horizontal	PASS
11	14764.50	32.60	38.02	5.42	54.00	15.98	150	315	AV	Horizontal	PASS
12	17599.50	29.08	43.06	13.98	54.00	10.94	150	49	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7230.00	49.50	45.54	-3.96	74.00	28.46	150	34	PK	Vertical	PASS
2	8887.50	44.05	42.88	-1.17	74.00	31.12	150	65	PK	Vertical	PASS
3	10854.00	43.84	44.77	0.93	74.00	29.23	150	256	PK	Vertical	PASS
4	13035.00	41.51	43.88	2.37	74.00	30.12	150	350	PK	Vertical	PASS
5	14832.00	41.00	46.42	5.42	74.00	27.58	150	3	PK	Vertical	PASS
6	17578.50	37.57	51.87	14.30	74.00	22.13	150	214	PK	Vertical	PASS
7	7230.00	40.56	36.60	-3.96	54.00	17.40	150	26	AV	Vertical	PASS
8	9000.00	37.22	36.44	-0.78	54.00	17.56	150	116	AV	Vertical	PASS
9	10881.00	33.80	34.83	1.03	54.00	19.17	150	350	AV	Vertical	PASS
10	13056.00	33.16	35.55	2.39	54.00	18.45	150	327	AV	Vertical	PASS
11	14763.00	32.57	38.19	5.62	54.00	15.81	150	360	AV	Vertical	PASS
12	17583.00	29.38	43.72	14.34	54.00	10.28	150	104	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20	Test Date:	2024-09-16
Test Channel:	06	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6498.00	46.96	41.67	-5.29	74.00	32.33	150	238	PK	Horizontal	PASS
2	7311.00	52.62	49.23	-3.39	74.00	24.77	150	242	PK	Horizontal	PASS
3	10084.50	42.84	42.79	-0.05	74.00	31.21	150	170	PK	Horizontal	PASS
4	12508.50	42.34	44.77	2.43	74.00	29.23	150	84	PK	Horizontal	PASS
5	14406.00	40.54	45.66	5.12	74.00	28.34	150	0	PK	Horizontal	PASS
6	17602.50	37.20	51.17	13.97	74.00	22.83	150	147	PK	Horizontal	PASS
7	6498.00	40.25	34.96	-5.29	54.00	19.04	150	230	AV	Horizontal	PASS
8	7312.50	44.70	41.32	-3.38	54.00	12.68	150	234	AV	Horizontal	PASS
9	10026.00	34.21	34.19	-0.02	54.00	19.81	150	0	AV	Horizontal	PASS
10	12523.50	33.46	35.86	2.40	54.00	18.14	150	332	AV	Horizontal	PASS
11	14350.50	32.79	37.75	4.96	54.00	16.25	150	166	AV	Horizontal	PASS
12	17613.00	29.35	43.25	13.90	54.00	10.75	150	198	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7306.50	50.89	47.47	-3.42	74.00	26.53	150	30	PK	Vertical	PASS
2	8134.50	49.06	47.88	-1.18	74.00	26.12	150	303	PK	Vertical	PASS
3	9370.50	48.99	48.16	-0.83	74.00	25.84	150	354	PK	Vertical	PASS
4	12423.00	41.75	44.16	2.41	74.00	29.84	150	23	PK	Vertical	PASS
5	15979.50	40.68	49.96	9.28	74.00	24.04	150	178	PK	Vertical	PASS
6	17593.50	37.73	52.16	14.43	74.00	21.84	150	268	PK	Vertical	PASS
7	7314.00	42.56	39.19	-3.37	54.00	14.81	150	26	AV	Vertical	PASS
8	8091.00	35.67	34.60	-1.07	54.00	19.40	150	112	AV	Vertical	PASS
9	9511.50	34.21	34.24	0.03	54.00	19.76	150	240	AV	Vertical	PASS
10	12475.50	33.46	35.97	2.51	54.00	18.03	150	140	AV	Vertical	PASS
11	15966.00	32.35	41.64	9.29	54.00	12.36	150	66	AV	Vertical	PASS
12	17601.00	29.57	44.06	14.49	54.00	9.94	150	23	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT20	Test Date:	2024-09-16
Test Channel:	11	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7392.00	53.80	51.01	-2.79	74.00	22.99	150	238	PK	Horizontal	PASS
2	8202.00	45.18	43.72	-1.46	74.00	30.28	150	330	PK	Horizontal	PASS
3	10527.00	42.50	43.33	0.83	74.00	30.67	150	360	PK	Horizontal	PASS
4	13011.00	42.23	44.99	2.76	74.00	29.01	150	292	PK	Horizontal	PASS
5	15348.00	40.75	47.85	7.10	74.00	26.15	150	61	PK	Horizontal	PASS
6	17590.50	37.69	51.58	13.89	74.00	22.42	150	326	PK	Horizontal	PASS
7	7381.50	46.13	43.27	-2.86	54.00	10.73	150	238	AV	Horizontal	PASS
8	8230.50	35.37	34.00	-1.37	54.00	20.00	150	38	AV	Horizontal	PASS
9	10510.50	34.30	35.15	0.85	54.00	18.85	150	231	AV	Horizontal	PASS
10	13261.50	33.93	36.88	2.95	54.00	17.12	150	300	AV	Horizontal	PASS
11	15357.00	32.18	39.23	7.05	54.00	14.77	150	1	AV	Horizontal	PASS
12	17602.50	29.41	43.38	13.97	54.00	10.62	150	3	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7392.00	51.38	48.59	-2.79	74.00	25.41	150	35	PK	Vertical	PASS
2	9003.00	42.80	42.02	-0.78	74.00	31.98	150	137	PK	Vertical	PASS
3	10882.50	43.57	44.61	1.04	74.00	29.39	150	47	PK	Vertical	PASS
4	13236.00	42.00	44.66	2.66	74.00	29.34	150	238	PK	Vertical	PASS
5	15946.50	40.71	50.00	9.29	74.00	24.00	150	212	PK	Vertical	PASS
6	17685.00	38.63	52.62	13.99	74.00	21.38	150	344	PK	Vertical	PASS
7	7387.50	42.64	39.82	-2.82	54.00	14.18	150	27	AV	Vertical	PASS
8	9000.00	36.98	36.20	-0.78	54.00	17.80	150	113	AV	Vertical	PASS
9	10866.00	34.15	35.13	0.98	54.00	18.87	150	360	AV	Vertical	PASS
10	13170.00	33.08	35.89	2.81	54.00	18.11	150	207	AV	Vertical	PASS
11	15979.50	32.13	41.41	9.28	54.00	12.59	150	144	AV	Vertical	PASS
12	17731.50	29.57	43.66	14.09	54.00	10.34	150	301	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40	Test Date:	2024-09-16
Test Channel:	3	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6457.50	48.30	43.08	-5.22	74.00	30.92	150	236	PK	Horizontal	PASS
2	7251.00	48.61	44.80	-3.81	74.00	29.20	150	244	PK	Horizontal	PASS
3	10038.00	43.34	43.31	-0.03	74.00	30.69	150	108	PK	Horizontal	PASS
4	11598.00	43.19	44.65	1.46	74.00	29.35	150	338	PK	Horizontal	PASS
5	14751.00	41.28	46.69	5.41	74.00	27.31	150	220	PK	Horizontal	PASS
6	17571.00	38.84	52.55	13.71	74.00	21.45	150	0	PK	Horizontal	PASS
7	6457.50	41.15	35.93	-5.22	54.00	18.07	150	236	AV	Horizontal	PASS
8	7275.00	39.26	35.62	-3.64	54.00	18.38	150	236	AV	Horizontal	PASS
9	10089.00	35.14	35.09	-0.05	54.00	18.91	150	338	AV	Horizontal	PASS
10	11614.50	33.87	35.23	1.36	54.00	18.77	150	158	AV	Horizontal	PASS
11	14767.50	32.32	37.75	5.43	54.00	16.25	150	49	AV	Horizontal	PASS
12	17601.00	29.51	43.48	13.97	54.00	10.52	150	307	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6457.50	47.47	42.52	-4.95	74.00	31.48	150	354	PK	Vertical	PASS
2	7914.00	43.83	42.80	-1.03	74.00	31.20	150	206	PK	Vertical	PASS
3	10072.50	43.44	43.87	0.43	74.00	30.13	150	273	PK	Vertical	PASS
4	13261.50	41.96	44.40	2.44	74.00	29.60	150	331	PK	Vertical	PASS
5	15912.00	40.44	49.74	9.30	74.00	24.26	150	331	PK	Vertical	PASS
6	17626.50	37.91	52.25	14.34	74.00	21.75	150	140	PK	Vertical	PASS
7	6457.50	40.03	35.08	-4.95	54.00	18.92	150	351	AV	Vertical	PASS
8	7866.00	35.96	34.28	-1.68	54.00	19.72	150	233	AV	Vertical	PASS
9	10068.00	34.46	34.89	0.43	54.00	19.11	150	315	AV	Vertical	PASS
10	13192.50	33.09	36.02	2.93	54.00	17.98	150	46	AV	Vertical	PASS
11	15954.00	32.09	41.38	9.29	54.00	12.62	150	116	AV	Vertical	PASS
12	17575.50	29.72	43.98	14.26	54.00	10.02	150	152	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40	Test Date:	2024-09-16
Test Channel:	6	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6498.00	48.39	43.10	-5.29	74.00	30.90	150	338	PK	Horizontal	PASS
2	7333.50	47.97	44.75	-3.22	74.00	29.25	150	237	PK	Horizontal	PASS
3	9982.50	42.61	42.51	-0.10	74.00	31.49	150	284	PK	Horizontal	PASS
4	13210.50	41.91	45.28	3.37	74.00	28.72	150	59	PK	Horizontal	PASS
5	15945.00	40.44	50.22	9.78	74.00	23.78	150	209	PK	Horizontal	PASS
6	17602.50	37.77	51.74	13.97	74.00	22.26	150	338	PK	Horizontal	PASS
7	6498.00	40.75	35.46	-5.29	54.00	18.54	150	12	AV	Horizontal	PASS
8	7306.50	40.23	36.81	-3.42	54.00	17.19	150	241	AV	Horizontal	PASS
9	10077.00	34.68	34.64	-0.04	54.00	19.36	150	150	AV	Horizontal	PASS
10	13218.00	33.13	36.43	3.30	54.00	17.57	150	52	AV	Horizontal	PASS
11	15978.00	32.31	42.09	9.78	54.00	11.91	150	217	AV	Horizontal	PASS
12	17581.50	29.54	43.35	13.81	54.00	10.65	150	303	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	6498.00	46.41	41.42	-4.99	74.00	32.58	150	354	PK	Vertical	PASS
2	9000.00	44.71	43.93	-0.78	74.00	30.07	150	117	PK	Vertical	PASS
3	10527.00	42.54	43.66	1.12	74.00	30.34	150	360	PK	Vertical	PASS
4	12561.00	42.44	44.81	2.37	74.00	29.19	150	101	PK	Vertical	PASS
5	15472.50	40.94	47.96	7.02	74.00	26.04	150	105	PK	Vertical	PASS
6	17782.50	38.13	52.50	14.37	74.00	21.50	150	358	PK	Vertical	PASS
7	6498.00	40.46	35.47	-4.99	54.00	18.53	150	354	AV	Vertical	PASS
8	9000.00	37.68	36.90	-0.78	54.00	17.10	150	117	AV	Vertical	PASS
9	10479.00	33.77	34.81	1.04	54.00	19.19	150	359	AV	Vertical	PASS
10	12517.50	33.55	36.05	2.50	54.00	17.95	150	207	AV	Vertical	PASS
11	15409.50	32.56	39.20	6.64	54.00	14.80	150	347	AV	Vertical	PASS
12	17956.50	29.54	44.19	14.65	54.00	9.81	150	3	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11n-HT40	Test Date:	2024-09-16
Test Channel:	9	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7357.50	48.76	45.71	-3.05	74.00	28.29	150	234	PK	Horizontal	PASS
2	9552.00	43.32	43.24	-0.08	74.00	30.76	150	330	PK	Horizontal	PASS
3	10507.50	43.19	44.05	0.86	74.00	29.95	150	11	PK	Horizontal	PASS
4	12501.00	42.28	44.73	2.45	74.00	29.27	150	11	PK	Horizontal	PASS
5	15898.50	40.78	50.54	9.76	74.00	23.46	150	161	PK	Horizontal	PASS
6	17608.50	37.94	51.87	13.93	74.00	22.13	150	0	PK	Horizontal	PASS
7	7359.00	40.60	37.56	-3.04	54.00	16.44	150	246	AV	Horizontal	PASS
8	9570.00	34.86	34.73	-0.13	54.00	19.27	150	34	AV	Horizontal	PASS
9	10485.00	33.78	34.55	0.77	54.00	19.45	150	265	AV	Horizontal	PASS
10	12543.00	33.58	35.94	2.36	54.00	18.06	150	8	AV	Horizontal	PASS
11	15949.50	31.77	41.55	9.78	54.00	12.45	150	23	AV	Horizontal	PASS
12	17569.50	29.67	43.36	13.69	54.00	10.64	150	1	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7362.00	47.02	44.01	-3.01	74.00	29.99	150	36	PK	Vertical	PASS
2	8292.00	44.51	43.31	-1.20	74.00	30.69	150	8	PK	Vertical	PASS
3	9976.50	43.06	43.42	0.36	74.00	30.58	150	146	PK	Vertical	PASS
4	12522.00	41.99	44.47	2.48	74.00	29.53	150	8	PK	Vertical	PASS
5	15955.50	40.11	49.40	9.29	74.00	24.60	150	40	PK	Vertical	PASS
6	17946.00	37.99	52.70	14.71	74.00	21.30	150	0	PK	Vertical	PASS
7	7347.00	38.50	35.38	-3.12	54.00	18.62	150	29	AV	Vertical	PASS
8	8311.50	35.35	34.20	-1.15	54.00	19.80	150	95	AV	Vertical	PASS
9	10032.00	34.19	34.65	0.46	54.00	19.35	150	83	AV	Vertical	PASS
10	12574.50	33.76	36.09	2.33	54.00	17.91	150	76	AV	Vertical	PASS
11	15945.00	32.09	41.38	9.29	54.00	12.62	150	279	AV	Vertical	PASS
12	17661.00	29.75	43.89	14.14	54.00	10.11	150	189	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level