






Date: 25 JUN 2026 17:39:54

11N20SISO_Ant1_5240




Date: 25 JUN 2026 17:44:21

11N20SISO_Ant1_5745




Date: 25 JUN 2026 17:46:34

11N20SISO_Ant1_5785




Date: 25 JUN 2026 17:48:11

11N20SISO_Ant1_5825




Date: 25 JUN 2026 17:49:39

11N40SISO_Ant1_5190




Date: 25 JUN 2026 17:51:26

11N40SISO_Ant1_5230




Date: 25 JUN 2026 17:56:13

11N40SISO_Ant1_5755




Date: 25 JUN 2026 17:58:14

11N40SISO_Ant1_5795




Date: 25 JUN 2026 17:59:52

11AC20SISO_Ant1_5180




Date: 25 JUN 2026 18:01:31

11AC20SISO_Ant1_5200




Date: 25 JUN 2026 18:03:54

11AC20SISO_Ant1_5240




Date: 25 JUN 2026 18:05:48

11AC20SISO_Ant1_5745




Date: 25 JUN 2026 18:07:50

11AC20SISO_Ant1_5785




Date: 25 JUN 2026 18:09:33

11AC20SISO_Ant1_5825




Date: 25 JUN 2026 18:11:14

11AC40SISO_Ant1_5190




Date: 25 JUN 2026 18:12:54

11AC40SISO_Ant1_5230




Date: 25 JUN 2026 18:16:09

11AC40SISO_Ant1_5755




Date: 25 JUN 2026 18:18:30

11AC40SISO_Ant1_5795




Date: 25 JUN 2026 18:20:13

11AX20SISO_Ant1_5180




Date: 25 JUN 2026 18:21:52

11AX20SISO_Ant1_5200




Date: 25 JUN 2026 18:28:49

11AX20SISO_Ant1_5240




Date: 25 JUN 2026 18:30:44

11AX20SISO_Ant1_5745




Date: 25 JUN 2026 18:33:12

11AX20SISO_Ant1_5785




Date: 25 JUN 2026 18:34:45

11AX20SISO_Ant1_5825




Date: 25 JUN 2026 18:38:06

11AX40SISO_Ant1_5190




Date: 25 JUN 2026 18:45:07

11AX40SISO_Ant1_5230




Date: 25 JUN 2026 18:47:34

11AX40SISO_Ant1_5755



Date: 25 JUN 2026 18:51:17

11AX40SISO_Ant1_5795




Date: 25 JUN 2026 19:20:36


Appendix C: Maximum conducted output power

Test Result Channel Power

Test Mode	Antenna	Freq (MHz)	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	9.37	96.50	0.15	9.52	≤23.98	PASS
		5200	8.54	96.50	0.15	8.69	≤23.98	PASS
		5240	8.20	97.18	0.12	8.32	≤23.98	PASS
		5745	7.25	96.50	0.15	7.40	≤30.00	PASS
		5785	7.19	96.50	0.15	7.34	≤30.00	PASS
		5825	6.94	96.50	0.15	7.09	≤30.00	PASS
11N20SISO	Ant1	5180	9.23	96.27	0.17	9.40	≤23.98	PASS
		5200	8.40	96.27	0.17	8.57	≤23.98	PASS
		5240	8.06	96.27	0.17	8.23	≤23.98	PASS
		5745	7.11	96.27	0.17	7.28	≤30.00	PASS
		5785	7.02	96.27	0.17	7.19	≤30.00	PASS
		5825	6.74	96.99	0.13	6.87	≤30.00	PASS
11N40SISO	Ant1	5190	8.75	92.75	0.33	9.08	≤23.98	PASS
		5230	7.85	94.20	0.26	8.11	≤23.98	PASS
		5755	7.15	94.20	0.26	7.41	≤30.00	PASS
		5795	7.00	94.12	0.26	7.26	≤30.00	PASS
11AC20SISO	Ant1	5180	9.24	96.27	0.17	9.41	≤23.98	PASS
		5200	8.45	96.99	0.13	8.58	≤23.98	PASS
		5240	8.15	97.01	0.13	8.28	≤23.98	PASS
		5745	7.11	96.99	0.13	7.24	≤30.00	PASS
		5785	7.04	96.27	0.17	7.21	≤30.00	PASS
		5825	6.76	96.99	0.13	6.89	≤30.00	PASS
11AC40SISO	Ant1	5190	8.84	92.75	0.33	9.17	≤23.98	PASS
		5230	7.86	94.20	0.26	8.12	≤23.98	PASS
		5755	6.99	94.20	0.26	7.25	≤30.00	PASS
		5795	7.05	92.75	0.33	7.38	≤30.00	PASS
11AX20SISO	Ant1	5180	9.26	97.01	0.13	9.39	≤23.98	PASS
		5200	8.41	96.27	0.17	8.58	≤23.98	PASS
		5240	8.13	96.27	0.17	8.30	≤23.98	PASS
		5745	7.13	97.01	0.13	7.26	≤30.00	PASS
		5785	7.01	96.99	0.13	7.14	≤30.00	PASS
		5825	6.80	96.99	0.13	6.93	≤30.00	PASS
11AX40SISO	Ant1	5190	8.86	94.20	0.26	9.12	≤23.98	PASS
		5230	7.66	92.75	0.33	7.99	≤23.98	PASS
		5755	7.03	94.12	0.26	7.29	≤30.00	PASS
		5795	7.04	92.75	0.33	7.37	≤30.00	PASS


Test Graphs Channel Power






Date: 25 JUN 2026 17:28:30

11A_Ant1_5745




Date: 25 JUN 2026 17:30:15

11A_Ant1_5785




Date: 25 JUN 2026 17:33:27

11A_Ant1_5825




Date: 25 JUN 2026 17:35:13

11N20SISO_Ant1_5180




Date: 25 JUN 2026 17:37:00

11N20SISO_Ant1_5200




Date: 25 JUN 2026 17:40:03

11N20SISO_Ant1_5240




Date: 25 JUN 2026 17:44:30

11N20SISO_Ant1_5745




Date: 25 JUN 2026 17:46:43

11N20SISO_Ant1_5785




Date: 25 JUN 2026 17:48:21

11N20SISO_Ant1_5825




Date: 25 JUN 2026 17:49:49

11N40SISO_Ant1_5190




Date: 25 JUN 2026 17:51:36

11N40SISO_Ant1_5230




Date: 25 JUN 2026 17:56:23

11N40SISO_Ant1_5755




Date: 25 JUN 2026 17:58:24

11N40SISO_Ant1_5795




Date: 25 JUN 2026 18:00:02

11AC20SISO_Ant1_5180




Date: 25 JUN 2026 18:01:41

11AC20SISO_Ant1_5200




Date: 25 JUN 2026 18:04:03

11AC20SISO_Ant1_5240




Date: 25 JUN 2026 18:05:57

11AC20SISO_Ant1_5745




Date: 25 JUN 2026 18:07:59

11AC20SISO_Ant1_5785




Date: 25 JUN 2026 18:09:41

11AC20SISO_Ant1_5825




Date: 25 JUN 2026 18:11:24

11AC40SISO_Ant1_5190




Date: 25 JUN 2026 18:13:03

11AC40SISO_Ant1_5230




Date: 25 JUN 2026 18:16:19

11AC40SISO_Ant1_5755




Date: 25 JUN 2026 18:18:39

11AC40SISO_Ant1_5795




Date: 25 JUN 2026 18:20:22

11AX20SISO_Ant1_5180




Date: 25 JUN 2026 18:22:02


11AX20SISO_Ant1_5200




11AX20SISO_Ant1_5240



11AX20SISO_Ant1_5745




11AX20SISO_Ant1_5785




Date: 25 JUN 2026 18:34:55

11AX20SISO_Ant1_5825




Date: 25 JUN 2026 18:38:15

11AX40SISO_Ant1_5190




Date: 25 JUN 2026 18:45:17

11AX40SISO_Ant1_5230




Date: 25 JUN 2026 18:47:44

11AX40SISO_Ant1_5755



Date: 25 JUN 2026 18:51:27

11AX40SISO_Ant1_5795



Date: 25 JUN 2026 19:20:45


Appendix D: Maximum power spectral density


Test Result

TestMode	Freq (MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	5180	-0.77	≤11.00	PASS
	5200	-1.80	≤11.00	PASS
	5240	-1.99	≤11.00	PASS
	5745	-5.57	≤30.00	PASS
	5785	-5.74	≤30.00	PASS
	5825	-6.06	≤30.00	PASS
11N20SISO	5180	-1.22	≤11.00	PASS
	5200	-1.94	≤11.00	PASS
	5240	-2.14	≤11.00	PASS
	5745	-5.50	≤30.00	PASS
	5785	-6.16	≤30.00	PASS
	5825	-6.52	≤30.00	PASS
11N40SISO	5190	-3.55	≤11.00	PASS
	5230	-5.09	≤11.00	PASS
	5755	-8.04	≤30.00	PASS
	5795	-8.93	≤30.00	PASS
11AC20SISO	5180	-0.90	≤11.00	PASS
	5200	-2.00	≤11.00	PASS
	5240	-1.75	≤11.00	PASS
	5745	-6.31	≤30.00	PASS
	5785	-5.77	≤30.00	PASS
	5825	-6.27	≤30.00	PASS
11AC40SISO	5190	-3.85	≤11.00	PASS
	5230	-5.29	≤11.00	PASS
	5755	-8.00	≤30.00	PASS
	5795	-8.72	≤30.00	PASS
11AX20SISO	5180	-1.13	≤11.00	PASS
	5200	-1.49	≤11.00	PASS
	5240	-2.36	≤11.00	PASS
	5745	-6.21	≤30.00	PASS
	5785	-5.75	≤30.00	PASS
	5825	-6.15	≤30.00	PASS
11AX40SISO	5190	-4.09	≤11.00	PASS
	5230	-5.01	≤11.00	PASS
	5755	-8.38	≤30.00	PASS
	5795	-8.63	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


Test Graphs






Date: 25 JUN 2026 17:28:36

11A_Ant1_5745




Date: 25 JUN 2026 17:30:21

11A_Ant1_5785




Date: 25 JUN 2026 17:33:33

11A_Ant1_5825




Date: 25 JUN 2026 17:35:19

11N20SISO_Ant1_5180




Date: 25 JUN 2026 17:37:06

11N20SISO_Ant1_5200




Date: 25 JUN 2026 17:40:09

11N20SISO_Ant1_5240




Date: 25 JUN 2026 17:44:36

11N20SISO_Ant1_5745




Date: 25 JUN 2026 17:46:50

11N20SISO_Ant1_5785




Date: 25 JUN 2026 17:48:27

11N20SISO_Ant1_5825




Date: 25 JUN 2026 17:49:55

11N40SISO_Ant1_5190




Date: 25 JUN 2026 17:51:43

11N40SISO_Ant1_5230




Date: 25 JUN 2026 17:56:29

11N40SISO_Ant1_5755




Date: 25 JUN 2026 17:58:30

11N40SISO_Ant1_5795




Date: 25 JUN 2026 18:00:08

11AC20SISO_Ant1_5180




Date: 25 JUN 2026 18:01:47

11AC20SISO_Ant1_5200




Date: 25 JUN 2026 18:04:09

11AC20SISO_Ant1_5240




Date: 25 JUN 2026 18:06:03

11AC20SISO_Ant1_5745




Date: 25 JUN 2026 18:08:05

11AC20SISO_Ant1_5785




Date: 25 JUN 2026 18:09:48

11AC20SISO_Ant1_5825




Date: 25 JUN 2026 18:11:30

11AC40SISO_Ant1_5190




Date: 25 JUN 2026 18:13:10

11AC40SISO_Ant1_5230




Date: 25 JUN 2026 18:16:25

11AC40SISO_Ant1_5755




Date: 25 JUN 2026 18:18:45

11AC40SISO_Ant1_5795




Date: 25 JUN 2026 18:20:29

11AX20SISO_Ant1_5180




Date: 25 JUN 2026 18:22:08

11AX20SISO_Ant1_5200




Date: 25 JUN 2026 18:29:04

11AX20SISO_Ant1_5240




Date: 25 JUN 2026 18:30:59

11AX20SISO_Ant1_5745




Date: 25 JUN 2026 18:33:27

11AX20SISO_Ant1_5785




Date: 25 JUN 2026 18:35:01

11AX20SISO_Ant1_5825




Date: 25 JUN 2026 18:38:21

11AX40SISO_Ant1_5190




Date: 25 JUN 2026 18:45:24

11AX40SISO_Ant1_5230




Date: 25 JUN 2026 18:47:51

11AX40SISO_Ant1_5755



Date: 25 JUN 2026 18:51:33

11AX40SISO_Ant1_5795



Date: 25 JUN 2026 19:20:52

Appendix E: Band edge measurements

Test Result B1/2/3

TestMode	ChName	Freq (MHz)	Result[dBm]	Limit[dBm]	Verdict
11A	Low	5180	-50.36	≤-27	PASS
	High	5240	-51.02	≤-27	PASS
11N20SISO	Low	5180	-50.77	≤-27	PASS
	High	5240	-51.51	≤-27	PASS
11N40SISO	Low	5190	-50.5	≤-27	PASS
	High	5230	-50.94	≤-27	PASS
11AC20SISO	Low	5180	-50.7	≤-27	PASS
	High	5240	-51.63	≤-27	PASS
11AC40SISO	Low	5190	-50.17	≤-27	PASS
	High	5230	-52.16	≤-27	PASS
11AX20SISO	Low	5180	-50.67	≤-27	PASS
	High	5240	-51.93	≤-27	PASS
11AX40SISO	Low	5190	-49.54	≤-27	PASS
	High	5230	-51.64	≤-27	PASS

Test Result B4

TestMode	ChName	Freq (MHz)	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Low	5745	5650~5700	-52.58	≤-26.01	PASS
			5700~5720	-51.62	≤10.65	PASS
			5720~5725	-50.27	≤17.50	PASS
			5760~5650	-51.78	≤-27	PASS
	High	5825	5850~5855	-50.76	≤15.65	PASS
			5855~5875	-51.32	≤10.18	PASS
			5875~5925	-50.61	≤-25.86	PASS
			5925~5935	-50.25	≤-27	PASS
11N20SISO	Low	5745	5650~5700	-52.31	≤-26.63	PASS
			5700~5720	-51.56	≤10.23	PASS
			5720~5725	-51.83	≤15.98	PASS
			5760~5650	-51.26	≤-27	PASS
	High	5825	5850~5855	-50.57	≤16.54	PASS
			5855~5875	-51.11	≤10.02	PASS
			5875~5925	-50.35	≤-25.42	PASS
			5925~5935	-50.48	≤-27	PASS
11N40SISO	Low	5755	5650~5700	-51.78	≤-26.94	PASS
			5700~5720	-51.87	≤10.10	PASS
			5720~5725	-52.15	≤15.90	PASS