


## Annex A.5. Spurious Emissions

## 1. LTE\_Band2


### 1.1. LTE Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -68.48      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.41            | -64.68      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 970.761         | -53.62      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1117.139        | -42.28      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1850.2          | 28.17       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2931.937        | -39.13      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11433.299       | -32.62      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19871.984       | -27         | -13         | Pass    | 8000        |




## 1.2. LTE Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -65.49      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -65.44      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 511.059         | -53.91      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1816.973        | -42.24      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1850.2          | 28.25       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2944.949        | -39.06      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11854.82        | -32.83      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19923.99        | -26.86      | -13         | Pass    | 8000        |




### 1.3. LTE Spurious Emissions(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -68.59      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -65.59      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 858.913         | -54.13      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1741.883        | -42.26      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1879.6          | 27.2        | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2922.929        | -38.63      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11648.565       | -32.3       | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 13703.213       | -27.05      | -13         | Pass    | 8000        |




#### 1.4. LTE Spurious Emissions(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.016           | -70.28      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -65.45      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 946.129         | -53.25      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1811.967        | -41.3       | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1879.6          | 27.23       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2947.952        | -38.94      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11997.998       | -32.28      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 14200.275       | -27.16      | -13         | Pass    | 8000        |




### 1.5. LTE Spurious Emissions(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -69.22      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -63.56      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 420.248         | -54.11      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1689.821        | -42.31      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1908.8          | 27.3        | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2948.953        | -39.13      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11852.818       | -32.35      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19925.991       | -26.9       | -13         | Pass    | 8000        |




### 1.6. LTE Spurious Emissions(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.015           | -68.62      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.49            | -65.14      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 912.884         | -53.72      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1767.914        | -42.64      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1908.8          | 27.06       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2938.943        | -39.27      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 7458.544        | -32.78      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19940.993       | -26.81      | -13         | Pass    | 8000        |




### 1.7. LTE Spurious Emissions(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -66.9       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.64            | -65.15      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 973.865         | -53.33      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1637.759        | -42.8       | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1850.2          | 28.04       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2906.914        | -38.97      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11945.933       | -33.4       | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 13680.21        | -27.22      | -13         | Pass    | 8000        |




### 1.8. LTE Spurious Emissions(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -68.85      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -63.77      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 503.758         | -54.04      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1806.961        | -42.54      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1850.2          | 27.94       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2928.934        | -38.79      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11619.529       | -32.62      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 14195.274       | -27.05      | -13         | Pass    | 8000        |




### 1.9. LTE Spurious Emissions(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -68.03      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.2             | -65.62      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 818.996         | -54.34      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1813.969        | -42.14      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1878.8          | 27.23       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2985.987        | -38.9       | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11976.971       | -32.86      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19081.885       | -27         | -13         | Pass    | 8000        |




### 1.10. LTE Spurious Emissions(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.014           | -68.94      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.34            | -65.23      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 914.086         | -53.77      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1832.992        | -42.3       | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1878.8          | 27.3        | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2967.97         | -38.45      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11616.525       | -32.91      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19905.988       | -26.88      | -13         | Pass    | 8000        |




### 1.11. LTE Spurious Emissions(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -66.73      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.25            | -65.51      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 875.635         | -53.64      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1830.989        | -42.56      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1907.2          | 27.39       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2952.956        | -38.49      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 10591.927       | -32.85      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 14194.274       | -27.24      | -13         | Pass    | 8000        |




### 1.12. LTE Spurious Emissions(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -68.76      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.34            | -65.41      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 775.591         | -53.32      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1838.999        | -41.88      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1907.2          | 27.5        | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2946.951        | -39.46      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11626.538       | -33.02      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19886.986       | -25.47      | -13         | Pass    | 8000        |




### 1.13. LTE Spurious Emissions(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -69.08      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -65.17      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 758.789         | -54.25      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1803.957        | -41.73      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1850.4          | 27.98       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2985.987        | -39.11      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11890.865       | -33.11      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 16591.574       | -26.54      | -13         | Pass    | 8000        |




#### 1.14. LTE Spurious Emissions(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.012           | -67.76      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -64.32      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 836.598         | -53.37      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1796.949        | -42.75      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1850.2          | 27.33       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2761.779        | -39.29      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11002.977       | -32.91      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19383.923       | -26.94      | -13         | Pass    | 8000        |




### 1.15. LTE Spurious Emissions(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -69.47      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -65.18      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 859.414         | -54.07      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1221.263        | -41.88      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1877.8          | 27.39       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2972.975        | -38.97      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 6956.483        | -32.71      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19408.926       | -27.3       | -13         | Pass    | 8000        |




### 1.16. LTE Spurious Emissions(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -68.48      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.18            | -64.99      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 845.099         | -53.36      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1728.868        | -41.26      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1877.8          | 26.87       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2842.854        | -38.4       | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11650.568       | -32.38      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19992.999       | -27.34      | -13         | Pass    | 8000        |




# 1.17. LTE Spurious Emissions(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -69.28      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.66            | -65.09      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 799.694         | -53.89      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1755.9          | -42.71      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1905.4          | 27.38       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2971.974        | -37.68      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11235.053       | -32.59      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 18899.862       | -27.4       | -13         | Pass    | 8000        |




### 1.18. LTE Spurious Emissions(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.014           | -69.89      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.23            | -63.59      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 817.696         | -53.98      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1760.906        | -42.6       | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1905.4          | 27.13       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2971.974        | -38.84      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 7205.513        | -33.25      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19640.955       | -26.63      | -13         | Pass    | 8000        |




### 1.19. LTE Spurious Emissions(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -67.04      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.2             | -63.73      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 704.382         | -54.21      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1662.789        | -42.78      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1850.6          | 27.98       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2975.978        | -39.14      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11367.217       | -33.42      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19408.926       | -26.8       | -13         | Pass    | 8000        |




## 1.20. LTE Spurious Emissions(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -67.24      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.35            | -63.17      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 832.598         | -53.3       | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1840            | -42.18      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1850.6          | 27.7        | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2924.93         | -38.49      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11673.596       | -33.21      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 14180.273       | -26.71      | -13         | Pass    | 8000        |




### 1.21. LTE Spurious Emissions(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -69.27      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -65.3       | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 929.507         | -54.04      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1657.783        | -42.61      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1875.6          | 27.34       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2962.966        | -39.19      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11957.948       | -32.16      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 18430.804       | -27.13      | -13         | Pass    | 8000        |




## 1.22. LTE Spurious Emissions(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -68.92      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.17            | -65.68      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 815.696         | -53.95      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1671.8          | -42.53      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1875.6          | 27.41       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2956.96         | -39.57      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 9246.763        | -32.94      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19914.989       | -26.65      | -13         | Pass    | 8000        |




### 1.23. LTE Spurious Emissions(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.019           | -68.89      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.3             | -66.32      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 960.748         | -53.12      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1681.812        | -42.53      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1900.6          | 27.73       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2969.972        | -38.69      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11433.299       | -32.96      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19754.969       | -26.92      | -13         | Pass    | 8000        |




# 1.24. LTE Spurious Emissions(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.014           | -68.53      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.28            | -66.16      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 541.862         | -53.73      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1811.967        | -42.31      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1900.6          | 27.57       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2934.94         | -38.76      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 9292.768        | -33.01      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19951.994       | -26.71      | -13         | Pass    | 8000        |




### 1.25. LTE Spurious Emissions(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -69.3       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.18            | -65.51      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 505.358         | -53.92      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1836.996        | -34.36      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1850.8          | 28.07       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2941.946        | -38.7       | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 6949.482        | -32.93      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 14199.275       | -27.3       | -13         | Pass    | 8000        |




# 1.26. LTE Spurious Emissions(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.014           | -68.51      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.29            | -65.52      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 955.942         | -54.34      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1836.996        | -34.59      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1850.8          | 27.7        | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2907.915        | -39.47      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11644.56        | -32.71      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 14214.277       | -27.02      | -13         | Pass    | 8000        |




### 1.27. LTE Spurious Emissions(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.013           | -68.75      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -64.47      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 858.312         | -53.09      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1837.998        | -39.77      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1873.4          | 27.42       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2960.964        | -38.47      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11381.234       | -32.98      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19398.925       | -27.39      | -13         | Pass    | 8000        |




### 1.28. LTE Spurious Emissions(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -69.44      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -65.32      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 752.588         | -53.98      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1823.981        | -42.22      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1873.4          | 27.87       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2918.925        | -38.66      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11709.641       | -33.16      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19825.978       | -27.47      | -13         | Pass    | 8000        |




### 1.29. LTE Spurious Emissions(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -69.16      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.29            | -65.76      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 544.363         | -53.85      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1656.782        | -41.05      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1895.8          | 27.86       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2981.983        | -39.16      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 6708.453        | -32.74      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19367.921       | -26.85      | -13         | Pass    | 8000        |




### 1.30. LTE Spurious Emissions(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.013           | -68.4       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -64.43      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 969.359         | -53.91      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1837.998        | -41.29      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1895.8          | 27.8        | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2927.933        | -38.47      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11724.659       | -33.08      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 14190.274       | -27.1       | -13         | Pass    | 8000        |




### 1.31. LTE Spurious Emissions(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -67.15      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.81            | -64.62      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 473.254         | -52.77      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1840            | -35.03      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1851.2          | 28.16       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2929.935        | -38.71      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11674.597       | -32.5       | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19968.996       | -26.64      | -13         | Pass    | 8000        |




### 1.32. LTE Spurious Emissions(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.061           | -69.41      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.2             | -64.89      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 877.337         | -53.75      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1840            | -37.65      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1851            | 27.59       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2860.871        | -39.24      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11975.97        | -33.17      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19160.895       | -27.2       | -13         | Pass    | 8000        |




### 1.33. LTE Spurious Emissions(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.015           | -69.08      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.28            | -63.77      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 761.889         | -54.14      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1809.964        | -42.56      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1871            | 27.64       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2814.829        | -38.64      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11650.568       | -32.76      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19479.935       | -27.29      | -13         | Pass    | 8000        |




### 1.34. LTE Spurious Emissions(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -67.94      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -65.59      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 915.488         | -54.07      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1830.989        | -42.27      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1871            | 27.56       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2837.85         | -38.4       | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11941.928       | -33.29      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 18848.856       | -26.96      | -13         | Pass    | 8000        |




### 1.35. LTE Spurious Emissions(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -69.61      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.17            | -64.76      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 986.182         | -53.52      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1228.272        | -41.92      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1891            | 27.61       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2937.943        | -39.13      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 11981.978       | -32.93      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 19890.986       | -27.08      | -13         | Pass    | 8000        |



### 1.36. LTE Spurious Emissions(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -68.35      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -64.05      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 630.973         | -53.59      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | Peak     | 1833.993        | -42.47      | -13         | Pass    | 840         |
| 1840                  | 1920                 | 1         | Peak     | 1891            | 27.51       | 60          | Pass    | 401         |
| 1920                  | 3000                 | 1         | Peak     | 2884.893        | -39.23      | -13         | Pass    | 1080        |
| 3000                  | 12000                | 1         | Peak     | 12000           | -33.16      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | Peak     | 14201.275       | -26.48      | -13         | Pass    | 8000        |



## 2. LTE\_Band4


### 2.1. LTE Spurious Emissions(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.22      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -71.73      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 833.698         | -64.37      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.61      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1710.238        | 23.21       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2951.961        | -50.12      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5130.26         | -38.85      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14201.275       | -38.34      | -13         | Pass    | 8000        |




## 2.2. LTE Spurious Emissions(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.37      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.31            | -71.63      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 841.899         | -64.37      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.55      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1710.238        | 22.34       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2948.959        | -50         | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5130.26         | -39.96      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14198.275       | -38.26      | -13         | Pass    | 8000        |




### 2.3. LTE Spurious Emissions(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.85      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.64      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 946.429         | -64.38      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1692.99         | -53.41      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1732.013        | 23.09       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2948.959        | -50.06      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5196.268        | -40.74      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 19398.925       | -38.3       | -13         | Pass    | 8000        |




## 2.4. LTE Spurious Emissions(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.19      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.97      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 860.916         | -64.35      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1696.996        | -53.45      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1732.175        | 22.02       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2947.958        | -50.06      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5196.268        | -41.94      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14198.275       | -38.32      | -13         | Pass    | 8000        |




## 2.5. LTE Spurious Emissions(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -74.64      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.4       | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 969.459         | -64.4       | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1694.993        | -53.49      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1753.788        | 22.96       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2947.958        | -50.13      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5261.276        | -39.87      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14201.275       | -38.34      | -13         | Pass    | 8000        |




## 2.6. LTE Spurious Emissions(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -70.87      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.4             | -71.84      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 851.203         | -64.43      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1696.996        | -53.51      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1753.788        | 21.89       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2939.951        | -50.14      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5261.276        | -41.11      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14197.275       | -38.37      | -13         | Pass    | 8000        |




## 2.7. LTE Spurious Emissions(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.45      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.12      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 862.718         | -64.41      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.64      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1710.238        | 22.97       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2946.957        | -50.06      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5130.26         | -39.06      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14197.275       | -38.24      | -13         | Pass    | 8000        |




## 2.8. LTE Spurious Emissions(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.42      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.15      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 833.698         | -64.25      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.91      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1710.238        | 22.2        | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2950.96         | -50.09      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5130.26         | -39.9       | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14201.275       | -38.24      | -13         | Pass    | 8000        |




## 2.9. LTE Spurious Emissions(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.49      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.41            | -71.59      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 860.014         | -64.25      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1698.999        | -53.44      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1731.2          | 23.28       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2943.955        | -50.13      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5193.268        | -41.42      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14198.275       | -38.27      | -13         | Pass    | 8000        |




## 2.10. LTE Spurious Emissions(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.44      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.36      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 847.3           | -63.99      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1695.994        | -53.39      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1731.2          | 22.22       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2945.956        | -50.08      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5193.268        | -42.51      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14205.276       | -38.32      | -13         | Pass    | 8000        |




## 2.11. LTE Spurious Emissions(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.74      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.85      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 715.584         | -64.42      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1691.989        | -53.51      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1752.325        | 22.98       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2948.959        | -50.02      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5256.275        | -40.87      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14201.275       | -38.32      | -13         | Pass    | 8000        |




## 2.12. LTE Spurious Emissions(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.24      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.12      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 850.101         | -64.39      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1692.99         | -53.48      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1752.325        | 22.03       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2945.956        | -50.09      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5256.275        | -42.22      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14204.276       | -38.31      | -13         | Pass    | 8000        |




## 2.13. LTE Spurious Emissions(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.22      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -70.98      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 834.198         | -64.35      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.65      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1710.4          | 22.72       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2954.964        | -50.14      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5131.26         | -38.27      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14192.274       | -38.33      | -13         | Pass    | 8000        |




## 2.14. LTE Spurious Emissions(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.55      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -70.64      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 728.485         | -64.29      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.87      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1710.4          | 21.86       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2941.953        | -50.1       | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5131.26         | -39.69      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14196.275       | -38.26      | -13         | Pass    | 8000        |




## 2.15. LTE Spurious Emissions(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.018           | -72.78      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.16      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 816.796         | -64.37      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1696.996        | -53.42      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1730.388        | 23.34       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2947.958        | -50.06      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5191.267        | -40.33      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 19402.925       | -38.31      | -13         | Pass    | 8000        |




## 2.16. LTE Spurious Emissions(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.31      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.27            | -72.31      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 845.9           | -64.14      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1695.994        | -53.34      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1730.388        | 22.33       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2939.951        | -50.13      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5191.267        | -41.71      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14201.275       | -38.4       | -13         | Pass    | 8000        |




## 2.17. LTE Spurious Emissions(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.27      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.67      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 867.925         | -64.41      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1693.991        | -53.48      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1750.375        | 23.1        | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2942.954        | -50.15      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5251.275        | -40.24      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14200.275       | -38.3       | -13         | Pass    | 8000        |




## 2.18. LTE Spurious Emissions(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.46      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -72.15      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 841.199         | -64.36      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1696.996        | -53.5       | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1750.375        | 22.17       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2940.952        | -50.13      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5251.275        | -41.09      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14199.275       | -38.27      | -13         | Pass    | 8000        |




## 2.19. LTE Spurious Emissions(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.92      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.96      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 837.899         | -64.3       | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.29      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1710.563        | 23.39       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2942.954        | -49.99      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5132.26         | -38.74      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14199.275       | -38.29      | -13         | Pass    | 8000        |




## 2.20. LTE Spurious Emissions(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.37      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.7       | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 843.199         | -64.42      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1692.99         | -52.76      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1710.563        | 22.31       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2949.959        | -50.13      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5131.26         | -40.35      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14202.275       | -38.37      | -13         | Pass    | 8000        |




## 2.21. LTE Spurious Emissions(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.22      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.76      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 821.997         | -64.42      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1698.999        | -53.35      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1728.113        | 23.09       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2944.955        | -50         | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5184.267        | -39.96      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14201.275       | -38.23      | -13         | Pass    | 8000        |




## 2.22. LTE Spurious Emissions(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.016           | -72.53      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -72.41      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 835.798         | -64.29      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1694.993        | -53.4       | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1728.113        | 22.35       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2949.959        | -50.07      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5184.267        | -40.71      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14193.274       | -38.29      | -13         | Pass    | 8000        |




## 2.23. LTE Spurious Emissions(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -70.59      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.3             | -71.86      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 838.799         | -64.3       | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1690.987        | -53.41      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1745.5          | 23.07       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2952.962        | -50.15      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5236.273        | -41.89      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14201.275       | -38.26      | -13         | Pass    | 8000        |




## 2.24. LTE Spurious Emissions(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.17      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.31            | -72.36      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 837.899         | -64.29      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1693.991        | -53.54      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1745.5          | 22.35       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2949.959        | -50.12      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5236.273        | -42.84      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14203.275       | -38.28      | -13         | Pass    | 8000        |




## 2.25. LTE Spurious Emissions(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -71.9       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.8       | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 851.203         | -64.2       | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1697.997        | -46.68      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1710.888        | 23.3        | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2951.961        | -50.12      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5132.26         | -37.78      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14200.275       | -38.35      | -13         | Pass    | 8000        |




## 2.26. LTE Spurious Emissions(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.4       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -69.25      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 951.235         | -64.2       | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1697.997        | -47.67      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1710.888        | 22.25       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2947.958        | -50.14      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5132.26         | -39.23      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14193.274       | -38.31      | -13         | Pass    | 8000        |




## 2.27. LTE Spurious Emissions(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -74.21      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.06      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 862.718         | -64.26      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1698.999        | -52.22      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1725.838        | 23.28       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2949.959        | -50.11      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5177.266        | -39.69      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14201.275       | -38.37      | -13         | Pass    | 8000        |




## 2.28. LTE Spurious Emissions(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.61      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -71.32      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 847.3           | -64.26      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1698.999        | -52.48      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1725.838        | 22.36       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2946.957        | -50.03      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5177.266        | -40.84      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14192.274       | -38.37      | -13         | Pass    | 8000        |




## 2.29. LTE Spurious Emissions(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.52      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -72.23      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 837.499         | -64.18      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1696.996        | -53.47      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1740.788        | 23.27       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2947.958        | -50.06      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5222.271        | -41         | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14201.275       | -38.25      | -13         | Pass    | 8000        |




## 2.30. LTE Spurious Emissions(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.64      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.25            | -72.31      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 855.909         | -64.33      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1696.996        | -53.39      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1740.95         | 22.47       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2949.959        | -50.09      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5222.271        | -42.09      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14209.276       | -38.38      | -13         | Pass    | 8000        |




## 2.31. LTE Spurious Emissions(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.17      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.61      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 996.195         | -64.33      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1692.99         | -48.66      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1711.05         | 23.26       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2948.959        | -49.95      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5133.26         | -37.37      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14193.274       | -38.38      | -13         | Pass    | 8000        |




## 2.32. LTE Spurious Emissions(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.78      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.31            | -71.84      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 836.498         | -64.47      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1692.99         | -49.38      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1711.05         | 22.32       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2952.962        | -50.12      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5133.26         | -38.86      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14202.275       | -38.32      | -13         | Pass    | 8000        |




### 2.33. LTE Spurious Emissions(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.31      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.39      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 821.497         | -64.24      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1696.996        | -53.03      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1723.563        | 23.05       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2945.956        | -49.95      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5171.265        | -40.85      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14198.275       | -38.38      | -13         | Pass    | 8000        |




## 2.34. LTE Spurious Emissions(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.26      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -72.04      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 874.934         | -64.05      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1696.996        | -52.97      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1723.563        | 22.49       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2950.96         | -50.09      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5170.265        | -41.52      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 19402.925       | -38.39      | -13         | Pass    | 8000        |




## 2.35. LTE Spurious Emissions(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.16      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.85      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 832.698         | -64.44      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.85      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1736.075        | 23.21       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2952.962        | -50.05      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5208.27         | -40.71      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14197.275       | -38.29      | -13         | Pass    | 8000        |



## 2.36. LTE Spurious Emissions(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -74.17      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.34            | -72.23      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 838.099         | -64.13      | -13         | Pass    | 9699        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -53.07      | -13         | Pass    | 700         |
| 1700                  | 1765                 | 1         | RMS      | 1736.075        | 22.24       | 60          | Pass    | 401         |
| 1765                  | 3000                 | 1         | RMS      | 2938.951        | -50.12      | -13         | Pass    | 1235        |
| 3000                  | 12000                | 1         | RMS      | 5208.27         | -41.82      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14208.276       | -38.35      | -13         | Pass    | 8000        |



### 3. LTE\_Band5


#### 3.1. LTE Spurious Emissions(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -67.32      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.25            | -65.05      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 412.649         | -53.99      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 824.222         | 24.59       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 879.814         | -54.38      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2678.839        | -38.41      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 7188.598        | -33.9       | -13         | Pass    | 7000        |




### 3.2. LTE Spurious Emissions(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -68.6       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.3             | -65.2       | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 808.599         | -49.06      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 824.222         | 25          | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 867.305         | -54.62      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2980.99         | -39.28      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 7562.652        | -33.8       | -13         | Pass    | 7000        |




### 3.3. LTE Spurious Emissions(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.086           | -70.03      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.17            | -65.26      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 784.396         | -53.59      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 836.048         | 24.96       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 942.459         | -54.01      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2948.974        | -39.3       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 7418.631        | -33.47      | -13         | Pass    | 7000        |




### 3.4. LTE Spurious Emissions(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.014           | -69.68      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -65.91      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 811.8           | -54.26      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 836.048         | 25.06       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 862.402         | -53.2       | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2988.994        | -38.51      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 6697.528        | -32.56      | -13         | Pass    | 7000        |




### 3.5. LTE Spurious Emissions(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -69.04      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -64.79      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 767.394         | -54.47      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 847.874         | 25          | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 921.544         | -54.11      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2956.978        | -39.13      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 7133.591        | -33.42      | -13         | Pass    | 7000        |




### 3.6. LTE Spurious Emissions(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.012           | -69.49      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.44            | -66.15      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 755.192         | -54.5       | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 847.773         | 25.06       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 891.322         | -54.14      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2932.966        | -38.74      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 7432.633        | -33.36      | -13         | Pass    | 7000        |




### 3.7. LTE Spurious Emissions(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.012           | -69.04      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.41            | -65.54      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 813             | -52.55      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 824.222         | 24.51       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 915.039         | -54.34      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2806.903        | -39.32      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 6698.528        | -33.73      | -13         | Pass    | 7000        |




### 3.8. LTE Spurious Emissions(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -68.24      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -66.16      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 814             | -53.3       | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 824.222         | 24.83       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 964.174         | -54.42      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2950.975        | -38.42      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 7210.602        | -33.75      | -13         | Pass    | 7000        |




### 3.9. LTE Spurious Emissions(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -70.25      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.21            | -64.62      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 623.476         | -53.98      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 835.246         | 25.27       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 880.915         | -53.84      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2966.983        | -38.61      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 6970.567        | -33.69      | -13         | Pass    | 7000        |




### 3.10. LTE Spurious Emissions(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -66.55      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.25            | -63.88      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 737.29          | -53.37      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 835.246         | 25.38       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 862.502         | -53.96      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2945.973        | -39.25      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 6942.563        | -32.72      | -13         | Pass    | 7000        |




### 3.11. LTE Spurious Emissions(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.012           | -67.25      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.77            | -66.12      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 814             | -53.43      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 846.17          | 24.9        | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 867.605         | -54         | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2787.894        | -39.45      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 9186.884        | -33.38      | -13         | Pass    | 7000        |




### 3.12. LTE Spurious Emissions(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -68.85      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.48            | -66.1       | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 587.971         | -54.25      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 846.27          | 24.71       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 867.205         | -54.24      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2770.885        | -38.91      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 6965.567        | -32.64      | -13         | Pass    | 7000        |




### 3.13. LTE Spurious Emissions(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -67.85      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.18            | -66.27      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 491.459         | -53.86      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 824.322         | 24.72       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 954.868         | -53.74      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2978.989        | -39.5       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 9211.887        | -33.68      | -13         | Pass    | 7000        |




### 3.14. LTE Spurious Emissions(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -66.63      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.17            | -64.38      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 813.5           | -48.99      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 824.322         | 24.5        | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 864.003         | -54.02      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2958.979        | -39.17      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 7214.602        | -33.21      | -13         | Pass    | 7000        |




### 3.15. LTE Spurious Emissions(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.012           | -68.55      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.28            | -65.29      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 340.24          | -54.38      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 834.344         | 25.42       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 916.64          | -54.31      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2956.978        | -39.08      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 7018.574        | -33.44      | -13         | Pass    | 7000        |




### 3.16. LTE Spurious Emissions(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -68.06      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.2             | -63.58      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 767.694         | -53.39      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 834.344         | 24.71       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 966.276         | -54.6       | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2816.908        | -39.13      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 8791.827        | -33.23      | -13         | Pass    | 7000        |




### 3.17. LTE Spurious Emissions(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.022           | -69.09      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 2.021           | -66.02      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 729.389         | -54.41      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 844.366         | 24.95       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 950.965         | -54.89      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2532.766        | -38.85      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 7476.64         | -33.34      | -13         | Pass    | 7000        |




### 3.18. LTE Spurious Emissions(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.014           | -69.17      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.29            | -65.29      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 692.885         | -54.68      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 844.266         | 24.95       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 990.393         | -54.6       | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2924.962        | -38.52      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 9277.897        | -33.45      | -13         | Pass    | 7000        |




### 3.19. LTE Spurious Emissions(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -67.31      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -64.39      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 812.7           | -41.86      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 824.623         | 25.14       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 864.603         | -54.43      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2934.967        | -39.23      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 6956.565        | -33.55      | -13         | Pass    | 7000        |




### 3.20. LTE Spurious Emissions(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.013           | -67.68      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -65.32      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 806.999         | -53.06      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 824.623         | 24.77       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 913.238         | -54.33      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2977.989        | -39.2       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 8787.827        | -33.74      | -13         | Pass    | 7000        |




### 3.21. LTE Spurious Emissions(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -68.77      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.24            | -65.04      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 813.8           | -43.72      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 832.039         | 24.79       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 950.465         | -54.05      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 1664.332        | -39.15      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 8782.826        | -33.22      | -13         | Pass    | 7000        |




### 3.22. LTE Spurious Emissions(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -68.17      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.27            | -64.83      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 493.859         | -54.45      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 832.039         | 25.26       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 985.089         | -54.67      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2937.969        | -39.17      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 7243.606        | -33.79      | -13         | Pass    | 7000        |




### 3.23. LTE Spurious Emissions(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.012           | -68.58      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -66.06      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 735.89          | -53.54      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 839.556         | 24.72       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 972.18          | -54.45      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2945.973        | -39.26      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 7596.657        | -33.47      | -13         | Pass    | 7000        |



### 3.24. LTE Spurious Emissions(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -67.84      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.18            | -65.18      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | Peak     | 797.098         | -54.26      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | Peak     | 839.556         | 25.21       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | Peak     | 991.194         | -54.86      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | Peak     | 2956.978        | -39.29      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | Peak     | 8926.847        | -33.62      | -13         | Pass    | 7000        |



## 4. LTE\_Band12


### 4.1. LTE Spurious Emissions(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.016           | -73.89      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.39      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 584.784         | -64.82      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 699.26          | 20.35       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 986.595         | -63.66      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 2796.898        | -41.57      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 3496.071        | -41.98      | -13         | Pass    | 7000        |




#### 4.2. LTE Spurious Emissions(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -72.06      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -72.18      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 511.773         | -64.79      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 699.26          | 19.62       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 830.838         | -63.76      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 2796.898        | -42.8       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 3496.071        | -43.23      | -13         | Pass    | 7000        |




#### 4.3. LTE Spurious Emissions(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -73.75      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.18      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 386.954         | -64.85      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 707.09          | 19.75       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 839.142         | -63.57      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 1414.207        | -41.84      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 3535.076        | -43.89      | -13         | Pass    | 7000        |




#### 4.4. LTE Spurious Emissions(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.87      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.43            | -73.01      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 378.753         | -64.86      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 707.09          | 18.83       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 869.953         | -63.75      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 1414.207        | -42.58      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6948.564        | -44.53      | -13         | Pass    | 7000        |




#### 4.5. LTE Spurious Emissions(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.5       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -72.52      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 610.088         | -65         | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 714.83          | 20.5        | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 840.242         | -63.56      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 2858.929        | -43.03      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 3574.082        | -43.43      | -13         | Pass    | 7000        |




#### 4.6. LTE Spurious Emissions(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.6       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.67      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 379.953         | -64.88      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 714.83          | 18.6        | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 849.845         | -63.48      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 2858.929        | -44.32      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6956.565        | -44.54      | -13         | Pass    | 7000        |




#### 4.7. LTE Spurious Emissions(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -72.73      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.21      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 628.791         | -65.01      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 699.26          | 20.31       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 814.933         | -63.68      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 2796.898        | -41.48      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 3496.071        | -41.82      | -13         | Pass    | 7000        |




#### 4.8. LTE Spurious Emissions(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -73.14      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.16      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 688.5           | -64.88      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 699.26          | 18.82       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 856.848         | -63.54      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 2796.898        | -42.82      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 3496.071        | -43.01      | -13         | Pass    | 7000        |




#### 4.9. LTE Spurious Emissions(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.44      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.42      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 461.265         | -64.87      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 706.28          | 19.97       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 943.079         | -63.78      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 1412.206        | -42.08      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 3531.076        | -43.62      | -13         | Pass    | 7000        |




#### 4.10. LTE Spurious Emissions(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.61      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.85      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 654.995         | -64.78      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 706.19          | 18.92       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 839.842         | -63.57      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 1412.206        | -42.98      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6958.566        | -44.54      | -13         | Pass    | 7000        |




#### 4.11. LTE Spurious Emissions(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.24      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.31      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 600.687         | -64.88      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 713.21          | 19.92       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 853.147         | -63.78      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 2852.926        | -42.52      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 3566.081        | -43.77      | -13         | Pass    | 7000        |




#### 4.12. LTE Spurious Emissions(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.016           | -74.7       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.63      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 489.17          | -65.01      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 713.21          | 18.72       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 861.95          | -63.48      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 2852.926        | -43.62      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6952.565        | -44.3       | -13         | Pass    | 7000        |




#### 4.13. LTE Spurious Emissions(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.67      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -71.97      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 603.787         | -64.91      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 699.35          | 19.92       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 831.939         | -63.66      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 2796.898        | -43.21      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 3497.071        | -42.98      | -13         | Pass    | 7000        |




#### 4.14. LTE Spurious Emissions(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.53      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -71.88      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 668.597         | -64.9       | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 699.35          | 19.33       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 861.15          | -63.6       | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 2796.898        | -43.8       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 3497.071        | -44.1       | -13         | Pass    | 7000        |




#### 4.15. LTE Spurious Emissions(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -72.13      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -72.2       | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 680.299         | -64.88      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 705.38          | 20.11       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 862.05          | -63.65      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 2820.91         | -43.3       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 3527.075        | -43.79      | -13         | Pass    | 7000        |




#### 4.16. LTE Spurious Emissions(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -73.09      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.64            | -72.74      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 614.889         | -64.89      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 705.38          | 19.1        | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 853.747         | -63.66      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 1410.205        | -44.12      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6955.565        | -44.42      | -13         | Pass    | 7000        |




#### 4.17. LTE Spurious Emissions(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.46      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.06      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 377.253         | -64.94      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 711.32          | 19.97       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 852.246         | -63.68      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 2844.922        | -43.66      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 3557.08         | -44.01      | -13         | Pass    | 7000        |




#### 4.18. LTE Spurious Emissions(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -74.28      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.57      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 624.19          | -64.96      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 711.32          | 19.48       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 862.35          | -63.83      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 2844.922        | -44.53      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6951.565        | -44.43      | -13         | Pass    | 7000        |




#### 4.19. LTE Spurious Emissions(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.016           | -74.01      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -72.12      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 507.172         | -64.88      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 699.62          | 19.87       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 883.658         | -63.55      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 2797.899        | -43.09      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 3498.071        | -42.08      | -13         | Pass    | 7000        |




#### 4.20. LTE Spurious Emissions(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.01      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.68      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 687.6           | -64.77      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 699.62          | 18.6        | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 834.94          | -63.41      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 2798.899        | -44.85      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 3498.071        | -44.09      | -13         | Pass    | 7000        |




#### 4.21. LTE Spurious Emissions(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.015           | -74.31      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.85      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 611.488         | -64.98      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 703.13          | 19.9        | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 843.543         | -63.72      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 2811.906        | -43.62      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 3515.074        | -43.62      | -13         | Pass    | 7000        |




#### 4.22. LTE Spurious Emissions(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -72.3       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -71.71      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 492.27          | -64.85      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 703.13          | 18.85       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 858.348         | -63.58      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 1406.203        | -44.6       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6950.564        | -44.46      | -13         | Pass    | 7000        |




#### 4.23. LTE Spurious Emissions(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.6       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.41            | -71.87      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 480.268         | -64.67      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 706.55          | 19.94       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 869.152         | -63.51      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 1413.207        | -41.51      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 3533.076        | -43.17      | -13         | Pass    | 7000        |



#### 4.24. LTE Spurious Emissions(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -73.15      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.76      | -13         | Pass    | 2985        |
| 30                    | 689                  | 0.1       | RMS      | 609.588         | -64.91      | -13         | Pass    | 6590        |
| 689                   | 725                  | 0.1       | RMS      | 706.55          | 18.96       | 60          | Pass    | 401         |
| 725                   | 1000                 | 0.1       | RMS      | 864.551         | -63.56      | -13         | Pass    | 2750        |
| 1000                  | 3000                 | 1         | RMS      | 1413.207        | -42.83      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 3533.076        | -44.38      | -13         | Pass    | 7000        |



## 5. LTE\_Band13


### 5.1. LTE Spurious Emissions(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.69      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -71.8       | -13         | Pass    | 2985        |
| 30                    | 767                  | 0.1       | RMS      | 622.18          | -64.64      | -13         | Pass    | 7370        |
| 767                   | 797                  | 0.1       | RMS      | 777.35          | 19.88       | 60          | Pass    | 401         |
| 797                   | 1000                 | 0.1       | RMS      | 841.622         | -64.54      | -13         | Pass    | 2030        |
| 1000                  | 3000                 | 1         | RMS      | 2949.975        | -50.04      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6950.564        | -44.42      | -13         | Pass    | 7000        |




## 5.2. LTE Spurious Emissions(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -71.58      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.65      | -13         | Pass    | 2985        |
| 30                    | 767                  | 0.1       | RMS      | 744.697         | -64.71      | -13         | Pass    | 7370        |
| 767                   | 797                  | 0.1       | RMS      | 777.35          | 18.36       | 60          | Pass    | 401         |
| 797                   | 1000                 | 0.1       | RMS      | 978.189         | -64.56      | -13         | Pass    | 2030        |
| 1000                  | 3000                 | 1         | RMS      | 2946.973        | -49.99      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6955.565        | -44.44      | -13         | Pass    | 7000        |




### 5.3. LTE Spurious Emissions(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.06      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.87      | -13         | Pass    | 2985        |
| 30                    | 767                  | 0.1       | RMS      | 482.561         | -64.7       | -13         | Pass    | 7370        |
| 767                   | 797                  | 0.1       | RMS      | 779.825         | 20.15       | 60          | Pass    | 401         |
| 797                   | 1000                 | 0.1       | RMS      | 839.321         | -64.48      | -13         | Pass    | 2030        |
| 1000                  | 3000                 | 1         | RMS      | 2939.97         | -49.97      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6953.565        | -44.44      | -13         | Pass    | 7000        |




#### 5.4. LTE Spurious Emissions(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -71.92      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -72.52      | -13         | Pass    | 2985        |
| 30                    | 767                  | 0.1       | RMS      | 744.297         | -64.69      | -13         | Pass    | 7370        |
| 767                   | 797                  | 0.1       | RMS      | 779.825         | 19.45       | 60          | Pass    | 401         |
| 797                   | 1000                 | 0.1       | RMS      | 851.327         | -64.55      | -13         | Pass    | 2030        |
| 1000                  | 3000                 | 1         | RMS      | 2948.974        | -50.07      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6950.564        | -44.54      | -13         | Pass    | 7000        |




### 5.5. LTE Spurious Emissions(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.11      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.29            | -72.63      | -13         | Pass    | 2985        |
| 30                    | 767                  | 0.1       | RMS      | 492.363         | -64.79      | -13         | Pass    | 7370        |
| 767                   | 797                  | 0.1       | RMS      | 782.3           | 19.81       | 60          | Pass    | 401         |
| 797                   | 1000                 | 0.1       | RMS      | 837.52          | -64.62      | -13         | Pass    | 2030        |
| 1000                  | 3000                 | 1         | RMS      | 2935.968        | -50.14      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6948.564        | -44.47      | -13         | Pass    | 7000        |




## 5.6. LTE Spurious Emissions(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -71.82      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.38      | -13         | Pass    | 2985        |
| 30                    | 767                  | 0.1       | RMS      | 751.198         | -64.72      | -13         | Pass    | 7370        |
| 767                   | 797                  | 0.1       | RMS      | 782.375         | 18.96       | 60          | Pass    | 401         |
| 797                   | 1000                 | 0.1       | RMS      | 827.115         | -64.39      | -13         | Pass    | 2030        |
| 1000                  | 3000                 | 1         | RMS      | 2946.973        | -50.09      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6952.565        | -44.43      | -13         | Pass    | 7000        |




### 5.7. LTE Spurious Emissions(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.51      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.47            | -71.66      | -13         | Pass    | 2985        |
| 30                    | 767                  | 0.1       | RMS      | 706.592         | -64.8       | -13         | Pass    | 7370        |
| 767                   | 797                  | 0.1       | RMS      | 777.575         | 20.41       | 60          | Pass    | 401         |
| 797                   | 1000                 | 0.1       | RMS      | 851.927         | -64.57      | -13         | Pass    | 2030        |
| 1000                  | 3000                 | 1         | RMS      | 1555.278        | -49.29      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6950.564        | -44.5       | -13         | Pass    | 7000        |



## 5.8. LTE Spurious Emissions(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.15      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -71.99      | -13         | Pass    | 2985        |
| 30                    | 767                  | 0.1       | RMS      | 756.999         | -64.75      | -13         | Pass    | 7370        |
| 767                   | 797                  | 0.1       | RMS      | 777.575         | 19.23       | 60          | Pass    | 401         |
| 797                   | 1000                 | 0.1       | RMS      | 836.519         | -64.37      | -13         | Pass    | 2030        |
| 1000                  | 3000                 | 1         | RMS      | 2950.975        | -50         | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6954.565        | -44.37      | -13         | Pass    | 7000        |



## 6. LTE\_Band25


### 6.1. LTE Spurious Emissions(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.48      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.82      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 834.398         | -64.27      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.88      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1849.988        | 23.48       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2946.951        | -50.15      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11974.969       | -44.13      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14202.275       | -38.33      | -13         | Pass    | 8000        |




## 6.2. LTE Spurious Emissions(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.01      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -71.9       | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 839.299         | -64.24      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -53.06      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1849.988        | 22.76       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2944.949        | -50.16      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11986.984       | -44.16      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14203.275       | -38.27      | -13         | Pass    | 8000        |




### 6.3. LTE Spurious Emissions(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.75      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -72.17      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 875.235         | -64.42      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1825.983        | -53.42      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1881.863        | 23.5        | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2951.955        | -50.17      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 5646.323        | -43.84      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14199.275       | -38.24      | -13         | Pass    | 8000        |




#### 6.4. LTE Spurious Emissions(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.96      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.22      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 822.697         | -64.4       | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1834.994        | -53.44      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1881.863        | 22.66       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2948.953        | -50.16      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11984.981       | -44.08      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14201.275       | -38.37      | -13         | Pass    | 8000        |




## 6.5. LTE Spurious Emissions(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -71.41      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.81      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 814.796         | -64.24      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1830.989        | -53.36      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1913.738        | 23.31       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2948.953        | -50.16      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 12000           | -44.14      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14202.275       | -38.3       | -13         | Pass    | 8000        |




## 6.6. LTE Spurious Emissions(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -74.24      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.37      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 829.198         | -64.3       | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1834.994        | -53.33      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1913.738        | 22.11       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2947.952        | -50.16      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11998.999       | -44.17      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14200.275       | -38.29      | -13         | Pass    | 8000        |




## 6.7. LTE Spurious Emissions(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.56      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.25            | -70.72      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 839.899         | -64.43      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.8       | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1849.988        | 23.54       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2945.95         | -50.18      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 12000           | -44.13      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14204.276       | -38.32      | -13         | Pass    | 8000        |




## 6.8. LTE Spurious Emissions(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -71.64      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.27            | -71.14      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 828.898         | -64.43      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -53.1       | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1849.988        | 22.31       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2949.953        | -50.18      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11995.995       | -44.13      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14199.275       | -38.32      | -13         | Pass    | 8000        |




## 6.9. LTE Spurious Emissions(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.48      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.03      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 825.497         | -64.4       | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1686.818        | -53.5       | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1881.013        | 23.38       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2949.953        | -50.17      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11994.994       | -44.2       | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14197.275       | -38.32      | -13         | Pass    | 8000        |




# 6.10. LTE Spurious Emissions(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.24      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.8       | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 737.386         | -64.36      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1837.998        | -53.36      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1881.013        | 22.4        | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2947.952        | -50.12      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11976.971       | -44.24      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14197.275       | -38.33      | -13         | Pass    | 8000        |




# 6.11. LTE Spurious Emissions(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -72.59      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.04      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 824.897         | -64.24      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1806.961        | -53.45      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1912.038        | 23.57       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2945.95         | -50.15      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 12000           | -44.06      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14202.275       | -38.39      | -13         | Pass    | 8000        |




## 6.12. LTE Spurious Emissions(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -71.68      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.19      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 843.999         | -64.41      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1834.994        | -53.22      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1912.038        | 22.22       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2947.952        | -50.19      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11995.995       | -44.12      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14193.274       | -38.32      | -13         | Pass    | 8000        |




### 6.13. LTE Spurious Emissions(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.21      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -70.63      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 993.391         | -64.46      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.97      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1850.2          | 23.43       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2948.953        | -50.12      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11984.981       | -44.11      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14201.275       | -38.27      | -13         | Pass    | 8000        |




#### 6.14. LTE Spurious Emissions(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.32      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72         | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 982.977         | -64.37      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -53.14      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1850.2          | 21.77       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2946.951        | -50.16      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11983.98        | -44.2       | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14192.274       | -38.31      | -13         | Pass    | 8000        |




# 6.15. LTE Spurious Emissions(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.57      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.7       | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 837.799         | -64.43      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1838.999        | -53.42      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1880.163        | 23.35       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2946.951        | -50.12      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 12000           | -44.15      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14201.275       | -38.07      | -13         | Pass    | 8000        |




# 6.16. LTE Spurious Emissions(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -73.3       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.3             | -72.25      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 830.198         | -64.37      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1838.999        | -53.33      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1880.163        | 21.99       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2949.953        | -50.18      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11998.999       | -44.14      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14206.276       | -38.33      | -13         | Pass    | 8000        |




# 6.17. LTE Spurious Emissions(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -74.08      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -71.81      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 822.197         | -64.42      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -53.42      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1910.125        | 23.28       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2944.949        | -50.19      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 12000           | -44.26      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14201.275       | -38.31      | -13         | Pass    | 8000        |




# 6.18. LTE Spurious Emissions(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72         | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.48      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 722.685         | -64.29      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1838.999        | -53.39      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1910.125        | 22.36       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2943.948        | -50.16      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11984.981       | -44.19      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14199.275       | -38.39      | -13         | Pass    | 8000        |




# 6.19. LTE Spurious Emissions(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.021           | -73.7       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.96      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 854.707         | -64.29      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.75      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1850.413        | 23.7        | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2947.952        | -50.19      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11989.988       | -44.24      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14204.276       | -38.28      | -13         | Pass    | 8000        |




## 6.20. LTE Spurious Emissions(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.2       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -71.96      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 991.288         | -64.18      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -52.74      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1850.413        | 23.32       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2944.949        | -50.21      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11998.999       | -44.2       | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14195.274       | -38.33      | -13         | Pass    | 8000        |




## 6.21. LTE Spurious Emissions(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -72.59      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.27            | -72.2       | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 858.813         | -64.34      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1837.998        | -53.38      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1877.825        | 23.47       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2946.951        | -50.15      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11995.995       | -44.21      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14196.275       | -38.33      | -13         | Pass    | 8000        |




## 6.22. LTE Spurious Emissions(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.03      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.73      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 850.502         | -64.04      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -53.38      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1877.825        | 23          | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2943.948        | -50.19      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11977.973       | -44.15      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14202.275       | -38.32      | -13         | Pass    | 8000        |




### 6.23. LTE Spurious Emissions(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -72.78      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.11      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 832.998         | -64.14      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1838.999        | -53.35      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1905.45         | 23.56       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2946.951        | -50.17      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11981.978       | -44.2       | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14203.275       | -38.4       | -13         | Pass    | 8000        |




## 6.24. LTE Spurious Emissions(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.21      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.05      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 839.499         | -64.43      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1838.999        | -53.42      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1905.45         | 22.24       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2944.949        | -50.16      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11995.995       | -44.05      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14201.275       | -38.35      | -13         | Pass    | 8000        |




## 6.25. LTE Spurious Emissions(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.79      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.91      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 837.899         | -64.38      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1837.998        | -47.96      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1850.625        | 23.78       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2944.949        | -50.18      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11992.991       | -44.18      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14197.275       | -38.36      | -13         | Pass    | 8000        |




## 6.26. LTE Spurious Emissions(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.2       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -72.35      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 831.898         | -64.43      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1837.998        | -50.91      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1850.625        | 22.38       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2948.953        | -50.19      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11996.996       | -44.19      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14198.275       | -38.42      | -13         | Pass    | 8000        |




## 6.27. LTE Spurious Emissions(NTNV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.84      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.19      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 835.398         | -64.34      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1814.97         | -53.45      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1875.7          | 23.54       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2944.949        | -50.18      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11995.995       | -44.14      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14205.276       | -38.35      | -13         | Pass    | 8000        |




## 6.28. LTE Spurious Emissions(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -72.3       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -72.11      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 821.497         | -64.09      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1838.999        | -53.4       | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1875.7          | 22.87       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2947.952        | -50.17      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11988.986       | -44.13      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 19401.925       | -38.35      | -13         | Pass    | 8000        |




## 6.29. LTE Spurious Emissions(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -73.01      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.03      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 848.6           | -64.39      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1835.995        | -53.36      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1900.775        | 23.41       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2948.953        | -50.16      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11996.996       | -44.19      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14198.275       | -38.3       | -13         | Pass    | 8000        |




### 6.30. LTE Spurious Emissions(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.2       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.35            | -71.98      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 837.899         | -64.28      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1838.999        | -53.34      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1900.563        | 22.51       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2948.953        | -50.17      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11973.968       | -44.13      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14204.276       | -38.29      | -13         | Pass    | 8000        |




### 6.31. LTE Spurious Emissions(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.018           | -73.72      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.93      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 831.798         | -64.37      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -51.92      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1850.838        | 23.94       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2948.953        | -50.16      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11972.967       | -44.16      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14199.275       | -38.36      | -13         | Pass    | 8000        |




### 6.32. LTE Spurious Emissions(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.44      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.33            | -72.26      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 719.984         | -64.28      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1840            | -53.02      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1850.838        | 22.14       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2947.952        | -50.17      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11993.993       | -44.11      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14191.274       | -38.39      | -13         | Pass    | 8000        |




### 6.33. LTE Spurious Emissions(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.91      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -71.36      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 886.349         | -64.47      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1837.998        | -53.3       | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1873.363        | 23.59       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2944.949        | -50.17      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11980.976       | -44.1       | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14202.275       | -38.32      | -13         | Pass    | 8000        |




### 6.34. LTE Spurious Emissions(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.59      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.27            | -72.79      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 853.706         | -64.4       | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1838.999        | -53.42      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1873.363        | 22.64       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2947.952        | -50.16      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11984.981       | -44.15      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14201.275       | -38.27      | -13         | Pass    | 8000        |




### 6.35. LTE Spurious Emissions(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.44      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.99      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 847.7           | -64.38      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1838.999        | -53.41      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1895.888        | 23.63       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2944.949        | -50.2       | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11967.96        | -44.2       | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14196.275       | -38.35      | -13         | Pass    | 8000        |



### 6.36. LTE Spurious Emissions(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -69.95      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.71      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 834.898         | -64.27      | -13         | Pass    | 9699        |
| 1000                  | 1840                 | 1         | RMS      | 1830.989        | -53.34      | -13         | Pass    | 840         |
| 1840                  | 1925                 | 1         | RMS      | 1895.888        | 22.83       | 60          | Pass    | 401         |
| 1925                  | 3000                 | 1         | RMS      | 2945.95         | -50.19      | -13         | Pass    | 1075        |
| 3000                  | 12000                | 1         | RMS      | 11997.998       | -44.16      | -13         | Pass    | 9000        |
| 12000                 | 20000                | 1         | RMS      | 14204.276       | -38.29      | -13         | Pass    | 8000        |



## 7. LTE\_Band26


### 7.1. LTE Spurious Emissions(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.71      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.68      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 803             | -65.3       | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 814.217         | 20.26       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 861.001         | -65.16      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1628.314        | -48.93      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6949.564        | -44.45      | -13         | Pass    | 7000        |




## 7.2. LTE Spurious Emissions(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.44      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.21      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 800.899         | -65.33      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 814.217         | 19          | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 860             | -65.17      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1628.314        | -49.94      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6953.565        | -44.47      | -13         | Pass    | 7000        |




### 7.3. LTE Spurious Emissions(NTNV)(Subtest:3, Channel:26865, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -71.69      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.81      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 746.993         | -65.33      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 831.047         | 20.38       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 867.505         | -65.09      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1662.331        | -49.14      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6951.565        | -44.45      | -13         | Pass    | 7000        |




#### 7.4. LTE Spurious Emissions(NTNV)(Subtest:4, Channel:26865, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.016           | -72.62      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.71      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 751.593         | -65.39      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 831.047         | 19.53       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 865.604         | -65.1       | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1662.331        | -49.77      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6956.565        | -44.42      | -13         | Pass    | 7000        |




### 7.5. LTE Spurious Emissions(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -74.46      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.55      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 736.991         | -65.35      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 847.878         | 20.02       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 863.803         | -65.07      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1695.348        | -49.29      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6954.565        | -44.48      | -13         | Pass    | 7000        |




## 7.6. LTE Spurious Emissions(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -71.09      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.59      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 746.993         | -65.36      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 847.878         | 19.26       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 864.703         | -65.12      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1695.348        | -49.64      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6951.565        | -44.51      | -13         | Pass    | 7000        |




## 7.7. LTE Spurious Emissions(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.76      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.26            | -72.48      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 804.2           | -65.27      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 814.217         | 20.58       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 860.2           | -64.96      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1628.314        | -48.3       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6952.565        | -44.52      | -13         | Pass    | 7000        |




## 7.8. LTE Spurious Emissions(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.018           | -73.94      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.35      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 805             | -65.23      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 814.217         | 19.1        | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 860.1           | -65.12      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2947.974        | -49.99      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6952.565        | -44.35      | -13         | Pass    | 7000        |




### 7.9. LTE Spurious Emissions(NTNV)(Subtest:9, Channel:26865, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.11      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.23      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 800.099         | -65.32      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 830.246         | 20.5        | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 860.901         | -65.15      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1660.33         | -49.06      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6956.565        | -44.45      | -13         | Pass    | 7000        |




# 7.10. LTE Spurious Emissions(NTNV)(Subtest:10, Channel:26865, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.3       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -71.32      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 748.193         | -65.43      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 830.246         | 19.6        | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 860             | -65.14      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1660.33         | -49.76      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6954.565        | -44.5       | -13         | Pass    | 7000        |




### 7.11. LTE Spurious Emissions(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -74.5       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.36      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 804.8           | -65.35      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 846.275         | 19.9        | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 865.904         | -65.13      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1692.346        | -48.33      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6949.564        | -44.54      | -13         | Pass    | 7000        |




## 7.12. LTE Spurious Emissions(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.48      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -71.9       | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 748.593         | -65.41      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 846.275         | 18.75       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 868.806         | -65.18      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1692.346        | -49.86      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6948.564        | -44.52      | -13         | Pass    | 7000        |




### 7.13. LTE Spurious Emissions(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.67      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.37      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 803.6           | -65.1       | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 814.317         | 20.04       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 860             | -65.12      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1628.314        | -49.69      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6947.564        | -44.5       | -13         | Pass    | 7000        |




#### 7.14. LTE Spurious Emissions(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.016           | -73.73      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.23      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 800.399         | -65.26      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 814.317         | 18.65       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 860.6           | -65.12      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2950.975        | -49.96      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6953.565        | -44.53      | -13         | Pass    | 7000        |




### 7.15. LTE Spurious Emissions(NTNV)(Subtest:15, Channel:26865, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.02      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.91      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 799.799         | -65.35      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 829.344         | 20.3        | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 862.001         | -65.13      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1658.329        | -49.88      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6955.565        | -44.43      | -13         | Pass    | 7000        |




# 7.16. LTE Spurious Emissions(NTNV)(Subtest:16, Channel:26865, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -72.64      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.21      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 794.299         | -65.39      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 829.344         | 19.23       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 864.003         | -65.17      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2941.971        | -50.01      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6957.565        | -44.42      | -13         | Pass    | 7000        |




# 7.17. LTE Spurious Emissions(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.11      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.07      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 804.7           | -65.25      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 844.372         | 19.92       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 863.202         | -65.12      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1688.344        | -49.14      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6955.565        | -44.49      | -13         | Pass    | 7000        |




**7.18. LTE Spurious Emissions(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.87      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.25            | -71.81      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 787.798         | -65.34      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 844.372         | 18.87       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 860.5           | -65.19      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2952.976        | -50.13      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6953.565        | -44.52      | -13         | Pass    | 7000        |




### 7.19. LTE Spurious Emissions(NTNV)(Subtest:19, Channel:26750, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.63      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.4             | -72.05      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 804.9           | -65.09      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 815.619         | 20.49       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 860.701         | -65.16      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1631.316        | -48.62      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6955.565        | -44.54      | -13         | Pass    | 7000        |




## 7.20. LTE Spurious Emissions(NTNV)(Subtest:20, Channel:26750, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -72.79      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.33            | -71.18      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 804.9           | -65.24      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 815.619         | 19.15       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 860.6           | -64.88      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1631.316        | -49.99      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6951.565        | -44.37      | -13         | Pass    | 7000        |




## 7.21. LTE Spurious Emissions(NTNV)(Subtest:21, Channel:26865, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.73      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.16      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 735.191         | -65.32      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 827.14          | 19.78       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 865.404         | -65.21      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1654.327        | -48.89      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6950.564        | -44.45      | -13         | Pass    | 7000        |




## 7.22. LTE Spurious Emissions(NTNV)(Subtest:22, Channel:26865, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.046           | -73.96      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.61            | -72.55      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 804.2           | -65.29      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 827.14          | 18.74       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 861.301         | -65.13      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1654.327        | -49.54      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6957.565        | -44.47      | -13         | Pass    | 7000        |




### 7.23. LTE Spurious Emissions(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.37      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.7       | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 794.299         | -65.38      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 839.563         | 20.2        | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 874.31          | -65.16      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1679.34         | -49.06      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6957.565        | -44.49      | -13         | Pass    | 7000        |




## 7.24. LTE Spurious Emissions(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.017           | -72.04      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.28      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 799.799         | -65.32      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 839.563         | 19.21       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 863.202         | -65.06      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1679.34         | -49.75      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6953.565        | -44.55      | -13         | Pass    | 7000        |




## 7.25. LTE Spurious Emissions(NTNV)(Subtest:25, Channel:26775, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -72.68      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.27            | -72.22      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 804.9           | -65.27      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 815.82          | 20.53       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 861.401         | -65.1       | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1631.316        | -49.39      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6950.564        | -44.52      | -13         | Pass    | 7000        |




## 7.26. LTE Spurious Emissions(NTNV)(Subtest:26, Channel:26775, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -73.6       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.34            | -72.6       | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 748.693         | -65.2       | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 815.82          | 19.45       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 865.804         | -65.07      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2947.974        | -50.08      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6950.564        | -44.51      | -13         | Pass    | 7000        |




## 7.27. LTE Spurious Emissions(NTNV)(Subtest:27, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.67      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.11      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 740.692         | -65.21      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 824.836         | 20.58       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 861.001         | -65.07      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1649.325        | -49.45      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6953.565        | -44.5       | -13         | Pass    | 7000        |




## 7.28. LTE Spurious Emissions(NTNV)(Subtest:28, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72         | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.75      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 804.7           | -65.27      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 824.836         | 19.74       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 860.701         | -65.16      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2947.974        | -50.03      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6955.565        | -44.36      | -13         | Pass    | 7000        |




## 7.29. LTE Spurious Emissions(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.66      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.25            | -72.26      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 804             | -65.37      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 834.854         | 20.39       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 860.4           | -65.17      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1669.335        | -49.37      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6953.565        | -44.42      | -13         | Pass    | 7000        |



### 7.30. LTE Spurious Emissions(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.84      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.78      | -13         | Pass    | 2985        |
| 30                    | 805                  | 0.1       | RMS      | 724.29          | -65.36      | -13         | Pass    | 7750        |
| 805                   | 860                  | 0.1       | RMS      | 834.854         | 19.61       | 60          | Pass    | 550         |
| 860                   | 1000                 | 0.1       | RMS      | 969.778         | -65.19      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2956.978        | -50.12      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6955.565        | -44.5       | -13         | Pass    | 7000        |



## 8. LTE\_Band41


### 8.1. LTE Spurious Emissions(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.43      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 26.519          | -71.79      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 980.598         | -60.55      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2479.997        | -49.41      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2496.217        | 16.53       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2989.565        | -47.97      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11788.977       | -38.58      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25830.864       | -29.55      | -25         | Pass    | 16000       |




## 8.2. LTE Spurious Emissions(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.36      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.29            | -70.54      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 925.192         | -60.34      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2482.999        | -49.44      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2496.217        | 15.39       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2989.13         | -47.97      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11773.975       | -38.54      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25857.866       | -29.56      | -25         | Pass    | 16000       |




### 8.3. LTE Spurious Emissions(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.44      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 28.72           | -71.74      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 908.391         | -60.25      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2482.999        | -49.42      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2590.942        | 18.04       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2990.87         | -47.98      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11788.977       | -38.6       | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25851.866       | -29.55      | -25         | Pass    | 16000       |




#### 8.4. LTE Spurious Emissions(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.49      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 28.169          | -71.88      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 980.898         | -60.51      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2480.997        | -49.45      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2590.942        | 17.22       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2989.565        | -47.96      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11771.975       | -38.56      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25849.866       | -29.55      | -25         | Pass    | 16000       |




### 8.5. LTE Spurious Emissions(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.48      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 24.418          | -71.71      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 902.79          | -60.33      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2481.998        | -49.44      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2685.355        | 17.96       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2990            | -47.95      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11777.975       | -38.57      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25847.865       | -29.49      | -25         | Pass    | 16000       |




## 8.6. LTE Spurious Emissions(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.49      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 28.75           | -71.48      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 942.394         | -60.51      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2478.996        | -49.41      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2685.355        | 17.19       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2989.565        | -47.94      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 10639.849       | -38.55      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25853.866       | -29.54      | -25         | Pass    | 16000       |




### 8.7. LTE Spurious Emissions(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.48      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 25.899          | -71.78      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 870.487         | -60.48      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2483.999        | -49.38      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2496.529        | 16.61       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2988.696        | -47.97      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11778.975       | -38.55      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 26503.906       | -29.52      | -25         | Pass    | 16000       |




# 8.8. LTE Spurious Emissions(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.41      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 28.53           | -70.79      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 898.79          | -60.18      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2482.999        | -49.41      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2496.529        | 15.71       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2990.435        | -47.97      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11770.975       | -38.54      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25818.864       | -29.53      | -25         | Pass    | 16000       |




### 8.9. LTE Spurious Emissions(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.66      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 24.808          | -71.23      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 909.191         | -60.61      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2482.999        | -49.42      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2588.449        | 17.91       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2991.739        | -47.98      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 10644.849       | -38.58      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25851.866       | -29.44      | -25         | Pass    | 16000       |




# 8.10. LTE Spurious Emissions(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.52      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -70.7       | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 946.294         | -60.43      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2480.997        | -49.42      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2588.761        | 16.87       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2991.739        | -47.98      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11786.976       | -38.56      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25843.865       | -29.53      | -25         | Pass    | 16000       |




# 8.11. LTE Spurious Emissions(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.57      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 29.14           | -71.43      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 967.897         | -60.35      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2478.996        | -49.46      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2680.681        | 18.59       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2991.304        | -47.95      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11767.974       | -38.55      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25846.865       | -29.53      | -25         | Pass    | 16000       |




## 8.12. LTE Spurious Emissions(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.53      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 29.6            | -71.88      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 905.59          | -60.43      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2481.998        | -49.42      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2680.681        | 17.29       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2994.783        | -47.97      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11767.974       | -38.53      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25851.866       | -29.53      | -25         | Pass    | 16000       |




### 8.13. LTE Spurious Emissions(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.53      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 29.01           | -71.72      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 877.087         | -60.28      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2483.999        | -47.65      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2496.841        | 16.63       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2991.304        | -47.98      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 10640.849       | -38.56      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25856.866       | -29.52      | -25         | Pass    | 16000       |




#### 8.14. LTE Spurious Emissions(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.43      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 21.607          | -71.85      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 974.497         | -60.44      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2483.999        | -47.81      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2496.841        | 15.73       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2991.304        | -47.93      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11783.976       | -38.56      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25854.866       | -29.49      | -25         | Pass    | 16000       |




# 8.15. LTE Spurious Emissions(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.42      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.26            | -71.8       | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 911.191         | -60.28      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2482.999        | -49.44      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2586.268        | 18.12       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2991.304        | -47.97      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11777.975       | -38.56      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25850.866       | -29.55      | -25         | Pass    | 16000       |




# 8.16. LTE Spurious Emissions(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.39      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 25.589          | -71.34      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 950.795         | -60.29      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2481.998        | -49.43      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2586.268        | 17.34       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2989.565        | -47.99      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11771.975       | -38.51      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25841.865       | -29.51      | -25         | Pass    | 16000       |




# 8.17. LTE Spurious Emissions(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.35      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -71.29      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 910.191         | -60.36      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2480.997        | -49.41      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2676.007        | 18.69       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2702.174        | -45.69      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 10643.849       | -38.53      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 26504.907       | -29.54      | -25         | Pass    | 16000       |




# 8.18. LTE Spurious Emissions(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.37      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.12      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 979.198         | -60.49      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2483.999        | -49.45      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2676.007        | 17.57       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2702.174        | -45.98      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11776.975       | -38.52      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25840.865       | -29.55      | -25         | Pass    | 16000       |




### 8.19. LTE Spurious Emissions(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.61      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 28.469          | -70.91      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 908.691         | -60.39      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2479.997        | -48.79      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2496.841        | 16.73       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2990            | -47.95      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11780.976       | -38.57      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25822.864       | -29.56      | -25         | Pass    | 16000       |




## 8.20. LTE Spurious Emissions(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.69      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 22.497          | -71.87      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 884.188         | -60.38      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2485            | -48.82      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2496.841        | 15.95       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2993.043        | -47.99      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11785.976       | -38.55      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25849.866       | -29.52      | -25         | Pass    | 16000       |




## 8.21. LTE Spurious Emissions(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.55      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.25            | -71.02      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 889.289         | -60.5       | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2479.997        | -49.37      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2584.087        | 18.26       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2989.13         | -47.95      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11774.975       | -38.58      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25848.866       | -29.54      | -25         | Pass    | 16000       |




## 8.22. LTE Spurious Emissions(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.57      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -70.52      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 957.196         | -60.28      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2479.997        | -49.42      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2584.087        | 17.14       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2989.565        | -47.94      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11771.975       | -38.57      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 26490.906       | -29.57      | -25         | Pass    | 16000       |




### 8.23. LTE Spurious Emissions(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.5       | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 24.618          | -71.91      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 960.796         | -60.5       | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2479.997        | -49.44      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2671.333        | 18.65       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2991.304        | -47.97      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11780.976       | -38.59      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25846.865       | -29.55      | -25         | Pass    | 16000       |



## 8.24. LTE Spurious Emissions(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.45      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 28.74           | -71.34      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 913.391         | -60.42      | -25         | Pass    | 9700        |
| 1000                  | 2485                 | 1         | RMS      | 2483.999        | -49.44      | -25         | Pass    | 1485        |
| 2485                  | 2700                 | 1         | RMS      | 2671.333        | 17.32       | 60          | Pass    | 691         |
| 2700                  | 3000                 | 1         | RMS      | 2990.87         | -47.96      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 10646.85        | -38.57      | -25         | Pass    | 9000        |
| 12000                 | 28000                | 1         | RMS      | 25845.865       | -29.55      | -25         | Pass    | 16000       |



## 9. CDMAC BC0&1&10


### 9.1. CDMA BC0\_L Spurious Emissions(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -64.05      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -62.39      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | RMS      | 496.699         | -55.24      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | RMS      | 824.665         | 14.17       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | RMS      | 6956.727        | -34.47      | -13         | Pass    | 9000        |




## 9.2. CDMA BC0\_M Spurious Emissions(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -63.65      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -62.46      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | RMS      | 389.376         | -55.2       | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | RMS      | 836.567         | 13.95       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | RMS      | 6954.727        | -34.4       | -13         | Pass    | 9000        |




### 9.3. CDMA BC0\_H Spurious Emissions(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -64.56      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -62.82      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | RMS      | 380.074         | -55.16      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | RMS      | 848.27          | 13.93       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | RMS      | 6949.726        | -34.45      | -13         | Pass    | 9000        |




#### 9.4. CDMA BC1\_L Spurious Emissions(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -64.17      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -62.07      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 840.899         | -54.56      | -13         | Pass    | 9699        |
| 1000                  | 3000                 | 1         | RMS      | 1851.426        | 22.47       | -13         | N/A     | 2000        |
| 3000                  | 20000                | 1         | RMS      | 14200.367       | -28.21      | -13         | Pass    | 17000       |




## 9.5. CDMA BC1\_M Spurious Emissions(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -64.48      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.38            | -62.66      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 845.8           | -54.67      | -13         | Pass    | 9699        |
| 1000                  | 3000                 | 1         | RMS      | 1880.44         | 21.51       | -13         | N/A     | 2000        |
| 3000                  | 20000                | 1         | RMS      | 14201.367       | -28.21      | -13         | Pass    | 17000       |




## 9.6. CDMA BC1\_H Spurious Emissions(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -64.67      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -62.53      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 839.199         | -54.57      | -13         | Pass    | 9699        |
| 1000                  | 3000                 | 1         | RMS      | 1908.454        | 22.06       | -13         | N/A     | 2000        |
| 3000                  | 20000                | 1         | RMS      | 14201.367       | -28.24      | -13         | Pass    | 17000       |




## 9.7. CDMA BC10\_L Spurious Emissions(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -63.29      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -62.85      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | RMS      | 483.496         | -55.28      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | RMS      | 817.263         | 14.26       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | RMS      | 6950.726        | -34.51      | -13         | Pass    | 9000        |




## 9.8. CDMA BC10\_M Spurious Emissions(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -64.06      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -62.68      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | RMS      | 387.576         | -55.36      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | RMS      | 819.964         | 14.29       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | RMS      | 6955.727        | -34.48      | -13         | Pass    | 9000        |



## 9.9. CDMA BC10\_H Spurious Emissions(NTNV)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -62.95      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -62.8       | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | RMS      | 407.88          | -55.38      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | RMS      | 822.765         | 14.28       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | RMS      | 6952.727        | -34.52      | -13         | Pass    | 9000        |



## 10. EVDO BC0&1&10


### 10.1. EVDO BC0\_L Spurious Emissions(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -63.69      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -62.77      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | RMS      | 486.697         | -55.29      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | RMS      | 824.665         | 13.73       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | RMS      | 6956.727        | -34.47      | -13         | Pass    | 9000        |




## 10.2. EVDO BC0\_M Spurious Emissions(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -63.92      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -63.27      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | RMS      | 408.28          | -55.18      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | RMS      | 836.467         | 14.25       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | RMS      | 6953.727        | -34.48      | -13         | Pass    | 9000        |




### 10.3. EVDO BC0\_H Spurious Emissions(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -64.2       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -62.53      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | RMS      | 482.196         | -55.14      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | RMS      | 848.27          | 14.33       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | RMS      | 6957.727        | -34.44      | -13         | Pass    | 9000        |




#### 10.4. EVDO BC1\_L Spurious Emissions(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -63.8       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -62.39      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 837.299         | -54.61      | -13         | Pass    | 9699        |
| 1000                  | 3000                 | 1         | RMS      | 1851.426        | 22.7        | -13         | N/A     | 2000        |
| 3000                  | 20000                | 1         | RMS      | 14196.367       | -28.25      | -13         | Pass    | 17000       |




## 10.5. EVDO BC1\_M Spurious Emissions(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -64.45      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -62.79      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 840.899         | -54.55      | -13         | Pass    | 9699        |
| 1000                  | 3000                 | 1         | RMS      | 1880.44         | 21.86       | -13         | N/A     | 2000        |
| 3000                  | 20000                | 1         | RMS      | 14200.367       | -28.27      | -13         | Pass    | 17000       |




## 10.6. EVDO BC1\_H Spurious Emissions(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -63.33      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -62.96      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 846.2           | -54.63      | -13         | Pass    | 9699        |
| 1000                  | 3000                 | 1         | RMS      | 1908.454        | 22.38       | -13         | N/A     | 2000        |
| 3000                  | 20000                | 1         | RMS      | 14201.367       | -28.21      | -13         | Pass    | 17000       |




## 10.7. EVDO BC10\_L Spurious Emissions(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -64.2       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -62.75      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | RMS      | 498.1           | -55.31      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | RMS      | 817.263         | 14.36       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | RMS      | 6949.726        | -34.44      | -13         | Pass    | 9000        |



## 10.8. EVDO BC10\_M Spurious Emissions(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -62.78      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -62.59      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | RMS      | 494.799         | -55.32      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | RMS      | 819.964         | 14.24       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | RMS      | 6954.727        | -34.5       | -13         | Pass    | 9000        |



## 10.9. EVDO BC10\_H Spurious Emissions(NTNV)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -63.61      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -62.46      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | RMS      | 492.598         | -55.29      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | RMS      | 822.765         | 14.25       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | RMS      | 6954.727        | -34.52      | -13         | Pass    | 9000        |

