




### LTE Band 71 10MHz CH-Low 30MHz~1GHz




### LTE Band 71 10MHz CH-Low 1GHz~9GHz




### LTE Band 71 10MHz CH-Middle 30MHz~1GHz




### LTE Band 71 10MHz CH-Middle 1GHz~9GHz



### LTE Band 71 10MHz CH-High 30MHz~1GHz




### LTE Band 71 10MHz CH-High 1GHz~9GHz







## LTE Band 71 15MHz CH-Low 30MHz~1GHz




## LTE Band 71 15MHz CH-Low 1GHz~9GHz




## LTE Band 71 15MHz CH-Middle 30MHz~1GHz




## LTE Band 71 15MHz CH-Middle 1GHz~9GHz



## LTE Band 71 15MHz CH-High 30MHz~1GHz





## LTE Band 71 15MHz CH-High 1GHz~9GHz





## LTE Band 71 20MHz CH-Low 30MHz~1GHz

## LTE Band 71 20MHz CH-Low 1GHz~9GHz





LTE Band 71 20MHz CH-Middle 30MHz~1GHz

LTE Band 71 20MHz CH-Middle 1GHz~9GHz



LTE Band 71 20MHz CH-High 30MHz~1GHz

LTE Band 71 20MHz CH-High 1GHz~9GHz



## 5.8 Radiates Spurious Emission

### Ambient condition

| Temperature | Relative humidity | Pressure |
|-------------|-------------------|----------|
| 23°C ~25°C  | 45%~50%           | 101.5kPa |

### Method of Measurement


1. The testing follows FCC KDB 971168 D01 v03r01 Section 5.8 and ANSI/TIA-603-E (2016).
2. The EUT is placed on a turntable 0.8 meters above the ground in the chamber, 3 meter away from the antenna. The maximal emission value is acquired by adjusting the antenna height, polarisation and turntable azimuth. Normally, the height range of antenna is 1 m to 4 m, the azimuth range of turntable is 0° to 360°, and the receive antenna has two polarizations Vertical (V) and Horizontal (H).
3. A log-periodic antenna or double-ridged waveguide horn antenna shall be substituted in place of the EUT. The log-periodic antenna will be driven by a signal generator and the level will be adjusted till the same power value on the spectrum analyzer or receiver. The level of the spurious emissions can be calculated through the level of the signal generator, cable loss, the gain of the substitution antenna and the reading of the spectrum analyzer or receiver.
4. The EUT is then put into continuously transmitting mode at its maximum power level during the test. Set Test Receiver or Spectrum RBW=1MHz, VBW=3MHz, And the maximum value of the receiver should be recorded as (Pr).
5. The EUT shall be replaced by a substitution antenna. In the chamber, an substitution antenna for the frequency band of interest is placed at the reference point of the chamber. An RF Signal source for the frequency band of interest is connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power (PMea) is applied to the input of the substitution antenna, and adjust the level of the signal generator output until the value of the receiver reach the previously recorded (Pr). The power of signal source (PMea) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.
6. A amplifier should be connected to the Signal Source output port. And the cable should be connect between the Amplifier and the Substitution Antenna. The cable loss (Pcl) ,the Substitution Antenna Gain (Ga) and the Amplifier Gain (PAg) should be recorded after test.
7. The measurement results are obtained as described below:  

$$\text{Power(EIRP)} = \text{PMea} - \text{PAg} - \text{Pcl} + \text{Ga}$$
The measurement results are amend as described below:  


$$\text{Power(EIRP)} = \text{PMea} - \text{Pcl} + \text{Ga}$$
8. This value is EIRP since the measurement is calibrated using an antenna of known gain (2.15 dBi) and known input power. ERP can be calculated from EIRP by subtracting the gain of the dipole,  $\text{ERP} = \text{EIRP} - 2.15\text{dBi}$ .  
The modulation mode and RB allocation refer to section 5.1, using the maximum output power configuration.

## Test setup

### 30MHz~~~ 1GHz



### Above 1GHz



Note: Area side:2.4mX3.6m

The radiated emission was measured in the following position: EUT stand-up position (Z axis), lie-down position (X, Y axis). The worst emission was found in lie-down position (X axis) and the worst case was recorded.

## Limits

Rule Part 27.53(h) specifies that “for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least  $43 + 10 \log_{10} (P)$  dB..”

Rule Part 27.53 (g) For operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least  $43 + 10 \log (P)$  dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands

immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

Rule Part 27.53(f) For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

Part 27.53 (c) For operations in the 746-758 MHz band and the 776-788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:

- (1) On any frequency outside the 746-758 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least  $43 + 10 \log (P)$  dB;
- (2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least  $43 + 10 \log (P)$  dB;
- (3) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than  $76 + 10 \log (P)$  dB in a 6.25 kHz band segment, for base and fixed stations;
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than  $65 + 10 \log (P)$  dB in a 6.25 kHz band segment, for mobile and portable stations;
- (5) Compliance with the provisions of paragraphs (c)(1) and (c)(2) of this section is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater. However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 30 kHz may be employed;

|                             |                                     |         |
|-----------------------------|-------------------------------------|---------|
| Part 27.53(a)/(h)/(g) Limit |                                     | -13 dBm |
| Part 27.53(f) Limit         | Limit out of the band 1559-1610 MHz | -13 dBm |
|                             | Limit in the band 1559-1610 MHz     | -40 dBm |

## Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor  $k = \pm 1.96$ ,  $U = \pm 3.55$  dB.

## Test Result

Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier, the emissions below the noise floor will not be recorded in the report.

### WCDMA Band IV CH-Low

| Harmonic                                                                                                                                                      | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|-----------------|------------|----------------------|------------------|-------------|-------------|---------------|
| 2                                                                                                                                                             | 3424.8          | -59.00   | 2.6             | 10.15      | Horizontal           | -51.45           | -13.00      | 38.45       | 180           |
| 3                                                                                                                                                             | 5137.2          | -50.22   | 2.4             | 11.35      | Horizontal           | -41.27           | -13.00      | 28.27       | 225           |
| 4                                                                                                                                                             | 6849.6          | -38.07   | 4.5             | 10.85      | Horizontal           | -31.72           | -13.00      | 18.72       | 180           |
| 5                                                                                                                                                             | 8562.0          | -39.82   | 5.1             | 11.35      | Horizontal           | -33.57           | -13.00      | 20.57       | 135           |
| 6                                                                                                                                                             | 10274.4         | -48.85   | 5.3             | 11.95      | Horizontal           | -42.20           | -13.00      | 29.20       | 45            |
| 7                                                                                                                                                             | 11986.8         | -51.12   | 5.5             | 13.55      | Horizontal           | -43.07           | -13.00      | 30.07       | 135           |
| 8                                                                                                                                                             | 13699.2         | -49.27   | 6.3             | 13.75      | Horizontal           | -41.82           | -13.00      | 28.82       | 225           |
| 9                                                                                                                                                             | 15411.6         | -48.76   | 6.7             | 13.85      | Horizontal           | -41.61           | -13.00      | 28.61       | 180           |
| 10                                                                                                                                                            | 17124.0         | -46.27   | 6.8             | 14.25      | Horizontal           | -38.82           | -13.00      | 25.82       | 270           |
| Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.<br>2. The worst emission was found in the antenna is Horizontal position. |                 |          |                 |            |                      |                  |             |             |               |

### WCDMA Band IV CH-Middle

| Harmonic                                                                                                                                                      | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|-----------------|------------|----------------------|------------------|-------------|-------------|---------------|
| 2                                                                                                                                                             | 3465.2          | -61.01   | 2.6             | 10.75      | Horizontal           | -52.86           | -13.00      | 39.86       | 45            |
| 3                                                                                                                                                             | 5197.8          | -57.72   | 2.4             | 11.05      | Horizontal           | -49.07           | -13.00      | 36.07       | 225           |
| 4                                                                                                                                                             | 6930.4          | -43.01   | 4.5             | 11.15      | Horizontal           | -36.36           | -13.00      | 23.36       | 315           |
| 5                                                                                                                                                             | 8663.0          | -45.14   | 5.1             | 11.35      | Horizontal           | -38.89           | -13.00      | 25.89       | 270           |
| 6                                                                                                                                                             | 10395.6         | -48.94   | 5.3             | 11.95      | Horizontal           | -42.29           | -13.00      | 29.29       | 45            |
| 7                                                                                                                                                             | 12128.2         | -49.92   | 5.5             | 13.55      | Horizontal           | -41.87           | -13.00      | 28.87       | 90            |
| 8                                                                                                                                                             | 13860.8         | -46.76   | 6.3             | 13.75      | Horizontal           | -39.31           | -13.00      | 26.31       | 315           |
| 9                                                                                                                                                             | 15593.4         | -49.92   | 6.7             | 13.85      | Horizontal           | -42.77           | -13.00      | 29.77       | 270           |
| 10                                                                                                                                                            | 17326.0         | -47.01   | 6.8             | 14.25      | Horizontal           | -39.56           | -13.00      | 26.56       | 225           |
| Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.<br>2. The worst emission was found in the antenna is Horizontal position. |                 |          |                 |            |                      |                  |             |             |               |

**WCDMA Band IV CH-High**

| Harmonic | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|----------|-----------------|----------|-----------------|------------|----------------------|------------------|-------------|-------------|---------------|
| 2        | 3505.2          | -58.11   | 2.6             | 10.15      | Horizontal           | -50.56           | -13.00      | 37.56       | 45            |
| 3        | 5254.1          | -56.42   | 2.4             | 11.05      | Horizontal           | -47.77           | -13.00      | 34.77       | 90            |
| 4        | 7010.4          | -39.42   | 4.5             | 11.15      | Horizontal           | -32.77           | -13.00      | 19.77       | 180           |
| 5        | 8763.0          | -40.39   | 5.1             | 11.35      | Horizontal           | -34.14           | -13.00      | 21.14       | 315           |
| 6        | 10515.6         | -50.24   | 5.3             | 11.95      | Horizontal           | -43.59           | -13.00      | 30.59       | 1353          |
| 7        | 12268.2         | -50.07   | 5.5             | 13.55      | Horizontal           | -42.02           | -13.00      | 29.02       | 270           |
| 8        | 14020.8         | -47.83   | 6.3             | 13.75      | Horizontal           | -40.38           | -13.00      | 27.38       | 180           |
| 9        | 15773.4         | -49.47   | 6.7             | 13.85      | Horizontal           | -42.32           | -13.00      | 29.32       | 135           |
| 10       | 17526.0         | -47.96   | 6.8             | 14.25      | Horizontal           | -40.51           | -13.00      | 27.51       | 90            |

Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

**LTE Band 4 QPSK 1.4MHz CH-Low, RB 1**

| Harmonic | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|----------|-----------------|----------|-----------------|------------|----------------------|------------------|-------------|-------------|---------------|
| 2        | 3421.4          | -55.26   | 2.6             | 10.15      | Horizontal           | -47.71           | -13.00      | 34.71       | 90            |
| 3        | 5131.1          | -47.12   | 2.4             | 11.35      | Horizontal           | -38.17           | 25.17       | 25.17       | 315           |
| 4        | 6842.8          | -35.49   | 4.5             | 10.85      | Horizontal           | -29.14           | -13.00      | 16.14       | 135           |
| 5        | 8553.5          | -37.87   | 5.1             | 11.35      | Horizontal           | -31.62           | -13.00      | 18.62       | 45            |
| 6        | 10264.2         | -50.11   | 5.3             | 11.95      | Horizontal           | -43.46           | -13.00      | 30.46       | 225           |
| 7        | 11974.9         | -51.42   | 5.5             | 13.55      | Horizontal           | -43.37           | -13.00      | 30.37       | 90            |
| 8        | 13685.6         | -47.79   | 6.3             | 13.75      | Horizontal           | -40.34           | -13.00      | 27.34       | 225           |
| 9        | 15396.3         | -49.68   | 6.7             | 13.85      | Horizontal           | -42.53           | -13.00      | 29.53       | 180           |
| 10       | 17107.0         | -46.11   | 6.8             | 14.25      | Horizontal           | -38.66           | -13.00      | 25.66       | 135           |

Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

**LTE Band 4 QPSK 1.4MHz CH-Middle, RB 1**

| Harmonic                                                                                                                                                      | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|-----------------|------------|----------------------|------------------|-------------|-------------|---------------|
| 2                                                                                                                                                             | 3464.3          | -62.84   | 2.6             | 10.75      | Horizontal           | -54.69           | -13.00      | 41.69       | 45            |
| 3                                                                                                                                                             | 5197.5          | -52.14   | 2.4             | 11.05      | Horizontal           | -43.49           | -13.00      | 30.49       | 225           |
| 4                                                                                                                                                             | 6930.0          | -39.29   | 4.5             | 11.15      | Horizontal           | -32.64           | -13.00      | 19.64       | 90            |
| 5                                                                                                                                                             | 8662.5          | -39.61   | 5.1             | 11.35      | Horizontal           | -33.36           | -13.00      | 20.36       | 315           |
| 6                                                                                                                                                             | 10395.0         | -50.21   | 5.3             | 11.95      | Horizontal           | -43.56           | -13.00      | 30.56       | 45            |
| 7                                                                                                                                                             | 12127.5         | -50.63   | 5.5             | 13.55      | Horizontal           | -42.58           | -13.00      | 29.58       | 135           |
| 8                                                                                                                                                             | 13860.0         | -47.31   | 6.3             | 13.75      | Horizontal           | -39.86           | -13.00      | 26.86       | 45            |
| 9                                                                                                                                                             | 15592.5         | -49.58   | 6.7             | 13.85      | Horizontal           | -42.43           | -13.00      | 29.43       | 225           |
| 10                                                                                                                                                            | 17325.0         | -47.02   | 6.8             | 14.25      | Horizontal           | -39.57           | -13.00      | 26.57       | 90            |
| Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.<br>2. The worst emission was found in the antenna is Horizontal position. |                 |          |                 |            |                      |                  |             |             |               |

**LTE Band 4 QPSK 1.4MHz CH-High, RB 1**

| Harmonic                                                                                                                                                      | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|-----------------|------------|----------------------|------------------|-------------|-------------|---------------|
| 2                                                                                                                                                             | 3507.8          | -58.54   | 2.6             | 10.15      | Horizontal           | -50.99           | -13.00      | 37.99       | 45            |
| 3                                                                                                                                                             | 5261.6          | -55.14   | 2.4             | 11.05      | Horizontal           | -46.49           | -13.00      | 33.49       | 225           |
| 4                                                                                                                                                             | 7017.2          | -42.06   | 4.5             | 11.15      | Horizontal           | -35.41           | -13.00      | 22.41       | 90            |
| 5                                                                                                                                                             | 8771.5          | -41.30   | 5.1             | 11.35      | Horizontal           | -35.05           | -13.00      | 22.05       | 225           |
| 6                                                                                                                                                             | 10525.8         | -49.24   | 5.3             | 11.95      | Horizontal           | -42.59           | -13.00      | 29.59       | 180           |
| 7                                                                                                                                                             | 12280.1         | -50.41   | 5.5             | 13.55      | Horizontal           | -42.36           | -13.00      | 29.36       | 135           |
| 8                                                                                                                                                             | 14034.4         | -47.84   | 6.3             | 13.75      | Horizontal           | -40.39           | -13.00      | 27.39       | 45            |
| 9                                                                                                                                                             | 15788.7         | -49.14   | 6.7             | 13.85      | Horizontal           | -41.99           | -13.00      | 28.99       | 225           |
| 10                                                                                                                                                            | 17543.0         | -45.57   | 6.8             | 14.25      | Horizontal           | -38.12           | -13.00      | 25.12       | 90            |
| Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.<br>2. The worst emission was found in the antenna is Horizontal position. |                 |          |                 |            |                      |                  |             |             |               |

**LTE Band 4 QPSK 5MHz CH-Low, RB 1**

| Harmonic                                                                                                                                                      | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|-----------------|------------|----------------------|------------------|-------------|-------------|---------------|
| 2                                                                                                                                                             | 3425.0          | -58.89   | 2.6             | 10.15      | Horizontal           | -51.34           | -13.00      | 38.34       | 315           |
| 3                                                                                                                                                             | 5131.1          | -51.50   | 2.4             | 11.35      | Horizontal           | -42.55           | -13.00      | 29.55       | 45            |
| 4                                                                                                                                                             | 6850.0          | -41.71   | 4.5             | 10.85      | Horizontal           | -35.36           | -13.00      | 22.36       | 135           |
| 5                                                                                                                                                             | 8562.5          | -43.63   | 5.1             | 11.35      | Horizontal           | -37.38           | -13.00      | 24.38       | 270           |
| 6                                                                                                                                                             | 10275.0         | -50.54   | 5.3             | 11.95      | Horizontal           | -43.89           | -13.00      | 30.89       | 225           |
| 7                                                                                                                                                             | 11987.5         | -50.92   | 5.5             | 13.55      | Horizontal           | -42.87           | -13.00      | 29.87       | 315           |
| 8                                                                                                                                                             | 13700.0         | -49.26   | 6.3             | 13.75      | Horizontal           | -41.81           | -13.00      | 28.81       | 225           |
| 9                                                                                                                                                             | 15412.5         | -49.33   | 6.7             | 13.85      | Horizontal           | -42.18           | -13.00      | 29.18       | 45            |
| 10                                                                                                                                                            | 17125.0         | -46.33   | 6.8             | 14.25      | Horizontal           | -38.88           | -13.00      | 25.88       | 180           |
| Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.<br>2. The worst emission was found in the antenna is Horizontal position. |                 |          |                 |            |                      |                  |             |             |               |

**LTE Band 4 QPSK 5MHz CH-Middle, RB 1**

| Harmonic                                                                                                                                                      | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|-----------------|------------|----------------------|------------------|-------------|-------------|---------------|
| 2                                                                                                                                                             | 3460.5          | -63.56   | 2.6             | 10.75      | Horizontal           | -55.41           | -13.00      | 42.41       | 135           |
| 3                                                                                                                                                             | 5191.5          | -57.39   | 2.4             | 11.05      | Horizontal           | -48.74           | -13.00      | 35.74       | 135           |
| 4                                                                                                                                                             | 6930.0          | -45.92   | 4.5             | 11.15      | Horizontal           | -39.27           | -13.00      | 26.27       | 225           |
| 5                                                                                                                                                             | 8662.5          | -46.25   | 5.1             | 11.35      | Horizontal           | -40.00           | -13.00      | 27.00       | 90            |
| 6                                                                                                                                                             | 10395.0         | -49.81   | 5.3             | 11.95      | Horizontal           | -43.16           | -13.00      | 30.16       | 270           |
| 7                                                                                                                                                             | 12127.5         | -50.79   | 5.5             | 13.55      | Horizontal           | -42.74           | -13.00      | 29.74       | 45            |
| 8                                                                                                                                                             | 13860.0         | -47.15   | 6.3             | 13.75      | Horizontal           | -39.70           | -13.00      | 26.70       | 315           |
| 9                                                                                                                                                             | 15592.5         | -50.72   | 6.7             | 13.85      | Horizontal           | -43.57           | -13.00      | 30.57       | 90            |
| 10                                                                                                                                                            | 17325.0         | -46.55   | 6.8             | 14.25      | Horizontal           | -39.10           | -13.00      | 26.10       | 135           |
| Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.<br>2. The worst emission was found in the antenna is Horizontal position. |                 |          |                 |            |                      |                  |             |             |               |



## LTE Band 4 QPSK 5MHz CH-High, RB 1

| Harmonic                                                                                                                                                      | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|-----------------|------------|----------------------|------------------|-------------|-------------|---------------|
| 2                                                                                                                                                             | 3500.6          | -60.41   | 2.6             | 10.15      | Horizontal           | -52.86           | -13.00      | 39.86       | 135           |
| 3                                                                                                                                                             | 5251.1          | -56.53   | 2.4             | 11.05      | Horizontal           | -47.88           | -13.00      | 34.88       | 225           |
| 4                                                                                                                                                             | 7010.0          | -43.50   | 4.5             | 11.15      | Horizontal           | -36.85           | -13.00      | 23.85       | 270           |
| 5                                                                                                                                                             | 8762.5          | -41.78   | 5.1             | 11.35      | Horizontal           | -35.53           | -13.00      | 22.53       | 225           |
| 6                                                                                                                                                             | 10515.0         | -48.93   | 5.3             | 11.95      | Horizontal           | -42.28           | -13.00      | 29.28       | 180           |
| 7                                                                                                                                                             | 12267.5         | -49.92   | 5.5             | 13.55      | Horizontal           | -41.87           | -13.00      | 28.87       | 90            |
| 8                                                                                                                                                             | 14020.0         | -47.15   | 6.3             | 13.75      | Horizontal           | -39.70           | -13.00      | 26.70       | 90            |
| 9                                                                                                                                                             | 15772.5         | -48.73   | 6.7             | 13.85      | Horizontal           | -41.58           | -13.00      | 28.58       | 315           |
| 10                                                                                                                                                            | 17525.0         | -46.90   | 6.8             | 14.25      | Horizontal           | -39.45           | -13.00      | 26.45       | 315           |
| Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.<br>2. The worst emission was found in the antenna is Horizontal position. |                 |          |                 |            |                      |                  |             |             |               |

## LTE Band 4 QPSK 20MHz CH-Low, RB 1

| Harmonic                                                                                                                                                      | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|-----------------|------------|----------------------|------------------|-------------|-------------|---------------|
| 2                                                                                                                                                             | 3440.0          | -54.37   | 2.6             | 10.15      | Horizontal           | -46.82           | -13.00      | 33.82       | 135           |
| 3                                                                                                                                                             | 5133.4          | -47.08   | 2.4             | 11.35      | Horizontal           | -38.13           | -13.00      | 25.13       | 135           |
| 4                                                                                                                                                             | 6880.0          | -34.48   | 4.5             | 10.85      | Horizontal           | -28.13           | -13.00      | 15.13       | 225           |
| 5                                                                                                                                                             | 8600.0          | -36.69   | 5.1             | 11.35      | Horizontal           | -30.44           | -13.00      | 17.44       | 90            |
| 6                                                                                                                                                             | 10320.0         | -49.92   | 5.3             | 11.95      | Horizontal           | -43.27           | -13.00      | 30.27       | 270           |
| 7                                                                                                                                                             | 12040.0         | -49.81   | 5.5             | 13.55      | Horizontal           | -41.76           | -13.00      | 28.76       | 45            |
| 8                                                                                                                                                             | 13760.0         | -46.64   | 6.3             | 13.75      | Horizontal           | -39.19           | -13.00      | 26.19       | 315           |
| 9                                                                                                                                                             | 15480.0         | -49.68   | 6.7             | 13.85      | Horizontal           | -42.53           | -13.00      | 29.53       | 90            |
| 10                                                                                                                                                            | 17200.0         | -46.41   | 6.8             | 14.25      | Horizontal           | -38.96           | -13.00      | 25.96       | 135           |
| Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.<br>2. The worst emission was found in the antenna is Horizontal position. |                 |          |                 |            |                      |                  |             |             |               |



## LTE Band 4 QPSK 20MHz CH-Middle, RB 1

| Harmonic                                                                                                                                                      | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|-----------------|------------|----------------------|------------------|-------------|-------------|---------------|
| 2                                                                                                                                                             | 3465.0          | -61.21   | 2.6             | 10.75      | Horizontal           | -53.06           | -13.00      | 40.06       | 135           |
| 3                                                                                                                                                             | 5170.9          | -48.21   | 2.4             | 11.05      | Horizontal           | -39.56           | -13.00      | 26.56       | 225           |
| 4                                                                                                                                                             | 6930.0          | -35.65   | 4.5             | 11.15      | Horizontal           | -29.00           | -13.00      | 16.00       | 45            |
| 5                                                                                                                                                             | 8662.5          | -36.95   | 5.1             | 11.35      | Horizontal           | -30.70           | -13.00      | 17.70       | 225           |
| 6                                                                                                                                                             | 10395.0         | -49.85   | 5.3             | 11.95      | Horizontal           | -43.20           | -13.00      | 30.20       | 90            |
| 7                                                                                                                                                             | 12127.5         | -50.18   | 5.5             | 13.55      | Horizontal           | -42.13           | -13.00      | 29.13       | 45            |
| 8                                                                                                                                                             | 13860.0         | -48.31   | 6.3             | 13.75      | Horizontal           | -40.86           | -13.00      | 27.86       | 225           |
| 9                                                                                                                                                             | 15592.5         | -50.18   | 6.7             | 13.85      | Horizontal           | -43.03           | -13.00      | 30.03       | 90            |
| 10                                                                                                                                                            | 17325.0         | -47.01   | 6.8             | 14.25      | Horizontal           | -39.56           | -13.00      | 26.56       | 225           |
| Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.<br>2. The worst emission was found in the antenna is Horizontal position. |                 |          |                 |            |                      |                  |             |             |               |

## LTE Band 4 QPSK 20MHz CH-High, RB 1

| Harmonic                                                                                                                                                      | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|-----------------|------------|----------------------|------------------|-------------|-------------|---------------|
| 2                                                                                                                                                             | 3490.0          | -60.97   | 2.6             | 10.15      | Horizontal           | -53.42           | -13.00      | 40.42       | 180           |
| 3                                                                                                                                                             | 5208.4          | -51.46   | 2.4             | 11.05      | Horizontal           | -42.81           | -13.00      | 29.81       | 135           |
| 4                                                                                                                                                             | 6980.0          | -40.76   | 4.5             | 11.15      | Horizontal           | -34.11           | -13.00      | 21.11       | 45            |
| 5                                                                                                                                                             | 8725.0          | -39.65   | 5.1             | 11.35      | Horizontal           | -33.40           | -13.00      | 20.40       | 225           |
| 6                                                                                                                                                             | 10470.0         | -49.51   | 5.3             | 11.95      | Horizontal           | -42.86           | -13.00      | 29.86       | 90            |
| 7                                                                                                                                                             | 12215.0         | -50.29   | 5.5             | 13.55      | Horizontal           | -42.24           | -13.00      | 29.24       | 315           |
| 8                                                                                                                                                             | 13960.0         | -47.83   | 6.3             | 13.75      | Horizontal           | -40.38           | -13.00      | 27.38       | 45            |
| 9                                                                                                                                                             | 15705.0         | -49.44   | 6.7             | 13.85      | Horizontal           | -42.29           | -13.00      | 29.29       | 135           |
| 10                                                                                                                                                            | 17450.0         | -45.93   | 6.8             | 14.25      | Horizontal           | -38.48           | -13.00      | 25.48       | 315           |
| Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.<br>2. The worst emission was found in the antenna is Horizontal position. |                 |          |                 |            |                      |                  |             |             |               |



## LTE Band 12 QPSK 1.4MHz CH-Low, RB 1

| Harmonic | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | ERP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|----------|-----------------|----------|-----------------|------------|----------------------|-----------------|-------------|-------------|---------------|
| 2        | 1399.4          | -65.25   | 2.00            | 10.15      | Horizontal           | -59.25          | -13.00      | 46.25       | 270           |
| 3        | 2099.1          | -62.23   | 2.50            | 11.35      | Horizontal           | -55.53          | -13.00      | 42.53       | 225           |
| 4        | 2798.8          | -53.52   | 4.20            | 10.85      | Horizontal           | -49.02          | -13.00      | 36.02       | 180           |
| 5        | 3498.5          | -53.42   | 5.20            | 11.35      | Horizontal           | -49.42          | 36.42       | 36.42       | 90            |
| 6        | 4198.2          | -58.44   | 5.50            | 11.95      | Horizontal           | -54.14          | 41.14       | 41.14       | 270           |
| 7        | 4897.9          | -58.31   | 5.70            | 13.55      | Horizontal           | -52.61          | 39.61       | 39.61       | 45            |
| 8        | 5597.6          | -56.61   | 6.30            | 13.75      | Horizontal           | -51.31          | 38.31       | 38.31       | 0             |
| 9        | 6297.3          | -54.28   | 6.80            | 13.85      | Horizontal           | -49.38          | 36.38       | 36.38       | 90            |
| 10       | 6997.0          | -52.99   | 6.90            | 14.25      | Horizontal           | -47.79          | 34.79       | 34.79       | 270           |

Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

## LTE Band 12 QPSK 1.4MHz CH-Middle, RB 1

| Harmonic | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | ERP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|----------|-----------------|----------|-----------------|------------|----------------------|-----------------|-------------|-------------|---------------|
| 2        | 1415.0          | -66.10   | 2.00            | 10.75      | Horizontal           | -59.50          | -13.00      | 46.50       | 90            |
| 3        | 2122.5          | -61.81   | 2.51            | 11.05      | Horizontal           | -55.42          | -13.00      | 42.42       | 90            |
| 4        | 2830.0          | -58.15   | 4.20            | 11.15      | Horizontal           | -53.35          | -13.00      | 40.35       | 135           |
| 5        | 3537.5          | -59.87   | 5.20            | 11.15      | Horizontal           | -56.07          | -13.00      | 43.07       | 270           |
| 6        | 4245.0          | -58.59   | 5.50            | 11.95      | Horizontal           | -54.29          | -13.00      | 41.29       | 45            |
| 7        | 4952.5          | -58.00   | 5.70            | 13.55      | Horizontal           | -52.30          | -13.00      | 39.30       | 0             |
| 8        | 5660.0          | -56.63   | 6.30            | 13.75      | Horizontal           | -51.33          | -13.00      | 38.33       | 90            |
| 9        | 6367.5          | -55.64   | 6.80            | 13.85      | Horizontal           | -50.74          | -13.00      | 37.74       | 270           |
| 10       | 7075.0          | -52.45   | 6.90            | 14.25      | Horizontal           | -47.25          | -13.00      | 34.25       | 45            |

Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.