

客户名称 (Customer name): Quanzhou Tesunho Electronics Co., Ltd

品 名 (Product name): 4G Antenna

规 格 (Specifications): JZC-BTL-BAL1.8-AJ


样品编号 (Sample code):

版 本 (Revision) : 1/A

客户地址： (Address) :FCC:NO.605 BLDG1, 269 TIYU STR., FZ, Quanzhou, 362000 China
IC: 2#, 5F E-19# Phase 2 Xunmei, Quanzhou Fujian 325000 China




产品名称 Name	3G/4G Antenna	型号 Model Type	JZC-BTL-BAL1.8-AJ
电气参数 Electrical specifications		物理特性 Physical Properties	
频率范围 Frequency Range	WCDMA B2/B4/B5 B2/B4/B5/B12/B13/B14/B66/B71	连接器型号 Connector	SMA-J
输入阻抗 Impedance	50Ω	Coaxial axis specifications	RG174
驻波比 VSWR	<2.0	电缆长度 Cable	1.8m
极化方式 Polarization	linear polarization	外壳材料 Radome Material	ABS
辐射方向 Radiation	omnibearing	外壳颜色 Radome Color	black
固定方式 Mounting	Red 3M double-sided tape	工作温度 Working Temperature	-30℃~+75℃
		存放温度 Limit Temperature	-30℃~+75℃




Frequency(MHz)	Gain(dBi)
FDD_B2	4.42
FDD_B4	4.21
FDD_B5	2.43
FDD_B12	0.79
FDD_B13	1.48
FDD_B14	1.69
FDD_B66	4.21
FDD_B71	0.54


FDD_B2




FDD_B4




FDD_B5




FDD_B12




FDD_B13



FDD_B14



FDD_B66



FDD_B71

