

OUTLINE

1. Measurement Information

1.1 Experimental Setup

1.2 Antenna Solution Detail

2. Antenna Characteristics

2.1 S-Parameter

2.2 Antenna Efficiency and Peak Gain

2.3 3 views of antenna & 2D Radiation Patterns

3. Summary

1. Measurement Information

1.1 Experimental Setup




1. Measurement Information

1.2 Antenna Solution Detail



2. Antenna Characteristics


2.1 S-Parameter




2. Antenna Characteristics

BLE

2.2 Antenna Efficiency and Peak Gain



Maximum Efficiency at 2460 MHz : 24.40 %




Maximum Peak Gain at 2450 MHz : -0.33 dBi


2. Antenna Characteristics

WiFi 2G

2.2 Antenna Efficiency and Peak Gain



Maximum Efficiency at 2460 MHz : 36.30 %




Maximum Peak Gain at 2460 MHz : -0.42 dBi


2. Antenna Characteristics

WiFi 5G

2.2 Antenna Efficiency and Peak Gain



Maximum Efficiency at 5550 MHz : 38.65 %



Maximum Peak Gain at 5200 MHz : 0.94 dBi

2. Antenna Characteristics


2.2 Antenna Efficiency and Peak Gain

	BLE (Chip)			WiFi (FPC)		
Frequency (MHz)	Efficiency (%)	Average gain (dBi)	Peak gain (dBi)	Efficiency (%)	Average gain (dBi)	Peak gain (dBi)
2400	16.36	-7.86	-2.05	34.27	-4.65	-1.08
2450	23.86	-6.22	-0.33	36.24	-4.41	-0.71
2500	19.24	-7.16	-1.71	33.52	-4.75	-0.70
5150				35.45	-4.50	0.63
5500				36.46	-4.38	0.23
5850				33.73	-4.72	-0.07


2. Antenna Characteristics

2.3 3 views of antenna

X-Z plane



Y-Z plane






X-Y plane



2. Antenna Characteristics

BLE

2.3 2D Radiation Patterns






	ZX plane		ZY plane		XY plane	
Frequency [MHz]	Max Value [dBi]	Average [dBi]	Max Value [dBi]	Average [dBi]	Max Value [dBi]	Average [dBi]
2400	-6.09	-8.96	-2.06	-7.85	-2.99	-8.39
2450	-4.66	-6.95	-0.33	-5.94	-1.99	-7.36
2500	-4.83	-7.80	-1.72	-6.70	-3.15	-8.40

2. Antenna Characteristics

WiFi 2G

2.3 2D Radiation Patterns






	ZX plane		ZY plane		XY plane	
Frequency [MHz]	Max Value [dBi]	Average [dBi]	Max Value [dBi]	Average [dBi]	Max Value [dBi]	Average [dBi]
2400	-2.15	-4.67	-1.31	-4.45	-1.77	-5.11
2450	-1.98	-4.27	-0.81	-4.14	-2.32	-5.58
2500	-1.08	-4.44	-0.75	-4.44	-2.80	-6.10

2. Antenna Characteristics

WiFi 5G

2.3 2D Radiation Patterns




	ZX plane		ZY plane		XY plane	
Frequency [MHz]	Max Value [dBi]	Average [dBi]	Max Value [dBi]	Average [dBi]	Max Value [dBi]	Average [dBi]
5150	-2.37	-6.34	0.29	-3.44	-0.03	-4.66
5500	-2.04	-5.58	-0.63	-4.11	-0.59	-4.23
5850	-2.55	-5.71	-0.60	-4.59	-1.29	-4.50

3. Summary

- The performance of antennas is shown in table

	BLE (Chip)	WiFi (2G)	WiFi (5G)
Maximum Efficiency (%)	24.40	36.30	38.65
Maximum Gain (dBi)	-0.33	-0.42	0.94



Title for Image (above image could be replaced)

Content Details

PASSIVE SYSTEM ALLIANCE
INPAQ TECHNOLOGY CO., LTD.

Thank you

本資料均屬機密，僅供指定之收件人使用，未經寄件人許可不得揭露、複製或散佈本信件。

This message and any attachments are confidential and may be legally privileged. Any unauthorized review, use or distribution by anyone other than the intended recipient is strictly prohibited. If you are not the intended recipient, please immediately notify the sender, completely delete this documents, and destroy all copies. Your cooperation will be highly appreciated.