

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Effective (Isotropic) Radiated Power Output Data_5G NR n14

Bandwidth	Modulation	Frequency(MHz)	RB Allocation	Conducted Power (dBm)	Ant (dBi)	ERP (dBm)	Limit	Verdict
5MHz	DFT-s-OFDM PI/2 BPSK	790.5MHz	Edge_Full_Left	23.76	-5.09	16.52	34.77	Pass
			Edge_Full_Right	23.69	-5.09	16.45	34.77	Pass
			Edge_1RB_Left	23.68	-5.09	16.44	34.77	Pass
			Edge_1RB_Right	23.54	-5.09	16.3	34.77	Pass
			Outer_Full	23.86	-5.09	16.62	34.77	Pass
			Inner_Full	24.01	-5.09	16.77	34.77	Pass
			Inner_1RB_Left	23.76	-5.09	16.52	34.77	Pass
			Inner_1RB_Right	23.88	-5.09	16.64	34.77	Pass
	DFT-s-OFDM QPSK		Edge_Full_Left	23.4	-5.09	16.16	34.77	Pass
			Edge_Full_Right	23.4	-5.09	16.16	34.77	Pass
			Edge_1RB_Left	23.13	-5.09	15.89	34.77	Pass
			Edge_1RB_Right	23.18	-5.09	15.94	34.77	Pass
			Outer_Full	23.3	-5.09	16.06	34.77	Pass
			Inner_Full	23.77	-5.09	16.53	34.77	Pass
			Inner_1RB_Left	23.84	-5.09	16.6	34.77	Pass
			Inner_1RB_Right	23.77	-5.09	16.53	34.77	Pass
	DFT-s-OFDM 16QAM		Edge_Full_Left	22.3	-5.09	15.06	34.77	Pass
			Edge_Full_Right	22.33	-5.09	15.09	34.77	Pass
			Edge_1RB_Left	22.14	-5.09	14.9	34.77	Pass
			Edge_1RB_Right	22.14	-5.09	14.9	34.77	Pass
			Outer_Full	22.52	-5.09	15.28	34.77	Pass
			Inner_Full	23.36	-5.09	16.12	34.77	Pass
			Inner_1RB_Left	22.89	-5.09	15.65	34.77	Pass
			Inner_1RB_Right	23.16	-5.09	15.92	34.77	Pass
	DFT-s-OFDM 64QAM		Edge_Full_Left	22.12	-5.09	14.88	34.77	Pass
			Edge_Full_Right	22.19	-5.09	14.95	34.77	Pass
			Edge_1RB_Left	21.97	-5.09	14.73	34.77	Pass
			Edge_1RB_Right	21.76	-5.09	14.52	34.77	Pass
			Outer_Full	22.09	-5.09	14.85	34.77	Pass
			Inner_Full	21.77	-5.09	14.53	34.77	Pass
			Inner_1RB_Left	21.95	-5.09	14.71	34.77	Pass
			Inner_1RB_Right	21.94	-5.09	14.7	34.77	Pass
	DFT-s-OFDM 256QAM		Edge_Full_Left	19.88	-5.09	12.64	34.77	Pass
			Edge_Full_Right	20	-5.09	12.76	34.77	Pass
			Edge_1RB_Left	19.62	-5.09	12.38	34.77	Pass
			Edge_1RB_Right	19.76	-5.09	12.52	34.77	Pass
			Outer_Full	19.93	-5.09	12.69	34.77	Pass
			Inner_Full	19.66	-5.09	12.42	34.77	Pass
			Inner_1RB_Left	19.62	-5.09	12.38	34.77	Pass
			Inner_1RB_Right	19.66	-5.09	12.42	34.77	Pass
	CP-OFDM QPSK		Edge_Full_Left	21.22	-5.09	13.98	34.77	Pass
			Edge_Full_Right	21.39	-5.09	14.15	34.77	Pass
			Edge_1RB_Left	21.41	-5.09	14.17	34.77	Pass
			Edge_1RB_Right	21.31	-5.09	14.07	34.77	Pass
			Outer_Full	21.39	-5.09	14.15	34.77	Pass
			Inner_Full	22.94	-5.09	15.7	34.77	Pass
			Inner_1RB_Left	22.79	-5.09	15.55	34.77	Pass
			Inner_1RB_Right	22.58	-5.09	15.34	34.77	Pass
	CP-OFDM 16QAM		Edge_Full_Left	21.01	-5.09	13.77	34.77	Pass
			Edge_Full_Right	21	-5.09	13.76	34.77	Pass
			Edge_1RB_Left	21.97	-5.09	14.73	34.77	Pass
			Edge_1RB_Right	21.68	-5.09	14.44	34.77	Pass
			Outer_Full	21.34	-5.09	14.1	34.77	Pass
			Inner_Full	22.4	-5.09	15.16	34.77	Pass
			Inner_1RB_Left	22.8	-5.09	15.56	34.77	Pass
			Inner_1RB_Right	22.87	-5.09	15.63	34.77	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

5MHz	CP-OFDM 64QAM	790.5MHz	Edge Full Left	20.54	-5.09	13.3	34.77	Pass
			Edge Full Right	20.35	-5.09	13.11	34.77	Pass
			Edge 1RB Left	20.65	-5.09	13.41	34.77	Pass
			Edge 1RB Right	20.69	-5.09	13.45	34.77	Pass
			Outer Full	20.91	-5.09	13.67	34.77	Pass
			Inner Full	20.88	-5.09	13.64	34.77	Pass
			Inner 1RB Left	20.46	-5.09	13.22	34.77	Pass
			Inner 1RB Right	20.45	-5.09	13.21	34.77	Pass
			Edge Full Left	18.05	-5.09	10.81	34.77	Pass
			Edge Full Right	18.09	-5.09	10.85	34.77	Pass
	CP-OFDM 256QAM	790.5MHz	Edge 1RB Left	18.3	-5.09	11.06	34.77	Pass
			Edge 1RB Right	18.25	-5.09	11.01	34.77	Pass
			Outer Full	17.82	-5.09	10.58	34.77	Pass
			Inner Full	17.53	-5.09	10.29	34.77	Pass
			Inner 1RB Left	18.32	-5.09	11.08	34.77	Pass
			Inner 1RB Right	18.29	-5.09	11.05	34.77	Pass
			Edge Full Left	23.64	-5.09	16.4	34.77	Pass
			Edge Full Right	23.68	-5.09	16.44	34.77	Pass
			Edge 1RB Left	23.53	-5.09	16.29	34.77	Pass
			Edge 1RB Right	23.46	-5.09	16.22	34.77	Pass
	DFT-s-OFDM PI/2 BPSK	793MHz	Outer Full	24	-5.09	16.76	34.77	Pass
			Inner Full	23.91	-5.09	16.67	34.77	Pass
			Inner 1RB Left	23.69	-5.09	16.45	34.77	Pass
			Inner 1RB Right	23.82	-5.09	16.58	34.77	Pass
			Edge Full Left	23.41	-5.09	16.17	34.77	Pass
			Edge Full Right	23.18	-5.09	15.94	34.77	Pass
			Edge 1RB Left	23.36	-5.09	16.12	34.77	Pass
			Edge 1RB Right	23.2	-5.09	15.96	34.77	Pass
			Outer Full	23.36	-5.09	16.12	34.77	Pass
			Inner Full	23.84	-5.09	16.6	34.77	Pass
	DFT-s-OFDM QPSK	793MHz	Inner 1RB Left	23.8	-5.09	16.56	34.77	Pass
			Inner 1RB Right	23.79	-5.09	16.55	34.77	Pass
			Edge Full Left	22.16	-5.09	14.92	34.77	Pass
			Edge Full Right	22.17	-5.09	14.93	34.77	Pass
			Edge 1RB Left	22.01	-5.09	14.77	34.77	Pass
			Edge 1RB Right	22.2	-5.09	14.96	34.77	Pass
			Outer Full	22.44	-5.09	15.2	34.77	Pass
			Inner Full	23.23	-5.09	15.99	34.77	Pass
			Inner 1RB Left	22.92	-5.09	15.68	34.77	Pass
			Inner 1RB Right	22.92	-5.09	15.68	34.77	Pass
	DFT-s-OFDM 16QAM	793MHz	Edge Full Left	22.01	-5.09	14.77	34.77	Pass
			Edge Full Right	22.16	-5.09	14.92	34.77	Pass
			Edge 1RB Left	21.86	-5.09	14.62	34.77	Pass
			Edge 1RB Right	21.98	-5.09	14.74	34.77	Pass
			Outer Full	22.01	-5.09	14.77	34.77	Pass
			Inner Full	21.78	-5.09	14.54	34.77	Pass
			Inner 1RB Left	21.87	-5.09	14.63	34.77	Pass
			Inner 1RB Right	21.9	-5.09	14.66	34.77	Pass
			Edge Full Left	20.07	-5.09	12.83	34.77	Pass
			Edge Full Right	20.1	-5.09	12.86	34.77	Pass
	DFT-s-OFDM 64QAM	793MHz	Edge 1RB Left	19.72	-5.09	12.48	34.77	Pass
			Edge 1RB Right	19.82	-5.09	12.58	34.77	Pass
			Outer Full	19.83	-5.09	12.59	34.77	Pass
			Inner Full	19.66	-5.09	12.42	34.77	Pass
			Inner 1RB Left	19.93	-5.09	12.69	34.77	Pass
			Inner 1RB Right	19.97	-5.09	12.73	34.77	Pass
	DFT-s-OFDM 256QAM	793MHz	Edge Full Left	20.54	-5.09	13.3	34.77	Pass
			Edge Full Right	20.35	-5.09	13.11	34.77	Pass
			Edge 1RB Left	20.65	-5.09	13.41	34.77	Pass
			Edge 1RB Right	20.69	-5.09	13.45	34.77	Pass
			Outer Full	20.91	-5.09	13.67	34.77	Pass
			Inner Full	20.88	-5.09	13.64	34.77	Pass
			Inner 1RB Left	20.46	-5.09	13.22	34.77	Pass
			Inner 1RB Right	20.45	-5.09	13.21	34.77	Pass
			Edge Full Left	18.05	-5.09	10.81	34.77	Pass
			Edge Full Right	18.09	-5.09	10.85	34.77	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

5MHz	CP-OFDM QPSK	793MHz	Edge Full Left	21.32	-5.09	14.08	34.77	Pass
			Edge Full Right	21.43	-5.09	14.19	34.77	Pass
			Edge 1RB Left	20.83	-5.09	13.59	34.77	Pass
			Edge 1RB Right	20.95	-5.09	13.71	34.77	Pass
			Outer Full	21.4	-5.09	14.16	34.77	Pass
			Inner Full	22.83	-5.09	15.59	34.77	Pass
			Inner 1RB Left	22.61	-5.09	15.37	34.77	Pass
			Inner 1RB Right	22.69	-5.09	15.45	34.77	Pass
	CP-OFDM 16QAM		Edge Full Left	21.2	-5.09	13.96	34.77	Pass
			Edge Full Right	21.06	-5.09	13.82	34.77	Pass
			Edge 1RB Left	21.48	-5.09	14.24	34.77	Pass
			Edge 1RB Right	21.57	-5.09	14.33	34.77	Pass
			Outer Full	21.36	-5.09	14.12	34.77	Pass
			Inner Full	22.44	-5.09	15.2	34.77	Pass
			Inner 1RB Left	22.38	-5.09	15.14	34.77	Pass
			Inner 1RB Right	22.46	-5.09	15.22	34.77	Pass
	CP-OFDM 64QAM		Edge Full Left	20.45	-5.09	13.21	34.77	Pass
			Edge Full Right	20.49	-5.09	13.25	34.77	Pass
			Edge 1RB Left	20.92	-5.09	13.68	34.77	Pass
			Edge 1RB Right	20.8	-5.09	13.56	34.77	Pass
			Outer Full	21.13	-5.09	13.89	34.77	Pass
			Inner Full	20.73	-5.09	13.49	34.77	Pass
			Inner 1RB Left	20.52	-5.09	13.28	34.77	Pass
			Inner 1RB Right	20.76	-5.09	13.52	34.77	Pass
	CP-OFDM 256QAM	Edge Full Left	17.97	-5.09	10.73	34.77	Pass	
		Edge Full Right	17.98	-5.09	10.74	34.77	Pass	
		Edge 1RB Left	18.21	-5.09	10.97	34.77	Pass	
		Edge 1RB Right	18.39	-5.09	11.15	34.77	Pass	
		Outer Full	17.78	-5.09	10.54	34.77	Pass	
		Inner Full	17.63	-5.09	10.39	34.77	Pass	
		Inner 1RB Left	18.21	-5.09	10.97	34.77	Pass	
		Inner 1RB Right	18.56	-5.09	11.32	34.77	Pass	
	DFT-s-OFDM PI/2 BPSK	795.5MHz	Edge Full Left	23.67	-5.09	16.43	34.77	Pass
			Edge Full Right	23.87	-5.09	16.63	34.77	Pass
			Edge 1RB Left	23.56	-5.09	16.32	34.77	Pass
			Edge 1RB Right	23.82	-5.09	16.58	34.77	Pass
			Outer Full	24.01	-5.09	16.77	34.77	Pass
			Inner Full	24.04	-5.09	16.8	34.77	Pass
			Inner 1RB Left	23.92	-5.09	16.68	34.77	Pass
			Inner 1RB Right	23.96	-5.09	16.72	34.77	Pass
	DFT-s-OFDM QPSK		Edge Full Left	23.25	-5.09	16.01	34.77	Pass
			Edge Full Right	22.56	-5.09	15.32	34.77	Pass
			Edge 1RB Left	23.11	-5.09	15.87	34.77	Pass
			Edge 1RB Right	22.53	-5.09	15.29	34.77	Pass
			Outer Full	23.24	-5.09	16	34.77	Pass
			Inner Full	24.12	-5.09	16.88	34.77	Pass
			Inner 1RB Left	23.95	-5.09	16.71	34.77	Pass
			Inner 1RB Right	23.45	-5.09	16.21	34.77	Pass
DFT-s-OFDM 16QAM	Edge Full Left		22.07	-5.09	14.83	34.77	Pass	
	Edge Full Right		21.37	-5.09	14.13	34.77	Pass	
	Edge 1RB Left		22.1	-5.09	14.86	34.77	Pass	
	Edge 1RB Right		21.45	-5.09	14.21	34.77	Pass	
	Outer Full		22.14	-5.09	14.9	34.77	Pass	
	Inner Full		23.12	-5.09	15.88	34.77	Pass	
	Inner 1RB Left		23.01	-5.09	15.77	34.77	Pass	
	Inner 1RB Right		22.39	-5.09	15.15	34.77	Pass	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

5MHz	DFT-s-OFDM 64QAM	795.5MHz	Edge Full Left	21.96	-5.09	14.72	34.77	Pass
			Edge Full Right	21.2	-5.09	13.96	34.77	Pass
			Edge 1RB Left	21.64	-5.09	14.4	34.77	Pass
			Edge 1RB Right	20.98	-5.09	13.74	34.77	Pass
			Outer Full	21.71	-5.09	14.47	34.77	Pass
			Inner Full	21.59	-5.09	14.35	34.77	Pass
			Inner 1RB Left	21.67	-5.09	14.43	34.77	Pass
			Inner 1RB Right	20.99	-5.09	13.75	34.77	Pass
	DFT-s-OFDM 256QAM		Edge Full Left	20	-5.09	12.76	34.77	Pass
			Edge Full Right	19.4	-5.09	12.16	34.77	Pass
			Edge 1RB Left	20.05	-5.09	12.81	34.77	Pass
			Edge 1RB Right	19.48	-5.09	12.24	34.77	Pass
			Outer Full	19.96	-5.09	12.72	34.77	Pass
			Inner Full	19.95	-5.09	12.71	34.77	Pass
			Inner 1RB Left	20.04	-5.09	12.8	34.77	Pass
			Inner 1RB Right	19.5	-5.09	12.26	34.77	Pass
	CP-OFDM QPSK		Edge Full Left	21.66	-5.09	14.42	34.77	Pass
			Edge Full Right	21.26	-5.09	14.02	34.77	Pass
			Edge 1RB Left	21.29	-5.09	14.05	34.77	Pass
			Edge 1RB Right	21.25	-5.09	14.01	34.77	Pass
			Outer Full	21.4	-5.09	14.16	34.77	Pass
			Inner Full	22.54	-5.09	15.3	34.77	Pass
			Inner 1RB Left	22.87	-5.09	15.63	34.77	Pass
			Inner 1RB Right	22.02	-5.09	14.78	34.77	Pass
	CP-OFDM 16QAM		Edge Full Left	21.28	-5.09	14.04	34.77	Pass
			Edge Full Right	20.99	-5.09	13.75	34.77	Pass
			Edge 1RB Left	21.45	-5.09	14.21	34.77	Pass
			Edge 1RB Right	21.41	-5.09	14.17	34.77	Pass
			Outer Full	21.56	-5.09	14.32	34.77	Pass
			Inner Full	22.26	-5.09	15.02	34.77	Pass
			Inner 1RB Left	22.51	-5.09	15.27	34.77	Pass
			Inner 1RB Right	21.73	-5.09	14.49	34.77	Pass
	CP-OFDM 64QAM		Edge Full Left	20.58	-5.09	13.34	34.77	Pass
			Edge Full Right	20.89	-5.09	13.65	34.77	Pass
			Edge 1RB Left	21.01	-5.09	13.77	34.77	Pass
			Edge 1RB Right	21.07	-5.09	13.83	34.77	Pass
			Outer Full	21.22	-5.09	13.98	34.77	Pass
			Inner Full	20.9	-5.09	13.66	34.77	Pass
			Inner 1RB Left	20.79	-5.09	13.55	34.77	Pass
			Inner 1RB Right	20.93	-5.09	13.69	34.77	Pass
	CP-OFDM 256QAM		Edge Full Left	18.48	-5.09	11.24	34.77	Pass
			Edge Full Right	18.39	-5.09	11.15	34.77	Pass
			Edge 1RB Left	18.6	-5.09	11.36	34.77	Pass
			Edge 1RB Right	18.58	-5.09	11.34	34.77	Pass
			Outer Full	18.13	-5.09	10.89	34.77	Pass
			Inner Full	17.73	-5.09	10.49	34.77	Pass
			Inner 1RB Left	18.49	-5.09	11.25	34.77	Pass
			Inner 1RB Right	18.47	-5.09	11.23	34.77	Pass
	DFT-s-OFDM PI/2 BPSK	763MHz	Edge Full Left	23.47	-5.09	16.23	34.77	Pass
			Edge Full Right	23.69	-5.09	16.45	34.77	Pass
			Edge 1RB Left	23.54	-5.09	16.3	34.77	Pass
			Edge 1RB Right	23.38	-5.09	16.14	34.77	Pass
			Outer Full	23.75	-5.09	16.51	34.77	Pass
			Inner Full	23.7	-5.09	16.46	34.77	Pass
			Inner 1RB Left	23.46	-5.09	16.22	34.77	Pass
			Inner 1RB Right	23.72	-5.09	16.48	34.77	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

10MHz	DFT-s-OFDM QPSK	763MHz	Edge Full Left	23.17	-5.09	15.93	34.77	Pass
			Edge Full Right	23.09	-5.09	15.85	34.77	Pass
			Edge 1RB Left	23.06	-5.09	15.82	34.77	Pass
			Edge 1RB Right	23	-5.09	15.76	34.77	Pass
			Outer Full	23.14	-5.09	15.9	34.77	Pass
			Inner Full	23.61	-5.09	16.37	34.77	Pass
			Inner 1RB Left	23.62	-5.09	16.38	34.77	Pass
			Inner 1RB Right	23.56	-5.09	16.32	34.77	Pass
			Edge Full Left	22.02	-5.09	14.78	34.77	Pass
	DFT-s-OFDM 16QAM		Edge Full Right	21.92	-5.09	14.68	34.77	Pass
			Edge 1RB Left	21.93	-5.09	14.69	34.77	Pass
			Edge 1RB Right	21.99	-5.09	14.75	34.77	Pass
			Outer Full	22.35	-5.09	15.11	34.77	Pass
			Inner Full	23.28	-5.09	16.04	34.77	Pass
			Inner 1RB Left	22.78	-5.09	15.54	34.77	Pass
			Inner 1RB Right	22.79	-5.09	15.55	34.77	Pass
			Edge Full Left	21.7	-5.09	14.46	34.77	Pass
			Edge Full Right	21.92	-5.09	14.68	34.77	Pass
	DFT-s-OFDM 64QAM		Edge 1RB Left	21.64	-5.09	14.4	34.77	Pass
			Edge 1RB Right	21.68	-5.09	14.44	34.77	Pass
			Outer Full	21.74	-5.09	14.5	34.77	Pass
			Inner Full	21.64	-5.09	14.4	34.77	Pass
			Inner 1RB Left	21.67	-5.09	14.43	34.77	Pass
			Inner 1RB Right	21.77	-5.09	14.53	34.77	Pass
			Edge Full Left	19.8	-5.09	12.56	34.77	Pass
			Edge Full Right	19.84	-5.09	12.6	34.77	Pass
			Edge 1RB Left	19.67	-5.09	12.43	34.77	Pass
	DFT-s-OFDM 256QAM		Edge 1RB Right	19.74	-5.09	12.5	34.77	Pass
			Outer Full	19.61	-5.09	12.37	34.77	Pass
			Inner Full	19.62	-5.09	12.38	34.77	Pass
			Inner 1RB Left	19.66	-5.09	12.42	34.77	Pass
			Inner 1RB Right	19.68	-5.09	12.44	34.77	Pass
			Edge Full Left	21.05	-5.09	13.81	34.77	Pass
			Edge Full Right	21.18	-5.09	13.94	34.77	Pass
			Edge 1RB Left	20.76	-5.09	13.52	34.77	Pass
			Edge 1RB Right	20.76	-5.09	13.52	34.77	Pass
	CP-OFDM QPSK		Outer Full	21.32	-5.09	14.08	34.77	Pass
			Inner Full	22.61	-5.09	15.37	34.77	Pass
			Inner 1RB Left	22.48	-5.09	15.24	34.77	Pass
			Inner 1RB Right	22.58	-5.09	15.34	34.77	Pass
			Edge Full Left	21.01	-5.09	13.77	34.77	Pass
			Edge Full Right	20.83	-5.09	13.59	34.77	Pass
			Edge 1RB Left	21.22	-5.09	13.98	34.77	Pass
			Edge 1RB Right	21.26	-5.09	14.02	34.77	Pass
			Outer Full	21.23	-5.09	13.99	34.77	Pass
	CP-OFDM 16QAM		Inner Full	22.16	-5.09	14.92	34.77	Pass
			Inner 1RB Left	22.23	-5.09	14.99	34.77	Pass
			Inner 1RB Right	22.25	-5.09	15.01	34.77	Pass
Edge Full Left		20.29	-5.09	13.05	34.77	Pass		
Edge Full Right		20.26	-5.09	13.02	34.77	Pass		
Edge 1RB Left		20.7	-5.09	13.46	34.77	Pass		
Edge 1RB Right		20.68	-5.09	13.44	34.77	Pass		
Outer Full		20.74	-5.09	13.5	34.77	Pass		
Inner Full		20.63	-5.09	13.39	34.77	Pass		
CP-OFDM 64QAM	Inner 1RB Left	20.58	-5.09	13.34	34.77	Pass		
	Inner 1RB Right	20.6	-5.09	13.36	34.77	Pass		
	Edge Full Left	17.84	-5.09	10.6	34.77	Pass		
	Edge Full Right	17.78	-5.09	10.54	34.77	Pass		
	Edge 1RB Left	18.02	-5.09	10.78	34.77	Pass		
	Edge 1RB Right	18.3	-5.09	11.06	34.77	Pass		
	Outer Full	17.67	-5.09	10.43	34.77	Pass		
	Inner Full	17.41	-5.09	10.17	34.77	Pass		
	Inner 1RB Left	18.16	-5.09	10.92	34.77	Pass		
CP-OFDM 256QAM	Inner 1RB Right	18.45	-5.09	11.21	34.77	Pass		

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.