


	Ant2	5580	94.44	0.25	11.22	≤23.98	13.23	PASS
	total	5580	---	---	13.81	≤23.98	17.60	PASS
	Ant1	5700	94.44	0.25	7.78	≤23.98	11.57	PASS
	Ant2	5700	93.15	0.31	9.16	≤23.98	11.17	PASS
	total	5700	---	---	11.53	≤23.98	15.32	PASS
	Ant1	5720	93.15	0.31	7.94	≤23.98	11.73	PASS
	Ant2	5720	94.44	0.25	9.17	≤23.98	11.18	PASS
	total	5720	---	---	11.61	≤23.98	15.40	PASS
	Ant1	5745	94.44	0.25	7.48	≤30.00	11.27	PASS
	Ant2	5745	93.15	0.31	8.76	≤30.00	10.77	PASS
	total	5745	---	---	11.18	≤30.00	14.97	PASS
	Ant1	5785	94.44	0.25	9.60	≤30.00	13.39	PASS
	Ant2	5785	93.15	0.31	10.65	≤30.00	12.66	PASS
	total	5785	---	---	13.17	≤30.00	16.96	PASS
	Ant1	5825	93.15	0.31	7.32	≤30.00	11.11	PASS
	Ant2	5825	93.15	0.31	8.35	≤30.00	10.36	PASS
	total	5825	---	---	10.88	≤30.00	14.67	PASS
11AC40MIMO	Ant1	5190	89.74	0.47	11.01	≤23.98	14.80	PASS
	Ant2	5190	87.50	0.58	12.89	≤23.98	14.90	PASS
	total	5190	---	---	15.06	≤23.98	18.85	PASS
	Ant1	5230	87.50	0.58	11.70	≤23.98	15.49	PASS
	Ant2	5230	87.50	0.58	12.60	≤23.98	14.61	PASS
	total	5230	---	---	15.18	≤23.98	18.97	PASS
	Ant1	5270	87.50	0.58	11.89	≤23.98	15.68	PASS
	Ant2	5270	87.50	0.58	12.59	≤23.98	14.60	PASS
	total	5270	---	---	15.26	≤23.98	19.05	PASS
	Ant1	5310	89.74	0.47	11.10	≤23.98	14.89	PASS
	Ant2	5310	87.50	0.58	11.95	≤23.98	13.96	PASS
	total	5310	---	---	14.56	≤23.98	18.35	PASS
	Ant1	5510	89.74	0.47	9.57	≤23.98	13.36	PASS
	Ant2	5510	87.50	0.58	10.54	≤23.98	12.55	PASS
	total	5510	---	---	13.09	≤23.98	16.88	PASS
	Ant1	5550	87.50	0.58	9.52	≤23.98	13.31	PASS
	Ant2	5550	87.50	0.58	10.60	≤23.98	12.61	PASS
	total	5550	---	---	13.10	≤23.98	16.89	PASS
	Ant1	5670	87.50	0.58	7.30	≤23.98	11.09	PASS
	Ant2	5670	89.74	0.47	9.19	≤23.98	11.20	PASS
	total	5670	---	---	11.36	≤23.98	15.15	PASS
	Ant1	5710	87.50	0.58	7.14	≤23.98	10.93	PASS
	Ant2	5710	89.74	0.47	8.59	≤23.98	10.60	PASS
	total	5710	---	---	10.94	≤23.98	14.73	PASS
	Ant1	5755	87.50	0.58	6.50	≤30.00	10.29	PASS
	Ant2	5755	87.50	0.58	8.02	≤30.00	10.03	PASS
	total	5755	---	---	10.34	≤30.00	14.13	PASS
	Ant1	5795	87.50	0.58	6.60	≤30.00	10.39	PASS
	Ant2	5795	89.74	0.47	7.73	≤30.00	9.74	PASS
	total	5795	---	---	10.21	≤30.00	14.00	PASS
11AC80MIMO	Ant1	5210	78.26	1.06	10.74	≤23.98	14.53	PASS
	Ant2	5210	82.61	0.83	12.71	≤23.98	14.72	PASS
	total	5210	---	---	14.85	≤23.98	18.64	PASS
	Ant1	5290	78.26	1.06	10.87	≤23.98	14.66	PASS
	Ant2	5290	78.26	1.06	12.76	≤23.98	14.77	PASS
	total	5290	---	---	14.93	≤23.98	18.72	PASS
	Ant1	5530	78.26	1.06	8.99	≤23.98	12.78	PASS
	Ant2	5530	78.26	1.06	10.01	≤23.98	12.02	PASS
	total	5530	---	---	12.54	≤23.98	16.33	PASS
	Ant1	5610	82.61	0.83	8.42	≤23.98	12.21	PASS
	Ant2	5610	78.26	1.06	10.04	≤23.98	12.05	PASS
	total	5610	---	---	12.32	≤23.98	16.11	PASS
	Ant1	5690	82.61	0.83	7.19	≤23.98	10.98	PASS
	Ant2	5690	82.61	0.83	8.89	≤23.98	10.90	PASS
	total	5690	---	---	11.13	≤23.98	14.92	PASS
	Ant1	5775	78.26	1.06	6.70	≤30.00	10.49	PASS
	Ant2	5775	78.26	1.06	7.97	≤30.00	9.98	PASS

	total	5775	---	---	10.39	≤30.00	14.18	PASS
--	-------	------	-----	-----	-------	--------	-------	------

9. Power Spectral Density

9.1. Block diagram of test setup



9.2. Limits

FCC Part15, Subpart E		
Test Item	Limit	Frequency Range (MHz)
Power Spectral Density	Other than Mobile and portable:17 dBm/MHz Mobile and portable client devices:11 dBm/MHz	5150-5250
	11 dBm/MHz	5250-5350
	11 dBm/MHz	5470 - 5725
	30 dBm/500 kHz	5725-5850
Note: If transmitting antennas of directional gain greater than 6 dBi are used, the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi, but for fixed point-to-point transmitters operating in 5150-5250MHz band that employ a directional antenna gain greater than 23 dBi, a 1 dB reduction in maximum Power Spectral Density.		

9.3. Test procedure

The transmitter output was connected to a spectrum analyzer. Power density was measured by spectrum analyzer with 1MHz RBW and 3MHz VBW.

Connect the UUT to the spectrum analyser and use the following settings:

5150 MHz~5250 MHz, 5250 MHz~5350 MHz, 5470 MHz~5725 MHz

Center Frequency	The centre frequency of the channel under test
Detector	RMS
RBW	1MHz
VBW	≥3 × RBW
Span	Encompass the entire emissions bandwidth (EBW) of the signal
Trace	Max hold
Sweep time	Auto

5725 MHz-5850 MHz

Center Frequency	The centre frequency of the channel under test
------------------	--

Detector	RMS
RBW	500 kHz
VBW	$\geq 3 \times \text{RBW}$
Span	Encompass the entire emissions bandwidth (EBW) of the signal
Trace	Max hold
Sweep time	Auto

9.4. Test result

Test Engineer:	Tan Shaofeng	Test Site:	RF Measurement System 3#
Ambient Condition:	24.5-26.1℃,37.2-42.9%RH	Test Date:	2026.7.8-2026.8.20
Test Power Supply:	DC 5V	Sample Number:	S26040120-036

Test Mode	Antenna	Freq. [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Verdict
11A	Ant1	5180	-0.70	≤11.00	3.09	PASS
	Ant2	5180	1.80	≤11.00	3.81	PASS
	Ant1	5200	-0.53	≤11.00	3.26	PASS
	Ant2	5200	1.79	≤11.00	3.80	PASS
	Ant1	5240	-0.07	≤11.00	3.72	PASS
	Ant2	5240	1.17	≤11.00	3.18	PASS
	Ant1	5260	0.09	≤11.00	3.88	PASS
	Ant2	5260	1.13	≤11.00	3.14	PASS
	Ant1	5280	0.16	≤11.00	3.95	PASS
	Ant2	5280	0.59	≤11.00	2.60	PASS
	Ant1	5320	-0.49	≤11.00	3.30	PASS
	Ant2	5320	0.15	≤11.00	2.16	PASS
	Ant1	5500	-0.82	≤11.00	2.97	PASS
	Ant2	5500	0.16	≤11.00	2.17	PASS
	Ant1	5580	-0.95	≤11.00	2.84	PASS
	Ant2	5580	-0.55	≤11.00	1.46	PASS
	Ant1	5700	-1.31	≤11.00	2.48	PASS
	Ant2	5700	-1.74	≤11.00	0.27	PASS
	Ant1	5720 UNII-2C	-3.14	≤11.00	0.65	PASS
	Ant2	5720 UNII-2C	-1.54	≤11.00	0.47	PASS
	Ant1	5720 UNII-3	-8.48	≤30.00	-4.69	PASS
	Ant2	5720 UNII-3	-6.90	≤30.00	-4.89	PASS
	Ant1	5745	-5.04	≤30.00	-1.25	PASS
	Ant2	5745	-3.36	≤30.00	-1.35	PASS
	Ant1	5785	-5.08	≤30.00	-1.29	PASS
	Ant2	5785	-4.46	≤30.00	-2.45	PASS
	Ant1	5825	-5.16	≤30.00	-1.37	PASS
	Ant2	5825	-3.85	≤30.00	-1.84	PASS
11N20MIMO	Ant1	5180	-0.38	≤11.00	3.41	PASS
	Ant2	5180	1.98	≤11.00	3.99	PASS
	total	5180	3.97	≤11.00	6.72	PASS
	Ant1	5200	-0.44	≤11.00	3.35	PASS
	Ant2	5200	1.78	≤11.00	3.79	PASS
	total	5200	3.82	≤11.00	6.59	PASS
	Ant1	5240	-0.09	≤11.00	3.70	PASS
	Ant2	5240	1.15	≤11.00	3.16	PASS
	total	5240	3.58	≤11.00	6.45	PASS
	Ant1	5260	0.24	≤11.00	4.03	PASS
	Ant2	5260	1.76	≤11.00	3.77	PASS
	total	5260	4.08	≤11.00	6.91	PASS
	Ant1	5280	-0.11	≤11.00	3.68	PASS
	Ant2	5280	1.17	≤11.00	3.18	PASS
	total	5280	3.59	≤11.00	6.45	PASS
	Ant1	5320	-0.63	≤11.00	3.16	PASS
	Ant2	5320	0.60	≤11.00	2.61	PASS
	total	5320	3.04	≤11.00	5.90	PASS
	Ant1	5500	-1.04	≤11.00	2.75	PASS
	Ant2	5500	-0.41	≤11.00	1.60	PASS
	total	5500	2.30	≤11.00	5.22	PASS
	Ant1	5580	-1.20	≤11.00	2.59	PASS
	Ant2	5580	-0.36	≤11.00	1.65	PASS
	total	5580	2.25	≤11.00	5.16	PASS
	Ant1	5700	-3.49	≤11.00	0.30	PASS
	Ant2	5700	-2.31	≤11.00	-0.30	PASS
	total	5700	0.15	≤11.00	3.02	PASS

	Ant1	5720 UNII-2C	-3.27	≤11.00	0.52	PASS
	Ant2	5720 UNII-2C	-2.05	≤11.00	-0.04	PASS
	total	5720 UNII-2C	0.39	≤11.00	3.26	PASS
	Ant1	5720 UNII-3	-8.58	≤30.00	-4.79	PASS
	Ant2	5720 UNII-3	-7.37	≤30.00	-5.36	PASS
	total	5720 UNII-3	-4.92	≤30.00	-2.06	PASS
	Ant1	5745	-6.60	≤30.00	-2.81	PASS
	Ant2	5745	-5.40	≤30.00	-3.39	PASS
	total	5745	-2.95	≤30.00	-0.08	PASS
	Ant1	5785	-6.30	≤30.00	-2.51	PASS
	Ant2	5785	-5.34	≤30.00	-3.33	PASS
	total	5785	-2.78	≤30.00	0.11	PASS
	Ant1	5825	-6.49	≤30.00	-2.70	PASS
	Ant2	5825	-5.44	≤30.00	-3.43	PASS
	total	5825	-2.92	≤30.00	-0.04	PASS
11N40MIMO	Ant1	5190	-3.30	≤11.00	0.49	PASS
	Ant2	5190	-1.22	≤11.00	0.79	PASS
	total	5190	0.87	≤11.00	3.65	PASS
	Ant1	5230	-3.08	≤11.00	0.71	PASS
	Ant2	5230	-1.62	≤11.00	0.39	PASS
	total	5230	0.72	≤11.00	3.56	PASS
	Ant1	5270	-3.20	≤11.00	0.59	PASS
	Ant2	5270	-1.91	≤11.00	0.10	PASS
	total	5270	0.50	≤11.00	3.36	PASS
	Ant1	5310	-3.59	≤11.00	0.20	PASS
	Ant2	5310	-2.44	≤11.00	-0.43	PASS
	total	5310	0.03	≤11.00	2.91	PASS
	Ant1	5510	-3.64	≤11.00	0.15	PASS
	Ant2	5510	-2.55	≤11.00	-0.54	PASS
	total	5510	-0.05	≤11.00	2.83	PASS
	Ant1	5550	-3.89	≤11.00	-0.10	PASS
	Ant2	5550	-2.53	≤11.00	-0.52	PASS
	total	5550	-0.15	≤11.00	2.71	PASS
	Ant1	5670	-5.96	≤11.00	-2.17	PASS
	Ant2	5670	-3.84	≤11.00	-1.83	PASS
	total	5670	-1.76	≤11.00	1.01	PASS
	Ant1	5710 UNII-2C	-6.05	≤11.00	-2.26	PASS
	Ant2	5710 UNII-2C	-4.25	≤11.00	-2.24	PASS
	total	5710 UNII-2C	-2.05	≤11.00	0.76	PASS
	Ant1	5710 UNII-3	-12.17	≤30.00	-8.38	PASS
	Ant2	5710 UNII-3	-10.61	≤30.00	-8.60	PASS
	total	5710 UNII-3	-8.31	≤30.00	-5.48	PASS
	Ant1	5755	-9.33	≤30.00	-5.54	PASS
	Ant2	5755	-7.61	≤30.00	-5.60	PASS
	total	5755	-5.38	≤30.00	-2.56	PASS
	Ant1	5795	-9.19	≤30.00	-5.40	PASS
	Ant2	5795	-7.67	≤30.00	-5.66	PASS
	total	5795	-5.35	≤30.00	-2.52	PASS
11AC20MIMO	Ant1	5180	-0.49	≤11.00	3.30	PASS
	Ant2	5180	1.99	≤11.00	4.00	PASS
	total	5180	3.93	≤11.00	6.67	PASS
	Ant1	5200	-0.15	≤11.00	3.64	PASS
	Ant2	5200	2.03	≤11.00	4.04	PASS
	total	5200	4.09	≤11.00	6.85	PASS
	Ant1	5240	0.25	≤11.00	4.04	PASS
	Ant2	5240	1.47	≤11.00	3.48	PASS
	total	5240	3.91	≤11.00	6.78	PASS
	Ant1	5260	0.24	≤11.00	4.03	PASS
	Ant2	5260	1.81	≤11.00	3.82	PASS
	total	5260	4.11	≤11.00	6.94	PASS
	Ant1	5280	-0.14	≤11.00	3.65	PASS
	Ant2	5280	1.34	≤11.00	3.35	PASS
	total	5280	3.67	≤11.00	6.51	PASS
	Ant1	5320	-0.63	≤11.00	3.16	PASS


	Ant2	5320	0.74	≤11.00	2.75	PASS
	total	5320	3.12	≤11.00	5.97	PASS
	Ant1	5500	-1.06	≤11.00	2.73	PASS
	Ant2	5500	-0.51	≤11.00	1.50	PASS
	total	5500	2.23	≤11.00	5.17	PASS
	Ant1	5580	-1.03	≤11.00	2.76	PASS
	Ant2	5580	-0.18	≤11.00	1.83	PASS
	total	5580	2.43	≤11.00	5.33	PASS
	Ant1	5700	-3.47	≤11.00	0.32	PASS
	Ant2	5700	-2.12	≤11.00	-0.11	PASS
	total	5700	0.27	≤11.00	3.12	PASS
	Ant1	5720 UNII-2C	-3.27	≤11.00	0.52	PASS
	Ant2	5720 UNII-2C	-2.08	≤11.00	-0.07	PASS
	total	5720 UNII-2C	0.38	≤11.00	3.25	PASS
	Ant1	5720 UNII-3	-8.63	≤30.00	-4.84	PASS
	Ant2	5720 UNII-3	-7.36	≤30.00	-5.35	PASS
	total	5720 UNII-3	-4.94	≤30.00	-2.08	PASS
	Ant1	5745	-6.49	≤30.00	-2.70	PASS
	Ant2	5745	-5.24	≤30.00	-3.23	PASS
	total	5745	-2.81	≤30.00	0.05	PASS
	Ant1	5785	-4.35	≤30.00	-0.56	PASS
	Ant2	5785	-3.16	≤30.00	-1.15	PASS
	total	5785	-0.70	≤30.00	2.17	PASS
	Ant1	5825	-6.37	≤30.00	-2.58	PASS
	Ant2	5825	-5.34	≤30.00	-3.33	PASS
	total	5825	-2.81	≤30.00	0.07	PASS
11AC40MIMO	Ant1	5190	-2.96	≤11.00	0.83	PASS
	Ant2	5190	-1.27	≤11.00	0.74	PASS
	total	5190	0.98	≤11.00	3.80	PASS
	Ant1	5230	-2.88	≤11.00	0.91	PASS
	Ant2	5230	-1.88	≤11.00	0.13	PASS
	total	5230	0.66	≤11.00	3.55	PASS
	Ant1	5270	-2.90	≤11.00	0.89	PASS
	Ant2	5270	-1.99	≤11.00	0.02	PASS
	total	5270	0.59	≤11.00	3.49	PASS
	Ant1	5310	-3.27	≤11.00	0.52	PASS
	Ant2	5310	-2.61	≤11.00	-0.60	PASS
	total	5310	0.08	≤11.00	3.01	PASS
	Ant1	5510	-4.61	≤11.00	-0.82	PASS
	Ant2	5510	-3.69	≤11.00	-1.68	PASS
	total	5510	-1.12	≤11.00	1.78	PASS
	Ant1	5550	-5.01	≤11.00	-1.22	PASS
	Ant2	5550	-3.93	≤11.00	-1.92	PASS
	total	5550	-1.43	≤11.00	1.45	PASS
	Ant1	5670	-7.27	≤11.00	-3.48	PASS
	Ant2	5670	-5.58	≤11.00	-3.57	PASS
	total	5670	-3.33	≤11.00	-0.51	PASS
	Ant1	5710 UNII-2C	-7.32	≤11.00	-3.53	PASS
	Ant2	5710 UNII-2C	-5.84	≤11.00	-3.83	PASS
	total	5710 UNII-2C	-3.51	≤11.00	-0.67	PASS
	Ant1	5710 UNII-3	-13.46	≤30.00	-9.67	PASS
	Ant2	5710 UNII-3	-12.09	≤30.00	-10.08	PASS
	total	5710 UNII-3	-9.71	≤30.00	-6.86	PASS
	Ant1	5755	-10.61	≤30.00	-6.82	PASS
	Ant2	5755	-9.02	≤30.00	-7.01	PASS
	total	5755	-6.73	≤30.00	-3.90	PASS
	Ant1	5795	-10.26	≤30.00	-6.47	PASS
	Ant2	5795	-9.23	≤30.00	-7.22	PASS
	total	5795	-6.70	≤30.00	-3.82	PASS
11AC80MIMO	Ant1	5210	-7.42	≤11.00	-3.63	PASS
	Ant2	5210	-5.49	≤11.00	-3.48	PASS
	total	5210	-3.34	≤11.00	-0.54	PASS
	Ant1	5290	-8.03	≤11.00	-4.24	PASS
	Ant2	5290	-5.97	≤11.00	-3.96	PASS

	total	5290	-3.87	≤11.00	-1.09	PASS
	Ant1	5530	-9.48	≤11.00	-5.69	PASS
	Ant2	5530	-8.36	≤11.00	-6.35	PASS
	total	5530	-5.87	≤11.00	-3.00	PASS
	Ant1	5610	-10.45	≤11.00	-6.66	PASS
	Ant2	5610	-8.83	≤11.00	-6.82	PASS
	total	5610	-6.55	≤11.00	-3.73	PASS
	Ant1	5690_UNII-2C	-11.73	≤11.00	-7.94	PASS
	Ant2	5690_UNII-2C	-9.87	≤11.00	-7.86	PASS
	total	5690_UNII-2C	-7.69	≤11.00	-4.89	PASS
	Ant1	5690_UNII-3	-15.33	≤30.00	-11.54	PASS
	Ant2	5690_UNII-3	-13.69	≤30.00	-11.68	PASS
	total	5690_UNII-3	-11.42	≤30.00	-8.60	PASS
	Ant1	5775	-14.57	≤30.00	-10.78	PASS
	Ant2	5775	-13.01	≤30.00	-11.00	PASS
	total	5775	-10.71	≤30.00	-7.88	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor is compensated in the graph.


9.5. Test graphs









11A_Ant2_5260




11A_Ant1_5280




11A_Ant2_5280




11A_Ant1_5320




11A_Ant2_5320




11A_Ant1_5500




11A_Ant2_5500




11A_Ant1_5580




11A_Ant2_5580




11A_Ant1_5700




11A_Ant2_5700




11A_Ant1_5720_UNII-2C




11A_Ant2_5720_UNII-2C




11A_Ant1_5720_UNII-3




11A_Ant2_5720_UNII-3




11A_Ant1_5745




11A_Ant2_5745




11A_Ant1_5785



11A_Ant2_5785




11A_Ant1_5825




11A_Ant2_5825







11N20MIMO_Ant2_5200




11N20MIMO_Ant1_5240




11N20MIMO_Ant2_5240




11N20MIMO_Ant1_5260




11N20MIMO_Ant2_5260




11N20MIMO_Ant1_5280









11N20MIMO_Ant2_5580




11N20MIMO_Ant1_5700




11N20MIMO_Ant2_5700




11N20MIMO_Ant1_5720_UNII-2C




11N20MIMO_Ant2_5720_UNII-2C




11N20MIMO_Ant1_5720_UNII-3




11N20MIMO_Ant2_5720_UNII-3




11N20MIMO_Ant1_5745




11N20MIMO_Ant2_5745




11N20MIMO_Ant1_5785




11N20MIMO_Ant2_5785




11N20MIMO_Ant1_5825




11N20MIMO_Ant2_5825




11N40MIMO_Ant1_5190




11N40MIMO_Ant2_5190




11N40MIMO_Ant1_5230




11N40MIMO_Ant2_5230




11N40MIMO_Ant1_5270









11N40MIMO_Ant2_5550




11N40MIMO_Ant1_5670




11N40MIMO_Ant2_5670




11N40MIMO_Ant1_5710_UNII-2C




11N40MIMO_Ant2_5710_UNII-2C




11N40MIMO_Ant1_5710_UNII-3




11N40MIMO_Ant2_5710_UNII-3




11N40MIMO_Ant1_5755




11N40MIMO_Ant2_5755




11N40MIMO_Ant1_5795




11N40MIMO_Ant2_5795




11AC20MIMO_Ant1_5180




11AC20MIMO_Ant2_5180




11AC20MIMO_Ant1_5200




11AC20MIMO_Ant2_5200




11AC20MIMO_Ant1_5240




11AC20MIMO_Ant2_5240




11AC20MIMO_Ant1_5260




11AC20MIMO_Ant2_5260




11AC20MIMO_Ant1_5280




11AC20MIMO_Ant2_5280




11AC20MIMO_Ant1_5320




11AC20MIMO_Ant2_5320




11AC20MIMO_Ant1_5500




11AC20MIMO_Ant2_5500




11AC20MIMO_Ant1_5580




11AC20MIMO_Ant2_5580






11AC20MIMO_Ant2_5720_UNII-2C



11AC20MIMO_Ant1_5720_UNII-3



11AC20MIMO_Ant2_5720_UNII-3