

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

<Adapter Mode>

Band Edges, 2.31GHz ~ 2.9GHz


802.11b

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2383.28	59.09	21.55	37.54	74.00	-14.91	221	49	Peak	Horizontal	
2 *	2412.00	116.53	78.88	37.65	74.00	42.53	221	49	Peak	Horizontal	
3	2850.79	55.39	17.23	38.16	74.00	-18.61	221	49	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2385.64	72.16	34.60	37.56	74.00	-1.84	351	360	Peak	Vertical	
2 *	2411.13	115.56	77.91	37.65	74.00	41.56	351	360	Peak	Vertical	
3	2507.65	55.86	18.00	37.86	74.00	-18.14	351	360	Peak	Vertical	

802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 2383.75	51.80	14.25	37.55	54.00	-2.20	221	49 Average	Horizontal
2 * 2412.00	113.93	76.28	37.65	54.00	59.93	221	49 Average	Horizontal
3 2505.53	44.27	6.41	37.86	54.00	-9.73	221	49 Average	Horizontal

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 2399.00	50.38	12.80	37.58	54.00	-3.62	351	360 Average	Vertical
2 * 2411.13	113.17	75.52	37.65	54.00	59.17	351	360 Average	Vertical
3 2507.06	45.74	7.88	37.86	54.00	-8.26	351	360 Average	Vertical

802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Line	Limit			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2365.70	56.62	19.17	37.45	74.00	-17.38	242	318 Peak Horizontal
2 *	2462.00	116.90	79.17	37.73	74.00	42.90	242	318 Peak Horizontal
3	2486.76	61.42	23.62	37.80	74.00	-12.58	242	318 Peak Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Line	Limit			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2382.57	54.56	17.02	37.54	74.00	-19.44	186	33 Peak Vertical
2	2410.06	61.15	23.51	37.64	74.00	-12.85	186	33 Peak Vertical
3	2422.10	61.50	23.84	37.66	74.00	-12.50	186	33 Peak Vertical
4 *	2462.00	112.62	74.09	37.73	74.00	38.62	186	33 Peak Vertical
5	2498.68	56.04	18.19	37.85	74.00	-17.96	186	33 Peak Vertical

802.11b

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2364.63	46.98	9.53	37.45	54.00	-7.02	242	318 Average Horizontal
2	2402.28	51.36	13.73	37.63	54.00	-2.64	242	318 Average Horizontal
3	2422.34	52.99	15.33	37.66	54.00	-1.01	242	318 Average Horizontal
4	2461.28	114.39	76.67	37.72	54.00	60.39	242	318 Average Horizontal
5	2486.17	52.94	15.14	37.80	54.00	-1.06	242	318 Average Horizontal

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2367.11	43.71	6.25	37.46	54.00	-10.29	186	33 Average Vertical
2	2422.69	49.19	11.53	37.66	54.00	-4.81	186	33 Average Vertical
3	2462.00	111.00	73.27	37.73	54.00	57.00	186	33 Average Vertical
4	2485.94	48.34	10.54	37.80	54.00	-5.66	186	33 Average Vertical

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.12	68.21	30.64	37.57	74.00	-5.79		222	46	Peak	Horizontal	
2	2412.00	120.14	82.49	37.65	74.00	46.14		222	46	Peak	Horizontal	
3	2522.05	55.56	17.68	37.88	74.00	-18.44		222	46	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.41	70.92	33.34	37.58	74.00	-3.08		171	32	Peak	Vertical	
2	2412.00	116.34	78.69	37.65	74.00	42.34		171	32	Peak	Vertical	
3	2812.09	56.25	18.05	38.20	74.00	-17.75		171	32	Peak	Vertical	

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 2388.23	53.88	16.31	37.57	54.00	-0.12	222	46 Average	Horizontal
2 * 2412.00	110.51	72.86	37.65	54.00	56.51	222	46 Average	Horizontal
3 2505.05	43.00	5.14	37.86	54.00	-11.00	222	46 Average	Horizontal

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 2388.47	53.78	16.21	37.57	54.00	-0.22	171	32 Average	Vertical
2 * 2412.00	106.40	68.75	37.65	54.00	52.40	171	32 Average	Vertical
3 2505.17	42.72	4.86	37.86	54.00	-11.28	171	32 Average	Vertical

802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2364.87	56.20	18.75	37.45	74.00	-17.80	198	50	Peak	Horizontal		
2 *	2462.00	117.65	79.92	37.73	74.00	43.65	198	50	Peak	Horizontal		
3	2483.46	66.04	28.24	37.80	74.00	-7.96	198	50	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2337.97	54.58	17.24	37.34	74.00	-19.42	335	35	Peak	Vertical		
2 *	2462.00	114.89	77.16	37.73	74.00	40.89	335	35	Peak	Vertical		
3	2484.29	63.01	25.21	37.80	74.00	-10.99	335	35	Peak	Vertical		

802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2366.29	43.25	5.79	37.46	54.00	-10.75	198	50	Average	Horizontal		
2 *	2462.00	108.13	70.40	37.73	54.00	54.13	198	50	Average	Horizontal		
3 †	2483.46	52.14	14.34	37.80	54.00	-1.86	198	50	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2337.73	42.44	5.10	37.34	54.00	-11.56	335	35	Average	Vertical		
2 *	2462.00	105.03	67.30	37.73	54.00	51.03	335	35	Average	Vertical		
3 †	2483.46	48.42	10.62	37.80	54.00	-5.58	335	35	Average	Vertical		

802.11ac VHT20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.12	64.90	27.33	37.57	74.00	-9.10	300	319	Peak	Horizontal		
2 *	2437.00	122.34	84.66	37.68	74.00	48.34	300	319	Peak	Horizontal		
3	2488.42	65.92	28.10	37.82	74.00	-8.08	300	319	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2386.82	65.05	27.48	37.57	74.00	-8.95	189	33	Peak	Vertical		
2 *	2437.00	119.14	81.46	37.68	74.00	45.14	189	33	Peak	Vertical		
3	2485.23	63.07	25.27	37.80	74.00	-10.93	189	33	Peak	Vertical		

802.11ac VHT20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 2388.59	52.16	14.59	37.57	54.00	-1.84	300	319 Average	Horizontal
2 * 2437.00	111.87	74.19	37.68	54.00	57.87	300	319 Average	Horizontal
3 2483.46	52.22	14.42	37.80	54.00	-1.78	300	319 Average	Horizontal

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 2386.82	52.01	14.44	37.57	54.00	-1.99	189	33 Average	Vertical
2 * 2437.00	108.43	70.75	37.68	54.00	54.43	189	33 Average	Vertical
3 2484.64	49.86	12.06	37.80	54.00	-4.14	189	33 Average	Vertical

802.11ac VHT20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2386.58	56.43	18.86	37.57	74.00	-17.57	324	319	Peak	Horizontal		
2	2422.57	61.09	23.43	37.66	74.00	-12.91	324	319	Peak	Horizontal		
3 *	2462.00	116.37	78.64	37.73	74.00	42.37	324	319	Peak	Horizontal		
4 !	2483.81	68.68	30.88	37.80	74.00	-5.32	324	319	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.30	54.96	17.38	37.58	74.00	-19.04	249	34	Peak	Vertical		
2 *	2462.00	113.81	76.08	37.73	74.00	39.81	249	34	Peak	Vertical		
3	2485.82	61.63	23.83	37.80	74.00	-12.37	249	34	Peak	Vertical		

802.11ac VHT20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2364.87	43.55	6.19	37.45	54.00	-10.45	324	319	Average	Horizontal		
2 *	2462.00	104.61	66.88	37.73	54.00	50.61	324	319	Average	Horizontal		
3 †	2483.93	52.21	14.41	37.80	54.00	-1.79	324	319	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2337.61	41.93	4.59	37.34	54.00	-12.07	249	34	Average	Vertical		
2 *	2462.00	102.42	64.69	37.73	54.00	48.42	249	34	Average	Vertical		
3	2484.05	46.19	8.39	37.80	54.00	-7.81	249	34	Average	Vertical		

802.11ac VHT40

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2399.00	67.31	29.73	37.58	74.00	-6.69	248	316	Peak	Horizontal		
2 *	2422.00	114.40	76.74	37.66	74.00	40.40	248	316	Peak	Horizontal		
3	2485.94	57.97	20.17	37.80	74.00	-16.03	248	316	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.05	56.68	19.05	37.55	74.00	-17.40	284	345	Peak	Vertical		
2 *	2422.00	103.77	66.11	37.66	74.00	29.77	284	345	Peak	Vertical		
3	2515.67	55.16	17.29	37.87	74.00	-18.84	284	345	Peak	Vertical		

802.11ac VHT40

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level			Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2399.00	52.91	15.33	37.58	54.00	-1.09	248	316 Average	Horizontal	
2	2422.00	104.80	67.14	37.66	54.00	50.80	248	316 Average	Horizontal	
3	2483.46	45.88	8.08	37.80	54.00	-8.12	248	316 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level			Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.53	42.20	4.62	37.58	54.00	-11.80	284	345 Average	Vertical	
2	2422.00	95.98	56.32	37.66	54.00	39.98	284	345 Average	Vertical	
3	2513.43	41.96	4.09	37.87	54.00	-12.04	284	345 Average	Vertical	

802.11ac VHT40

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2389.09	59.14	21.61	37.53	74.00	-14.86	100	63 Peak Horizontal
2 *	2452.00	113.62	75.93	37.69	74.00	39.62	100	63 Peak Horizontal
3 †	2486.17	68.97	31.17	37.80	74.00	-5.03	100	63 Peak Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2334.78	53.78	16.45	37.33	74.00	-20.22	334	344 Peak Vertical
2 *	2452.00	103.88	66.19	37.69	74.00	29.88	334	344 Peak Vertical
3	2483.93	62.17	24.37	37.80	74.00	-11.83	334	344 Peak Vertical

802.11ac VHT40

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2396.00	46.25	8.67	37.58	54.00	-7.75	100	63 Average	Horizontal	
2 *	2452.00	104.12	66.43	37.69	54.00	50.12	100	63 Average	Horizontal	
3 †	2483.70	52.99	15.19	37.80	54.00	-1.01	100	63 Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2381.04	41.36	3.83	37.53	54.00	-12.64	334	344 Average	Vertical	
2 *	2452.00	94.68	56.99	37.69	54.00	40.68	334	344 Average	Vertical	
3	2483.70	47.14	9.34	37.80	54.00	-6.86	334	344 Average	Vertical	

802.11ax HE20_OFDM

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2398.00	67.92	30.34	37.58	74.00	-6.08	222	46 Peak Horizontal
2 *	2412.00	121.96	84.31	37.65	74.00	47.96	222	46 Peak Horizontal
3	2492.31	56.70	18.88	37.82	74.00	-17.30	222	46 Peak Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2389.77	59.37	21.79	37.58	74.00	-14.63	118	31 Peak Vertical
2 *	2412.00	114.16	76.51	37.65	74.00	40.16	118	31 Peak Vertical
3	2651.14	55.72	17.69	38.03	74.00	-18.28	118	31 Peak Vertical

802.11ax HE20_OFDM

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 2398.00	52.08	14.50	37.58	54.00	-1.92	222	46 Average	Horizontal
2 * 2412.00	108.95	71.30	37.65	54.00	54.95	222	46 Average	Horizontal
3 2509.18	42.85	4.99	37.86	54.00	-11.15	222	46 Average	Horizontal

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 2389.89	49.05	11.47	37.58	54.00	-4.95	118	31 Average	Vertical
2 * 2412.00	104.26	66.61	37.65	54.00	50.26	118	31 Average	Vertical
3 2510.01	42.82	4.96	37.86	54.00	-11.18	118	31 Average	Vertical

802.11ax HE20_OFDM

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.47	54.39	16.82	37.57	74.00	-19.61	371	360	Peak	Horizontal		
2 *	2462.00	115.03	77.30	37.73	74.00	41.03	371	360	Peak	Horizontal		
3	2484.64	65.12	27.32	37.80	74.00	-8.88	371	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2363.93	56.32	18.87	37.45	74.00	-17.68	368	0	Peak	Vertical		
2 *	2462.00	118.15	80.42	37.73	74.00	44.15	368	0	Peak	Vertical		
3 †	2483.81	68.76	30.96	37.80	74.00	-5.24	368	0	Peak	Vertical		

802.11ax HE20_OFDM

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2335.13	41.46	4.13	37.33	54.00	-12.54		371	360	Average	Horizontal	
2 *	2462.00	102.34	64.61	37.73	54.00	48.34		371	360	Average	Horizontal	
3	2483.70	47.85	10.05	37.80	54.00	-6.15		371	360	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2362.75	43.78	6.34	37.44	54.00	-10.22		368	0	Average	Vertical	
2 *	2462.00	105.03	67.30	37.73	54.00	51.03		368	0	Average	Vertical	
3 !	2483.46	53.10	15.30	37.80	54.00	-0.90		368	0	Average	Vertical	

802.11ax HE40_OFDM

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 2383.99	69.48	31.93	37.55	74.00	-4.52	111	50 Peak	Horizontal
2 * 2422.00	118.65	88.99	37.66	74.00	44.65	111	50 Peak	Horizontal
3 2485.35	60.93	23.13	37.80	74.00	-13.07	111	50 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 2385.64	67.38	29.82	37.56	74.00	-6.62	232	347 Peak	Vertical
2 * 2422.00	118.67	81.01	37.66	74.00	44.67	232	347 Peak	Vertical
3 2485.35	59.90	22.10	37.80	74.00	-14.10	232	347 Peak	Vertical

802.11ax HE40_OFDM

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 2389.89	53.27	15.69	37.58	54.00	-0.73	111	50	Average Horizontal
2 * 2422.00	105.56	67.90	37.66	54.00	51.56	111	50	Average Horizontal
3 2483.70	47.10	9.30	37.80	54.00	-6.90	111	50	Average Horizontal

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 2389.89	52.68	15.10	37.58	54.00	-1.32	232	347	Average Vertical
2 * 2422.00	105.22	67.56	37.66	54.00	51.22	232	347	Average Vertical
3 2484.05	47.49	9.69	37.80	54.00	-6.51	232	347	Average Vertical

802.11ax HE40_OFDM

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2386.82	56.64	19.87	37.57	74.00	-17.36	195	49 Peak Horizontal
2 *	2452.00	115.62	77.93	37.69	74.00	41.62	195	49 Peak Horizontal
3	2483.93	67.18	29.38	37.80	74.00	-6.82	195	49 Peak Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2351.77	55.30	17.91	37.39	74.00	-18.70	334	34 Peak Vertical
2 *	2452.00	114.20	76.51	37.69	74.00	40.20	334	34 Peak Vertical
3	2483.46	61.52	23.72	37.80	74.00	-12.48	334	34 Peak Vertical

802.11ax HE40_OFDM

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.47	44.20	6.63	37.57	54.00	-9.80	195	49	Average	Horizontal		
2 *	2452.00	103.60	65.91	37.69	54.00	49.60	195	49	Average	Horizontal		
3 †	2483.70	51.22	13.42	37.80	54.00	-2.78	195	49	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2352.24	42.61	5.22	37.39	54.00	-11.39	334	34	Average	Vertical		
2 *	2452.00	102.24	64.55	37.69	54.00	48.24	334	34	Average	Vertical		
3	2483.46	47.82	10.02	37.80	54.00	-6.18	334	34	Average	Vertical		

802.11ax HE20_OFDMA

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	71.62	34.04	37.58	74.00	-2.38	222	45	Peak	Horizontal	
2	2412.00	122.53	84.88	37.65	74.00	48.53	222	45	Peak	Horizontal	
3	2522.52	55.47	17.59	37.88	74.00	-18.53	222	45	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.30	64.24	26.66	37.58	74.00	-9.76	118	29	Peak	Vertical	
2	2412.00	114.82	77.17	37.65	74.00	40.82	118	29	Peak	Vertical	
3	2624.23	55.60	17.60	38.00	74.00	-18.40	118	29	Peak	Vertical	

802.11ax HE20_OFDMA

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	53.71	16.13	37.58	54.00	-0.29	222	45	Average	Horizontal		
2 *	2412.00	109.21	71.56	37.65	54.00	55.21	222	45	Average	Horizontal		
3	2510.01	42.69	4.83	37.86	54.00	-11.31	222	45	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	51.71	14.13	37.58	54.00	-2.29	118	29	Average	Vertical		
2 *	2412.00	104.31	66.66	37.65	54.00	50.31	118	29	Average	Vertical		
3	2509.77	42.55	4.69	37.86	54.00	-11.45	118	29	Average	Vertical		

802.11ax HE20_OFDMA

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2366.64	56.72	19.26	37.46	74.00	-17.28	241			318 Peak	Horizontal	
2 *	2462.00	120.49	82.76	37.73	74.00	46.49	241			318 Peak	Horizontal	
3	2483.81	67.32	29.52	37.80	74.00	-6.68	241			318 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2364.16	54.35	16.90	37.45	74.00	-19.65	226			25 Peak	Vertical	
2 *	2462.00	118.69	80.96	37.73	74.00	44.69	226			25 Peak	Vertical	
3	2485.58	61.47	23.67	37.80	74.00	-12.53	226			25 Peak	Vertical	

802.11ax HE20_OFDMA

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2366.05	43.36	5.91	37.45	54.00	-10.64	241	318	Average	Horizontal	
2 *	2462.00	107.31	69.58	37.73	54.00	53.31	241	318	Average	Horizontal	
3 †	2483.58	50.65	12.85	37.80	54.00	-3.35	241	318	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2367.05	41.57	4.00	37.57	54.00	-12.43	226	25	Average	Vertical	
2 *	2462.00	105.11	67.38	37.73	54.00	51.11	226	25	Average	Vertical	
3	2483.46	47.24	9.44	37.80	54.00	-6.76	226	25	Average	Vertical	

802.11ax HE40_OFDMA

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.71	68.59	31.02	37.57	74.00	-5.41	252	328	Peak	Horizontal		
2 *	2422.00	116.36	78.70	37.66	74.00	42.36	252	328	Peak	Horizontal		
3	2538.33	56.55	18.65	37.90	74.00	-17.45	252	328	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.76	65.59	28.02	37.57	74.00	-8.41	231	31	Peak	Vertical		
2 *	2422.00	114.26	76.60	37.66	74.00	40.26	231	31	Peak	Vertical		
3	2874.98	55.65	17.36	38.29	74.00	-18.35	231	31	Peak	Vertical		

802.11ax HE40_OFDMA

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.77	52.57	14.99	37.58	54.00	-1.43	252	328	Average	Horizontal		
2	2422.00	104.08	66.42	37.66	54.00	50.08	252	328	Average	Horizontal		
3	2514.85	43.56	5.69	37.87	54.00	-10.44	252	328	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.77	49.71	12.13	37.58	54.00	-4.29	231	31	Average	Vertical		
2	2422.00	101.64	63.98	37.66	54.00	47.64	231	31	Average	Vertical		
3	2484.76	42.57	4.77	37.80	54.00	-11.43	231	31	Average	Vertical		

802.11ax HE40_OFDMA

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2376.55	58.73	21.22	37.51	74.00	-15.27	234	54	Peak	Horizontal	
2 *	2452.00	115.94	78.25	37.69	74.00	41.94	234	54	Peak	Horizontal	
3 †	2485.94	69.52	31.72	37.80	74.00	-4.48	234	54	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.53	60.67	23.09	37.58	74.00	-13.33	226	1	Peak	Vertical	
2 *	2452.00	114.68	76.99	37.69	74.00	40.68	226	1	Peak	Vertical	
3 †	2485.11	68.36	30.56	37.80	74.00	-5.64	226	1	Peak	Vertical	

802.11ax HE40_OFDMA

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2375.14	44.65	7.15	37.50	54.00	-9.35	234		54 Average	Horizontal	
2 *	2452.00	103.40	65.71	37.69	54.00	49.40	234		54 Average	Horizontal	
3 †	2484.40	52.99	15.19	37.80	54.00	-1.01	234		54 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.53	45.41	7.83	37.58	54.00	-8.59	226		1 Average	Vertical	
2 *	2452.00	102.86	65.17	37.69	54.00	48.86	226		1 Average	Vertical	
3 †	2483.46	52.28	14.48	37.80	54.00	-1.72	226		1 Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11g

Low Channel 9kHz~150kHz(Open)

Low Channel 150kHz~30MHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	58.91	39.72	19.19	119.13	-60.22	100	182	QP	Open
2	0.04	45.05	25.67	19.38	114.96	-69.91	100	258	QP	Open
3	0.06	41.66	22.67	18.99	111.41	-69.75	100	258	QP	Open
4	0.09	38.93	20.41	18.52	108.92	-69.99	100	258	QP	Open
5	0.11	33.02	14.78	18.24	107.00	-73.98	100	318	QP	Open
6	0.13	29.63	11.30	18.33	105.23	-75.60	100	292	QP	Open



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.18	42.20	23.70	18.50	102.50	-60.30	100	283	QP	Open
2	1.16	33.07	13.77	19.30	66.28	-33.21	100	157	QP	Open
3	2.90	31.33	11.82	19.51	69.50	-38.17	100	312	QP	Open
4	8.75	33.46	12.55	20.91	69.50	-36.04	100	323	QP	Open
5	18.57	34.07	11.97	22.10	69.50	-35.43	100	220	QP	Open
6	25.31	35.42	12.98	22.44	69.50	-34.08	100	67	QP	Open

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	81.41	25.29	36.02	-10.73	40.00	-14.71	200	226 QP	Horizontal	
2	168.95	30.54	36.49	-5.95	43.50	-12.96	200	242 QP	Horizontal	
3	222.06	28.19	36.08	-7.89	46.00	-17.81	200	129 QP	Horizontal	
4	559.62	33.40	34.09	-0.69	46.00	-12.60	100	26 QP	Horizontal	
5	814.73	35.73	32.50	3.23	46.00	-10.27	100	22 QP	Horizontal	
6	947.62	33.46	28.09	5.37	46.00	-12.54	100	263 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	53.28	34.62	41.00	-6.38	40.00	-5.38	100	39 QP	Vertical	
2	106.63	31.82	41.86	-10.04	43.50	-11.68	100	37 QP	Vertical	
3	222.06	26.33	34.22	-7.89	46.00	-19.67	100	54 QP	Vertical	
4	303.54	27.65	32.39	-4.74	46.00	-18.35	100	5 QP	Vertical	
5	568.35	32.81	33.27	-0.46	46.00	-13.19	100	360 QP	Vertical	
6	845.77	32.62	28.89	3.73	46.00	-13.38	100	263 QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

Middle Channel (Horizontal)


Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

High Channel (Horizontal)


High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	46.57	56.38	-9.81	74.00	-27.43	100	360	Peak	Horizontal		
2	12868.00	53.23	53.39	-0.16	74.00	-20.77	117	360	Peak	Horizontal		
3	14472.00	48.45	45.87	2.58	74.00	-25.55	278	103	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	42.91	52.72	-9.81	74.00	-31.09	400	334	Peak	Vertical		
2	12868.00	52.42	52.58	-0.16	74.00	-21.58	279	77	Peak	Vertical		
3	14472.00	50.97	48.39	2.58	74.00	-23.03	116	360	Peak	Vertical		


802.11g

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	46.31	56.88	-9.77	74.00	-27.69	200	56	Peak	Horizontal		
2	7311.00	51.98	59.49	-7.51	74.00	-22.02	100	327	Peak	Horizontal		
3	12185.00	43.78	43.81	-0.03	54.00	-10.22	100	358	Average	Horizontal		
4	12185.00	57.01	57.04	-0.03	74.00	-16.99	100	358	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	41.05	50.82	-9.77	74.00	-32.95	228	304	Peak	Vertical		
2	7311.00	48.47	55.98	-7.51	74.00	-25.53	100	32	Peak	Vertical		
3	12185.00	53.17	53.20	-0.03	74.00	-20.83	263	156	Peak	Vertical		


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	48.96	58.64	-9.68	74.00	-25.04	155	360	Peak	Horizontal	
2	7386.00	41.97	49.40	-7.43	54.00	-12.03	100	42	Average	Horizontal	
3	7386.00	54.73	62.16	-7.43	74.00	-19.27	100	42	Peak	Horizontal	
4	12310.00	45.85	45.68	0.17	54.00	-8.15	102	357	Average	Horizontal	
5	12310.00	56.82	56.65	0.17	74.00	-17.18	102	357	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	43.46	53.14	-9.68	74.00	-30.54	200	45	Peak	Vertical	
2	7386.00	50.62	58.05	-7.43	74.00	-23.38	400	44	Peak	Vertical	
3	12310.00	53.73	53.56	0.17	74.00	-20.27	165	360	Peak	Vertical	


802.11ac VHT20

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	47.16	56.93	-9.77	74.00	-26.84	100	360	Peak	Horizontal		
2	7311.00	51.57	59.08	-7.51	74.00	-22.43	300	359	Peak	Horizontal		
3	12185.00	42.45	42.48	-0.03	54.00	-11.55	102	359	Average	Horizontal		
4	12185.00	55.50	55.53	-0.03	74.00	-18.50	102	359	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7311.00	47.77	55.28	-7.51	74.00	-26.23	332	360	Peak	Vertical		
2	12185.00	52.57	52.60	-0.03	74.00	-21.43	400	22	Peak	Vertical		


802.11ac VHT20

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	46.43	56.11	-9.68	74.00	-27.57	100	350	Peak	Horizontal		
2	7386.00	53.76	61.19	-7.43	74.00	-20.24	200	339	Peak	Horizontal		
3	12310.00	53.12	52.95	0.17	74.00	-20.88	112	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	41.87	51.55	-9.68	74.00	-32.13	382	360	Peak	Vertical		
2	7386.00	49.13	56.56	-7.43	74.00	-24.87	200	114	Peak	Vertical		
3	12310.00	52.62	52.45	0.17	74.00	-21.38	382	360	Peak	Vertical		


802.11ac VHT40

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4844.00	42.24	52.00	-9.76	74.00	-31.76	172	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4844.00	39.03	48.79	-9.76	74.00	-34.97	400	3	Peak	Vertical	

802.11ac VHT40

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	40.32	50.09	-9.77	74.00	-33.68	100	349	Peak	Horizontal		
2	7311.00	47.88	55.39	-7.51	74.00	-26.12	200	321	Peak	Horizontal		
3	9748.00	45.38	50.09	-4.71	74.00	-28.62	302	33	Peak	Horizontal		
4	12185.00	52.47	52.50	-0.03	74.00	-21.53	124	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	39.30	49.07	-9.77	74.00	-34.70	400	358	Peak	Vertical		
2	7311.00	45.34	52.85	-7.51	74.00	-28.66	100	48	Peak	Vertical		
3	9748.00	45.66	50.37	-4.71	74.00	-28.34	208	58	Peak	Vertical		
4	12185.00	50.88	50.91	-0.03	74.00	-23.12	100	35	Peak	Vertical		

802.11ac VHT40

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4924.00	48.43	50.11	-9.68	74.00	-33.57	100	58	Peak	Horizontal		
2 7386.00	49.32	56.75	-7.43	74.00	-24.68	200	313	Peak	Horizontal		
3 12310.00	50.66	50.49	0.17	74.00	-23.34	100	57	Peak	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4924.00	39.20	48.88	-9.68	74.00	-34.80	400	16	Peak	Vertical		
2 7386.00	41.25	48.68	-7.43	74.00	-32.75	400	68	Peak	Vertical		
3 12310.00	48.36	48.19	0.17	74.00	-25.64	279	51	Peak	Vertical		


802.11ax HE20_OFDM

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20_OFDM

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	48.24	58.01	-9.77	74.00	-25.76	200	50	Peak	Horizontal		
2	7311.00	41.57	49.08	-7.51	54.00	-12.43	190	317	Average	Horizontal		
3	7311.00	57.94	65.45	-7.51	74.00	-16.06	190	317	Peak	Horizontal		
4	9748.00	48.99	53.70	-4.71	74.00	-25.01	261	3	Peak	Horizontal		
5	12185.00	52.62	52.65	-0.03	74.00	-21.38	200	38	Peak	Horizontal		
6	14622.00	52.59	49.84	2.75	74.00	-21.41	300	335	Peak	Horizontal		
7	17059.00	52.88	46.06	6.82	74.00	-21.12	123	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	41.24	51.01	-9.77	74.00	-32.76	400	22	Peak	Vertical		
2	7311.00	48.72	56.23	-7.51	74.00	-25.28	133	360	Peak	Vertical		
3	9748.00	46.91	51.62	-4.71	74.00	-27.09	100	82	Peak	Vertical		
4	12185.00	52.88	52.91	-0.03	74.00	-21.12	300	0	Peak	Vertical		
5	14622.00	52.52	49.77	2.75	74.00	-21.48	156	360	Peak	Vertical		
6	17059.00	52.81	45.99	6.82	74.00	-21.19	105	360	Peak	Vertical		

802.11ax HE20_OFDM

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	46.78	56.46	-9.68	74.00	-27.22	100	3 Peak	Horizontal	
2	7386.00	39.75	47.18	-7.43	54.00	-14.25	200	360 Average	Horizontal	
3	7386.00	55.27	62.70	-7.43	74.00	-18.73	200	360 Peak	Horizontal	
4	9848.00	50.72	55.26	-4.54	74.00	-23.28	100	270 Peak	Horizontal	
5	12310.00	43.59	43.42	0.17	54.00	-10.41	100	359 Average	Horizontal	
6	12310.00	58.99	58.82	0.17	74.00	-15.01	100	359 Peak	Horizontal	
7	14772.00	52.03	48.96	3.07	74.00	-21.97	300	42 Peak	Horizontal	
8	17234.00	51.61	44.88	6.73	74.00	-22.39	200	235 Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	44.97	54.65	-9.68	74.00	-29.03	381	1 Peak	Vertical	
2	7386.00	49.18	56.61	-7.43	74.00	-24.82	200	4 Peak	Vertical	
3	9848.00	48.32	52.86	-4.54	74.00	-25.68	300	334 Peak	Vertical	
4	12310.00	52.56	52.39	0.17	74.00	-21.44	300	360 Peak	Vertical	
5	14772.00	37.41	34.34	3.07	54.00	-16.59	343	5 Average	Vertical	
6	14772.00	50.14	55.07	3.07	74.00	-15.86	343	5 Peak	Vertical	
7	17234.00	51.42	44.69	6.73	74.00	-22.58	100	358 Peak	Vertical	


802.11ax HE40_OFDM

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	4844.00	41.48	51.24	-9.76	74.00	-32.52		200	50	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	4844.00	38.80	48.56	-9.76	74.00	-35.20		400	25	Peak	Vertical	


802.11ax HE40_OFDM

Middle Channel (Horizontal)


Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40_OFDM

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4904.00	47.76	57.54	-9.78	74.00	-26.24	100	58	Peak	Horizontal		
2	7356.00	48.08	55.51	-7.43	74.00	-25.92	200	332	Peak	Horizontal		
3	9808.00	49.05	53.69	-4.64	74.00	-24.95	300	8	Peak	Horizontal		
4	12260.00	50.40	50.32	0.08	74.00	-23.60	100	61	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4904.00	37.58	47.36	-9.78	74.00	-36.42	100	48	Peak	Vertical		
2	7356.00	42.30	49.73	-7.43	74.00	-31.70	227	338	Peak	Vertical		
3	9808.00	46.74	51.38	-4.64	74.00	-27.26	400	359	Peak	Vertical		
4	12260.00	50.09	50.01	0.08	74.00	-23.91	400	337	Peak	Vertical		


802.11ax HE20_OFDMA

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4824.00	50.62	60.43	-9.81	74.00	-23.38	290	85	Peak	Horizontal		
2 12868.00	51.89	52.05	-0.16	74.00	-22.11	190	360	Peak	Horizontal		
3 14472.00	50.35	47.77	2.58	74.00	-23.65	300	354	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4824.00	40.10	49.91	-9.81	74.00	-33.90	395	360	Peak	Vertical		
2 12868.00	50.95	51.11	-0.16	74.00	-23.05	300	0	Peak	Vertical		
3 14472.00	52.94	50.36	2.58	74.00	-21.06	188	360	Peak	Vertical		

802.11ax HE20_OFDMA

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over								
Freq	Level	Level Factor	Line	Limit	APos	TPos	Remark	Pol/Phase	Note		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	48.58	58.35	-9.77	74.00	-25.42	100	360 Peak	Horizontal		
2	7311.00	52.74	60.25	-7.51	74.00	-21.26	200	251 Peak	Horizontal		
3	9748.00	48.70	53.41	-4.71	74.00	-25.30	100	281 Peak	Horizontal		
4	12185.00	52.94	52.97	-0.03	74.00	-21.06	200	268 Peak	Horizontal		
5	14622.00	52.30	49.55	2.75	74.00	-21.70	300	360 Peak	Horizontal		
6	17059.00	48.18	41.36	6.82	74.00	-25.82	100	332 Peak	Horizontal		




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Limit	Over								
Freq	Level	Level Factor	Line	Limit	APos	TPos	Remark	Pol/Phase	Note		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	43.05	52.82	-9.77	74.00	-30.95	400	14 Peak	Vertical		
2	7311.00	50.61	58.12	-7.51	74.00	-23.39	200	28 Peak	Vertical		
3	9748.00	48.08	52.79	-4.71	74.00	-25.92	300	22 Peak	Vertical		
4	12185.00	40.14	40.17	-0.03	54.00	-13.86	346	354 Average	Vertical		
5	12185.00	56.10	56.13	-0.03	74.00	-17.90	346	354 Peak	Vertical		
6	14622.00	52.43	49.68	2.75	74.00	-21.57	172	360 Peak	Vertical		
7	17059.00	51.33	44.51	6.82	74.00	-22.67	112	360 Peak	Vertical		

802.11ax HE20_OFDMA
High Channel (Horizontal)
High Channel (Vertical)

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	49.30	58.98	-9.68	74.00	-24.70	100	335 Peak	Horizontal	
2	7386.00	52.74	60.17	-7.43	74.00	-21.26	100	40 Peak	Horizontal	
3	9848.00	49.01	53.55	-4.54	74.00	-24.99	100	269 Peak	Horizontal	
4	12310.00	43.23	43.06	0.17	54.00	-10.77	100	293 Average	Horizontal	
5	12310.00	60.04	60.67	0.17	74.00	-13.16	100	293 Peak	Horizontal	
6	14772.00	39.50	36.43	3.07	54.00	-14.50	300	331 Average	Horizontal	
7	14772.00	61.42	58.35	3.07	74.00	-12.58	300	331 Peak	Horizontal	
8	17234.00	52.55	45.82	6.73	74.00	-21.45	100	290 Peak	Horizontal	


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	44.80	54.48	-9.68	74.00	-29.20	400	11 Peak	Vertical	
2	7386.00	50.76	58.19	-7.43	74.00	-23.24	100	99 Peak	Vertical	
3	9848.00	47.31	51.85	-4.54	74.00	-26.69	400	344 Peak	Vertical	
4	12310.00	41.58	41.41	0.17	54.00	-12.42	299	8 Average	Vertical	
5	12310.00	59.29	59.12	0.17	74.00	-14.71	299	8 Peak	Vertical	
6	14772.00	38.06	35.79	3.07	54.00	-15.14	181	3 Average	Vertical	
7	14772.00	61.77	58.70	3.07	74.00	-12.23	181	3 Peak	Vertical	
8	17234.00	51.65	44.92	6.73	74.00	-22.35	310	55 Peak	Vertical	


802.11ax HE40_OFDMA

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4844.00	42.12	51.88	-9.76	74.00	-31.88	205	177	Peak	Horizontal		
2	12110.00	50.16	50.24	-0.08	74.00	-23.84	112	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4844.00	40.18	49.94	-9.76	74.00	-33.82	100	233	Peak	Vertical		
2	12110.00	49.92	50.00	-0.08	74.00	-24.08	263	76	Peak	Vertical		


802.11ax HE40_OFDMA

Middle Channel (Horizontal)


Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40_OFDMA

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4918.00	39.73	49.49	-9.76	74.00	-34.27	200	328	Peak	Horizontal		
2	7356.00	46.91	54.34	-7.43	74.00	-27.09	200	317	Peak	Horizontal		
3	12268.00	50.26	50.18	0.08	74.00	-23.74	127	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4918.00	40.78	50.54	-9.76	74.00	-33.22	335	360	Peak	Vertical		
2	7356.00	44.03	51.46	-7.43	74.00	-29.97	327	360	Peak	Vertical		
3	12268.00	50.55	50.47	0.08	74.00	-23.45	255	96	Peak	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band


(Line)



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	28.87	19.26	9.61	55.34	-26.47	Average	line1	
2	0.16	47.40	37.79	9.61	65.34	-17.94	QP	line1	
3	0.20	24.83	15.22	9.61	53.81	-28.98	Average	line1	
4	0.20	41.89	32.28	9.61	63.81	-21.92	QP	line1	
5	0.29	17.35	7.74	9.61	50.58	-33.23	Average	line1	
6	0.29	29.66	20.05	9.61	60.58	-30.92	QP	line1	
7	1.70	21.42	11.78	9.64	46.00	-24.58	Average	line1	
8	1.70	26.16	16.52	9.64	56.00	-29.84	QP	line1	
9	2.02	22.51	12.86	9.65	46.00	-23.49	Average	line1	
10	2.02	27.45	17.80	9.65	56.00	-28.55	QP	line1	
11	16.25	25.23	15.51	9.72	50.00	-24.77	Average	line1	
12	16.25	33.14	23.42	9.72	60.00	-26.86	QP	line1	

(Neutral)



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	30.18	20.59	9.59	55.46	-25.28	Average	neutral	
2	0.16	48.13	38.54	9.59	65.46	-17.33	QP	neutral	
3	0.17	32.85	23.26	9.59	54.88	-22.03	Average	neutral	
4	0.17	47.44	37.85	9.59	64.88	-17.44	QP	neutral	
5	1.44	20.59	10.97	9.62	46.00	-25.41	Average	neutral	
6	1.44	25.14	15.52	9.62	56.00	-30.86	QP	neutral	
7	2.10	22.01	12.38	9.63	46.00	-23.99	Average	neutral	
8	2.10	27.19	17.56	9.63	56.00	-28.81	QP	neutral	
9	6.96	13.90	4.19	9.71	50.00	-36.10	Average	neutral	
10	6.96	18.74	9.03	9.71	60.00	-41.26	QP	neutral	
11	16.01	25.47	15.69	9.78	50.00	-24.53	Average	neutral	
12	16.01	32.85	23.07	9.78	60.00	-27.15	QP	neutral	

<POE Mode>

Band Edges, 2.31GHz ~ 2.9GHz


802.11g

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit	dB	cm	deg		
1	2387.88	65.24	27.67	37.57	74.00	-8.76	273	316 Peak	Horizontal	
2 *	2412.00	120.11	82.46	37.65	74.00	46.11	273	316 Peak	Horizontal	
3	2508.71	56.89	19.03	37.86	74.00	-17.11	273	316 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit	dB	cm	deg		
1	2389.53	59.28	21.70	37.58	74.00	-14.72	390	341 Peak	Vertical	
2 *	2412.00	109.47	71.82	37.65	74.00	35.47	390	341 Peak	Vertical	
3	2532.43	55.52	17.63	37.89	74.00	-18.48	390	341 Peak	Vertical	


802.11g

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 2398.00	52.83	15.25	37.58	54.00	-1.17	273	316 Average	Horizontal
2 * 2412.00	110.53	72.88	37.65	54.00	56.53	273	316 Average	Horizontal
3 2508.83	44.63	6.77	37.86	54.00	-9.37	273	316 Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 2398.00	46.19	8.61	37.58	54.00	-7.81	390	341 Average	Vertical
2 * 2412.00	99.58	61.93	37.65	54.00	45.58	390	341 Average	Vertical
3 2892.57	42.20	3.82	38.38	54.00	-11.80	390	341 Average	Vertical

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11g

Low Channel 9kHz~150kHz(Open)

Low Channel 150kHz~30MHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	58.70	39.51	19.19	119.13	-69.43	100	120 QP	Open	
2	0.05	44.54	25.20	19.34	114.19	-69.05	100	312 QP	Open	
3	0.07	41.63	22.77	18.86	110.65	-69.02	100	276 QP	Open	
4	0.09	37.17	18.82	18.35	108.16	-70.99	100	312 QP	Open	
5	0.11	34.32	16.05	18.27	106.48	-72.16	100	272 QP	Open	
6	0.13	30.10	11.78	18.32	105.40	-75.30	100	323 QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.15	41.01	22.61	18.40	104.08	-63.07	100	348 QP	Open	
2	0.81	34.17	15.93	19.14	69.47	-35.30	100	59 QP	Open	
3	3.88	31.79	12.33	19.46	69.50	-37.71	100	342 QP	Open	
4	15.13	34.23	12.37	21.86	69.50	-35.27	100	106 QP	Open	
5	22.27	34.32	12.02	22.30	69.50	-35.18	100	4 QP	Open	
6	27.31	35.77	13.24	22.53	69.50	-33.73	100	90 QP	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	72.68	34.54	43.56	-9.02	40.00	-5.46	300	265 QP
2	156.10	36.25	42.33	-6.08	43.50	-7.25	200	95 QP
3	314.21	29.65	34.26	-4.61	46.00	-16.35	100	326 QP
4	417.03	29.12	31.09	-2.77	46.00	-16.88	100	79 QP
5	631.40	31.34	30.64	0.70	46.00	-14.66	100	330 QP
6	812.79	40.64	37.49	3.15	46.00	-5.36	100	358 QP



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	42.61	38.04	44.11	-6.07	40.00	-1.96	100	178 QP
2	77.53	37.94	47.90	-9.96	40.00	-2.06	100	349 QP
3	152.22	33.31	39.35	-6.04	43.50	-10.19	100	92 QP
4	330.70	30.99	34.96	-3.97	46.00	-15.01	100	110 QP
5	605.21	34.91	34.78	0.21	46.00	-11.09	100	344 QP
6	875.84	34.01	29.86	4.15	46.00	-11.99	100	98 QP

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11g

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band


(Line)

(Neutral)



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	31.83	22.22	9.61	55.67	-23.84	Average	line1	
2	0.16	51.17	41.56	9.61	65.67	-14.50	QP	line1	
3	0.17	29.17	19.56	9.61	55.05	-25.88	Average	line1	
4	0.17	48.54	38.93	9.61	65.05	-16.51	QP	line1	
5	0.54	20.69	11.07	9.62	46.00	-25.31	Average	line1	
6	0.54	27.01	17.39	9.62	56.00	-28.99	QP	line1	
7	5.94	19.27	9.58	9.69	50.00	-30.73	Average	line1	
8	5.94	23.32	13.63	9.69	60.00	-36.68	QP	line1	
9	12.29	23.93	14.20	9.73	50.00	-26.07	Average	line1	
10	12.29	28.58	18.85	9.73	60.00	-31.42	QP	line1	
11	20.75	27.38	17.67	9.71	50.00	-22.62	Average	line1	
12	20.75	34.56	24.85	9.71	60.00	-25.44	QP	line1	



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	32.50	22.91	9.59	55.88	-23.38	Average	neutral	
2	0.15	50.07	40.48	9.59	65.88	-15.81	QP	neutral	
3	0.16	29.55	19.96	9.59	55.42	-25.87	Average	neutral	
4	0.16	48.79	39.20	9.59	65.42	-16.63	QP	neutral	
5	0.53	24.40	14.80	9.60	46.00	-21.60	Average	neutral	
6	0.53	28.93	19.33	9.60	56.00	-27.07	QP	neutral	
7	1.91	20.79	11.16	9.63	46.00	-25.21	Average	neutral	
8	1.91	24.42	14.79	9.63	56.00	-31.58	QP	neutral	
9	12.35	19.80	10.04	9.76	50.00	-30.20	Average	neutral	
10	12.35	24.59	14.83	9.76	60.00	-35.41	QP	neutral	
11	19.54	21.46	11.66	9.80	50.00	-28.54	Average	neutral	
12	19.54	29.46	19.66	9.80	60.00	-30.54	QP	neutral	