


802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	44.59	45.23	-0.64	54.00	-9.41	200	353 Average	Horizontal	
2	11160.00	47.77	48.41	-0.64	74.00	-26.23	200	353 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	50.11	50.75	-0.64	54.00	-3.89	100	360 Average	Vertical	
2	11160.00	51.30	51.94	-0.64	74.00	-22.70	100	360 Peak	Vertical	


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	45.18	45.34	-0.16	54.00	-8.82	300	27 Average	Horizontal	
2	11400.00	47.19	47.35	-0.16	74.00	-26.81	300	27 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	52.89	53.05	-0.16	54.00	-1.11	100	360 Average	Vertical	
2	11400.00	53.74	53.90	-0.16	74.00	-20.26	100	360 Peak	Vertical	


802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.00	47.43	48.33	-0.90	54.00	-6.57	200	307 Average	Horizontal	
2	11020.00	46.53	47.43	-0.90	74.00	-27.47	200	307 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.00	46.06	46.96	-0.90	54.00	-7.94	200	43 Average	Vertical	
2	11020.00	47.97	48.87	-0.90	74.00	-26.03	200	43 Peak	Vertical	


802.11ax HE40

CH 110 (Horizontal)

CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11100.00	45.16	45.88	-0.72	54.00	-8.84	200	49 Average	Horizontal	
2	11100.00	48.27	48.99	-0.72	74.00	-25.73	200	49 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11100.00	47.11	47.83	-0.72	54.00	-6.89	100	360 Average	Vertical	
2	11100.00	48.84	49.56	-0.72	74.00	-25.16	100	360 Peak	Vertical	


802.11ax HE40

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11340.00	46.92	47.21	-0.29	54.00	-7.08	300	33 Average	Horizontal	
2	11340.00	48.62	48.91	-0.29	74.00	-25.38	300	33 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11340.00	53.42	53.71	-0.29	54.00	-0.58	100	360 Average	Vertical	
2	11340.00	53.69	53.98	-0.29	74.00	-20.31	100	360 Peak	Vertical	


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11868.00	46.18	46.98	-0.80	54.00	-7.90	100	44 Average	Horizontal	
2	11868.00	49.04	49.84	-0.80	74.00	-24.96	100	44 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11868.00	48.51	49.31	-0.80	54.00	-5.49	300	28 Average	Vertical	
2	11868.00	49.59	50.39	-0.80	74.00	-24.41	300	28 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

U-NII-2A


802.11ax HE80

CH 58 (9kHz ~ 150kHz)

CH 58 (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	57.99	40.27	17.72	127.60	-69.61	86 Peak	Open	
2	0.03	60.30	41.36	18.94	119.18	-58.88	204 Peak	Open	
3	0.05	63.51	44.38	19.13	114.43	-50.92	211 Peak	Open	
4	0.06	48.32	29.56	18.76	111.38	-63.06	199 Peak	Open	
5	0.09	50.80	32.66	18.14	108.48	-57.68	206 Peak	Open	
6	0.13	39.17	21.12	18.05	105.15	-65.98	208 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.30	47.91	29.18	18.73	98.08	-50.17	360 Peak	Open	
2	1.64	33.28	14.05	19.23	63.29	-30.01	216 Peak	Open	
3	9.62	33.99	12.92	21.07	69.50	-35.51	19 Peak	Open	
4	15.88	34.82	12.93	21.89	69.50	-34.68	93 Peak	Open	
5	19.07	36.38	14.29	22.09	69.50	-33.12	316 Peak	Open	
6	25.58	35.50	13.30	22.20	69.50	-34.00	112 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-2A


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	186.63	23.53	33.54	-10.01	43.50	-19.97	200	268 Peak	Horizontal	
2	183.26	21.70	29.29	-7.59	43.50	-21.80	300	22 Peak	Horizontal	
3	388.17	27.90	31.06	-3.16	46.00	-18.10	100	236 Peak	Horizontal	
4	480.08	29.95	31.71	-1.76	46.00	-16.05	200	165 Peak	Horizontal	
5	712.88	32.08	30.24	1.84	46.00	-13.92	300	193 Peak	Horizontal	
6	831.22	38.54	34.75	3.79	46.00	-7.46	100	148 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	53.28	31.86	38.02	-6.16	40.00	-8.14	100	168 Peak	Vertical	
2	159.98	22.03	27.79	-5.76	43.50	-21.47	200	357 Peak	Vertical	
3	393.75	30.43	33.37	-2.94	46.00	-15.57	100	139 Peak	Vertical	
4	490.75	34.83	36.55	-1.72	46.00	-11.17	100	346 Peak	Vertical	
5	706.09	32.86	31.04	1.82	46.00	-13.14	100	359 Peak	Vertical	
6	806.97	37.95	34.64	3.31	46.00	-8.05	200	202 Peak	Vertical	


Mains Conducted Emission, (150kHz ~ 30MHz)

Worst Band

(Line)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	27.33	17.64	9.69	55.46	-28.13	Average	line1	
2	0.16	46.96	37.27	9.69	65.46	-18.90	QP	line1	
3	0.19	23.86	14.18	9.68	53.97	-30.11	Average	line1	
4	0.19	42.03	32.35	9.68	63.97	-21.94	QP	line1	
5	0.41	25.98	16.30	9.68	47.55	-21.57	Average	line1	
6	0.41	36.50	26.82	9.68	57.55	-21.05	QP	line1	
7	1.09	10.35	0.66	9.69	46.00	-35.65	Average	line1	
8	1.09	20.96	11.27	9.69	56.00	-35.00	QP	line1	
9	8.89	18.31	8.51	9.80	50.00	-31.69	Average	line1	
10	8.89	25.67	15.87	9.80	60.00	-34.33	QP	line1	
11	19.74	20.78	10.97	9.81	50.00	-29.22	Average	line1	
12	19.74	26.40	16.59	9.81	60.00	-33.60	QP	line1	

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.19	24.55	14.89	9.66	53.89	-29.34	Average	neutral	
2	0.19	41.02	31.36	9.66	63.89	-22.87	QP	neutral	
3	0.40	29.15	19.49	9.66	47.76	-18.61	Average	neutral	
4	0.40	35.21	25.55	9.66	57.76	-22.55	QP	neutral	
5	0.93	13.61	3.95	9.66	46.00	-32.39	Average	neutral	
6	0.93	22.46	12.80	9.66	56.00	-33.54	QP	neutral	
7	4.60	13.27	3.53	9.74	46.00	-32.73	Average	neutral	
8	4.60	20.28	10.54	9.74	56.00	-35.72	QP	neutral	
9	9.44	21.04	11.25	9.79	50.00	-28.96	Average	neutral	
10	9.44	28.91	19.12	9.79	60.00	-31.09	QP	neutral	
11	19.74	21.37	11.50	9.87	50.00	-28.63	Average	neutral	
12	19.74	26.92	17.05	9.87	60.00	-33.08	QP	neutral	

<POE Mode>

Band Edges, 5.35GHz

U-NII-2A


802.11ax HE80

CH 58 (Horizontal) Peak

CH 58 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5131.36	56.37	13.25	43.12	74.00	-17.63		115	346	Peak	Horizontal	
2	5290.00	119.71	67.23	43.48	68.10	42.51		115	346	Peak	Horizontal	
3	5367.94	66.70	23.33	43.37	74.00	-7.30		115	346	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.83	57.43	14.26	43.17	74.00	-16.57		142	24	Peak	Vertical	
2	5290.00	110.83	67.35	43.48	68.10	42.63		142	24	Peak	Vertical	
3	5351.47	67.07	23.92	43.15	74.00	-6.93		142	24	Peak	Vertical	

802.11ax HE80

CH 58 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.83	44.35	1.18	43.17	54.00	-9.65	115	346	Average	Horizontal	
2 *	5290.00	99.17	55.69	43.46	54.00	45.17	115	346	Average	Horizontal	
3 !	5366.44	53.15	9.80	43.35	54.00	-0.85	115	346	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.84	44.30	1.14	43.16	54.00	-9.70	142	24	Average	Vertical	
2 *	5290.00	98.77	55.29	43.48	54.00	44.77	142	24	Average	Vertical	
3 !	5349.97	53.77	10.64	43.13	54.00	-0.23	142	24	Average	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-2A


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10580.00	48.07	49.53	-1.46	68.20	-20.13	100	83	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10580.00	49.13	50.59	-1.46	68.20	-19.07	200	331	Peak	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

U-NII-2A


802.11ax HE80

CH 58 (9kHz ~ 150kHz)

CH 58 (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	59.84	41.32	17.72	127.68	-88.56	100	193	Peak	Open	
2	0.03	62.17	43.23	18.94	119.18	-57.01	100	268	Peak	Open	
3	0.05	41.91	22.86	19.05	113.13	-71.22	100	348	Peak	Open	
4	0.06	41.55	22.75	18.80	111.55	-70.00	100	162	Peak	Open	
5	0.09	39.18	20.99	18.19	108.63	-69.45	100	176	Peak	Open	
6	0.12	35.67	17.68	17.99	106.13	-70.46	100	176	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.42	38.62	20.62	18.80	95.17	-56.35	100	227	Peak	Open	
2	3.67	32.45	12.90	19.55	69.50	-37.05	100	86	Peak	Open	
3	7.13	34.54	14.23	20.31	69.50	-34.96	100	334	Peak	Open	
4	12.75	34.73	13.06	21.67	69.50	-34.77	100	31	Peak	Open	
5	18.84	35.24	13.15	22.09	69.50	-34.26	100	138	Peak	Open	
6	24.87	35.31	13.11	22.20	69.50	-34.19	100	213	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-2A


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	82.38	29.00	40.03	-11.03	40.00	-11.00	300	101 Peak	Horizontal	
2	285.11	28.31	33.53	-5.02	46.00	-17.69	100	243 Peak	Horizontal	
3	393.75	29.60	32.53	-2.93	46.00	-16.40	200	360 Peak	Horizontal	
4	538.28	35.68	36.54	-0.86	46.00	-10.32	200	253 Peak	Horizontal	
5	669.23	29.51	28.21	1.30	46.00	-16.49	100	77 Peak	Horizontal	
6	806.97	39.52	36.12	3.40	46.00	-6.48	100	149 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	43.58	30.84	36.91	-6.07	40.00	-9.16	100	13 Peak	Vertical	
2	107.60	26.97	36.85	-9.88	43.50	-16.53	100	268 Peak	Vertical	
3	371.44	34.16	37.43	-3.27	46.00	-11.84	100	157 Peak	Vertical	
4	525.67	38.28	39.21	-0.93	46.00	-7.72	150	360 Peak	Vertical	
5	731.31	31.39	29.18	2.21	46.00	-14.61	100	339 Peak	Vertical	
6	846.74	33.05	28.92	4.13	46.00	-12.95	100	228 Peak	Vertical	

Mains Conducted Emission, (150kHz ~ 30MHz)


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-212-1000 Fax: +886-212-1322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	32.31	22.62	9.69	55.71	-23.40	Average	line1	
2	0.16	51.59	41.90	9.69	65.71	-14.12	QP	line1	
3	0.19	26.90	17.22	9.68	54.05	-27.15	Average	line1	
4	0.19	43.92	34.24	9.68	64.05	-20.13	QP	line1	
5	0.53	27.49	17.81	9.68	46.00	-18.51	Average	line1	
6	0.53	32.80	23.12	9.68	56.00	-23.20	QP	line1	
7	1.80	13.16	3.44	9.72	46.00	-32.84	Average	line1	
8	1.80	17.57	7.85	9.72	56.00	-38.43	QP	line1	
9	5.57	17.77	8.01	9.76	50.00	-32.23	Average	line1	
10	5.57	21.82	12.06	9.76	60.00	-38.18	QP	line1	
11	16.74	25.01	15.20	9.81	50.00	-24.99	Average	line1	
12	16.74	30.06	20.25	9.81	60.00	-29.94	QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-212-1000 Fax: +886-212-1322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	34.54	24.87	9.67	55.92	-21.38	Average	neutral	
2	0.15	52.83	43.16	9.67	65.92	-13.09	QP	neutral	
3	0.23	24.54	14.86	9.66	52.40	-27.86	Average	neutral	
4	0.23	38.85	29.19	9.66	62.40	-23.55	QP	neutral	
5	0.53	29.06	19.40	9.66	46.00	-16.94	Average	neutral	
6	0.53	34.35	24.69	9.66	56.00	-21.65	QP	neutral	
7	1.90	21.46	11.77	9.69	46.00	-24.54	Average	neutral	
8	1.90	25.16	15.47	9.69	56.00	-30.84	QP	neutral	
9	6.43	20.04	10.28	9.76	50.00	-29.96	Average	neutral	
10	6.43	24.08	14.32	9.76	60.00	-35.92	QP	neutral	
11	20.03	22.72	12.85	9.87	50.00	-27.28	Average	neutral	
12	20.03	28.22	18.35	9.87	60.00	-31.78	QP	neutral	