

Appendix B: Test Results of Radiated Spurious Emissions & Mains Conducted Emission Test

<AC Mode>

Band Edges, 2.31GHz ~ 2.5GHz


802.11b

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2341.81	52.47	46.76	5.71	74.00	-21.53	262	119	Peak	Horizontal	
2 *	2412.00	103.10	97.17	5.93	74.00	29.10	262	119	Peak	Horizontal	
3	2497.26	52.48	46.33	6.15	74.00	-21.52	262	119	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2396.65	53.16	47.32	5.84	74.00	-20.84	100	256	Peak	Vertical	
2 *	2412.00	104.07	98.14	5.93	74.00	30.07	100	256	Peak	Vertical	
3	2484.34	52.52	46.38	6.14	74.00	-21.48	100	256	Peak	Vertical	

802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.18	38.83	32.99	5.84	54.00	-15.17	262	119 Average	Horizontal	
2 *	2412.00	100.50	94.57	5.93	54.00	46.50	262	119 Average	Horizontal	
3	2484.69	39.27	33.13	6.14	54.00	-14.73	262	119 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2378.97	40.03	34.20	5.83	54.00	-13.97	100	256 Average	Vertical	
2 *	2412.00	101.48	95.55	5.93	54.00	47.48	100	256 Average	Vertical	
3	2489.78	39.93	33.78	6.15	54.00	-14.07	100	256 Average	Vertical	

802.11b

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2365.98	52.42	46.64	5.78	74.00	-21.58	195	161 Peak	Horizontal	
2 *	2437.00	101.07	95.01	6.06	74.00	27.07	195	161 Peak	Horizontal	
3	2495.98	52.49	46.35	6.14	74.00	-21.51	195	161 Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2365.66	53.77	47.93	5.84	74.00	-20.23	124	99 Peak	Vertical	
2 *	2437.00	105.42	99.36	6.06	74.00	31.42	124	99 Peak	Vertical	
3	2499.92	52.92	46.77	6.15	74.00	-21.08	124	99 Peak	Vertical	

802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	2349.06	38.89	33.15	5.74	54.00	-15.11	195	161 Average	Horizontal	
2 *	2437.00	98.46	92.40	6.06	54.00	44.46	195	161 Average	Horizontal	
3	2484.72	39.44	33.30	6.14	54.00	-14.56	195	161 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	2389.70	39.56	33.71	5.85	54.00	-14.44	124	99 Average	Vertical	
2 *	2437.00	102.78	96.72	6.06	54.00	48.78	124	99 Average	Vertical	
3	2485.41	39.80	33.66	6.14	54.00	-14.20	124	99 Average	Vertical	


802.11b

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2371.18	52.98	47.18	5.80	74.00	-21.02	149	97 Peak	Horizontal	
2 *	2462.00	102.21	96.09	6.12	74.00	28.21	149	97 Peak	Horizontal	
3	2484.84	53.41	47.27	6.14	74.00	-28.59	149	97 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2348.42	52.67	47.14	5.73	74.00	-21.13	100	254 Peak	Vertical	
2 *	2462.00	104.01	97.89	6.12	74.00	30.01	100	254 Peak	Vertical	
3	2489.25	52.74	46.59	6.15	74.00	-21.26	100	254 Peak	Vertical	

802.11b

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2381.67	38.91	33.09	5.82	54.00	-15.09	149	97 Average	Horizontal	
2 *	2462.00	99.53	93.41	6.12	54.00	45.53	149	97 Average	Horizontal	
3	2498.28	39.86	33.71	6.15	54.00	-14.14	149	97 Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.19	39.57	33.73	5.84	54.00	-14.43	100	254 Average	Vertical	
2 *	2462.00	101.28	95.16	6.12	54.00	47.28	100	254 Average	Vertical	
3	2483.89	39.97	33.83	6.14	54.00	-14.03	100	254 Average	Vertical	

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2359.77	52.54	46.00	5.74	74.00	-21.46	265	122	Peak	Horizontal		
2 *	2412.00	106.27	100.34	5.93	74.00	32.27	265	122	Peak	Horizontal		
3	2489.55	53.31	47.16	6.15	74.00	-20.69	265	122	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.37	53.51	47.67	5.84	74.00	-20.49	276	120	Peak	Vertical		
2 *	2412.00	106.33	102.38	5.93	74.00	34.31	276	120	Peak	Vertical		
3	2492.74	52.15	46.01	6.14	74.00	-21.85	276	120	Peak	Vertical		

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.76	40.25	34.40	5.85	54.00	-13.75	265	122 Average	Horizontal	
2 *	2412.00	96.11	90.18	5.93	54.00	42.11	265	122 Average	Horizontal	
3	2498.97	39.77	33.62	6.15	54.00	-14.23	265	122 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.99	40.63	34.78	5.85	54.00	-13.37	276	120 Average	Vertical	
2 *	2412.00	98.70	92.77	5.93	54.00	44.70	276	120 Average	Vertical	
3	2484.42	39.83	33.69	6.14	54.00	-14.17	276	120 Average	Vertical	


802.11g

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2351.95	53.69	47.95	5.74	74.00	-20.31	187	97	Peak	Horizontal	
2 *	2437.00	105.05	98.99	6.06	74.00	31.05	187	97	Peak	Horizontal	
3	2492.63	53.51	47.37	6.14	74.00	-20.49	187	97	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




		Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1		2337.89	52.93	47.24	5.69	74.00	-21.07	270	188	Peak	Vertical	
2	*	2437.00	108.12	102.06	6.06	74.00	34.12	270	188	Peak	Vertical	
3		2487.54	53.31	47.17	6.14	74.00	-26.69	270	188	Peak	Vertical	

802.11g

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g


High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2349.06	39.24	33.50	5.74	54.00	-14.76	256	113	Average	Horizontal	
2 *	2462.00	95.47	89.35	6.12	54.00	41.47	256	113	Average	Horizontal	
3	2486.93	40.70	34.56	6.14	54.00	-13.30	256	113	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2382.01	40.21	34.39	5.82	54.00	-13.79	100	255	Average	Vertical	
2 *	2462.00	96.73	90.61	6.12	54.00	42.73	100	255	Average	Vertical	
3	2487.16	41.00	34.86	6.14	54.00	-13.00	100	255	Average	Vertical	

802.11ax HE20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2363.16	53.01	48.13	5.78	74.00	-20.09	100	136 Peak	Horizontal	
2 *	2412.00	105.25	99.32	5.93	74.00	31.25	100	136 Peak	Horizontal	
3	2495.90	52.95	46.81	6.14	74.00	-21.05	100	136 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2369.00	54.00	49.03	5.05	74.00	-19.12	276	114 Peak	Vertical	
2 *	2412.00	109.31	103.38	5.93	74.00	35.31	276	114 Peak	Vertical	
3	2488.49	53.21	47.07	6.14	74.00	-20.79	276	114 Peak	Vertical	

802.11ax HE20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.77	40.00	34.95	5.85	54.00	-13.20	100	136 Average	Horizontal	
2 *	2412.00	92.05	86.12	5.93	54.00	38.05	100	136 Average	Horizontal	
3	2488.30	40.96	34.82	6.14	54.00	-13.04	100	136 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.15	42.30	36.45	5.85	54.00	-11.70	276	114 Average	Vertical	
2 *	2412.00	97.06	91.13	5.93	54.00	43.06	276	114 Average	Vertical	
3	2491.49	41.25	35.10	6.15	54.00	-12.75	276	114 Average	Vertical	


802.11ax HE20

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2334.85	53.23	47.56	5.67	74.00	-20.77	188	95 Peak	Horizontal	
2 *	2437.00	105.27	99.21	6.06	74.00	31.27	188	95 Peak	Horizontal	
3	2491.75	53.40	47.25	6.15	74.00	-20.60	188	95 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2376.01	52.91	47.09	5.82	74.00	-21.09	242	102 Peak	Vertical	
2 *	2437.00	107.73	101.67	6.06	74.00	33.73	242	102 Peak	Vertical	
3	2496.01	53.33	47.19	6.14	74.00	-20.67	242	102 Peak	Vertical	

802.11ax HE 20

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2371.98	41.13	35.33	5.88	54.00	-12.87	188	95	Average
2	2437.00	93.69	87.63	6.06	54.00	39.69	188	95	Average
3	2484.99	42.15	36.81	6.14	54.00	-11.85	188	95	Average

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.10	41.58	35.74	5.84	54.00	-12.42	242	102	Average
2	2437.00	96.78	90.64	6.06	54.00	42.78	242	102	Average
3	2492.74	41.90	35.76	6.14	54.00	-12.10	242	102	Average

802.11ax HE20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2364.95	53.01	47.23	5.78	74.00	-20.99	226	108 Peak	Horizontal	
2 *	2462.00	105.64	99.52	6.12	74.00	31.64	226	108 Peak	Horizontal	
3	2483.70	54.78	48.64	6.14	74.00	-19.22	226	108 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2326.64	53.82	48.18	5.64	74.00	-20.18	100	258 Peak	Vertical	
2 *	2462.00	106.64	100.52	6.12	74.00	32.64	100	258 Peak	Vertical	
3	2485.22	54.19	48.05	6.14	74.00	-19.81	100	258 Peak	Vertical	

802.11ax HE20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2316.16	41.14	35.56	5.58	54.00	-12.06	226	108 Average	Horizontal	
2 *	2462.00	93.46	87.34	6.12	54.00	39.46	226	108 Average	Horizontal	
3	2495.48	42.21	36.07	6.14	54.00	-11.79	226	108 Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.20	41.97	36.15	5.82	54.00	-12.03	100	258 Average	Vertical	
2 *	2462.00	95.17	89.05	6.12	54.00	41.17	100	258 Average	Vertical	
3	2485.37	42.03	35.89	6.14	54.00	-11.97	100	258 Average	Vertical	

802.11ax HE40

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.91	54.02	48.17	5.85	74.00	-19.98	100	94 Peak	Horizontal	
2 *	2422.00	102.32	96.33	5.99	74.00	28.32	100	94 Peak	Horizontal	
3	2484.12	53.69	47.55	6.14	74.00	-20.31	100	94 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.91	54.09	48.24	5.85	74.00	-19.91	299	106 Peak	Vertical	
2 *	2422.00	106.36	100.37	5.99	74.00	32.36	299	106 Peak	Vertical	
3	2484.31	53.14	47.00	6.14	74.00	-20.86	299	106 Peak	Vertical	

802.11ax HE40

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2389.42	42.84	36.99	5.85	54.00	-11.16	100	94 Average	Horizontal	
2 *	2422.00	90.90	84.99	5.99	54.00	36.90	100	94 Average	Horizontal	
3	2493.46	41.61	35.47	6.14	54.00	-12.39	100	94 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2389.80	42.75	36.90	5.85	54.00	-11.25	299	106 Average	Vertical	
2 *	2422.00	95.65	89.66	5.99	54.00	41.65	299	106 Average	Vertical	
3	2496.05	41.53	35.39	6.14	54.00	-12.47	299	106 Average	Vertical	

802.11ax HE40

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2357.54	53.40	47.63	5.77	74.00	-20.60	109	93 Peak	Horizontal	
2 *	2437.00	101.90	95.84	6.06	74.00	27.90	109	93 Peak	Horizontal	
3	2492.10	53.20	47.06	6.14	74.00	-20.80	109	93 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2306.99	53.66	47.02	5.04	74.00	-20.34	302	119 Peak	Vertical	
2 *	2437.00	105.39	99.33	6.06	74.00	31.39	302	119 Peak	Vertical	
3	2489.74	53.48	47.33	6.15	74.00	-20.52	302	119 Peak	Vertical	

802.11ax HE40

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	2380.05	41.17	35.32	5.85	54.00	-12.83	109	93 Average	Horizontal	
2 *	2437.00	90.07	84.61	6.06	54.00	36.07	109	93 Average	Horizontal	
3	2489.82	42.26	36.11	6.15	54.00	-11.74	109	93 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	2387.10	41.25	35.41	5.84	54.00	-12.75	302	119 Average	Vertical	
2 *	2437.00	94.61	88.55	6.06	54.00	40.61	302	119 Average	Vertical	
3	2483.62	41.83	35.69	6.14	54.00	-12.17	302	119 Average	Vertical	

802.11ax HE40

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliu, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2311.48	53.24	47.67	5.57	74.00	-20.76	100	100 Peak	Horizontal	
2 *	2452.00	103.03	96.91	6.12	74.00	29.03	100	100 Peak	Horizontal	
3	2483.62	55.42	49.28	6.14	74.00	-18.58	100	100 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliu, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2300.64	53.12	47.30	5.82	74.00	-20.88	300	122 Peak	Vertical	
2 *	2452.00	107.69	101.57	6.12	74.00	33.69	300	122 Peak	Vertical	
3	2485.41	56.56	50.42	6.14	74.00	-17.44	300	122 Peak	Vertical	

802.11ax HE40

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2380.11	41.33	35.51	5.82	54.00	-12.67	100	100	Average	Horizontal
2 *	2452.00	92.00	85.88	6.12	54.00	38.00	100	100	Average	Horizontal
3	2484.12	43.96	37.82	6.14	54.00	-10.04	100	100	Average	Horizontal

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2356.36	41.15	35.39	5.76	54.00	-12.85	300	122	Average	Vertical
2 *	2452.00	96.12	90.00	6.12	54.00	42.12	300	122	Average	Vertical
3	2484.46	46.34	40.20	6.14	54.00	-7.66	300	122	Average	Vertical


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

802.11ax HE20

Low Channel(Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	0.01	53.61	35.30	18.31	127.60	-73.99	100	178	Peak	Open	
2	0.03	59.88	40.33	19.55	119.13	-59.25	100	18	Peak	Open	
3	0.05	43.37	23.92	19.45	113.11	-69.74	100	351	Peak	Open	
4	0.09	34.43	15.78	18.65	108.16	-73.73	100	219	Peak	Open	
5	0.13	30.23	11.64	18.59	105.66	-75.43	100	296	Peak	Open	
6	0.15	28.89	10.24	18.65	104.14	-75.25	100	194	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	1.43	51.00	32.00	19.00	64.48	-13.48	100	221	Peak	Open	
2	6.06	32.59	12.77	19.82	69.50	-36.91	100	238	Peak	Open	
3	10.18	34.61	13.59	21.02	69.50	-34.89	100	202	Peak	Open	
4	14.75	34.64	13.07	21.57	69.50	-34.86	100	198	Peak	Open	
5	22.39	35.47	13.20	22.27	69.50	-34.03	100	352	Peak	Open	
6	27.88	35.50	13.66	22.44	69.50	-34.00	100	242	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11ax HE20

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	65.89	29.53	38.31	-8.78	40.00	-10.47	200	356	Peak	Horizontal		
2	125.06	30.98	40.50	-9.52	43.50	-12.52	100	126	Peak	Horizontal		
3	250.19	45.56	53.20	-7.64	46.00	-0.44	100	67	QP	Horizontal		
4	625.58	40.76	40.20	0.56	46.00	-5.24	199	360	Peak	Horizontal		
5	750.71	42.96	39.91	3.05	46.00	-3.04	100	42	Peak	Horizontal		
6	875.84	43.66	39.30	4.36	46.00	-2.34	100	210	QP	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	40.67	35.22	43.08	-7.86	40.00	-4.78	200	141	Peak	Vertical		
2	125.06	28.91	38.43	-9.52	43.50	-14.59	200	245	Peak	Vertical		
3	250.19	39.14	46.78	-7.64	46.00	-6.86	200	218	Peak	Vertical		
4	500.45	43.84	46.10	-2.26	46.00	-2.16	100	190	QP	Vertical		
5	750.71	41.72	38.67	3.05	46.00	-4.28	100	72	Peak	Vertical		
6	875.84	41.35	36.99	4.36	46.00	-4.65	100	195	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	48.74	38.93	9.81	54.00	-5.26	119	232	Average	Horizontal		
2	4824.00	52.22	42.41	9.81	74.00	-21.78	119	232	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	47.66	37.85	9.81	54.00	-6.34	112	230	Average	Vertical		
2	4824.00	52.06	42.25	9.81	74.00	-21.94	112	230	Peak	Vertical		

802.11b

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	47.50	37.63	9.87	54.00	-6.50	100	158	Average	Horizontal		
2	4874.00	50.14	40.27	9.87	74.00	-23.86	100	190	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	45.16	35.29	9.87	54.00	-8.84	250	160	Average	Vertical		
2	4874.00	51.59	41.72	9.87	74.00	-22.41	250	160	Peak	Vertical		

802.11b

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4924.00	52.99	42.97	10.02	54.00	-1.01	100	175 Average	Horizontal	
2	4924.00	55.65	45.63	10.02	74.00	-18.35	100	175 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4924.00	50.18	40.16	10.02	54.00	-3.82	269	160 Average	Vertical	
2	4924.00	48.63	38.61	10.02	74.00	-25.37	269	160 Peak	Vertical	


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4824.00	31.96	22.15	9.81	54.00	-22.04	100	248 Average	Horizontal	
2	4824.00	46.45	36.64	9.81	74.00	-27.55	100	248 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4824.00	31.25	21.44	9.81	54.00	-22.75	200	114 Average	Vertical	
2	4824.00	45.40	35.59	9.81	74.00	-28.60	200	114 Peak	Vertical	


802.11g

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV	dB/m	dBuV/m	dB	cm	deg			
47.71	37.84	9.87	74.00	-26.29	300	214 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV	dB/m	dBuV/m	dB	cm	deg			
48.32	38.45	9.87	74.00	-25.68	200	240 Peak	Vertical	


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	32.15	22.13	10.02	54.00	-21.85	200	163	Average	Horizontal	
2	4924.00	46.76	36.74	10.02	74.00	-27.24	200	163	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	31.71	21.69	10.02	54.00	-22.29	200	177	Average	Vertical	
2	4924.00	45.68	35.66	10.02	74.00	-28.32	200	177	Peak	Vertical	


802.11ax HE20

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	33.75	23.94	9.81	54.00	-20.25	100	173	Average	Horizontal	
2	4824.00	46.10	36.29	9.81	74.00	-27.90	100	173	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	33.19	23.38	9.81	54.00	-20.81	100	230	Average	Vertical	
2	4824.00	45.84	36.03	9.81	74.00	-28.16	100	230	Peak	Vertical	


802.11ax HE20

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV	dB/m	dBuV/m	dB	cm	deg			
34.02	24.15	9.87	54.00	-19.98	100	109 Average	Horizontal	
46.00	36.13	9.87	74.00	-28.00	100	109 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV	dB/m	dBuV/m	dB	cm	deg			
33.65	23.78	9.87	54.00	-20.35	100	85 Average	Vertical	
45.50	35.63	9.87	74.00	-28.50	100	85 Peak	Vertical	


802.11ax HE20

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4924.00	34.24	24.22	10.02	54.00	-19.76	100	173 Average	Horizontal	
2	4924.00	45.66	35.64	10.02	74.00	-28.34	100	173 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4924.00	33.44	23.42	10.02	54.00	-20.56	200	295 Average	Vertical	
2	4924.00	45.72	35.70	10.02	74.00	-28.28	200	295 Peak	Vertical	


802.11ax HE40

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4844.00	35.95	26.07	9.88	54.00	-18.05	100	227	Average	Horizontal	
2	4844.00	46.95	37.07	9.88	74.00	-27.05	100	227	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4844.00	34.01	24.13	9.88	54.00	-19.99	100	203	Average	Vertical	
2	4844.00	45.06	35.18	9.88	74.00	-28.94	100	203	Peak	Vertical	


802.11ax HE40

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	34.97	25.10	9.87	54.00	-19.03	100	197	Average	Horizontal	
2	4874.00	46.58	36.71	9.87	74.00	-27.42	100	197	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	34.00	24.21	9.87	54.00	-19.92	200	132	Average	Vertical	
2	4874.00	46.33	36.46	9.87	74.00	-27.67	200	132	Peak	Vertical	


802.11ax HE40

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4904.00	34.09	24.22	9.87	54.00	-19.91	285	360 Average	Horizontal
2	4904.00	45.61	35.74	9.87	74.00	-28.39	285	360 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4904.00	34.38	24.51	9.87	54.00	-19.62	288	195 Average	Vertical
2	4904.00	45.42	35.55	9.87	74.00	-28.58	288	195 Peak	Vertical

Mains Conducted Emission, TX Mode, 150kHz ~ 30MHz

Worst Band


(Line)

(Neutral)



Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dB			
1	0.16	34.75	25.12	9.63	55.67	-20.92 Average	line1	
2	0.16	52.30	42.67	9.63	65.67	-13.37 QP	line1	
3	0.26	26.97	17.34	9.63	51.57	-24.60 Average	line1	
4	0.26	42.75	33.12	9.63	61.57	-18.82 QP	line1	
5	0.50	34.16	24.53	9.63	46.00	-11.84 Average	line1	
6	0.50	44.14	34.51	9.63	56.00	-11.86 QP	line1	
7	1.55	20.85	11.19	9.66	46.00	-25.15 Average	line1	
8	1.55	31.29	21.63	9.66	56.00	-24.71 QP	line1	
9	4.40	24.05	14.36	9.69	46.00	-21.95 Average	line1	
10	4.40	31.22	21.53	9.69	56.00	-24.78 QP	line1	
11	13.79	32.67	22.92	9.75	50.00	-17.33 Average	line1	
12	13.79	40.89	31.14	9.75	60.00	-19.11 QP	line1	



Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dB			
1	0.18	32.21	22.58	9.63	54.68	-22.47 Average	neutral	
2	0.18	49.58	39.95	9.63	64.68	-15.10 QP	neutral	
3	0.50	32.14	22.51	9.63	46.02	-13.88 Average	neutral	
4	0.50	43.86	34.23	9.63	56.02	-12.16 QP	neutral	
5	1.41	22.69	13.05	9.64	46.00	-23.31 Average	neutral	
6	1.41	33.75	24.11	9.64	56.00	-22.25 QP	neutral	
7	4.40	21.82	12.11	9.71	46.00	-24.18 Average	neutral	
8	4.40	33.11	23.40	9.71	56.00	-22.89 QP	neutral	
9	10.02	23.27	13.49	9.78	50.00	-26.73 Average	neutral	
10	10.02	33.08	23.30	9.78	60.00	-26.92 QP	neutral	
11	13.65	31.50	21.69	9.81	50.00	-18.50 Average	neutral	
12	13.65	39.94	30.13	9.81	60.00	-20.06 QP	neutral	

Spurious Emissions, Co-location Mode, 9kHz ~ 30MHz


802.11b_2462MHz + 802.11ax HE40_5230MHz

9kHz~150kHz

150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	53.44	35.13	18.31	127.60	-74.16	100	175	Peak	Open		
2	0.03	60.07	40.52	19.55	119.13	-59.06	100	360	Peak	Open		
3	0.05	43.97	24.52	19.45	113.11	-69.14	100	76	Peak	Open		
4	0.08	35.29	16.33	18.96	109.74	-74.45	100	214	Peak	Open		
5	0.11	31.80	13.26	18.54	106.82	-75.02	100	274	Peak	Open		
6	0.14	31.23	12.60	18.63	104.63	-73.40	100	201	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.57	51.72	32.63	19.09	72.52	-20.80	100	174	Peak	Open		
2	4.69	32.68	13.26	19.42	69.50	-36.82	100	360	Peak	Open		
3	12.36	35.64	14.36	21.28	69.50	-33.86	100	318	Peak	Open		
4	15.37	34.36	12.72	21.64	69.50	-35.14	100	141	Peak	Open		
5	20.51	36.17	13.95	22.22	69.50	-33.33	100	283	Peak	Open		
6	26.42	35.41	13.62	22.39	69.50	-34.09	100	42	Peak	Open		

Spurious Emissions, Co-location Mode, 30MHz ~ 1GHz


802.11b_2462MHz + 802.11ax HE40_5230MHz

(Horizontal)

(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	67.83	28.44	37.53	-9.09	40.00	-11.56	200	42	Peak	Horizontal		
2	125.06	35.28	44.80	-9.52	43.50	-8.22	100	292	Peak	Horizontal		
3	250.19	45.26	52.90	-7.64	46.00	-0.74	100	270	QP	Horizontal		
4	500.45	40.19	42.45	-2.26	46.00	-5.81	100	199	Peak	Horizontal		
5	750.71	44.96	41.91	3.05	46.00	-1.04	100	218	QP	Horizontal		
6	875.84	43.57	39.21	4.36	46.00	-2.43	100	204	QP	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	40.67	35.01	42.87	-7.86	40.00	-4.99	100	88	Peak	Vertical		
2	125.06	32.20	41.72	-9.52	43.50	-11.30	100	60	Peak	Vertical		
3	250.19	39.88	47.52	-7.64	46.00	-6.12	200	210	Peak	Vertical		
4	500.45	43.64	45.90	-2.26	46.00	-2.36	100	187	QP	Vertical		
5	750.71	41.86	38.81	3.05	46.00	-4.14	200	290	Peak	Vertical		
6	875.84	41.71	37.35	4.36	46.00	-4.29	100	209	Peak	Vertical		

Spurious Emissions, Co-location Mode, 1GHz ~ 40GHz


802.11b_2462MHz + 802.11ax HE40_5230MHz

(Horizontal)

(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	50.28	40.26	10.02	54.00	-3.72	100	159	Average	Horizontal		
2	4924.00	53.78	43.76	10.02	74.00	-20.22	100	159	Peak	Horizontal		
3	10460.00	48.95	37.53	11.42	68.20	-19.25	144	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	47.96	37.94	10.02	54.00	-6.04	313	233	Average	Vertical		
2	4924.00	52.05	42.03	10.02	74.00	-21.95	313	233	Peak	Vertical		
3	10460.00	49.53	38.11	11.42	68.20	-18.67	111	318	Peak	Vertical		

Mains Conducted Emission, Co-location Mode, 150kHz ~ 30MHz


802.11b_2462MHz + 802.11ax HE40_5230MHz

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dB			
1	0.16	34.75	25.12	9.63	55.67	-20.92 Average	line1	
2	0.16	52.30	42.67	9.63	65.67	-13.37 QP	line1	
3	0.26	26.97	17.34	9.63	51.57	-24.60 Average	line1	
4	0.26	42.75	33.12	9.63	61.57	-16.82 QP	line1	
5	0.50	34.16	24.53	9.63	46.00	-11.84 Average	line1	
6	0.50	44.14	34.51	9.63	56.00	-11.86 QP	line1	
7	1.55	20.85	11.19	9.66	46.00	-25.15 Average	line1	
8	1.55	31.29	21.63	9.66	56.00	-24.71 QP	line1	
9	4.40	24.05	14.36	9.69	46.00	-21.95 Average	line1	
10	4.40	31.22	21.53	9.69	56.00	-24.78 QP	line1	
11	13.79	32.67	22.92	9.75	50.00	-17.33 Average	line1	
12	13.79	40.89	31.14	9.75	60.00	-19.11 QP	line1	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dB			
1	0.18	32.21	22.58	9.63	54.68	-22.47 Average	neutral	
2	0.18	49.58	39.95	9.63	64.68	-15.10 QP	neutral	
3	0.50	32.14	22.51	9.63	46.00	-13.88 Average	neutral	
4	0.50	43.86	34.23	9.63	56.00	-12.16 QP	neutral	
5	1.41	22.69	13.05	9.64	46.00	-23.31 Average	neutral	
6	1.41	33.75	24.11	9.64	56.00	-22.25 QP	neutral	
7	4.40	21.82	12.11	9.71	46.00	-24.18 Average	neutral	
8	4.40	33.11	23.40	9.71	56.00	-22.89 QP	neutral	
9	10.02	23.27	13.49	9.78	50.00	-26.73 Average	neutral	
10	10.02	33.08	23.30	9.78	60.00	-26.92 QP	neutral	
11	13.65	31.50	21.69	9.81	50.00	-18.50 Average	neutral	
12	13.65	39.94	30.13	9.81	60.00	-20.86 QP	neutral	

<POE Mode>

Spurious Emissions, Co-location Mode, 9kHz ~ 30MHz


802.11b_2462MHz + 802.11ax HE40_5230MHz

9kHz~150kHz

150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	59.26	40.95	18.31	119.13	-59.87	100	6 Peak	Open	
2	0.05	40.63	22.37	18.26	113.11	-72.48	100	99 Peak	Open	
3	0.06	39.77	21.63	18.14	111.82	-72.05	100	208 Peak	Open	
4	0.09	33.79	16.03	17.76	108.99	-75.20	100	278 Peak	Open	
5	0.09	32.61	14.99	17.62	108.18	-75.57	100	257 Peak	Open	
6	0.11	34.89	17.35	17.54	106.82	-71.93	100	276 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.30	46.48	28.58	17.90	98.80	-51.60	100	173 Peak	Open	
2	1.43	40.29	22.27	18.02	64.48	-24.19	100	202 Peak	Open	
3	7.08	33.06	13.78	19.28	69.50	-36.44	100	44 Peak	Open	
4	12.81	35.54	15.10	20.44	69.50	-33.96	100	219 Peak	Open	
5	18.66	34.99	13.85	21.14	69.50	-34.51	100	326 Peak	Open	
6	25.58	35.98	14.32	21.58	69.50	-33.60	100	168 Peak	Open	

Spurious Emissions, Co-location Mode, 30MHz ~ 1GHz


802.11b_2462MHz + 802.11ax HE40_5230MHz

(Horizontal)


(Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Mains Conducted Emission, Co-location Mode, 150kHz ~ 30MHz


802.11b_2462MHz + 802.11ax HE40_5230MHz

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase
	MHz	dBuV	Factor	dB	dB		Note
1	0.16	35.50	25.87	9.63	55.46	-19.96 Average	line1
2	0.16	50.89	41.26	9.63	65.46	-14.57 QP	line1
3	0.46	36.27	26.64	9.63	46.69	-10.42 Average	line1
4	0.46	42.17	32.54	9.63	56.69	-14.52 QP	line1
5	0.93	28.58	18.94	9.64	46.00	-17.42 Average	line1
6	0.93	32.92	23.28	9.64	56.00	-23.08 QP	line1
7	3.47	28.23	18.55	9.68	46.00	-17.77 Average	line1
8	3.47	33.24	23.56	9.68	56.00	-22.76 QP	line1
9	9.73	27.37	17.62	9.75	50.00	-22.63 Average	line1
10	9.73	31.99	22.24	9.75	60.00	-28.01 QP	line1
11	27.84	32.40	22.71	9.69	50.00	-17.60 Average	line1
12	27.84	36.60	28.91	9.69	60.00	-21.40 QP	line1



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase
	MHz	dBuV	Factor	dB	dB		Note
1	0.16	33.51	23.87	9.64	55.30	-21.79 Average	neutral
2	0.16	50.25	40.61	9.64	65.30	-15.05 QP	neutral
3	0.46	36.19	26.56	9.63	46.73	-10.54 Average	neutral
4	0.46	42.79	33.16	9.63	56.73	-13.94 QP	neutral
5	1.11	28.08	18.44	9.64	46.00	-17.92 Average	neutral
6	1.11	31.85	22.21	9.64	56.00	-24.15 QP	neutral
7	3.72	22.59	12.90	9.69	46.00	-23.41 Average	neutral
8	3.72	28.60	18.91	9.69	56.00	-27.40 QP	neutral
9	10.53	25.59	15.81	9.78	50.00	-24.41 Average	neutral
10	10.53	30.74	20.96	9.78	60.00	-29.26 QP	neutral
11	27.84	32.32	22.47	9.85	50.00	-17.68 Average	neutral
12	27.84	36.99	29.14	9.85	60.00	-21.01 QP	neutral