



802.11n20 Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10482.5	47.85	38.14	-31.05	54.94	68.30	13.36	Horizontal
2	11654.583	37.30	38.40	-29.60	46.10	74.00	27.90	Horizontal
3	15722.5	31.20	38.73	-27.75	42.18	54.00	11.82	Horizontal
4	15725	41.78	38.72	-27.73	52.78	74.00	21.22	Horizontal

802.11n20 Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10485.416	50.30	38.14	-31.05	57.39	68.30	10.91	Vertical
2	11635.416	37.60	38.40	-29.59	46.41	74.00	27.59	Vertical
3	15728.333	39.93	38.72	-27.70	50.95	74.00	23.05	Vertical

802.11n20 Channel 52


Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10522.5	48.87	38.16	-31.07	55.96	68.30	12.34	Horizontal
2	12446.25	37.66	38.94	-29.38	47.22	74.00	26.78	Horizontal
3	15777.5	39.98	38.62	-27.25	51.35	74.00	22.65	Horizontal
4	15780	32.37	38.62	-27.23	43.76	54.00	10.24	Horizontal

802.11n20 Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10517.916	51.25	38.16	-31.06	58.35	68.30	9.95	Vertical
2	12812.916	37.74	39.38	-29.84	47.27	68.30	21.03	Vertical
3	15780.833	41.79	38.62	-27.22	53.18	74.00	20.82	Vertical
4	15785.416	32.41	38.61	-27.18	43.84	54.00	10.16	Vertical

802.11n20 Channel 60




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10600.416	49.56	38.20	-31.20	56.56	74.00	17.44	Horizontal
2	10602.916	41.05	38.20	-31.17	48.08	54.00	5.92	Horizontal
3	12339.166	36.97	38.81	-29.60	46.18	74.00	27.82	Horizontal
4	15897.083	41.30	38.40	-27.47	52.23	74.00	21.77	Horizontal
5	15908.75	31.47	38.37	-27.48	42.37	54.00	11.63	Horizontal

802.11n20 Channel 60




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10605.416	50.34	38.20	-31.15	57.39	74.00	16.61	Vertical
2	10608.75	39.75	38.20	-31.12	46.83	54.00	7.17	Vertical
3	12396.25	36.71	38.88	-29.00	46.59	74.00	27.41	Vertical
4	15896.25	33.05	38.40	-27.46	43.98	54.00	10.02	Vertical
5	15901.666	42.33	38.39	-27.48	53.24	74.00	20.76	Vertical

802.11n20 Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10644.166	41.47	38.22	-30.80	48.89	54.00	5.11	Horizontal
2	10645.833	49.59	38.22	-30.79	57.03	74.00	16.97	Horizontal
3	12385	36.74	38.86	-29.12	46.48	74.00	27.52	Horizontal
4	15967.5	31.85	38.26	-27.45	42.67	54.00	11.33	Horizontal
5	15968.75	39.58	38.26	-27.45	50.39	74.00	23.61	Horizontal

802.11n20 Channel 64


Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10645.833	40.46	38.22	-30.79	47.90	54.00	6.10	Vertical
2	10648.333	50.21	38.22	-30.77	57.67	74.00	16.33	Vertical
3	12438.75	37.18	38.93	-29.31	46.80	74.00	27.20	Vertical
4	15959.583	32.02	38.28	-27.45	42.85	54.00	11.15	Vertical
5	15967.083	40.89	38.26	-27.45	51.71	74.00	22.29	Vertical

802.11n40 Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	11031.666	45.05	38.40	-30.44	53.01	74.00	20.99	Horizontal
2	11032.5	36.85	38.40	-30.44	44.81	54.00	9.19	Horizontal
3	12507.916	37.35	39.01	-29.86	46.50	74.00	27.50	Horizontal
4	16541.25	38.42	38.58	-26.55	50.45	68.30	17.85	Horizontal

802.11n40 Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	11016.666	44.27	38.40	-30.47	52.20	74.00	21.80	Vertical
2	11017.083	35.52	38.40	-30.47	43.45	54.00	10.55	Vertical
3	13384.166	37.06	39.87	-28.99	47.94	74.00	26.06	Vertical
4	16531.666	45.01	38.57	-26.56	57.02	68.30	11.28	Vertical

802.11n40 Channel 110



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	11094.166	38.05	38.40	-30.33	46.12	54.00	7.88	Horizontal
2	11095.833	45.98	38.40	-30.33	54.05	74.00	19.95	Horizontal
3	12949.166	37.70	39.54	-29.63	47.61	68.30	20.69	Horizontal
4	16642.5	38.52	38.65	-26.59	50.58	68.30	17.72	Horizontal


802.11n40 Channel 110




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	11101.25	34.65	38.40	-30.32	42.73	54.00	11.27	Vertical
2	11102.5	41.93	38.40	-30.31	50.02	74.00	23.98	Vertical
3	12816.25	37.29	39.38	-29.83	46.84	68.30	21.46	Vertical
4	16650.416	45.04	38.66	-26.61	57.08	68.30	11.22	Vertical



802.11n40 Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	9476.25	39.93	37.74	-33.67	44.00	74.00	30.00	Horizontal
2	11324.583	38.48	38.40	-30.34	46.54	74.00	27.46	Horizontal
3	12869.583	37.50	39.44	-29.56	47.39	68.30	20.91	Horizontal

802.11n40 Channel 134


Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	11346.25	39.19	38.40	-30.20	47.39	74.00	26.61	Vertical
2	11349.583	31.50	38.40	-30.18	39.72	54.00	14.28	Vertical
3	13855.833	37.30	40.20	-28.79	48.71	68.30	19.59	Vertical
4	17009.166	42.09	38.92	-25.32	55.69	68.30	12.61	Vertical

802.11n40 Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	11512.5	33.46	38.40	-29.94	41.92	54.00	12.08	Horizontal
2	11515.833	42.69	38.40	-29.93	51.16	74.00	22.84	Horizontal
3	13380	36.82	39.87	-29.01	47.67	74.00	26.33	Horizontal
4	17263.75	38.98	39.53	-25.44	53.07	68.30	15.23	Horizontal

802.11n40 Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	11512.083	37.29	38.40	-29.94	45.75	54.00	8.25	Vertical
2	11517.083	44.90	38.40	-29.92	53.38	74.00	20.62	Vertical
3	13123.75	37.01	39.69	-28.97	47.73	68.30	20.57	Vertical
4	17271.666	45.85	39.55	-25.52	59.88	68.30	8.42	Vertical

802.11n40 Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	11595.833	34.57	38.40	-29.61	43.36	54.00	10.64	Horizontal
2	11597.916	42.26	38.40	-29.60	51.06	74.00	22.94	Horizontal
3	14137.083	37.41	40.27	-29.18	48.51	68.30	19.79	Horizontal
4	17400	38.84	39.86	-25.12	53.58	68.30	14.72	Horizontal

802.11n40 Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	11585.416	45.61	38.40	-29.65	54.36	74.00	19.64	Vertical
2	11591.25	36.89	38.40	-29.63	45.66	54.00	8.34	Vertical
3	13830	37.88	40.18	-29.01	49.06	68.30	19.24	Vertical
4	17378.333	44.02	39.81	-25.27	58.56	68.30	9.74	Vertical

802.11n40 Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10382.083	46.50	38.09	-31.31	53.29	68.30	15.01	Horizontal
2	11455	37.56	38.40	-29.93	46.03	74.00	27.97	Horizontal
3	15566.25	30.90	39.02	-27.52	42.40	54.00	11.60	Horizontal
4	15580	39.47	39.00	-27.49	50.97	74.00	23.03	Horizontal

802.11n40 Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10379.583	47.98	38.09	-31.33	54.74	68.30	13.56	Vertical
2	12834.166	36.73	39.40	-29.74	46.40	68.30	21.90	Vertical
3	15563.333	40.91	39.03	-27.53	52.41	74.00	21.59	Vertical
4	15567.916	32.45	39.02	-27.52	43.95	54.00	10.05	Vertical

802.11n40 Channel 46




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10465.833	44.80	38.13	-31.07	51.86	68.30	16.44	Horizontal
2	13332.916	37.31	39.83	-29.25	47.89	74.00	26.11	Horizontal
3	15680.416	39.19	38.81	-27.85	50.15	74.00	23.85	Horizontal
4	15697.5	30.94	38.77	-27.94	41.78	54.00	12.22	Horizontal

802.11n40 Channel 46




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10456.25	45.11	38.13	-31.09	52.15	68.30	16.15	Vertical
2	12394.166	37.24	38.87	-29.02	47.09	74.00	26.91	Vertical
3	15692.5	31.40	38.78	-27.91	42.27	54.00	11.73	Vertical
4	15697.083	38.34	38.78	-27.94	49.18	74.00	24.82	Vertical

802.11n40 Channel 54


Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10540	47.95	38.17	-31.10	55.02	68.30	13.28	Horizontal
2	12500.833	37.87	39.00	-29.86	47.01	74.00	26.99	Horizontal
3	15802.5	31.23	38.58	-27.06	42.74	54.00	11.26	Horizontal
4	15815	38.66	38.55	-27.11	50.10	74.00	23.90	Horizontal

802.11n40 Channel 54




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10540.416	48.13	38.17	-31.10	55.20	68.30	13.10	Vertical
2	12880.833	37.94	39.46	-29.50	47.90	68.30	20.40	Vertical
3	15805	37.84	38.57	-27.07	49.34	74.00	24.66	Vertical
4	15822.916	32.22	38.54	-27.15	43.61	54.00	10.39	Vertical

802.11n40 Channel 62



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10623.75	46.39	38.21	-30.99	53.62	74.00	20.38	Horizontal
2	10625.416	38.29	38.21	-30.97	45.53	54.00	8.47	Horizontal
3	12046.25	37.03	38.46	-29.39	46.09	74.00	27.91	Horizontal
4	15924.583	30.83	38.34	-27.47	41.71	54.00	12.29	Horizontal
5	15942.083	39.64	38.31	-27.46	50.49	74.00	23.51	Horizontal

802.11n40 Channel 62



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10615.416	38.81	38.21	-31.06	45.96	54.00	8.04	Vertical
2	10618.75	48.31	38.21	-31.03	55.49	74.00	18.51	Vertical
3	13003.333	38.05	39.60	-29.83	47.82	68.30	20.48	Vertical
4	15931.25	30.56	38.33	-27.46	41.43	54.00	12.57	Vertical
5	15945	38.58	38.30	-27.46	49.43	74.00	24.57	Vertical

7.5 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: ANSI C63.10 (2013) Section 6.10.5

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

*(1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

(2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

(3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

(4) For transmitters operating in the 5.725-5.85 GHz band:

(i) All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

7.5.1 E.U.T. Operation

Operating Environment:

Temperature: 21.6 °C

Humidity: 48.3 % RH


Atmospheric Pressure: 1010 mbar

7.5.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	01	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and

		found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40, Only the data of worst case is recorded in the report.
Final test	02	TX mode (U-NII-2A) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40, Only the data of worst case is recorded in the report.
Final test	03	TX mode (U-NII-2C) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40, Only the data of worst case is recorded in the report.
Final test	04	TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40, Only the data of worst case is recorded in the report.

7.5.3 Test Setup Diagram



7.5.4 Measurement Procedure and Data


- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.

Remark 1: $\text{Level} = \text{Read Level} + \text{Cable Loss} + \text{Antenna Factor} - \text{Preamp Factor}$

Remark 2. The resolution bandwidth of test receiver/spectrum analyzer is 1MHz and the video bandwidth is 3MHz for Peak detection (PK) and Average detection (AV) at frequency above 1GHz.

Remark 3. For fundamental and harmonic signal measurement, the resolution bandwidth of test receiver/spectrum analyzer is 1MHz and the video bandwidth is $\geq 1/T$ (Duty cycle $< 98\%$) or 10Hz (Duty cycle $\geq 98\%$) for Average detection (AV) at frequency above 1GHz.


802.11a Channel 100



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5439.3	26.18	33.11	-14.07	45.23	54.00	8.77	Horizontal
2	5448.7525	26.27	33.11	-14.03	45.35	54.00	8.65	Horizontal

802.11a Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.7975	26.80	33.11	-14.03	45.88	54.00	8.12	Vertical
2	5456.2575	27.36	33.11	-14.01	46.46	54.00	7.54	Vertical


802.11a Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.6825	41.25	33.11	-14.00	60.35	74.00	13.65	Horizontal
2	5468.2275	47.24	33.11	-13.97	66.38	68.30	1.92	Horizontal




802.11a Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.63	43.92	33.11	-14.00	63.03	74.00	10.97	Vertical
2	5469.8425	48.41	33.11	-13.96	67.55	68.30	0.75	Vertical


802.11a Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.45	44.30	33.87	-13.61	64.56	68.30	3.74	Horizontal
2	5727.6875	43.68	33.87	-13.61	63.94	68.30	4.36	Horizontal




802.11a Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.85	46.55	33.87	-13.62	66.80	68.30	1.50	Vertical
2	5728.9625	43.99	33.88	-13.61	64.26	68.30	4.04	Vertical

802.11a Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5642.7938	39.02	33.59	-13.68	58.93	68.30	9.37	Horizontal
2	5688.375	38.95	33.74	-13.67	59.02	96.73	37.71	Horizontal
3	5711.6125	43.37	33.82	-13.65	63.54	108.55	45.01	Horizontal
4	5722.5	47.84	33.86	-13.62	68.07	116.60	48.53	Horizontal

802.11a Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5637.5125	38.84	33.57	-13.68	58.73	68.30	9.57	Vertical
2	5682.525	39.03	33.72	-13.67	59.08	92.41	33.33	Vertical
3	5710.6375	44.20	33.82	-13.65	64.37	108.28	43.91	Vertical
4	5722.3375	50.87	33.86	-13.62	71.10	116.23	45.13	Vertical

802.11a Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.0938	43.55	34.30	-13.20	64.65	117.53	52.88	Horizontal
2	5867.3688	38.49	34.35	-13.12	59.72	107.43	47.71	Horizontal
3	5902.7938	38.10	34.47	-12.97	59.60	84.69	25.09	Horizontal
4	5933.425	38.19	34.57	-13.09	59.68	68.30	8.62	Horizontal

802.11a Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.9062	44.73	34.30	-13.20	65.83	115.67	49.84	Vertical
2	5869.4812	38.74	34.36	-13.11	59.98	106.84	46.86	Vertical
3	5910.4312	38.89	34.50	-13.00	60.39	79.05	18.66	Vertical
4	5935.5375	38.14	34.58	-13.10	59.63	68.30	8.67	Vertical

802.11a Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5136.05	26.37	33.17	-14.85	44.69	54.00	9.31	Horizontal
2	5141.23	26.26	33.17	-14.83	44.60	54.00	9.40	Horizontal

802.11a Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5137.38	26.19	33.17	-14.85	44.52	54.00	9.48	Vertical
2	5140.39	26.29	33.17	-14.83	44.63	54.00	9.37	Vertical

802.11a Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5135.98	39.22	33.17	-14.85	57.54	74.00	16.46	Horizontal
2	5140.25	39.34	33.17	-14.83	57.68	74.00	16.32	Horizontal

802.11a Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5136.75	38.69	33.17	-14.85	57.01	74.00	16.99	Vertical
2	5140.18	38.82	33.17	-14.83	57.16	74.00	16.84	Vertical

802.11a Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5354.2	26.16	33.13	-14.10	45.19	54.00	8.81	Horizontal
2	5355.95	26.13	33.13	-14.11	45.15	54.00	8.85	Horizontal

802.11a Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5353.725	26.25	33.13	-14.10	45.28	54.00	8.72	Vertical
2	5356.9	26.01	33.13	-14.11	45.03	54.00	8.97	Vertical

802.11a Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.275	42.21	33.13	-14.10	61.24	74.00	12.76	Horizontal
2	5352.35	41.33	33.13	-14.10	60.36	74.00	13.64	Horizontal

802.11a Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.675	42.22	33.13	-14.10	61.25	74.00	12.75	Vertical
2	5352.225	42.67	33.13	-14.10	61.70	74.00	12.30	Vertical


802.11ax20 Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.2675	26.49	33.11	-14.02	45.58	54.00	8.42	Horizontal
2	5456.97	26.98	33.11	-14.01	46.08	54.00	7.92	Horizontal




802.11ax20 Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.655	26.51	33.11	-14.03	45.59	54.00	8.41	Vertical
2	5453.455	26.83	33.11	-14.02	45.92	54.00	8.08	Vertical

802.11ax20 Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.0125	42.68	33.11	-14.00	61.79	74.00	12.21	Horizontal
2	5467.5625	46.67	33.11	-13.97	65.81	68.30	2.49	Horizontal

802.11ax20 Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5457.445	45.92	33.11	-14.00	65.02	74.00	8.98	Vertical
2	5465.14	47.16	33.11	-13.98	66.29	68.30	2.01	Vertical

802.11ax20 Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.6625	38.68	33.87	-13.62	58.93	68.30	9.37	Horizontal
2	5730.725	37.67	33.88	-13.61	57.95	68.30	10.35	Horizontal

802.11ax20 Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5727.5375	42.47	33.87	-13.61	62.73	68.30	5.57	Vertical
2	5735.225	39.15	33.90	-13.60	59.45	68.30	8.85	Vertical


802.11ax20 Channel 149



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.7438	37.24	33.59	-13.68	57.16	68.30	11.14	Horizontal
2	5670.6625	37.66	33.68	-13.67	57.67	83.63	25.96	Horizontal
3	5703.325	37.06	33.79	-13.66	57.19	106.23	49.04	Horizontal
4	5723.8	44.65	33.86	-13.62	64.89	119.56	54.67	Horizontal

802.11ax20 Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5643.2812	37.37	33.59	-13.68	57.28	68.30	11.02	Vertical
2	5664.65	38.04	33.66	-13.67	58.03	79.17	21.14	Vertical
3	5706.6562	38.05	33.80	-13.66	58.20	107.17	48.97	Vertical
4	5722.9062	45.22	33.86	-13.62	65.46	117.53	52.07	Vertical

802.11ax20 Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.3625	39.86	34.29	-13.20	60.95	119.19	58.24	Horizontal
2	5861.4375	38.47	34.33	-13.15	59.65	109.10	49.45	Horizontal
3	5902.1438	38.06	34.47	-12.97	59.56	85.17	25.61	Horizontal
4	5931.3938	38.98	34.57	-13.08	60.47	68.30	7.83	Horizontal

802.11ax20 Channel 165



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5853.6375	42.59	34.30	-13.19	63.70	114.01	50.31	Vertical
2	5870.1312	38.84	34.36	-13.11	60.09	106.66	46.57	Vertical
3	5908.075	38.63	34.49	-12.99	60.13	80.79	20.66	Vertical
4	5931.3938	38.36	34.57	-13.08	59.85	68.30	8.45	Vertical


802.11ax20 Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5138.115	26.40	33.17	-14.84	44.73	54.00	9.27	Horizontal
2	5140.95	26.43	33.17	-14.83	44.77	54.00	9.23	Horizontal




802.11ax20 Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5140.04	26.46	33.17	-14.83	44.80	54.00	9.20	Vertical
2	5145.29	26.45	33.17	-14.81	44.81	54.00	9.19	Vertical

802.11ax20 Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5139.13	38.81	33.17	-14.84	57.14	74.00	16.86	Horizontal
2	5140.215	39.04	33.17	-14.83	57.38	74.00	16.62	Horizontal


802.11ax20 Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.475	40.76	33.17	-14.83	59.10	74.00	14.90	Vertical
2	5142.07	40.23	33.17	-14.82	58.58	74.00	15.42	Vertical




802.11ax20 Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.65	26.19	33.13	-14.10	45.22	54.00	8.78	Horizontal
2	5355.275	26.25	33.13	-14.11	45.27	54.00	8.73	Horizontal

802.11ax20 Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.65	26.52	33.13	-14.10	45.55	54.00	8.45	Vertical
2	5355.725	26.31	33.13	-14.11	45.33	54.00	8.67	Vertical

802.11ax20 Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5354.35	43.72	33.13	-14.10	62.74	74.00	11.26	Horizontal
2	5356.225	40.44	33.13	-14.11	59.46	74.00	14.54	Horizontal

802.11ax20 Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.525	43.45	33.13	-14.10	62.48	74.00	11.52	Vertical
2	5353.15	42.77	33.13	-14.10	61.80	74.00	12.20	Vertical

802.11ax40 Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5436.43	28.01	33.11	-14.08	47.05	54.00	6.95	Horizontal
2	5443.6325	27.96	33.11	-14.05	47.02	54.00	6.98	Horizontal

802.11ax40 Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5443.9675	28.45	33.11	-14.05	47.51	54.00	6.49	Vertical
2	5449.9138	29.73	33.11	-14.03	48.81	54.00	5.19	Vertical

802.11ax40 Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5447.82	38.43	33.11	-14.04	57.50	74.00	16.50	Horizontal
2	5462.895	39.07	33.11	-13.99	58.19	68.30	10.11	Horizontal
3	5731.98	39.13	33.89	-13.60	59.42	68.30	8.88	Horizontal

802.11ax40 Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5455.19	41.02	33.11	-14.01	60.12	74.00	13.88	Vertical
2	5464.905	45.10	33.11	-13.98	64.23	68.30	4.07	Vertical
3	5750.42	38.27	33.95	-13.56	58.66	68.30	9.64	Vertical

802.11ax40 Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5426.2962	27.75	33.11	-14.11	46.75	54.00	7.25	Horizontal
2	5441.2875	27.55	33.11	-14.06	46.60	54.00	7.40	Horizontal

802.11ax40 Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5413.8175	27.84	33.12	-14.15	46.80	54.00	7.20	Vertical
2	5434.2525	27.79	33.11	-14.08	46.82	54.00	7.18	Vertical

802.11ax40 Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5390.3675	39.25	33.12	-14.18	58.19	74.00	15.81	Horizontal
2	5467.25	38.30	33.11	-13.97	57.44	68.30	10.86	Horizontal
3	5732.98	38.49	33.89	-13.60	58.78	68.30	9.52	Horizontal

802.11ax40 Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5436.8488	38.95	33.11	-14.07	57.99	74.00	16.01	Vertical
2	5463.3138	38.73	33.11	-13.98	57.85	68.30	10.45	Vertical
3	5731.66	40.37	33.89	-13.60	60.65	68.30	7.65	Vertical

802.11ax40 Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5643.9312	37.85	33.59	-13.68	57.76	68.30	10.54	Horizontal
2	5672.125	38.11	33.69	-13.67	58.12	84.71	26.59	Horizontal
3	5712.425	40.78	33.82	-13.64	60.96	108.78	47.82	Horizontal
4	5723.6375	41.19	33.86	-13.62	61.43	119.19	57.76	Horizontal
5	5852.175	39.02	34.30	-13.20	60.12	117.34	57.22	Horizontal
6	5863.0625	39.19	34.33	-13.14	60.38	108.64	48.26	Horizontal
7	5899.625	38.25	34.46	-12.96	59.75	87.04	27.29	Horizontal
8	5945.2062	39.23	34.61	-13.13	60.71	68.30	7.59	Horizontal

802.11ax40 Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5648.1562	37.53	33.60	-13.68	57.46	68.30	10.84	Vertical
2	5672.775	36.82	33.69	-13.67	56.83	85.19	28.36	Vertical
3	5705.0312	39.27	33.80	-13.66	59.41	106.71	47.30	Vertical
4	5723.3938	45.79	33.86	-13.62	66.03	118.64	52.61	Vertical
5	5852.175	38.20	34.30	-13.20	59.30	117.34	58.04	Vertical
6	5865.0125	40.27	34.34	-13.13	61.48	108.09	46.61	Vertical
7	5894.75	38.71	34.44	-12.99	60.17	90.65	30.48	Vertical
8	5938.4625	38.30	34.59	-13.11	59.78	68.30	8.52	Vertical

802.11ax40 Channel 159



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.9	37.29	33.58	-13.68	57.20	68.30	11.10	Horizontal
2	5672.0438	38.14	33.68	-13.67	58.15	84.65	26.50	Horizontal
3	5713.8062	37.92	33.83	-13.64	58.11	109.17	51.06	Horizontal
4	5723.8812	38.22	33.86	-13.62	58.46	119.75	61.29	Horizontal
5	5851.3625	38.88	34.29	-13.20	59.97	119.19	59.22	Horizontal
6	5864.2812	38.81	34.34	-13.14	60.01	108.30	48.29	Horizontal
7	5899.4625	37.97	34.46	-12.96	59.47	87.16	27.69	Horizontal
8	5929.7688	38.26	34.56	-13.07	59.75	68.30	8.55	Horizontal


802.11ax40 Channel 159



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.5812	37.02	33.59	-13.68	56.94	68.30	11.36	Vertical
2	5671.6375	37.79	33.68	-13.67	57.80	84.35	26.55	Vertical
3	5706.4125	37.93	33.80	-13.66	58.08	107.10	49.02	Vertical
4	5722.6625	37.66	33.86	-13.62	57.89	116.97	59.08	Vertical
5	5853.5562	39.32	34.30	-13.19	60.43	114.19	53.76	Vertical
6	5865.4188	39.10	34.34	-13.13	60.31	107.98	47.67	Vertical
7	5898.4062	38.23	34.45	-12.97	59.72	87.94	28.22	Vertical
8	5930.5812	38.26	34.56	-13.08	59.75	68.30	8.55	Vertical




802.11ax40 Channel 38



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5123.24	27.37	33.18	-14.91	45.64	54.00	8.36	Horizontal
2	5372.735	27.85	33.13	-14.14	46.83	54.00	7.17	Horizontal




802.11ax40 Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5130.72	27.34	33.17	-14.87	45.64	54.00	8.36	Vertical
2	5398.25	27.99	33.12	-14.20	46.91	54.00	7.09	Vertical

802.11ax40 Channel 38



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5135.72	38.23	33.17	-14.85	56.55	74.00	17.45	Horizontal
2	5372.14	38.79	33.13	-14.14	57.77	74.00	16.23	Horizontal


802.11ax40 Channel 38



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.88	42.87	33.17	-14.80	61.24	74.00	12.76	Vertical
2	5355.34	38.83	33.13	-14.11	57.85	74.00	16.15	Vertical




802.11ax40 Channel 62



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.7	27.33	33.17	-14.82	45.68	54.00	8.32	Horizontal
2	5370.25	27.97	33.13	-14.14	46.96	54.00	7.04	Horizontal


802.11ax40 Channel 62



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5129.35	27.31	33.17	-14.88	45.60	54.00	8.40	Vertical
2	5353.85	31.11	33.13	-14.10	50.14	54.00	3.86	Vertical

802.11ax40 Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5136.15	38.46	33.17	-14.85	56.78	74.00	17.22	Horizontal
2	5356.9	40.46	33.13	-14.11	59.48	74.00	14.52	Horizontal

802.11ax40 Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5127.9	39.22	33.17	-14.89	57.51	74.00	16.49	Vertical
2	5357.75	49.29	33.13	-14.11	68.31	74.00	5.69	Vertical

802.11n20 Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.9025	26.60	33.11	-14.04	45.67	54.00	8.33	Horizontal
2	5450.0825	26.71	33.11	-14.03	45.79	54.00	8.21	Horizontal

802.11n20 Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5439.965	26.39	33.11	-14.06	45.44	54.00	8.56	Vertical
2	5446.6625	26.64	33.11	-14.04	45.71	54.00	8.29	Vertical

802.11n20 Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5451.0325	40.26	33.11	-14.03	59.34	74.00	14.66	Horizontal
2	5463.3825	47.13	33.11	-13.98	66.25	68.30	2.05	Horizontal


802.11n20 Channel 100



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5447.8025	39.87	33.11	-14.04	58.94	74.00	15.06	Vertical
2	5465.52	48.15	33.11	-13.98	67.28	68.30	1.02	Vertical




802.11n20 Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5727.0875	44.52	33.87	-13.61	64.78	68.30	3.52	Horizontal
2	5733.35	42.39	33.89	-13.60	62.68	68.30	5.62	Horizontal

802.11n20 Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5727.0125	46.00	33.87	-13.61	66.26	68.30	2.04	Vertical
2	5731.5125	45.27	33.89	-13.60	65.55	68.30	2.75	Vertical

802.11n20 Channel 149



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.8188	38.22	33.58	-13.68	58.13	68.30	10.17	Horizontal
2	5667.0875	39.11	33.67	-13.67	59.10	80.98	21.88	Horizontal
3	5703.0812	40.61	33.79	-13.66	60.74	106.16	45.42	Horizontal
4	5722.825	50.75	33.86	-13.62	70.99	117.34	46.35	Horizontal


802.11n20 Channel 149



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5645.8812	39.15	33.60	-13.68	59.07	68.30	9.23	Vertical
2	5653.7625	38.28	33.62	-13.67	58.23	71.10	12.87	Vertical
3	5704.625	42.34	33.80	-13.66	62.48	106.60	44.12	Vertical
4	5722.2562	52.54	33.86	-13.62	72.77	116.05	43.28	Vertical

802.11n20 Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.7688	43.58	34.30	-13.20	64.67	118.27	53.60	Horizontal
2	5873.625	38.71	34.37	-13.09	59.99	105.68	45.69	Horizontal
3	5905.3938	37.56	34.48	-12.98	59.06	82.77	23.71	Horizontal
4	5938.1375	38.53	34.59	-13.10	60.01	68.30	8.29	Horizontal

802.11n20 Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.0938	45.52	34.30	-13.20	66.62	117.53	50.91	Vertical
2	5872.1625	38.97	34.37	-13.10	60.24	106.09	45.85	Vertical
3	5899.7875	38.71	34.46	-12.96	60.21	86.92	26.71	Vertical
4	5930.5	37.82	34.56	-13.08	59.31	68.30	8.99	Vertical

802.11n20 Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.205	26.26	33.17	-14.82	44.62	54.00	9.38	Horizontal
2	5145.01	26.43	33.17	-14.81	44.79	54.00	9.21	Horizontal

802.11n20 Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.455	26.31	33.17	-14.82	44.66	54.00	9.34	Vertical
2	5144.975	26.51	33.17	-14.81	44.87	54.00	9.13	Vertical


802.11n20 Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5137.625	38.59	33.17	-14.84	56.92	74.00	17.08	Horizontal
2	5142.105	38.60	33.17	-14.82	56.95	74.00	17.05	Horizontal




802.11n20 Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5140.075	39.37	33.17	-14.83	57.71	74.00	16.29	Vertical
2	5142.77	39.24	33.17	-14.82	57.59	74.00	16.41	Vertical


802.11n20 Channel 64



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5356.225	26.42	33.13	-14.11	45.44	54.00	8.56	Horizontal
2	5364.25	26.23	33.13	-14.12	45.23	54.00	8.77	Horizontal




802.11n20 Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5353.975	26.65	33.13	-14.10	45.68	54.00	8.32	Vertical
2	5356.15	26.51	33.13	-14.11	45.53	54.00	8.47	Vertical

802.11n20 Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.025	45.67	33.13	-14.10	64.70	74.00	9.30	Horizontal
2	5359.95	40.62	33.13	-14.12	59.63	74.00	14.37	Horizontal

802.11n20 Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.1	42.85	33.13	-14.10	61.88	74.00	12.12	Vertical
2	5357.7	41.51	33.13	-14.11	60.53	74.00	13.47	Vertical

802.11n40 Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.7262	27.14	33.11	-14.04	46.21	54.00	7.79	Horizontal
2	5457.4512	27.82	33.11	-14.00	46.92	54.00	7.08	Horizontal

802.11n40 Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5450.5	27.53	33.11	-14.03	46.61	54.00	7.39	Vertical
2	5459.7962	29.09	33.11	-14.00	48.20	54.00	5.80	Vertical

802.11n40 Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.0125	42.81	33.11	-14.02	61.90	74.00	12.10	Horizontal
2	5465.0725	46.85	33.11	-13.98	65.98	68.30	2.32	Horizontal
3	5736.26	38.91	33.90	-13.59	59.22	68.30	9.08	Horizontal

802.11n40 Channel 102



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.0562	41.55	33.11	-14.05	60.61	74.00	13.39	Vertical
2	5466.4125	45.68	33.11	-13.97	64.81	68.30	3.49	Vertical
3	5728.3	38.70	33.88	-13.61	58.97	68.30	9.33	Vertical


802.11n40 Channel 134



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5402.7625	26.72	33.12	-14.19	45.65	54.00	8.35	Horizontal
2	5436.5138	26.62	33.11	-14.08	45.66	54.00	8.34	Horizontal




802.11n40 Channel 134



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5385.3425	26.83	33.12	-14.17	45.78	54.00	8.22	Vertical
2	5419.5125	26.66	33.12	-14.13	45.64	54.00	8.36	Vertical


802.11n40 Channel 134



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5405.1075	39.17	33.12	-14.18	58.11	74.00	15.89	Horizontal
2	5467.7525	38.45	33.11	-13.97	57.59	68.30	10.71	Horizontal
3	5745.26	39.19	33.93	-13.57	59.55	68.30	8.75	Horizontal




802.11n40 Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5435.425	39.02	33.11	-14.08	58.05	74.00	15.95	Vertical
2	5464.0675	39.41	33.11	-13.98	58.54	68.30	9.76	Vertical
3	5742.64	40.24	33.92	-13.58	60.58	68.30	7.72	Vertical

802.11n40 Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5640.3562	38.78	33.58	-13.68	58.68	68.30	9.62	Horizontal
2	5675.2125	39.51	33.70	-13.67	59.53	87.00	27.47	Horizontal
3	5710.15	48.25	33.81	-13.65	68.42	108.14	39.72	Horizontal
4	5722.825	50.95	33.86	-13.62	71.19	117.34	46.15	Horizontal
5	5852.7438	38.22	34.30	-13.20	59.32	116.04	56.72	Horizontal
6	5865.2562	40.25	34.34	-13.13	61.46	108.03	46.57	Horizontal
7	5895.2375	39.52	34.44	-12.98	60.98	90.29	29.31	Horizontal
8	5934.6438	37.99	34.58	-13.09	59.48	68.30	8.82	Horizontal

802.11n40 Channel 151




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5645.0688	39.35	33.59	-13.68	59.27	68.30	9.03	Vertical
2	5668.875	38.92	33.67	-13.67	58.92	82.31	23.39	Vertical
3	5710.475	49.84	33.82	-13.65	70.01	108.24	38.23	Vertical
4	5721.9312	53.20	33.85	-13.62	73.43	115.30	41.87	Vertical
5	5852.9062	38.13	34.30	-13.20	59.23	115.67	56.44	Vertical
6	5869.8062	38.25	34.36	-13.11	59.50	106.75	47.25	Vertical
7	5905.5562	39.08	34.48	-12.98	60.58	82.65	22.07	Vertical
8	5937.4062	38.61	34.59	-13.10	60.10	68.30	8.20	Vertical

802.11n40 Channel 159



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.4125	38.98	33.58	-13.68	58.88	68.30	9.42	Horizontal
2	5672.3688	38.73	33.69	-13.67	58.74	84.89	26.15	Horizontal
3	5712.5875	38.78	33.82	-13.64	58.96	108.83	49.87	Horizontal
4	5722.2562	38.85	33.86	-13.62	59.08	116.05	56.97	Horizontal
5	5851.9312	41.66	34.30	-13.20	62.76	117.90	55.14	Horizontal
6	5861.1938	39.84	34.33	-13.15	61.01	109.16	48.15	Horizontal
7	5891.9062	39.20	34.43	-13.00	60.63	92.75	32.12	Horizontal
8	5931.3938	38.30	34.57	-13.08	59.79	68.30	8.51	Horizontal

802.11n40 Channel 159



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5645.2312	39.13	33.59	-13.68	59.05	68.30	9.25	Vertical
2	5673.9125	38.62	33.69	-13.67	58.64	86.04	27.40	Vertical
3	5712.9938	39.99	33.82	-13.64	60.17	108.94	48.77	Vertical
4	5723.9625	39.55	33.86	-13.62	59.79	119.94	60.15	Vertical
5	5852.9062	43.32	34.30	-13.20	64.42	115.67	51.25	Vertical
6	5865.0125	39.28	34.34	-13.13	60.49	108.09	47.60	Vertical
7	5895.725	38.72	34.45	-12.98	60.18	89.93	29.75	Vertical
8	5934.4812	38.04	34.58	-13.09	59.53	68.30	8.77	Vertical