

























Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-42.08	-20	Pass
NVNT	b	2437	Ant1	-42.34	-20	Pass
NVNT	b	2462	Ant1	-42.29	-20	Pass
NVNT	b	2412	Ant2	-43.45	-20	Pass
NVNT	b	2437	Ant2	-42.75	-20	Pass
NVNT	b	2462	Ant2	-43.21	-20	Pass
NVNT	g	2412	Ant1	-36.26	-20	Pass
NVNT	g	2437	Ant1	-36.16	-20	Pass
NVNT	g	2462	Ant1	-35.45	-20	Pass
NVNT	g	2412	Ant2	-36.48	-20	Pass
NVNT	g	2437	Ant2	-35.08	-20	Pass
NVNT	g	2462	Ant2	-35.98	-20	Pass
NVNT	n20	2412	Ant1	-36.2	-20	Pass
NVNT	n20	2437	Ant1	-35.64	-20	Pass
NVNT	n20	2462	Ant1	-36.45	-20	Pass
NVNT	n20	2412	Ant2	-35.64	-20	Pass
NVNT	n20	2437	Ant2	-35.98	-20	Pass
NVNT	n20	2462	Ant2	-35.96	-20	Pass
NVNT	n40	2422	Ant1	-32.13	-20	Pass
NVNT	n40	2437	Ant1	-32.27	-20	Pass
NVNT	n40	2452	Ant1	-32.44	-20	Pass
NVNT	n40	2422	Ant2	-32.49	-20	Pass
NVNT	n40	2437	Ant2	-31.89	-20	Pass
NVNT	n40	2452	Ant2	-32.53	-20	Pass

