


HK-S-63


Wireless Remote Controller Instruction Manual

Control Panel



Operation introduction

1. Put the dry-cell battery into controller. (Preparatory work: connect all actuators based on the spec then apply power.)

2. Press  button to control the light ON or Off。
3. Press  button to control the vibration function of head position ON or Off.
4. Press  button to adjust the vibration intensity (three grades: strong/middle/weak)。
5. Press  button to control the USB Light (connect with Control box) ON or OFF。
6. Press  button to adjust head and foot lift up together, head is up to 60°, foot is up to 20°。
7. Press  button to adjust head and foot lift up together, head is up to 10° ,foot is up to 30° 。
8. Press  button to adjust head and foot lift up to 15°。
9. Press  button to adjust head up to 10° and foot to flat.
10. Press  button, the bed return back to flat position.
11. Long press  up or down button, head lift up or lower down 。
12. Long press  up or down button, foot lift up or lower down.

Technology parameters

Controller: Input DC4.5V, Rated current: 20mA


2.4G Wireless remote controller connect with Control box

Step 1: Electrify the control box then hear a "Click" (Preparatory work: connect all actuators based on the spec then apply power.)

Step 2: Take the controller close to the scan code area of control box, after hear a "click" then controller connects with control box successfully.


Remark:

If the controller is missed, please get a new one and repeat the steps 1~2.



Instruction to set a custom position:

For example, how to use **TV/PC** button to adjust the bed to reach TV or PC position, the steps are as below:



1. Press **FLAT** button then adjust the bed back to original flat position, Long press button to adjust bed of head position and foot position to comfortable position . Long press **TV/PC** +  buttons, after hear a “click” then position is set up successfully.
2. Next time when you press **TV/PC** button, the bed will be adjusted to the new position what you set up latest.
3. If the position is not comfortable or want a new position, please repeat the step 1.
4. You can set up the positions of **REST** 、 **ZERO G** same as step 1. Only need change the buttons after get the comfortable positions like **REST** + , **ZERO G** +  .

5 . If you need the original state of these 3 buttons, just need repeat the steps 1~2 .

Common fault treatment

Fault phenomenon	Possible reasons	Treatment
Actuators do not work	1.Actuators connect well or not. 2.Plug is good or not. 3.Use the proper adaptor or not.	1.Check the connection follow the specification. 2.Check the plug inserts properly or not. 3.Input voltage of actuator is DC 29V,2A.and plug conforms to national standard.
Actuators stop working suddenly or operation failure	1.Low power. 2.Over load. 3.Program insanity because of wrong operation. 4.The junction is loose and poor connection.	1.Change battery. 2.Proper load. 3.Cut off power, connect again 2 minutes later. 4.Check the junction, connect again.

Notes:

1. As for indoor use, avoid exposure and the rain wetted at low temperature.
2. If surface is moisture, must cut off power and stop working, make it dry and use again.
3. Children use under adult custody。
4. Avoid electric shock, do not move the cable's epidermis.

FCC STATEMENT :

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.