



Mode	5																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																									
ANT	2																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2026-09-16 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2337.93</td><td>48.72</td><td>74.00</td><td>-25.28</td><td>42.77</td><td>31.59</td><td>8.19</td><td>33.83</td><td>108</td><td>302 PEAK</td></tr><tr><td>2</td><td>2337.93</td><td>23.93</td><td>54.00</td><td>-30.07</td><td>17.98</td><td>31.59</td><td>8.19</td><td>33.83</td><td>108</td><td>302 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2337.93	48.72	74.00	-25.28	42.77	31.59	8.19	33.83	108	302 PEAK	2	2337.93	23.93	54.00	-30.07	17.98	31.59	8.19	33.83	108	302 AVERAGE	Level (dBuV/m) Date: 2026-09-16 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>104.74</td><td>-----</td><td>-----</td><td>98.46</td><td>31.73</td><td>8.33</td><td>33.78</td><td>108</td><td>302 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>79.95</td><td>-----</td><td>-----</td><td>73.67</td><td>31.73</td><td>8.33</td><td>33.78</td><td>108</td><td>302 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	104.74	-----	-----	98.46	31.73	8.33	33.78	108	302 PEAK	2	2402.00	79.95	-----	-----	73.67	31.73	8.33	33.78	108	302 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2337.93	48.72	74.00	-25.28	42.77	31.59	8.19	33.83	108	302 PEAK																																																																																																
2	2337.93	23.93	54.00	-30.07	17.98	31.59	8.19	33.83	108	302 AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2402.00	104.74	-----	-----	98.46	31.73	8.33	33.78	108	302 PEAK																																																																																																
2	2402.00	79.95	-----	-----	73.67	31.73	8.33	33.78	108	302 AVERAGE																																																																																																



Mode	5																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																									
ANT	2																																																																																																									
Pol.	Vertical	Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2026-09-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2333.10</td><td>48.53</td><td>74.00</td><td>-25.47</td><td>42.61</td><td>31.58</td><td>8.18</td><td>33.84</td><td>396</td><td>348 PEAK</td></tr><tr><td>2</td><td>2333.10</td><td>23.74</td><td>54.00</td><td>-30.26</td><td>17.82</td><td>31.58</td><td>8.18</td><td>33.84</td><td>396</td><td>348 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2333.10	48.53	74.00	-25.47	42.61	31.58	8.18	33.84	396	348 PEAK	2	2333.10	23.74	54.00	-30.26	17.82	31.58	8.18	33.84	396	348 AVERAGE	Level (dBuV/m) Date: 2026-09-16 Frequency (MHz) PEAK_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>101.63</td><td>-----</td><td>-----</td><td>95.35</td><td>31.73</td><td>8.33</td><td>33.78</td><td>396</td><td>348 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>76.84</td><td>-----</td><td>-----</td><td>70.56</td><td>31.73</td><td>8.33</td><td>33.78</td><td>396</td><td>348 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	101.63	-----	-----	95.35	31.73	8.33	33.78	396	348 PEAK	2	2402.00	76.84	-----	-----	70.56	31.73	8.33	33.78	396	348 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2333.10	48.53	74.00	-25.47	42.61	31.58	8.18	33.84	396	348 PEAK																																																																																																
2	2333.10	23.74	54.00	-30.26	17.82	31.58	8.18	33.84	396	348 AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2402.00	101.63	-----	-----	95.35	31.73	8.33	33.78	396	348 PEAK																																																																																																
2	2402.00	76.84	-----	-----	70.56	31.73	8.33	33.78	396	348 AVERAGE																																																																																																



Mode	5																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																																											
ANT	2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg	Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 74.00 dB (PEAK_74), and a red average line at 54.00 dB (AVG_54). A peak is marked at 4804.00 MHz with a level of 46.51 dBuV/m.						Vertical Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 74.00 dB (PEAK_74), and a red average line at 54.00 dB (AVG_54). A peak is marked at 4804.00 MHz with a level of 46.12 dBuV/m.																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>46.51</td><td>74.00</td><td>-27.49</td><td>59.40</td><td>33.80</td><td>9.89</td><td>56.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>21.72</td><td>54.00</td><td>-32.28</td><td>34.61</td><td>33.80</td><td>9.89</td><td>56.58</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>4804.00</td><td>21.72</td><td>54.00</td><td>-32.28</td><td>34.61</td><td>33.80</td><td>9.89</td><td>56.58</td><td>---</td><td>---</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	46.51	74.00	-27.49	59.40	33.80	9.89	56.58	---	---	Peak	2	4804.00	21.72	54.00	-32.28	34.61	33.80	9.89	56.58	---	---	Average	3	4804.00	21.72	54.00	-32.28	34.61	33.80	9.89	56.58	---	---	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>46.12</td><td>74.00</td><td>-27.88</td><td>59.01</td><td>33.80</td><td>9.89</td><td>56.58</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>21.33</td><td>54.00</td><td>-32.67</td><td>34.22</td><td>33.80</td><td>9.89</td><td>56.58</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>4804.00</td><td>21.33</td><td>54.00</td><td>-32.67</td><td>34.22</td><td>33.80</td><td>9.89</td><td>56.58</td><td>---</td><td>---</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	46.12	74.00	-27.88	59.01	33.80	9.89	56.58	---	---	Peak	2	4804.00	21.33	54.00	-32.67	34.22	33.80	9.89	56.58	---	---	Average	3	4804.00	21.33	54.00	-32.67	34.22	33.80	9.89	56.58	---	---	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	4804.00	46.51	74.00	-27.49	59.40	33.80	9.89	56.58	---	---	Peak																																																																																																																																	
2	4804.00	21.72	54.00	-32.28	34.61	33.80	9.89	56.58	---	---	Average																																																																																																																																	
3	4804.00	21.72	54.00	-32.28	34.61	33.80	9.89	56.58	---	---	Average																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	4804.00	46.12	74.00	-27.88	59.01	33.80	9.89	56.58	---	---	Peak																																																																																																																																	
2	4804.00	21.33	54.00	-32.67	34.22	33.80	9.89	56.58	---	---	Average																																																																																																																																	
3	4804.00	21.33	54.00	-32.67	34.22	33.80	9.89	56.58	---	---	Average																																																																																																																																	



Mode	6																																																																																																																																																																															
	Harmonic																																																																																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																																															
ANT	2																																																																																																																																																																															
Pol.	Horizontal										Vertical																																																																																																																																																																					
Peak Avg																																																																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4882.00</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>57.56</td><td>33.71</td><td>9.87</td><td>56.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>19.80</td><td>54.00</td><td>-34.20</td><td>32.77</td><td>33.71</td><td>9.87</td><td>56.55</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>45.15</td><td>74.00</td><td>-28.85</td><td>57.31</td><td>35.62</td><td>11.45</td><td>59.23</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>20.36</td><td>54.00</td><td>-33.64</td><td>32.52</td><td>35.62</td><td>11.45</td><td>59.23</td><td>---</td><td>---</td><td>Average</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4882.00	44.59	74.00	-29.41	57.56	33.71	9.87	56.55	---	---	Peak	2	4882.00	19.80	54.00	-34.20	32.77	33.71	9.87	56.55	---	---	Average	3	7323.00	45.15	74.00	-28.85	57.31	35.62	11.45	59.23	---	---	Peak	4	7323.00	20.36	54.00	-33.64	32.52	35.62	11.45	59.23	---	---	Average	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4882.00</td><td>46.59</td><td>74.00</td><td>-27.41</td><td>59.56</td><td>33.71</td><td>9.87</td><td>56.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>21.80</td><td>54.00</td><td>-32.20</td><td>34.77</td><td>33.71</td><td>9.87</td><td>56.55</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>44.23</td><td>74.00</td><td>-29.77</td><td>56.39</td><td>35.62</td><td>11.45</td><td>59.23</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>19.44</td><td>54.00</td><td>-34.56</td><td>31.60</td><td>35.62</td><td>11.45</td><td>59.23</td><td>---</td><td>---</td><td>Average</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4882.00	46.59	74.00	-27.41	59.56	33.71	9.87	56.55	---	---	Peak	2	4882.00	21.80	54.00	-32.20	34.77	33.71	9.87	56.55	---	---	Average	3	7323.00	44.23	74.00	-29.77	56.39	35.62	11.45	59.23	---	---	Peak	4	7323.00	19.44	54.00	-34.56	31.60	35.62	11.45	59.23	---	---
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	4882.00	44.59	74.00	-29.41	57.56	33.71	9.87	56.55	---	---	Peak																																																																																																																																																																					
2	4882.00	19.80	54.00	-34.20	32.77	33.71	9.87	56.55	---	---	Average																																																																																																																																																																					
3	7323.00	45.15	74.00	-28.85	57.31	35.62	11.45	59.23	---	---	Peak																																																																																																																																																																					
4	7323.00	20.36	54.00	-33.64	32.52	35.62	11.45	59.23	---	---	Average																																																																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	4882.00	46.59	74.00	-27.41	59.56	33.71	9.87	56.55	---	---	Peak																																																																																																																																																																					
2	4882.00	21.80	54.00	-32.20	34.77	33.71	9.87	56.55	---	---	Average																																																																																																																																																																					
3	7323.00	44.23	74.00	-29.77	56.39	35.62	11.45	59.23	---	---	Peak																																																																																																																																																																					
4	7323.00	19.44	54.00	-34.56	31.60	35.62	11.45	59.23	---	---	Average																																																																																																																																																																					





Mode	7																																																																																																					
	Band Edge																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																					
ANT	2																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	Level (dBuV/m) Date: 2026-09-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>61.42</td><td>74.00</td><td>-12.58</td><td>54.65</td><td>32.05</td><td>8.43</td><td>33.71</td><td>108 303 PEAK</td></tr><tr><td>2</td><td>2483.54</td><td>36.63</td><td>54.00</td><td>-17.37</td><td>29.86</td><td>32.05</td><td>8.43</td><td>33.71</td><td>108 303 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	61.42	74.00	-12.58	54.65	32.05	8.43	33.71	108 303 PEAK	2	2483.54	36.63	54.00	-17.37	29.86	32.05	8.43	33.71	108 303 AVERAGE	Level (dBuV/m) Date: 2026-09-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.45</td><td>-----</td><td>100.70</td><td>32.04</td><td>8.43</td><td>33.72</td><td>108</td><td>303 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>82.66</td><td>-----</td><td>75.91</td><td>32.04</td><td>8.43</td><td>33.72</td><td>108</td><td>303 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.45	-----	100.70	32.04	8.43	33.72	108	303 PEAK	2	2480.00	82.66	-----	75.91	32.04	8.43	33.72	108	303 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2483.54	61.42	74.00	-12.58	54.65	32.05	8.43	33.71	108 303 PEAK																																																																																													
2	2483.54	36.63	54.00	-17.37	29.86	32.05	8.43	33.71	108 303 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2480.00	107.45	-----	100.70	32.04	8.43	33.72	108	303 PEAK																																																																																													
2	2480.00	82.66	-----	75.91	32.04	8.43	33.72	108	303 AVERAGE																																																																																													





Mode	7																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																									
ANT	2																																																																																																									
Pol.	Vertical	Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2026-09-16 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.60</td><td>60.82</td><td>74.00</td><td>-13.18</td><td>54.05</td><td>32.05</td><td>8.43</td><td>33.71</td><td>400</td><td>353 PEAK</td></tr><tr><td>2</td><td>2483.60</td><td>36.03</td><td>54.00</td><td>-17.97</td><td>29.26</td><td>32.05</td><td>8.43</td><td>33.71</td><td>400</td><td>353 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.60	60.82	74.00	-13.18	54.05	32.05	8.43	33.71	400	353 PEAK	2	2483.60	36.03	54.00	-17.97	29.26	32.05	8.43	33.71	400	353 AVERAGE	Level (dBuV/m) Date: 2026-09-16 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>107.20</td><td>-----</td><td>-----</td><td>100.45</td><td>32.04</td><td>8.43</td><td>33.72</td><td>400</td><td>353 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>82.41</td><td>-----</td><td>-----</td><td>75.66</td><td>32.04</td><td>8.43</td><td>33.72</td><td>400</td><td>353 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.20	-----	-----	100.45	32.04	8.43	33.72	400	353 PEAK	2	2480.00	82.41	-----	-----	75.66	32.04	8.43	33.72	400	353 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2483.60	60.82	74.00	-13.18	54.05	32.05	8.43	33.71	400	353 PEAK																																																																																																
2	2483.60	36.03	54.00	-17.97	29.26	32.05	8.43	33.71	400	353 AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2480.00	107.20	-----	-----	100.45	32.04	8.43	33.72	400	353 PEAK																																																																																																
2	2480.00	82.41	-----	-----	75.66	32.04	8.43	33.72	400	353 AVERAGE																																																																																																



Mode	7																																																																																																																																																																															
	Harmonic																																																																																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																															
ANT	2																																																																																																																																																																															
Pol.	Horizontal										Vertical																																																																																																																																																																					
Peak Avg																																																																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>45.85</td><td>74.00</td><td>-28.15</td><td>58.09</td><td>34.42</td><td>9.86</td><td>56.52</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>21.06</td><td>54.00</td><td>-32.94</td><td>33.30</td><td>34.42</td><td>9.86</td><td>56.52</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>46.45</td><td>74.00</td><td>-27.55</td><td>58.45</td><td>35.75</td><td>11.53</td><td>59.28</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>21.66</td><td>54.00</td><td>-32.34</td><td>33.66</td><td>35.75</td><td>11.53</td><td>59.28</td><td>---</td><td>---</td><td>Average</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4960.00	45.85	74.00	-28.15	58.09	34.42	9.86	56.52	---	---	Peak	2	4960.00	21.06	54.00	-32.94	33.30	34.42	9.86	56.52	---	---	Average	3	7440.00	46.45	74.00	-27.55	58.45	35.75	11.53	59.28	---	---	Peak	4	7440.00	21.66	54.00	-32.34	33.66	35.75	11.53	59.28	---	---	Average	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>58.91</td><td>34.42</td><td>9.86</td><td>56.52</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>21.88</td><td>54.00</td><td>-32.12</td><td>34.12</td><td>34.42</td><td>9.86</td><td>56.52</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>56.92</td><td>35.75</td><td>11.53</td><td>59.28</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>20.13</td><td>54.00</td><td>-33.87</td><td>32.13</td><td>35.75</td><td>11.53</td><td>59.28</td><td>---</td><td>---</td><td>Average</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4960.00	46.67	74.00	-27.33	58.91	34.42	9.86	56.52	---	---	Peak	2	4960.00	21.88	54.00	-32.12	34.12	34.42	9.86	56.52	---	---	Average	3	7440.00	44.92	74.00	-29.08	56.92	35.75	11.53	59.28	---	---	Peak	4	7440.00	20.13	54.00	-33.87	32.13	35.75	11.53	59.28	---	---
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	4960.00	45.85	74.00	-28.15	58.09	34.42	9.86	56.52	---	---	Peak																																																																																																																																																																					
2	4960.00	21.06	54.00	-32.94	33.30	34.42	9.86	56.52	---	---	Average																																																																																																																																																																					
3	7440.00	46.45	74.00	-27.55	58.45	35.75	11.53	59.28	---	---	Peak																																																																																																																																																																					
4	7440.00	21.66	54.00	-32.34	33.66	35.75	11.53	59.28	---	---	Average																																																																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	4960.00	46.67	74.00	-27.33	58.91	34.42	9.86	56.52	---	---	Peak																																																																																																																																																																					
2	4960.00	21.88	54.00	-32.12	34.12	34.42	9.86	56.52	---	---	Average																																																																																																																																																																					
3	7440.00	44.92	74.00	-29.08	56.92	35.75	11.53	59.28	---	---	Peak																																																																																																																																																																					
4	7440.00	20.13	54.00	-33.87	32.13	35.75	11.53	59.28	---	---	Average																																																																																																																																																																					



Mode	8																																																																																																																																																																																																																															
	Harmonic																																																																																																																																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_LF_CH78_2480MHz																																																																																																																																																																																																																															
ANT	2																																																																																																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																																																																																																									
Peak Avg																																																																																																																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>30.97</td><td>24.16</td><td>40.00</td><td>-15.84</td><td>40.60</td><td>17.78</td><td>0.55</td><td>34.77</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>138.64</td><td>32.32</td><td>43.50</td><td>-11.18</td><td>47.76</td><td>18.04</td><td>1.24</td><td>34.72</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>190.05</td><td>29.76</td><td>43.50</td><td>-13.74</td><td>46.43</td><td>16.58</td><td>1.45</td><td>34.70</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>379.20</td><td>35.32</td><td>46.00</td><td>-10.68</td><td>46.90</td><td>20.92</td><td>2.04</td><td>34.54</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>405.39</td><td>37.64</td><td>46.00</td><td>-8.36</td><td>48.46</td><td>21.56</td><td>2.12</td><td>34.50</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>460.68</td><td>33.83</td><td>46.00</td><td>-12.17</td><td>43.18</td><td>22.88</td><td>2.27</td><td>34.50</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	30.97	24.16	40.00	-15.84	40.60	17.78	0.55	34.77	---	---	Peak	2	138.64	32.32	43.50	-11.18	47.76	18.04	1.24	34.72	---	---	Peak	3	190.05	29.76	43.50	-13.74	46.43	16.58	1.45	34.70	---	---	Peak	4	379.20	35.32	46.00	-10.68	46.90	20.92	2.04	34.54	---	---	Peak	5	405.39	37.64	46.00	-8.36	48.46	21.56	2.12	34.50	---	---	Peak	6	460.68	33.83	46.00	-12.17	43.18	22.88	2.27	34.50	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>31.94</td><td>27.42</td><td>40.00</td><td>-12.58</td><td>43.65</td><td>18.01</td><td>0.56</td><td>34.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>140.58</td><td>22.39</td><td>43.50</td><td>-21.11</td><td>37.67</td><td>18.20</td><td>1.24</td><td>34.72</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>241.46</td><td>23.33</td><td>46.00</td><td>-22.67</td><td>39.12</td><td>17.30</td><td>1.61</td><td>34.70</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>352.04</td><td>26.38</td><td>46.00</td><td>-19.62</td><td>38.76</td><td>20.27</td><td>1.95</td><td>34.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>405.39</td><td>29.22</td><td>46.00</td><td>-16.78</td><td>40.04</td><td>21.56</td><td>2.12</td><td>34.50</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>459.71</td><td>30.38</td><td>46.00</td><td>-15.62</td><td>39.75</td><td>22.87</td><td>2.26</td><td>34.50</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	31.94	27.42	40.00	-12.58	43.65	18.01	0.56	34.80	---	---	Peak	2	140.58	22.39	43.50	-21.11	37.67	18.20	1.24	34.72	---	---	Peak	3	241.46	23.33	46.00	-22.67	39.12	17.30	1.61	34.70	---	---	Peak	4	352.04	26.38	46.00	-19.62	38.76	20.27	1.95	34.60	---	---	Peak	5	405.39	29.22	46.00	-16.78	40.04	21.56	2.12	34.50	---	---	Peak	6	459.71	30.38	46.00	-15.62	39.75	22.87	2.26	34.50	---	---
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																							
1	30.97	24.16	40.00	-15.84	40.60	17.78	0.55	34.77	---	---	Peak																																																																																																																																																																																																																					
2	138.64	32.32	43.50	-11.18	47.76	18.04	1.24	34.72	---	---	Peak																																																																																																																																																																																																																					
3	190.05	29.76	43.50	-13.74	46.43	16.58	1.45	34.70	---	---	Peak																																																																																																																																																																																																																					
4	379.20	35.32	46.00	-10.68	46.90	20.92	2.04	34.54	---	---	Peak																																																																																																																																																																																																																					
5	405.39	37.64	46.00	-8.36	48.46	21.56	2.12	34.50	---	---	Peak																																																																																																																																																																																																																					
6	460.68	33.83	46.00	-12.17	43.18	22.88	2.27	34.50	---	---	Peak																																																																																																																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																							
1	31.94	27.42	40.00	-12.58	43.65	18.01	0.56	34.80	---	---	Peak																																																																																																																																																																																																																					
2	140.58	22.39	43.50	-21.11	37.67	18.20	1.24	34.72	---	---	Peak																																																																																																																																																																																																																					
3	241.46	23.33	46.00	-22.67	39.12	17.30	1.61	34.70	---	---	Peak																																																																																																																																																																																																																					
4	352.04	26.38	46.00	-19.62	38.76	20.27	1.95	34.60	---	---	Peak																																																																																																																																																																																																																					
5	405.39	29.22	46.00	-16.78	40.04	21.56	2.12	34.50	---	---	Peak																																																																																																																																																																																																																					
6	459.71	30.38	46.00	-15.62	39.75	22.87	2.26	34.50	---	---	Peak																																																																																																																																																																																																																					




Mode	9																																																																																											
	Harmonic																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																											
ANT	2																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Frequency (MHz) PEAK_74 AVG_54						Level (dBuV/m) Frequency (MHz) PEAK_74 AVG_54																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>25824.00</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>37.22</td><td>40.68</td><td>21.59</td><td>51.50</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	25824.00	47.99	74.00	-26.01	37.22	40.68	21.59	51.50	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>24576.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>38.21</td><td>40.56</td><td>20.01</td><td>51.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	24576.00	47.58	74.00	-26.42	38.21	40.56	20.01	51.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	25824.00	47.99	74.00	-26.01	37.22	40.68	21.59	51.50	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	24576.00	47.58	74.00	-26.42	38.21	40.56	20.01	51.20	---	---	Peak																																																																																	

Appendix D. Duty Cycle Plots

ANT 3

3DH5 on time (One Pulse) Plot on Channel 39



3DH5 on time (Count Pulses) Plot on Channel 39




Note:


1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.

ANT 2

3DH5 on time (One Pulse) Plot on Channel 39



3DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.