



## Appendix C

### 1. Effective (Isotropic) Radiated Power Output Data

#### 1.1 Band5\_ERP

##### 1.1.1 Test Result

| Band: 5                                      |         |              |                    |                          |               |           |         |         |
|----------------------------------------------|---------|--------------|--------------------|--------------------------|---------------|-----------|---------|---------|
| ENV                                          | Mode    |              | Frequency<br>(MHz) | Conducted Power<br>(dBm) | Gain<br>(dbi) | ERP (dBm) |         | Verdict |
|                                              | Network | Subset       |                    |                          |               | Result    | Limit   |         |
| NTNV                                         | RMC     | 12.2kbps RMC | 826.4              | 23.35                    | 3.00          | 24.20     | <=38.45 | Pass    |
|                                              |         | 12.2kbps AMR | 826.4              | 23.39                    | 3.00          | 24.24     | <=38.45 | Pass    |
|                                              |         | 12.2kbps RMC | 836.6              | 23.44                    | 3.00          | 24.29     | <=38.45 | Pass    |
|                                              |         | 12.2kbps AMR | 836.6              | 23.44                    | 3.00          | 24.29     | <=38.45 | Pass    |
|                                              |         | 12.2kbps RMC | 846.6              | 23.49                    | 3.00          | 24.34     | <=38.45 | Pass    |
|                                              |         | 12.2kbps AMR | 846.6              | 23.45                    | 3.00          | 24.30     | <=38.45 | Pass    |
|                                              | HSDPA   | Subtest 1    | 826.4              | 21.05                    | 3.00          | 21.90     | <=38.45 | Pass    |
|                                              |         | Subtest 2    | 826.4              | 21.06                    | 3.00          | 21.91     | <=38.45 | Pass    |
|                                              |         | Subtest 3    | 826.4              | 21.05                    | 3.00          | 21.90     | <=38.45 | Pass    |
|                                              |         | Subtest 4    | 826.4              | 21.05                    | 3.00          | 21.90     | <=38.45 | Pass    |
|                                              |         | Subtest 1    | 836.6              | 21.10                    | 3.00          | 21.95     | <=38.45 | Pass    |
|                                              |         | Subtest 2    | 836.6              | 21.11                    | 3.00          | 21.96     | <=38.45 | Pass    |
|                                              |         | Subtest 3    | 836.6              | 21.11                    | 3.00          | 21.96     | <=38.45 | Pass    |
|                                              |         | Subtest 4    | 836.6              | 21.09                    | 3.00          | 21.94     | <=38.45 | Pass    |
|                                              |         | Subtest 1    | 846.6              | 21.10                    | 3.00          | 21.95     | <=38.45 | Pass    |
|                                              |         | Subtest 2    | 846.6              | 21.11                    | 3.00          | 21.96     | <=38.45 | Pass    |
|                                              |         | Subtest 3    | 846.6              | 21.09                    | 3.00          | 21.94     | <=38.45 | Pass    |
|                                              |         | Subtest 4    | 846.6              | 21.11                    | 3.00          | 21.96     | <=38.45 | Pass    |
|                                              | HSUPA   | Subtest 1    | 826.4              | 18.88                    | 3.00          | 19.73     | <=38.45 | Pass    |
|                                              |         | Subtest 2    | 826.4              | 18.83                    | 3.00          | 19.68     | <=38.45 | Pass    |
|                                              |         | Subtest 3    | 826.4              | 19.08                    | 3.00          | 19.93     | <=38.45 | Pass    |
|                                              |         | Subtest 4    | 826.4              | 19.08                    | 3.00          | 19.93     | <=38.45 | Pass    |
|                                              |         | Subtest 5    | 826.4              | 19.08                    | 3.00          | 19.93     | <=38.45 | Pass    |
|                                              |         | Subtest 1    | 836.6              | 19.14                    | 3.00          | 19.99     | <=38.45 | Pass    |
|                                              |         | Subtest 2    | 836.6              | 18.70                    | 3.00          | 19.55     | <=38.45 | Pass    |
|                                              |         | Subtest 3    | 836.6              | 19.00                    | 3.00          | 19.85     | <=38.45 | Pass    |
|                                              |         | Subtest 4    | 836.6              | 19.12                    | 3.00          | 19.97     | <=38.45 | Pass    |
|                                              |         | Subtest 5    | 836.6              | 19.18                    | 3.00          | 20.03     | <=38.45 | Pass    |
|                                              |         | Subtest 1    | 846.6              | 19.15                    | 3.00          | 20.00     | <=38.45 | Pass    |
|                                              |         | Subtest 2    | 846.6              | 18.59                    | 3.00          | 19.44     | <=38.45 | Pass    |
|                                              |         | Subtest 3    | 846.6              | 19.21                    | 3.00          | 20.06     | <=38.45 | Pass    |
|                                              |         | Subtest 4    | 846.6              | 19.14                    | 3.00          | 19.99     | <=38.45 | Pass    |
|                                              |         | Subtest 5    | 846.6              | 19.12                    | 3.00          | 19.97     | <=38.45 | Pass    |
| Note1: ERP=Conducted Power+Antenna Gain-2.15 |         |              |                    |                          |               |           |         |         |

### 2. Frequency Stability

#### 2.1 Band5

##### 2.1.1 Test Result

Band: 5

| Network | Frequency (MHz) | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|---------|-----------------|------------|---------------|------------------|-----------------------|-------------|---------|
|         |                 |            |               |                  | Result                | Limit       |         |
| RMC     | 826.4           | 20         | 3.27          | -14.13           | -0.02                 | -2.5 to 2.5 | Pass    |
|         |                 |            | 3.85          | -4.93            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 |            | 4.43          | -5.45            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | -30        | 3.85          | -9.03            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | -20        | 3.85          | -9.61            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | -10        | 3.85          | -10.21           | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 0          | 3.85          | -11.74           | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 10         | 3.85          | -7.25            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 30         | 3.85          | -10.39           | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 40         | 3.85          | -13.13           | -0.02                 | -2.5 to 2.5 | Pass    |
|         |                 | 50         | 3.85          | -8.35            | -0.01                 | -2.5 to 2.5 | Pass    |
|         | 836.6           | 20         | 3.27          | -6.92            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 |            | 3.85          | -9.53            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 |            | 4.43          | -12.39           | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | -30        | 3.85          | -12.70           | -0.02                 | -2.5 to 2.5 | Pass    |
|         |                 | -20        | 3.85          | -10.50           | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | -10        | 3.85          | -14.63           | -0.02                 | -2.5 to 2.5 | Pass    |
|         |                 | 0          | 3.85          | -10.49           | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 10         | 3.85          | -13.17           | -0.02                 | -2.5 to 2.5 | Pass    |
|         |                 | 30         | 3.85          | -8.20            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 40         | 3.85          | -11.41           | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 50         | 3.85          | -13.89           | -0.02                 | -2.5 to 2.5 | Pass    |
|         | 846.6           | 20         | 3.27          | -12.73           | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 |            | 3.85          | -6.12            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 |            | 4.43          | -14.00           | -0.02                 | -2.5 to 2.5 | Pass    |
|         |                 | -30        | 3.85          | -9.27            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | -20        | 3.85          | -11.69           | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | -10        | 3.85          | -9.13            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 0          | 3.85          | -14.80           | -0.02                 | -2.5 to 2.5 | Pass    |
|         |                 | 10         | 3.85          | -8.23            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 30         | 3.85          | -11.39           | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 40         | 3.85          | -6.88            | -0.01                 | -2.5 to 2.5 | Pass    |
| HSDPA   | 826.4           | 20         | 3.27          | -9.12            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 |            | 3.85          | -6.79            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 |            | 4.43          | -4.43            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | -30        | 3.85          | -8.95            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | -20        | 3.85          | -4.13            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | -10        | 3.85          | -9.92            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 0          | 3.85          | -4.96            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 10         | 3.85          | -11.87           | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 30         | 3.85          | -6.08            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 40         | 3.85          | -6.04            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 50         | 3.85          | -8.08            | -0.01                 | -2.5 to 2.5 | Pass    |
|         | 836.6           | 20         | 3.27          | -6.67            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 |            | 3.85          | -5.08            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 |            | 4.43          | -8.93            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | -30        | 3.85          | -10.49           | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | -20        | 3.85          | -10.99           | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | -10        | 3.85          | -10.26           | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 0          | 3.85          | -7.17            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 10         | 3.85          | -4.03            | -0.00                 | -2.5 to 2.5 | Pass    |
|         |                 | 30         | 3.85          | -10.46           | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 40         | 3.85          | -6.50            | -0.01                 | -2.5 to 2.5 | Pass    |
|         |                 | 50         | 3.85          | -3.66            | -0.00                 | -2.5 to 2.5 | Pass    |
|         | 846.6           | 20         | 3.27          | -13.09           | -0.02                 | -2.5 to 2.5 | Pass    |
|         |                 |            | 3.85          | -13.25           | -0.02                 | -2.5 to 2.5 | Pass    |

|       |       |     |      |        |       |             |      |
|-------|-------|-----|------|--------|-------|-------------|------|
|       |       |     | 4.43 | -12.16 | -0.01 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -11.86 | -0.01 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -11.19 | -0.01 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | -10.04 | -0.01 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -8.91  | -0.01 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | -8.40  | -0.01 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -7.95  | -0.01 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -6.41  | -0.01 | -2.5 to 2.5 | Pass |
| HSUPA | 826.4 | 20  | 3.27 | -8.87  | -0.01 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | -11.92 | -0.01 | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | -13.90 | -0.02 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -11.12 | -0.01 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -11.53 | -0.01 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | -11.21 | -0.01 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -13.42 | -0.02 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | -13.70 | -0.02 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -16.34 | -0.02 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -7.50  | -0.01 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | -9.78  | -0.01 | -2.5 to 2.5 | Pass |
|       | 836.6 | 20  | 3.27 | -7.78  | -0.01 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | -12.09 | -0.01 | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | -12.27 | -0.01 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -13.90 | -0.02 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -15.41 | -0.02 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | -7.55  | -0.01 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -8.13  | -0.01 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | -9.15  | -0.01 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -9.50  | -0.01 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -10.79 | -0.01 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | -11.99 | -0.01 | -2.5 to 2.5 | Pass |
|       | 846.6 | 20  | 3.27 | -11.04 | -0.01 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | -7.96  | -0.01 | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | -11.26 | -0.01 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -12.57 | -0.01 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -9.45  | -0.01 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | -10.49 | -0.01 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -12.23 | -0.01 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | -14.65 | -0.02 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -6.18  | -0.01 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -9.03  | -0.01 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | -10.80 | -0.01 | -2.5 to 2.5 | Pass |


### 3. Modulation Characteristics


#### 3.1 Band5

##### 3.1.1 Test Result

| Band: 5 |         |              |                 |                            |       |         |
|---------|---------|--------------|-----------------|----------------------------|-------|---------|
| ENV     | Mode    |              | Frequency (MHz) | Modulation Characteristics |       | Verdict |
|         | Network | Subset       |                 | Result                     | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 836.6           | Refer To Test Graph        |       | Pass    |
|         | HSDPA   | Subtest 1    | 836.6           | Refer To Test Graph        |       | Pass    |
|         | HSUPA   | Subtest 1    | 836.6           | Refer To Test Graph        |       | Pass    |

3.1.2 Test Graph






#### 4. 99% & 26dB Bandwidth

##### 4.1 Band5\_OBW


##### 4.1.1 Test Result

| Band: 5 |         |              |                 |                              |         |
|---------|---------|--------------|-----------------|------------------------------|---------|
| ENV     | Mode    |              | Frequency (MHz) | 99% Occupied Bandwidth (MHz) | Verdict |
|         | Network | Subset       |                 | Result                       |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4           | 4.190                        | Pass    |
|         |         |              | 836.6           | 4.179                        | Pass    |
|         |         |              | 846.6           | 4.176                        | Pass    |
|         | HSDPA   | Subtest 1    | 826.4           | 4.202                        | Pass    |
|         |         |              | 836.6           | 4.190                        | Pass    |
|         |         |              | 846.6           | 4.209                        | Pass    |
|         | HSUPA   | Subtest 1    | 826.4           | 4.205                        | Pass    |
|         |         |              | 836.6           | 4.201                        | Pass    |
|         |         |              | 846.6           | 4.206                        | Pass    |


## 4.1.2 Test Graph




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV






## 4.2 Band5\_XDB


## 4.2.1 Test Result

| Band: 5 |         |              |                 |                      |         |
|---------|---------|--------------|-----------------|----------------------|---------|
| ENV     | Mode    |              | Frequency (MHz) | 26dB Bandwidth (MHz) | Verdict |
|         | Network | Subset       |                 | Result               |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4           | 4.757                | Pass    |
|         |         |              | 836.6           | 4.753                | Pass    |
|         |         |              | 846.6           | 4.748                | Pass    |
|         | HSDPA   | Subtest 1    | 826.4           | 4.752                | Pass    |
|         |         |              | 836.6           | 4.757                | Pass    |
|         |         |              | 846.6           | 5.100                | Pass    |
|         | HSUPA   | Subtest 1    | 826.4           | 4.764                | Pass    |
|         |         |              | 836.6           | 4.745                | Pass    |
|         |         |              | 846.6           | 5.754                | Pass    |


4.2.2 Test Graph




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV






## 5. Peak-Average Ratio

### 5.1 Band5


#### 5.1.1 Test Result

| Band: 5 |         |              |                 |                         |       |         |
|---------|---------|--------------|-----------------|-------------------------|-------|---------|
| ENV     | Mode    |              | Frequency (MHz) | Peak-Average Ratio (dB) |       | Verdict |
|         | Network | Subset       |                 | Result                  | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4           | 2.93                    | <=13  | Pass    |
|         |         |              | 836.6           | 2.82                    | <=13  | Pass    |
|         |         |              | 846.6           | 3.03                    | <=13  | Pass    |
|         | HSDPA   | Subtest 1    | 826.4           | 5.99                    | <=13  | Pass    |
|         |         |              | 836.6           | 6.03                    | <=13  | Pass    |
|         |         |              | 846.6           | 5.89                    | <=13  | Pass    |
|         | HSUPA   | Subtest 1    | 826.4           | 5.92                    | <=13  | Pass    |
|         |         |              | 836.6           | 5.89                    | <=13  | Pass    |
|         |         |              | 846.6           | 5.96                    | <=13  | Pass    |


## 5.1.2 Test Graph




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV



2021-12-16 17:56:56


## 6. Spurious Emission

### 6.1 Band5


#### 6.1.1 Test Result

| Band: 5 |         |              |                    |                     |       |
|---------|---------|--------------|--------------------|---------------------|-------|
| ENV     | Mode    |              | Frequency<br>(MHz) | Spurious Emission   |       |
|         | Network | Subset       |                    | Result              | Limit |
| NTNV    | RMC     | 12.2kbps RMC | 826.4              | Refer To Test Graph | Pass  |
|         |         |              | 836.6              | Refer To Test Graph | Pass  |
|         |         |              | 846.6              | Refer To Test Graph | Pass  |
|         | HSDPA   | Subtest 1    | 826.4              | Refer To Test Graph | Pass  |
|         |         |              | 836.6              | Refer To Test Graph | Pass  |
|         |         |              | 846.6              | Refer To Test Graph | Pass  |
|         | HSUPA   | Subtest 1    | 826.4              | Refer To Test Graph | Pass  |
|         |         |              | 836.6              | Refer To Test Graph | Pass  |
|         |         |              | 846.6              | Refer To Test Graph | Pass  |


## 6.1.2 Test Graph




Band5\_RMC\_MCH\_836.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV



## 7. Form731

### 7.1 Form731

#### 7.1.1 Test Result

| Band | BW   | Lower Freq | High Freq | MAX Power (W) | Value | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|------|------------|-----------|---------------|-------|--------|---------------------|------------|-----------------|
| 5    | 3.84 | 826.4      | 846.6     | 0.223         | 2.5   | ppm    | 4M21F9W             | 24E        | 23.49           |