





REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:






COMPANY:		VSUN	
TITLE:		V5501	
CODE:	SIZE:	DRAWING NO:	REV:
CODE	A1	Drawing Number	P1
SCALE: <Scale>		SHEET: 48	12



REVISION RECORD			
LTR	ECO NO.	APPROVED:	DATE:


COMPANY: VSUN			
TITLE: V5501			
DRAWN: YLW	DATED: 2016/03/18	CODE:	SIZE: A1
CHECKED: <Checked By>	DATED: <Checked Date>	DRAWING NO:	REV: P1
QUALITY CONTROL: <QC By>	DATED: <QC Date>	SCALE: <Scale>	SHEET: 6F 12
RELEASED: <Released By>	DATED: <Release Date>		






Near REV


REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



Earphone MICPHONE




Near 6350 MAIN MIC




GND of C816(10uF) and headset
should tie together and single
via to GND plane

tie together and single via to GND plane



Same power domain to EARPHONE_DET



MIC Spec. : L-R-G-M

DRAWN: YLW	DATE: 2016/03/18
CHECKED: <Checked By>	DATE: <Checked D
QUALITY CONTROL: <QC By>	DATE: <QC Date>
RELEASED: <Released By>	DATE: <Release Da

COMPANY:	VSUN			
TITLE:	V5501			
Q>	CODE:	SIZE:	DRAWING NO:	REV:
	CODE	A1	Drawing Number	P1
>	SCALE: <Scale>		SHEET: 9f	12

