





















NTNV-11ac80SISO-Ant0-5290




NTNV-11ac80SISO-Ant0-5530



NTNV-11ac80SISO-Ant0-5610



NTNV-11ac80SISO-Ant0-5690



NTNV-11ac80SISO-Ant0-5775

**Maximum conducted output power
Test Result**

Test Mode	Antenna	Frequency[MHz]	Result [dBm]	Limit [dBm]	Verdict
11a	Ant0	5180	15.88	≤23.98	PASS
11a	Ant0	5200	16.03	≤23.98	PASS
11a	Ant0	5240	16.12	≤23.98	PASS
11n20SISO	Ant0	5180	15.70	≤23.98	PASS
11n20SISO	Ant0	5200	15.89	≤23.98	PASS
11n20SISO	Ant0	5240	15.96	≤23.98	PASS
11n40SISO	Ant0	5190	14.27	≤23.98	PASS
11n40SISO	Ant0	5230	15.74	≤23.98	PASS
11ac20SISO	Ant0	5180	14.67	≤23.98	PASS
11ac20SISO	Ant0	5200	14.82	≤23.98	PASS
11ac20SISO	Ant0	5240	14.85	≤23.98	PASS
11ac40SISO	Ant0	5190	14.46	≤23.98	PASS
11ac40SISO	Ant0	5230	14.49	≤23.98	PASS
11ac80SISO	Ant0	5210	13.63	≤23.98	PASS

Test Mode	Antenna	Frequency[MHz]	Result [dBm]	Limit [dBm]	Verdict
11a	Ant0	5260	15.63	≤23.98	PASS
11a	Ant0	5300	16.23	≤23.98	PASS
11a	Ant0	5320	16.36	≤23.98	PASS
11n20SISO	Ant0	5260	15.41	≤23.98	PASS
11n20SISO	Ant0	5300	16.03	≤23.98	PASS
11n20SISO	Ant0	5320	16.15	≤23.98	PASS
11n40SISO	Ant0	5270	15.60	≤23.98	PASS
11n40SISO	Ant0	5310	16.21	≤23.98	PASS
11ac20SISO	Ant0	5260	14.81	≤23.98	PASS
11ac20SISO	Ant0	5300	14.90	≤23.98	PASS
11ac20SISO	Ant0	5320	15.01	≤23.98	PASS
11ac40SISO	Ant0	5270	14.60	≤23.98	PASS
11ac40SISO	Ant0	5310	14.69	≤23.98	PASS
11ac80SISO	Ant0	5290	14.15	≤23.98	PASS

Test Mode	Antenna	Frequency[MHz]	Result [dBm]	Limit [dBm]	Verdict
11a	Ant0	5500	15.98	≤23.98	PASS
11a	Ant0	5580	16.55	≤23.98	PASS
11a	Ant0	5700	16.22	≤23.98	PASS
11a	Ant0	5720 UNII-2C	14.99	≤23.98	PASS
11a	Ant0	5720 UNII-3	8.11	≤23.98	PASS
11n20SISO	Ant0	5500	15.83	≤23.98	PASS
11n20SISO	Ant0	5580	16.34	≤23.98	PASS
11n20SISO	Ant0	5700	16.02	≤23.98	PASS
11n20SISO	Ant0	5720 UNII-2C	14.79	≤23.98	PASS
11n20SISO	Ant0	5720 UNII-3	8.43	≤23.98	PASS
11n40SISO	Ant0	5510	15.82	≤23.98	PASS
11n40SISO	Ant0	5590	15.81	≤23.98	PASS
11n40SISO	Ant0	5670	16.11	≤23.98	PASS
11n40SISO	Ant0	5710 UNII-2C	15.29	≤23.98	PASS
11n40SISO	Ant0	5710 UNII-3	4.24	≤23.98	PASS
11ac20SISO	Ant0	5500	14.66	≤23.98	PASS
11ac20SISO	Ant0	5580	15.18	≤23.98	PASS
11ac20SISO	Ant0	5700	14.37	≤23.98	PASS
11ac20SISO	Ant0	5720 UNII-2C	13.64	≤23.98	PASS
11ac20SISO	Ant0	5720 UNII-3	7.27	≤23.98	PASS
11ac40SISO	Ant0	5510	14.65	≤23.98	PASS
11ac40SISO	Ant0	5590	14.71	≤23.98	PASS
11ac40SISO	Ant0	5670	14.43	≤23.98	PASS
11ac40SISO	Ant0	5710 UNII-2C	13.56	≤23.98	PASS
11ac40SISO	Ant0	5710 UNII-3	2.60	≤23.98	PASS
11ac80SISO	Ant0	5530	13.83	≤23.98	PASS
11ac80SISO	Ant0	5610	13.88	≤23.98	PASS
11ac80SISO	Ant0	5690 UNII-2C	13.34	≤23.98	PASS
11ac80SISO	Ant0	5690 UNII-3	-0.9	≤23.98	PASS

Test Mode	Antenna	Frequency[MHz]	Result [dBm]	Limit [dBm]	Verdict
11a	Ant0	5745	15.86	≤30.00	PASS
11a	Ant0	5785	15.78	≤30.00	PASS
11a	Ant0	5825	16.05	≤30.00	PASS
11n20SISO	Ant0	5745	15.77	≤30.00	PASS
11n20SISO	Ant0	5785	15.65	≤30.00	PASS
11n20SISO	Ant0	5825	15.92	≤30.00	PASS
11n40SISO	Ant0	5755	15.09	≤30.00	PASS
11n40SISO	Ant0	5795	15.43	≤30.00	PASS
11ac20SISO	Ant0	5745	14.02	≤30.00	PASS
11ac20SISO	Ant0	5785	14.60	≤30.00	PASS
11ac20SISO	Ant0	5825	14.73	≤30.00	PASS
11ac40SISO	Ant0	5755	14.43	≤30.00	PASS
11ac40SISO	Ant0	5795	14.77	≤30.00	PASS
11ac80SISO	Ant0	5775	13.34	≤30.00	PASS

**Maximum power spectral density
Test Result**


TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11a	Ant0	5180	4.72	≤11.00	PASS
11a	Ant0	5200	4.70	≤11.00	PASS
11a	Ant0	5240	4.62	≤11.00	PASS
11a	Ant0	5260	4.72	≤11.00	PASS
11a	Ant0	5300	4.23	≤11.00	PASS
11a	Ant0	5320	4.88	≤11.00	PASS
11a	Ant0	5500	3.80	≤11.00	PASS
11a	Ant0	5580	4.02	≤11.00	PASS
11a	Ant0	5700	4.56	≤11.00	PASS
11a	Ant0	5720 UNII-2C	5.27	≤11.00	PASS
11a	Ant0	5720 UNII-3	0.09	≤30.00	PASS
11a	Ant0	5745	2.53	≤30.00	PASS
11a	Ant0	5785	1.84	≤30.00	PASS
11a	Ant0	5825	2.37	≤30.00	PASS
11n20SISO	Ant0	5180	3.59	≤11.00	PASS
11n20SISO	Ant0	5200	3.29	≤11.00	PASS
11n20SISO	Ant0	5240	4.42	≤11.00	PASS
11n20SISO	Ant0	5260	3.40	≤11.00	PASS
11n20SISO	Ant0	5300	3.56	≤11.00	PASS
11n20SISO	Ant0	5320	4.60	≤11.00	PASS
11n20SISO	Ant0	5500	3.67	≤11.00	PASS
11n20SISO	Ant0	5580	3.75	≤11.00	PASS
11n20SISO	Ant0	5700	4.42	≤11.00	PASS
11n20SISO	Ant0	5720 UNII-2C	4.31	≤11.00	PASS
11n20SISO	Ant0	5720 UNII-3	0.37	≤30.00	PASS
11n20SISO	Ant0	5745	1.98	≤30.00	PASS
11n20SISO	Ant0	5785	1.65	≤30.00	PASS
11n20SISO	Ant0	5825	1.62	≤30.00	PASS
11n40SISO	Ant0	5190	0.90	≤11.00	PASS
11n40SISO	Ant0	5230	0.72	≤11.00	PASS
11n40SISO	Ant0	5270	0.48	≤11.00	PASS
11n40SISO	Ant0	5310	1.29	≤11.00	PASS
11n40SISO	Ant0	5510	1.12	≤11.00	PASS
11n40SISO	Ant0	5550	0.70	≤11.00	PASS
11n40SISO	Ant0	5670	1.31	≤11.00	PASS
11n40SISO	Ant0	5710 UNII-2C	1.22	≤11.00	PASS
11n40SISO	Ant0	5710 UNII-3	-3.56	≤30.00	PASS
11n40SISO	Ant0	5755	-1.07	≤30.00	PASS
11n40SISO	Ant0	5795	-1.94	≤30.00	PASS
11ac20SISO	Ant0	5180	2.45	≤11.00	PASS
11ac20SISO	Ant0	5200	1.99	≤11.00	PASS
11ac20SISO	Ant0	5240	2.02	≤11.00	PASS
11ac20SISO	Ant0	5260	2.97	≤11.00	PASS
11ac20SISO	Ant0	5300	2.03	≤11.00	PASS
11ac20SISO	Ant0	5320	3.10	≤11.00	PASS
11ac20SISO	Ant0	5500	2.45	≤11.00	PASS
11ac20SISO	Ant0	5580	2.76	≤11.00	PASS
11ac20SISO	Ant0	5700	3.42	≤11.00	PASS
11ac20SISO	Ant0	5720 UNII-2C	3.24	≤11.00	PASS
11ac20SISO	Ant0	5720 UNII-3	-0.64	≤30.00	PASS
11ac20SISO	Ant0	5745	0.28	≤30.00	PASS
11ac20SISO	Ant0	5785	0.26	≤30.00	PASS
11ac20SISO	Ant0	5825	0.80	≤30.00	PASS
11ac40SISO	Ant0	5190	-0.64	≤11.00	PASS
11ac40SISO	Ant0	5230	-0.74	≤11.00	PASS
11ac40SISO	Ant0	5270	-0.73	≤11.00	PASS
11ac40SISO	Ant0	5310	-0.22	≤11.00	PASS
11ac40SISO	Ant0	5510	-1.16	≤11.00	PASS
11ac40SISO	Ant0	5550	-0.87	≤11.00	PASS
11ac40SISO	Ant0	5670	-0.89	≤11.00	PASS
11ac40SISO	Ant0	5710 UNII-2C	-0.43	≤11.00	PASS
11ac40SISO	Ant0	5710 UNII-3	-5.34	≤30.00	PASS


11ac40SISO	Ant0	5755	-2.46	≤30.00	PASS
11ac40SISO	Ant0	5795	-2.98	≤30.00	PASS
11ac80SISO	Ant0	5210	-4.87	≤11.00	PASS
11ac80SISO	Ant0	5290	-4.14	≤11.00	PASS
11ac80SISO	Ant0	5530	-4.74	≤11.00	PASS
11ac80SISO	Ant0	5610	-4.03	≤11.00	PASS
11ac80SISO	Ant0	5690_UNII-2C	-4.03	≤11.00	PASS
11ac80SISO	Ant0	5690_UNII-3	-8.37	≤30.00	PASS
11ac80SISO	Ant0	5775	-6.14	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs










11n20SISO-Ant0-5300-PASS



11n20SISO-Ant0-5320-PASS



11n20SISO-Ant0-5500-PASS




11n20SISO-Ant0-5580-PASS



11n20SISO-Ant0-5700-PASS



11n20SISO-Ant0-5720_UNII-2C-PASS






11n40SISO-Ant0-5270-PASS



11n40SISO-Ant0-5310-PASS




11n40SISO-Ant0-5510-PASS




11n40SISO-Ant0-5550-PASS





11n40SISO-Ant0-5670-PASS



11n40SISO-Ant0-5710_UNII-2C-PASS









11ac40SISO-Ant0-5230-PASS



11ac40SISO-Ant0-5270-PASS




11ac40SISO-Ant0-5310-PASS



11ac40SISO-Ant0-5510-PASS



11ac40SISO-Ant0-5550-PASS



11ac40SISO-Ant0-5670-PASS





11ac80SISO-Ant0-5530-PASS



11ac80SISO-Ant0-5610-PASS



11ac80SISO-Ant0-5690_UNII-2C-PASS



11ac80SISO-Ant0-5690_UNII-3-PASS




11ac80SISO-Ant0-5775-PASS

Radiated Spurious Emissions

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5177.57	37.01	13.90	50.91	-	-	Horizontal	NA
2	5177.39	43.08	13.91	56.99	-	-	Horizontal	NA
3	6489.92	34.83	17.38	52.21	68.20	15.99	Horizontal	PASS
4	6906.35	50.63	-1.76	48.87	68.20	19.33	Horizontal	PASS
5	17998.85	39.37	13.78	53.15	74.00	20.85	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5178.12	46.56	13.90	60.46	-	-	Vertical	NA
2	9141.64	35.81	3.16	38.97	54.00	15.03	Vertical	PASS
3	12395.48	34.46	6.17	40.63	54.00	13.37	Vertical	PASS
4	17845.89	32.07	13.81	45.88	54.00	8.12	Vertical	PASS
5	5176.66	52.28	13.91	66.19	-	-	Vertical	NA
6	6906.35	59.75	-1.76	57.99	68.20	10.21	Vertical	PASS
7	13718.41	42.80	8.48	51.28	68.20	16.92	Vertical	PASS
8	17836.31	39.41	13.40	52.81	74.00	21.19	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	40
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9483.20	37.23	2.52	39.75	54.00	14.25	Horizontal	PASS
2	12102.22	35.93	5.17	41.10	54.00	12.90	Horizontal	PASS
3	17846.66	31.91	13.84	45.75	54.00	8.25	Horizontal	PASS
4	6359.20	35.08	17.15	52.23	68.20	15.97	Horizontal	PASS
5	6933.18	49.63	-2.02	47.61	68.20	20.59	Horizontal	PASS
6	17975.85	39.71	13.44	53.15	74.00	20.85	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	40
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5192.61	36.06	13.91	49.97	-	-	Vertical	NA
2	9195.31	36.41	2.91	39.32	54.00	14.68	Vertical	PASS
3	12649.25	35.12	6.16	41.28	54.00	12.72	Vertical	PASS
4	17850.11	32.10	13.99	46.09	54.00	7.91	Vertical	PASS
5	5192.42	42.05	13.92	55.97	-	-	Vertical	NA
6	6933.56	59.43	-2.03	57.40	68.20	10.80	Vertical	PASS
7	15111.10	41.50	8.73	50.23	68.20	17.97	Vertical	PASS
8	17849.73	38.93	13.98	52.91	74.00	21.09	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	48
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9028.17	37.13	2.42	39.55	54.00	14.45	Horizontal	PASS
2	12687.21	35.00	6.00	41.00	54.00	13.00	Horizontal	PASS
3	17997.32	32.44	13.75	46.19	54.00	7.81	Horizontal	PASS
4	6279.26	35.51	16.45	51.96	68.20	16.24	Horizontal	PASS
5	6986.47	50.04	-1.84	48.20	68.20	20.00	Horizontal	PASS
6	17890.36	40.31	13.46	53.77	74.00	20.23	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	48
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9178.06	35.78	3.08	38.86	54.00	15.14	Vertical	PASS
2	11388.05	35.41	5.30	40.71	54.00	13.29	Vertical	PASS
3	17992.33	32.22	13.68	45.90	54.00	8.10	Vertical	PASS
4	6986.85	57.08	-1.84	55.24	68.20	12.96	Vertical	PASS
5	14416.48	42.00	8.22	50.22	68.20	17.98	Vertical	PASS
6	17339.49	40.92	11.91	52.83	68.20	15.37	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	52
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9083.37	36.95	2.15	39.10	54.00	14.90	Horizontal	PASS
2	12086.89	35.32	5.26	40.58	54.00	13.42	Horizontal	PASS
3	17848.58	32.30	13.93	46.23	54.00	7.77	Horizontal	PASS
4	6335.54	35.09	17.14	52.23	68.20	15.97	Horizontal	PASS
5	7013.30	48.22	-1.65	46.57	68.20	21.63	Horizontal	PASS
6	17863.15	39.23	13.82	53.05	74.00	20.95	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	52
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5267.41	33.88	14.27	48.15	-	-	Vertical	NA
2	8084.37	37.42	0.48	37.90	54.00	16.10	Vertical	PASS
3	12384.75	34.68	5.95	40.63	54.00	13.37	Vertical	PASS
4	17850.50	32.31	13.98	46.29	54.00	7.71	Vertical	PASS
5	5265.94	39.67	14.26	53.93	-	-	Vertical	NA
6	7013.68	56.55	-1.65	54.90	68.20	13.30	Vertical	PASS
7	13686.97	40.87	9.33	50.20	68.20	18.00	Vertical	PASS
8	17993.87	39.70	13.71	53.41	74.00	20.59	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	60
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9036.98	36.74	2.37	39.11	54.00	14.89	Horizontal	PASS
2	12650.41	35.39	6.18	41.57	54.00	12.43	Horizontal	PASS
3	17854.33	32.06	13.94	46.00	54.00	8.00	Horizontal	PASS
4	6377.35	35.36	16.90	52.26	68.20	15.94	Horizontal	PASS
5	7066.59	45.98	-1.53	44.45	68.20	23.75	Horizontal	PASS
6	17847.81	39.21	13.90	53.11	74.00	20.89	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	60
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5296.38	36.22	14.47	50.69	-	-	Vertical	NA
2	8107.37	37.19	0.56	37.75	54.00	16.25	Vertical	PASS
3	11269.98	36.00	4.78	40.78	54.00	13.22	Vertical	PASS
4	17873.88	32.19	13.68	45.87	54.00	8.13	Vertical	PASS
5	5296.56	41.20	14.47	55.67	-	-	Vertical	NA
6	6293.56	35.33	16.69	52.02	68.20	16.18	Vertical	PASS
7	7066.59	51.84	-1.53	50.31	68.20	17.89	Vertical	PASS
8	17390.48	40.74	12.10	52.84	68.20	15.36	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5322.41	31.57	14.55	46.12	-	-	Horizontal	NA
2	9455.22	37.58	2.14	39.72	54.00	14.28	Horizontal	PASS
3	12055.45	35.41	5.41	40.82	54.00	13.18	Horizontal	PASS
4	17991.95	32.62	13.68	46.30	54.00	7.70	Horizontal	PASS
5	5322.23	38.09	14.55	52.64	-	-	Horizontal	NA
6	6360.48	35.37	17.13	52.50	68.20	15.70	Horizontal	PASS
7	15250.26	40.50	9.94	50.44	68.20	17.76	Horizontal	PASS
8	17991.57	39.34	13.67	53.01	74.00	20.99	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.13	40.33	14.55	54.88	-	-	Vertical	NA
2	9047.33	36.67	2.31	38.98	54.00	15.02	Vertical	PASS
3	12043.95	35.24	5.40	40.64	54.00	13.36	Vertical	PASS
4	17862.00	32.51	13.83	46.34	54.00	7.66	Vertical	PASS
5	5321.49	46.39	14.55	60.94	-	-	Vertical	NA
6	6294.84	35.73	16.71	52.44	68.20	15.76	Vertical	PASS
7	7093.42	50.97	-1.52	49.45	68.20	18.75	Vertical	PASS
8	17942.50	39.80	13.11	52.91	74.00	21.09	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.35	33.99	14.68	48.67	-	-	Horizontal	NA
2	8112.74	37.33	0.60	37.93	54.00	16.07	Horizontal	PASS
3	11508.80	35.69	4.83	40.52	54.00	13.48	Horizontal	PASS
4	17870.43	32.25	13.72	45.97	54.00	8.03	Horizontal	PASS
5	5500.43	40.75	14.68	55.43	-	-	Horizontal	NA
6	6279.81	35.42	16.37	51.79	68.20	16.41	Horizontal	PASS
7	14163.47	41.72	8.32	50.04	68.20	18.16	Horizontal	PASS
8	17982.75	39.79	13.54	53.33	74.00	20.67	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5500.80	39.84	14.68	54.52	-	-	Vertical	NA
2	9437.96	37.03	2.01	39.04	54.00	14.96	Vertical	PASS
3	11363.90	35.62	5.13	40.75	54.00	13.25	Vertical	PASS
4	17848.19	31.96	13.92	45.88	54.00	8.12	Vertical	PASS
5	5500.80	45.57	14.68	60.25	-	-	Vertical	NA
6	6351.31	34.42	17.21	51.63	68.20	16.57	Vertical	PASS
7	7333.39	50.14	-1.18	48.96	74.00	25.04	Vertical	PASS
8	17341.79	41.32	11.98	53.30	68.20	14.90	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	116
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9142.79	35.62	3.18	38.80	54.00	15.20	Horizontal	PASS
2	10921.51	35.44	4.93	40.37	54.00	13.63	Horizontal	PASS
3	17982.37	32.61	13.54	46.15	54.00	7.85	Horizontal	PASS
4	6396.96	35.71	16.50	52.21	68.20	15.99	Horizontal	PASS
5	13680.46	41.05	9.28	50.33	68.20	17.87	Horizontal	PASS
6	17982.37	39.38	13.54	52.92	74.00	21.08	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	116
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5579.27	34.27	14.69	48.96	-	-	Vertical	NA
2	7440.35	44.32	-1.37	42.95	54.00	11.05	Vertical	PASS
3	10922.66	35.92	4.94	40.86	54.00	13.14	Vertical	PASS
4	17980.83	33.05	13.51	46.56	54.00	7.44	Vertical	PASS
5	5585.87	40.17	14.70	54.87	-	-	Vertical	NA
6	6482.40	34.58	17.06	51.64	68.20	16.56	Vertical	PASS
7	7439.96	47.44	-1.37	46.07	74.00	27.93	Vertical	PASS
8	17980.45	40.73	13.51	54.24	74.00	19.76	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5703.21	31.89	14.89	46.78	-	-	Horizontal	NA
2	8041.43	37.57	0.34	37.91	54.00	16.09	Horizontal	PASS
3	12663.44	34.95	6.11	41.06	54.00	12.94	Horizontal	PASS
4	17998.08	32.08	13.76	45.84	54.00	8.16	Horizontal	PASS
5	5705.04	37.54	14.90	52.44	-	-	Horizontal	NA
6	6363.05	35.38	17.02	52.40	68.20	15.80	Horizontal	PASS
7	13691.57	40.67	9.36	50.03	68.20	18.17	Horizontal	PASS
8	17851.26	39.01	13.97	52.98	74.00	21.02	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5703.94	36.91	14.89	51.80	-	-	Vertical	NA
2	7600.20	41.02	-0.92	40.10	54.00	13.90	Vertical	PASS
3	11400.70	35.57	5.39	40.96	54.00	13.04	Vertical	PASS
4	17998.47	32.57	13.76	46.33	54.00	7.67	Vertical	PASS
5	5707.24	42.61	14.90	57.51	-	-	Vertical	NA
6	6333.16	35.19	17.05	52.24	68.20	15.96	Vertical	PASS
7	7600.20	45.52	-0.92	44.60	74.00	29.40	Vertical	PASS
8	17350.61	41.14	12.24	53.38	68.20	14.82	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	67.10	14.91	82.01	-	-	Horizontal	NA
2	9022.80	36.58	2.45	39.03	54.00	14.97	Horizontal	PASS
3	10955.25	35.61	5.12	40.73	54.00	13.27	Horizontal	PASS
4	17960.90	33.07	13.22	46.29	54.00	7.71	Horizontal	PASS
5	5727.96	70.93	14.91	85.84	-	-	Horizontal	NA
6	6484.42	34.49	17.09	51.58	68.20	16.62	Horizontal	PASS
7	13703.84	41.03	9.22	50.25	68.20	17.95	Horizontal	PASS
8	17981.98	39.47	13.53	53.00	74.00	21.00	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	72.23	14.91	87.14	-	-	Vertical	NA
2	7627.04	40.55	-0.94	39.61	54.00	14.39	Vertical	PASS
3	12656.16	35.17	6.15	41.32	54.00	12.68	Vertical	PASS
4	17991.57	32.33	13.67	46.00	54.00	8.00	Vertical	PASS
5	5727.96	77.12	14.91	92.03	-	-	Vertical	NA
6	6346.73	34.69	17.20	51.89	68.20	16.31	Vertical	PASS
7	7589.09	45.54	-0.90	44.64	74.00	29.36	Vertical	PASS
8	17981.22	39.57	13.51	53.08	74.00	20.92	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9445.25	37.11	2.05	39.16	54.00	14.84	Horizontal	PASS
2	12049.70	35.51	5.43	40.94	54.00	13.06	Horizontal	PASS
3	17989.65	32.14	13.64	45.78	54.00	8.22	Horizontal	PASS
4	6490.10	34.47	17.34	51.81	68.20	16.39	Horizontal	PASS
5	15241.06	40.76	9.65	50.41	68.20	17.79	Horizontal	PASS
6	17844.74	38.63	13.77	52.40	74.00	21.60	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5715.31	31.47	15.76	47.23	-	-	Vertical	NA
2	7660.39	40.17	-0.88	39.29	54.00	14.71	Vertical	PASS
3	11411.05	35.31	5.32	40.63	54.00	13.37	Vertical	PASS
4	17858.93	32.46	13.88	46.34	54.00	7.66	Vertical	PASS
5	5717.51	38.15	15.75	53.90	68.20	14.30	Vertical	PASS
6	6352.96	34.51	17.09	51.60	68.20	16.60	Vertical	PASS
7	15243.74	40.58	9.74	50.32	68.20	17.88	Vertical	PASS
8	17851.26	38.99	13.97	52.96	74.00	21.04	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	157
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8077.85	37.52	0.46	37.98	54.00	16.02	Horizontal	PASS
2	12182.72	35.35	5.09	40.44	54.00	13.56	Horizontal	PASS
3	17890.75	32.78	13.46	46.24	54.00	7.76	Horizontal	PASS
4	6119.02	35.72	16.02	51.74	68.20	16.46	Horizontal	PASS
5	13722.62	42.38	8.26	50.64	68.20	17.56	Horizontal	PASS
6	17988.12	39.56	13.62	53.18	74.00	20.82	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	157
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5792.49	33.07	15.68	48.75	-	-	Vertical	NA
2	7713.67	40.87	-0.70	40.17	54.00	13.83	Vertical	PASS
3	12236.77	35.11	5.34	40.45	54.00	13.55	Vertical	PASS
4	17992.33	33.29	13.68	46.97	54.00	7.03	Vertical	PASS
5	5788.46	39.22	15.67	54.89	-	-	Vertical	NA
6	6437.11	35.30	16.73	52.03	68.20	16.17	Vertical	PASS
7	7712.91	44.82	-0.69	44.13	74.00	29.87	Vertical	PASS
8	17991.95	39.31	13.68	52.99	74.00	21.01	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9119.40	36.68	2.58	39.26	54.00	14.74	Horizontal	PASS
2	12056.60	35.47	5.40	40.87	54.00	13.13	Horizontal	PASS
3	17991.18	32.06	13.66	45.72	54.00	8.28	Horizontal	PASS
4	6361.21	35.23	17.00	52.23	68.20	15.97	Horizontal	PASS
5	14334.83	40.99	8.91	49.90	68.20	18.30	Horizontal	PASS
6	17378.98	40.87	12.14	53.01	68.20	15.19	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5821.09	35.97	15.66	51.63	-	-	Vertical	NA
2	8135.35	36.86	0.73	37.59	54.00	16.41	Vertical	PASS
3	11375.78	35.36	5.21	40.57	54.00	13.43	Vertical	PASS
4	17848.58	32.24	13.93	46.17	54.00	7.83	Vertical	PASS
5	5823.84	41.65	15.66	57.31	-	-	Vertical	NA
6	6344.89	34.65	17.07	51.72	68.20	16.48	Vertical	PASS
7	15067.02	41.60	9.16	50.76	68.20	17.44	Vertical	PASS
8	17851.65	39.82	13.97	53.79	74.00	20.21	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9047.33	37.27	2.31	39.58	54.00	14.42	Horizontal	PASS
2	12104.90	35.62	5.15	40.77	54.00	13.23	Horizontal	PASS
3	17845.89	32.50	13.81	46.31	54.00	7.69	Horizontal	PASS
4	6322.89	35.04	17.02	52.06	68.20	16.14	Horizontal	PASS
5	15076.60	41.32	9.12	50.44	68.20	17.76	Horizontal	PASS
6	17843.59	39.44	13.72	53.16	74.00	20.84	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9128.22	36.78	2.80	39.58	54.00	14.42	Vertical	PASS
2	11465.10	35.61	4.99	40.60	54.00	13.40	Vertical	PASS
3	17997.32	32.50	13.75	46.25	54.00	7.75	Vertical	PASS
4	6359.56	35.98	17.14	53.12	68.20	15.08	Vertical	PASS
5	14378.91	42.18	8.66	50.84	68.20	17.36	Vertical	PASS
6	17847.81	40.28	13.90	54.18	74.00	19.82	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.68	32.44	14.55	46.99	-	-	Horizontal	NA
2	9049.63	36.65	2.29	38.94	54.00	15.06	Horizontal	PASS
3	12120.62	35.52	5.01	40.53	54.00	13.47	Horizontal	PASS
4	17835.54	32.71	13.37	46.08	54.00	7.92	Horizontal	PASS
5	5321.49	38.11	14.55	52.66	-	-	Horizontal	NA
6	6319.41	35.66	16.99	52.65	68.20	15.55	Horizontal	PASS
7	14657.61	41.07	9.71	50.78	68.20	17.42	Horizontal	PASS
8	17859.70	39.36	13.86	53.22	74.00	20.78	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5320.94	40.10	14.55	54.65	-	-	Vertical	NA
2	9132.82	36.49	2.92	39.41	54.00	14.59	Vertical	PASS
3	11475.45	36.05	4.93	40.98	54.00	13.02	Vertical	PASS
4	17864.30	32.20	13.81	46.01	54.00	7.99	Vertical	PASS
5	5320.94	46.04	14.55	60.59	-	-	Vertical	NA
6	7093.42	50.99	-1.52	49.47	68.20	18.73	Vertical	PASS
7	15247.96	40.61	9.88	50.49	68.20	17.71	Vertical	PASS
8	17893.05	39.73	13.43	53.16	74.00	20.84	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	116
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7440.35	41.35	-1.37	39.98	54.00	14.02	Horizontal	PASS
2	11459.73	35.49	5.02	40.51	54.00	13.49	Horizontal	PASS
3	17859.31	31.91	13.87	45.78	54.00	8.22	Horizontal	PASS
4	6325.83	35.33	16.98	52.31	68.20	15.89	Horizontal	PASS
5	13497.22	42.81	7.21	50.02	68.20	18.18	Horizontal	PASS
6	17999.62	38.92	13.79	52.71	74.00	21.29	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	116
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5585.14	33.78	14.70	48.48	-	-	Vertical	NA
2	7440.35	45.55	-1.37	44.18	54.00	9.82	Vertical	PASS
3	12201.89	35.50	5.28	40.78	54.00	13.22	Vertical	PASS
4	17996.55	32.30	13.74	46.04	54.00	7.96	Vertical	PASS
5	5585.32	40.09	14.70	54.79	-	-	Vertical	NA
6	7439.96	48.39	-1.37	47.02	74.00	26.98	Vertical	PASS
7	15078.90	41.24	9.11	50.35	68.20	17.85	Vertical	PASS
8	17993.10	39.06	13.69	52.75	74.00	21.25	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.69	65.77	14.91	80.68	-	-	Horizontal	NA
2	8098.94	37.04	0.52	37.56	54.00	16.44	Horizontal	PASS
3	11477.75	35.77	4.92	40.69	54.00	13.31	Horizontal	PASS
4	17998.85	32.03	13.78	45.81	54.00	8.19	Horizontal	PASS
5	5728.14	70.79	14.91	85.70	-	-	Horizontal	NA
6	6353.15	34.97	17.18	52.15	68.20	16.05	Horizontal	PASS
7	15065.49	40.73	9.16	49.89	68.20	18.31	Horizontal	PASS
8	17995.40	39.18	13.72	52.90	74.00	21.10	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.51	71.92	14.91	86.83	-	-	Vertical	NA
2	7627.04	41.12	-0.94	40.18	54.00	13.82	Vertical	PASS
3	12043.57	36.06	5.40	41.46	54.00	12.54	Vertical	PASS
4	17984.67	32.81	13.57	46.38	54.00	7.62	Vertical	PASS
5	5728.32	76.72	14.91	91.63	-	-	Vertical	NA
6	6308.23	35.23	16.79	52.02	68.20	16.18	Vertical	PASS
7	14332.14	41.00	8.89	49.89	68.20	18.31	Vertical	PASS
8	17984.28	39.85	13.57	53.42	74.00	20.58	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8363.06	37.03	1.06	38.09	54.00	15.91	Horizontal	PASS
2	11401.85	34.98	5.38	40.36	54.00	13.64	Horizontal	PASS
3	17980.83	32.28	13.51	45.79	54.00	8.21	Horizontal	PASS
4	6356.81	34.99	17.05	52.04	68.20	16.16	Horizontal	PASS
5	13720.71	41.30	8.36	49.66	68.20	18.54	Horizontal	PASS
6	17845.51	38.60	13.80	52.40	74.00	21.60	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5817.79	36.76	15.67	52.43	-	-	Vertical	NA
2	9474.38	36.48	2.40	38.88	54.00	15.12	Vertical	PASS
3	12653.09	35.13	6.16	41.29	54.00	12.71	Vertical	PASS
4	17891.90	32.30	13.44	45.74	54.00	8.26	Vertical	PASS
5	5820.36	41.32	15.66	56.98	-	-	Vertical	NA
6	7766.96	45.92	-0.82	45.10	68.20	23.10	Vertical	PASS
7	12640.82	42.06	5.97	48.03	74.00	25.97	Vertical	PASS
8	17802.19	41.04	11.95	52.99	74.00	21.01	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:	P14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9139.34	36.13	3.10	39.23	54.00	14.77	Horizontal	PASS
2	12683.37	34.94	6.01	40.95	54.00	13.05	Horizontal	PASS
3	17986.20	32.46	13.59	46.05	54.00	7.95	Horizontal	PASS
4	6973.43	50.91	-1.96	48.95	68.20	19.25	Horizontal	PASS
5	13701.16	40.83	9.36	50.19	68.20	18.01	Horizontal	PASS
6	17991.18	39.23	13.66	52.89	74.00	21.11	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:	P14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9145.09	35.55	3.24	38.79	54.00	15.21	Vertical	PASS
2	11371.18	35.31	5.18	40.49	54.00	13.51	Vertical	PASS
3	17984.67	32.32	13.57	45.89	54.00	8.11	Vertical	PASS
4	6973.43	58.23	-1.96	56.27	68.20	11.93	Vertical	PASS
5	14369.33	41.44	8.78	50.22	68.20	17.98	Vertical	PASS
6	17979.68	39.28	13.50	52.78	74.00	21.22	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	62
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:	P15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8106.22	37.04	0.55	37.59	54.00	16.41	Horizontal	PASS
2	12022.10	35.08	5.32	40.40	54.00	13.60	Horizontal	PASS
3	17838.61	32.14	13.51	45.65	54.00	8.35	Horizontal	PASS
4	6357.91	35.06	17.16	52.22	68.20	15.98	Horizontal	PASS
5	13697.32	40.75	9.40	50.15	68.20	18.05	Horizontal	PASS
6	17930.61	39.14	13.17	52.31	74.00	21.69	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	62
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:	P15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.68	35.74	14.55	50.29	-	-	Vertical	NA
2	8092.04	37.43	0.50	37.93	54.00	16.07	Vertical	PASS
3	11368.88	35.15	5.16	40.31	54.00	13.69	Vertical	PASS
4	17980.83	32.38	13.51	45.89	54.00	8.11	Vertical	PASS
5	5321.49	41.17	14.55	55.72	-	-	Vertical	NA
6	7080.00	52.42	-1.53	50.89	68.20	17.31	Vertical	PASS
7	13669.34	40.98	9.20	50.18	68.20	18.02	Vertical	PASS
8	17885.00	39.49	13.54	53.03	74.00	20.97	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:	P15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5680.29	32.23	14.92	47.15	-	-	Horizontal	NA
2	8112.35	37.06	0.59	37.65	54.00	16.35	Horizontal	PASS
3	12088.42	35.50	5.25	40.75	54.00	13.25	Horizontal	PASS
4	17990.03	32.07	13.65	45.72	54.00	8.28	Horizontal	PASS
5	5679.92	38.35	14.92	53.27	-	-	Horizontal	NA
6	6308.59	35.52	16.79	52.31	68.20	15.89	Horizontal	PASS
7	13724.16	41.78	8.18	49.96	68.20	18.24	Horizontal	PASS
8	17845.13	39.14	13.78	52.92	74.00	21.08	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:	P15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5678.82	37.22	14.92	52.14	-	-	Vertical	NA
2	7560.34	39.85	-0.85	39.00	54.00	15.00	Vertical	PASS
3	12425.76	35.64	5.73	41.37	54.00	12.63	Vertical	PASS
4	17817.91	33.36	12.63	45.99	54.00	8.01	Vertical	PASS
5	5680.29	43.25	14.92	58.17	-	-	Vertical	NA
6	6325.09	34.50	16.97	51.47	68.20	16.73	Vertical	PASS
7	13700.01	40.85	9.42	50.27	68.20	17.93	Vertical	PASS
8	17891.90	39.44	13.44	52.88	74.00	21.12	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:	P15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	60.36	14.91	75.27	-	-	Horizontal	NA
2	8096.64	36.99	0.51	37.50	54.00	16.50	Horizontal	PASS
3	11992.97	35.95	5.20	41.15	54.00	12.85	Horizontal	PASS
4	17980.45	32.13	13.51	45.64	54.00	8.36	Horizontal	PASS
5	5727.77	66.00	14.91	80.91	-	-	Horizontal	NA
6	6345.99	35.95	17.18	53.13	68.20	15.07	Horizontal	PASS
7	13668.96	40.51	9.20	49.71	68.20	18.49	Horizontal	PASS
8	17995.02	39.21	13.72	52.93	74.00	21.07	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:	P15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	66.88	14.91	81.79	-	-	Vertical	NA
2	7613.62	41.19	-0.93	40.26	54.00	13.74	Vertical	PASS
3	12648.10	34.44	6.14	40.58	54.00	13.42	Vertical	PASS
4	17992.33	31.98	13.68	45.66	54.00	8.34	Vertical	PASS
5	5727.59	72.22	14.91	87.13	-	-	Vertical	NA
6	6483.32	34.39	17.08	51.47	68.20	16.73	Vertical	PASS
7	13693.11	40.93	9.37	50.30	68.20	17.90	Vertical	PASS
8	17886.15	39.06	13.52	52.58	74.00	21.42	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5713.66	36.18	15.77	51.95	-	-	Horizontal	NA
2	9141.25	36.98	3.15	40.13	54.00	13.87	Horizontal	PASS
3	12225.27	35.90	5.32	41.22	54.00	12.78	Horizontal	PASS
4	17883.85	32.70	13.55	46.25	54.00	7.75	Horizontal	PASS
5	5709.07	41.67	15.78	57.45	-	-	Horizontal	NA
6	6486.43	35.04	17.29	52.33	68.20	15.87	Horizontal	PASS
7	15066.25	41.88	9.16	51.04	68.20	17.16	Horizontal	PASS
8	17846.28	40.14	13.83	53.97	74.00	20.03	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5712.01	42.21	15.77	57.98	-	-	Vertical	NA
2	7673.81	42.39	-0.79	41.60	54.00	12.40	Vertical	PASS
3	12406.98	36.01	6.12	42.13	54.00	11.87	Vertical	PASS
4	17817.91	33.94	12.63	46.57	54.00	7.43	Vertical	PASS
5	5714.57	49.53	15.76	65.29	-	-	Vertical	NA
6	6317.39	36.08	16.73	52.81	68.20	15.39	Vertical	PASS
7	14335.98	42.90	8.91	51.81	68.20	16.39	Vertical	PASS
8	18000.00	40.22	13.79	54.01	74.00	19.99	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8438.58	37.57	1.11	38.68	54.00	15.32	Horizontal	PASS
2	12396.63	35.80	6.19	41.99	54.00	12.01	Horizontal	PASS
3	17992.72	32.98	13.68	46.66	54.00	7.34	Horizontal	PASS
4	6282.56	36.82	16.33	53.15	68.20	15.05	Horizontal	PASS
5	14666.42	41.31	9.49	50.80	68.20	17.40	Horizontal	PASS
6	17390.10	41.29	12.10	53.39	68.20	14.81	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5804.59	33.46	15.68	49.14	-	-	Vertical	NA
2	7727.09	43.25	-0.79	42.46	54.00	11.54	Vertical	PASS
3	11971.50	36.06	5.09	41.15	54.00	12.85	Vertical	PASS
4	18000.00	32.76	13.79	46.55	54.00	7.45	Vertical	PASS
5	5809.54	40.45	15.67	56.12	-	-	Vertical	NA
6	6353.33	35.42	17.09	52.51	68.20	15.69	Vertical	PASS
7	13682.37	41.46	9.29	50.75	68.20	17.45	Vertical	PASS
8	17850.11	39.90	13.99	53.89	74.00	20.11	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8346.19	37.80	1.05	38.85	54.00	15.15	Horizontal	PASS
2	12387.43	35.77	6.00	41.77	54.00	12.23	Horizontal	PASS
3	17980.45	33.24	13.51	46.75	54.00	7.25	Horizontal	PASS
4	6946.60	53.23	-2.17	51.06	68.20	17.14	Horizontal	PASS
5	13683.14	41.71	9.30	51.01	68.20	17.19	Horizontal	PASS
6	17984.28	39.55	13.57	53.12	74.00	20.88	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5177.57	36.66	13.90	50.56	-	-	Vertical	NA
2	8345.04	38.25	1.04	39.29	54.00	14.71	Vertical	PASS
3	12415.03	36.15	5.95	42.10	54.00	11.90	Vertical	PASS
4	17845.13	32.94	13.78	46.72	54.00	7.28	Vertical	PASS
5	5139.25	42.68	13.82	56.50	-	-	Vertical	NA
6	6946.60	61.28	-2.17	59.11	68.20	9.09	Vertical	PASS
7	12368.65	44.00	5.62	49.62	74.00	24.38	Vertical	PASS
8	17374.00	41.49	12.15	53.64	68.20	14.56	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9148.92	37.02	3.35	40.37	54.00	13.63	Horizontal	PASS
2	12403.53	36.87	6.18	43.05	54.00	10.95	Horizontal	PASS
3	17838.23	32.99	13.49	46.48	54.00	7.52	Horizontal	PASS
4	7053.17	49.35	-1.54	47.81	68.20	20.39	Horizontal	PASS
5	14603.17	42.25	8.63	50.88	68.20	17.32	Horizontal	PASS
6	17365.95	41.19	12.19	53.38	68.20	14.82	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5365.31	38.39	14.64	53.03	-	-	Vertical	NA
2	9426.08	38.08	1.96	40.04	54.00	13.96	Vertical	PASS
3	12499.37	36.96	5.48	42.44	54.00	11.56	Vertical	PASS
4	17842.44	33.69	13.66	47.35	54.00	6.65	Vertical	PASS
5	5361.46	45.03	14.64	59.67	-	-	Vertical	NA
6	7053.17	57.33	-1.54	55.79	68.20	12.41	Vertical	PASS
7	15242.21	41.65	9.69	51.34	68.20	16.86	Vertical	PASS
8	17986.20	40.10	13.59	53.69	74.00	20.31	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9131.29	37.10	2.89	39.99	54.00	14.01	Horizontal	PASS
2	12410.43	36.44	6.05	42.49	54.00	11.51	Horizontal	PASS
3	17840.14	33.47	13.57	47.04	54.00	6.96	Horizontal	PASS
4	6351.31	35.57	17.21	52.78	68.20	15.42	Horizontal	PASS
5	14655.31	40.84	9.77	50.61	68.20	17.59	Horizontal	PASS
6	17836.31	40.78	13.40	54.18	74.00	19.82	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5641.97	33.13	14.93	48.06	-	-	Vertical	NA
2	7480.22	46.76	-1.37	45.39	54.00	8.61	Vertical	PASS
3	11180.27	37.19	4.42	41.61	54.00	12.39	Vertical	PASS
4	17852.03	32.99	13.96	46.95	54.00	7.05	Vertical	PASS
5	5646.00	39.51	14.94	54.45	-	-	Vertical	NA
6	7479.83	49.43	-1.37	48.06	74.00	25.94	Vertical	PASS
7	14667.96	41.57	9.45	51.02	68.20	17.18	Vertical	PASS
8	17966.65	40.52	13.31	53.83	74.00	20.17	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.59	60.02	14.91	74.93	-	-	Horizontal	NA
2	9117.87	37.62	2.53	40.15	54.00	13.85	Horizontal	PASS
3	12019.80	36.55	5.31	41.86	54.00	12.14	Horizontal	PASS
4	17967.42	33.26	13.32	46.58	54.00	7.42	Horizontal	PASS
5	5727.59	64.30	14.91	79.21	-	-	Horizontal	NA
6	6337.93	35.23	17.10	52.33	68.20	15.87	Horizontal	PASS
7	15068.17	42.21	9.15	51.36	68.20	16.84	Horizontal	PASS
8	17967.42	40.00	13.32	53.32	74.00	20.68	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	66.20	14.91	81.11	-	-	Vertical	NA
2	7587.17	43.43	-0.90	42.53	54.00	11.47	Vertical	PASS
3	12398.93	36.08	6.24	42.32	54.00	11.68	Vertical	PASS
4	17858.55	32.68	13.88	46.56	54.00	7.44	Vertical	PASS
5	5727.41	70.37	14.91	85.28	-	-	Vertical	NA
6	6484.97	35.72	17.09	52.81	68.20	15.39	Vertical	PASS
7	13699.24	41.92	9.42	51.34	68.20	16.86	Vertical	PASS
8	17890.75	40.05	13.46	53.51	74.00	20.49	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5700.09	32.68	15.81	48.49	-	-	Horizontal	NA
2	9187.64	36.88	2.98	39.86	54.00	14.14	Horizontal	PASS
3	12683.76	36.05	6.01	42.06	54.00	11.94	Horizontal	PASS
4	17839.76	33.51	13.55	47.06	54.00	6.94	Horizontal	PASS
5	5704.49	39.40	15.80	55.20	-	-	Horizontal	NA
6	6353.33	35.68	17.09	52.77	68.20	15.43	Horizontal	PASS
7	14822.83	42.43	8.54	50.97	68.20	17.23	Horizontal	PASS
8	17851.26	39.14	13.97	53.11	74.00	20.89	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5705.96	38.19	15.79	53.98	-	-	Vertical	NA
2	7700.26	44.82	-0.61	44.21	54.00	9.79	Vertical	PASS
3	12406.98	36.14	6.12	42.26	54.00	11.74	Vertical	PASS
4	17997.32	32.92	13.75	46.67	54.00	7.33	Vertical	PASS
5	5705.77	45.02	15.79	60.81	-	-	Vertical	NA
6	7699.49	47.28	-0.61	46.67	74.00	27.33	Vertical	PASS
7	13681.99	42.00	9.29	51.29	68.20	16.91	Vertical	PASS
8	17858.55	39.71	13.88	53.59	74.00	20.41	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5134.14	31.92	12.37	44.29	54.00	9.71	Horizontal	PASS
2	5142.10	32.12	12.43	44.55	54.00	9.45	Horizontal	PASS
3	5148.15	32.10	12.46	44.56	54.00	9.44	Horizontal	PASS
4	5133.88	44.12	12.37	56.49	74.00	17.51	Horizontal	PASS
5	5142.01	43.92	12.43	56.35	74.00	17.65	Horizontal	PASS
6	5149.06	42.85	12.48	55.33	74.00	18.67	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5136.35	32.74	12.39	45.13	54.00	8.87	Vertical	PASS
2	5143.50	33.64	12.43	46.07	54.00	7.93	Vertical	PASS
3	5149.45	34.99	12.48	47.47	54.00	6.53	Vertical	PASS
4	5135.31	44.06	12.38	56.44	74.00	17.56	Vertical	PASS
5	5142.79	43.91	12.43	56.34	74.00	17.66	Vertical	PASS
6	5149.87	46.30	12.48	58.78	74.00	15.22	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.62	28.67	12.69	41.36	54.00	12.64	Horizontal	PASS
2	5355.04	28.35	12.71	41.06	54.00	12.94	Horizontal	PASS
3	5367.29	28.58	12.78	41.36	54.00	12.64	Horizontal	PASS
4	5351.36	39.04	12.69	51.73	74.00	22.27	Horizontal	PASS
5	5356.11	39.79	12.72	52.51	74.00	21.49	Horizontal	PASS
6	5366.81	39.50	12.78	52.28	74.00	21.72	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.42	32.44	12.68	45.12	54.00	8.88	Vertical	PASS
2	5355.30	30.49	12.71	43.20	54.00	10.80	Vertical	PASS
3	5364.01	29.86	12.76	42.62	54.00	11.38	Vertical	PASS
4	5350.45	44.89	12.68	57.57	74.00	16.43	Vertical	PASS
5	5356.14	41.76	12.72	54.48	74.00	19.52	Vertical	PASS
6	5363.42	40.63	12.75	53.38	74.00	20.62	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5450.72	28.11	12.65	40.76	54.00	13.24	Horizontal	PASS
2	5453.84	28.12	12.70	40.82	54.00	13.18	Horizontal	PASS
3	5459.60	28.19	12.80	40.99	54.00	13.01	Horizontal	PASS
4	5453.78	39.31	12.70	52.01	74.00	21.99	Horizontal	PASS
5	5459.24	38.95	12.79	51.74	74.00	22.26	Horizontal	PASS
6	5468.40	39.54	12.94	52.48	68.20	15.72	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.89	28.83	12.67	41.50	54.00	12.50	Vertical	PASS
2	5456.45	29.33	12.75	42.08	54.00	11.92	Vertical	PASS
3	5459.72	29.20	12.80	42.00	54.00	12.00	Vertical	PASS
4	5456.78	40.73	12.75	53.48	74.00	20.52	Vertical	PASS
5	5467.71	43.47	12.93	56.40	68.20	11.80	Vertical	PASS
6	5469.78	43.84	12.96	56.80	68.20	11.40	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.29	41.20	13.35	54.55	68.20	13.65	Horizontal	PASS
2	5735.86	38.82	13.19	52.01	68.20	16.19	Horizontal	PASS
3	5743.01	39.48	13.07	52.55	68.20	15.65	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.48	46.70	13.36	60.06	68.20	8.14	Vertical	PASS
2	5727.25	46.43	13.33	59.76	68.20	8.44	Vertical	PASS
3	5738.71	46.24	13.15	59.39	68.20	8.81	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5861.42	38.63	13.35	51.98	68.20	16.22	Horizontal	PASS
2	5942.19	38.70	14.03	52.73	68.20	15.47	Horizontal	PASS
3	5967.58	38.87	13.90	52.77	68.20	15.43	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5860.07	38.68	13.34	52.02	68.20	16.18	Vertical	PASS
2	5925.44	38.63	13.91	52.54	68.20	15.66	Vertical	PASS
3	5957.86	38.96	14.01	52.97	68.20	15.23	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5134.17	32.08	12.37	44.45	54.00	9.55	Horizontal	PASS
2	5144.74	32.24	12.44	44.68	54.00	9.32	Horizontal	PASS
3	5148.96	32.38	12.48	44.86	54.00	9.14	Horizontal	PASS
4	5134.49	42.95	12.37	55.32	74.00	18.68	Horizontal	PASS
5	5144.31	43.14	12.44	55.58	74.00	18.42	Horizontal	PASS
6	5149.55	42.80	12.48	55.28	74.00	18.72	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5127.57	33.22	12.32	45.54	54.00	8.46	Vertical	PASS
2	5136.45	33.79	12.39	46.18	54.00	7.82	Vertical	PASS
3	5148.61	35.43	12.47	47.90	54.00	6.10	Vertical	PASS
4	5127.99	43.62	12.32	55.94	74.00	18.06	Vertical	PASS
5	5136.93	44.08	12.39	56.47	74.00	17.53	Vertical	PASS
6	5148.54	46.85	12.47	59.32	74.00	14.68	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.97	28.73	12.69	41.42	54.00	12.58	Horizontal	PASS
2	5359.42	28.32	12.73	41.05	54.00	12.95	Horizontal	PASS
3	5363.36	28.33	12.75	41.08	54.00	12.92	Horizontal	PASS
4	5350.16	39.81	12.68	52.49	74.00	21.51	Horizontal	PASS
5	5358.77	38.74	12.73	51.47	74.00	22.53	Horizontal	PASS
6	5363.59	39.36	12.76	52.12	74.00	21.88	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.39	33.64	12.68	46.32	54.00	7.68	Vertical	PASS
2	5355.20	31.17	12.71	43.88	54.00	10.12	Vertical	PASS
3	5365.51	29.62	12.77	42.39	54.00	11.61	Vertical	PASS
4	5350.87	44.80	12.69	57.49	74.00	16.51	Vertical	PASS
5	5357.34	41.57	12.73	54.30	74.00	19.70	Vertical	PASS
6	5366.51	42.71	12.78	55.49	74.00	18.51	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.23	27.92	12.66	40.58	54.00	13.42	Horizontal	PASS
2	5455.16	28.29	12.72	41.01	54.00	12.99	Horizontal	PASS
3	5459.54	27.96	12.80	40.76	54.00	13.24	Horizontal	PASS
4	5453.84	39.47	12.70	52.17	74.00	21.83	Horizontal	PASS
5	5460.51	38.63	12.81	51.44	68.20	16.76	Horizontal	PASS
6	5468.73	39.39	12.94	52.33	68.20	15.87	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.25	29.01	12.67	41.68	54.00	12.32	Vertical	PASS
2	5455.19	29.14	12.72	41.86	54.00	12.14	Vertical	PASS
3	5458.91	29.38	12.78	42.16	54.00	11.84	Vertical	PASS
4	5457.17	40.35	12.75	53.10	74.00	20.90	Vertical	PASS
5	5462.40	40.96	12.84	53.80	68.20	14.40	Vertical	PASS
6	5469.54	43.20	12.96	56.16	68.20	12.04	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.68	40.29	13.34	53.63	68.20	14.57	Horizontal	PASS
2	5735.74	39.59	13.19	52.78	68.20	15.42	Horizontal	PASS
3	5741.00	39.74	13.11	52.85	68.20	15.35	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.03	46.37	13.37	59.74	68.20	8.46	Vertical	PASS
2	5729.11	45.43	13.30	58.73	68.20	9.47	Vertical	PASS
3	5736.46	42.00	13.18	55.18	68.20	13.02	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5851.43	39.12	13.25	52.37	68.20	15.83	Horizontal	PASS
2	5937.06	39.60	13.99	53.59	68.20	14.61	Horizontal	PASS
3	5974.07	38.31	13.83	52.14	68.20	16.06	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5857.64	39.28	13.31	52.59	68.20	15.61	Vertical	PASS
2	5914.37	39.05	13.83	52.88	68.20	15.32	Vertical	PASS
3	5980.82	39.05	13.77	52.82	68.20	15.38	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5142.35	29.47	12.43	41.90	54.00	12.10	Horizontal	PASS
2	5144.98	30.22	12.44	42.66	54.00	11.34	Horizontal	PASS
3	5149.19	31.22	12.48	43.70	54.00	10.30	Horizontal	PASS
4	5140.90	39.63	12.41	52.04	74.00	21.96	Horizontal	PASS
5	5145.50	41.41	12.45	53.86	74.00	20.14	Horizontal	PASS
6	5148.73	41.00	12.47	53.47	74.00	20.53	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.27	34.83	12.41	47.24	54.00	6.76	Vertical	PASS
2	5144.86	37.53	12.44	49.97	54.00	4.03	Vertical	PASS
3	5149.75	39.24	12.48	51.72	54.00	2.28	Vertical	PASS
4	5139.84	45.84	12.41	58.25	74.00	15.75	Vertical	PASS
5	5144.86	48.27	12.44	60.71	74.00	13.29	Vertical	PASS
6	5149.70	48.93	12.48	61.41	74.00	12.59	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	62
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.21	30.23	12.68	42.91	54.00	11.09	Horizontal	PASS
2	5360.59	28.81	12.74	41.55	54.00	12.45	Horizontal	PASS
3	5367.01	28.27	12.78	41.05	54.00	12.95	Horizontal	PASS
4	5350.89	40.84	12.69	53.53	74.00	20.47	Horizontal	PASS
5	5360.20	40.12	12.74	52.86	74.00	21.14	Horizontal	PASS
6	5366.24	39.57	12.78	52.35	74.00	21.65	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	62
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.76	37.06	12.69	49.75	54.00	4.25	Vertical	PASS
2	5356.38	34.66	12.72	47.38	54.00	6.62	Vertical	PASS
3	5359.61	32.93	12.73	45.66	54.00	8.34	Vertical	PASS
4	5350.08	48.53	12.68	61.21	74.00	12.79	Vertical	PASS
5	5356.59	46.99	12.72	59.71	74.00	14.29	Vertical	PASS
6	5359.27	45.13	12.73	57.86	74.00	16.14	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.92	29.69	12.70	42.39	54.00	11.61	Horizontal	PASS
2	5457.60	30.83	12.77	43.60	54.00	10.40	Horizontal	PASS
3	5459.76	32.79	12.80	45.59	54.00	8.41	Horizontal	PASS
4	5458.88	42.51	12.78	55.29	74.00	18.71	Horizontal	PASS
5	5464.01	44.92	12.86	57.78	68.20	10.42	Horizontal	PASS
6	5469.93	48.08	12.96	61.04	68.20	7.16	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.64	32.88	12.69	45.57	54.00	8.43	Vertical	PASS
2	5457.40	34.29	12.76	47.05	54.00	6.95	Vertical	PASS
3	5459.84	36.60	12.80	49.40	54.00	4.60	Vertical	PASS
4	5460.17	48.53	12.80	61.33	68.20	6.87	Vertical	PASS
5	5466.97	51.57	12.91	64.48	68.20	3.72	Vertical	PASS
6	5469.65	52.61	12.96	65.57	68.20	2.63	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.39	38.58	13.36	51.94	68.20	16.26	Horizontal	PASS
2	5731.09	38.80	13.27	52.07	68.20	16.13	Horizontal	PASS
3	5739.39	39.23	13.13	52.36	68.20	15.84	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.09	41.87	13.35	55.22	68.20	12.98	Vertical	PASS
2	5736.64	39.86	13.18	53.04	68.20	15.16	Vertical	PASS
3	5743.40	39.44	13.07	52.51	68.20	15.69	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5869.25	38.42	13.43	51.85	68.20	16.35	Horizontal	PASS
2	5899.78	39.48	13.73	53.21	68.20	14.99	Horizontal	PASS
3	5950.30	38.59	14.09	52.68	68.20	15.52	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5866.55	39.51	13.40	52.91	68.20	15.29	Vertical	PASS
2	5926.79	38.11	13.92	52.03	68.20	16.17	Vertical	PASS
3	5948.13	38.63	14.08	52.71	68.20	15.49	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5134.07	29.39	12.37	41.76	54.00	12.24	Horizontal	PASS
2	5144.38	30.68	12.44	43.12	54.00	10.88	Horizontal	PASS
3	5149.82	31.49	12.48	43.97	54.00	10.03	Horizontal	PASS
4	5134.44	39.99	12.37	52.36	74.00	21.64	Horizontal	PASS
5	5144.32	41.27	12.44	53.71	74.00	20.29	Horizontal	PASS
6	5148.20	41.61	12.46	54.07	74.00	19.93	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5138.51	37.37	12.40	49.77	54.00	4.23	Vertical	PASS
2	5145.95	39.42	12.45	51.87	54.00	2.13	Vertical	PASS
3	5149.89	39.32	12.48	51.80	54.00	2.20	Vertical	PASS
4	5138.51	47.60	12.40	60.00	74.00	14.00	Vertical	PASS
5	5145.64	48.66	12.45	61.11	74.00	12.89	Vertical	PASS
6	5148.39	50.01	12.47	62.48	74.00	11.52	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.40	31.48	12.67	44.15	54.00	9.85	Horizontal	PASS
2	5456.00	32.37	12.74	45.11	54.00	8.89	Horizontal	PASS
3	5459.60	33.11	12.80	45.91	54.00	8.09	Horizontal	PASS
4	5453.72	41.52	12.70	54.22	74.00	19.78	Horizontal	PASS
5	5460.75	44.64	12.81	57.45	68.20	10.75	Horizontal	PASS
6	5469.87	44.06	12.96	57.02	68.20	11.18	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.40	37.17	12.67	49.84	54.00	4.16	Vertical	PASS
2	5457.50	38.78	12.77	51.55	54.00	2.45	Vertical	PASS
3	5459.66	39.22	12.80	52.02	54.00	1.98	Vertical	PASS
4	5461.41	50.00	12.83	62.83	68.20	5.37	Vertical	PASS
5	5465.37	49.74	12.89	62.63	68.20	5.57	Vertical	PASS
6	5468.43	49.78	12.94	62.72	68.20	5.48	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.84	40.35	13.31	53.66	68.20	14.54	Horizontal	PASS
2	5739.10	39.39	13.14	52.53	68.20	15.67	Horizontal	PASS
3	5746.85	39.58	13.01	52.59	68.20	15.61	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5730.55	40.20	13.28	53.48	68.20	14.72	Vertical	PASS
2	5742.71	40.44	13.08	53.52	68.20	14.68	Vertical	PASS
3	5746.67	39.47	13.01	52.48	68.20	15.72	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information

Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			


Test Graph



Project Information


Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	868757070002221	Engineer:	Shen Zhuang
Remark:			

Test Graph



~The End~