



802.11b_2412MHz




ProjectNo.:2502V10500E-RF Tester:Conor Fu
Date: 21.OCT.2025 17:29:08

802.11b_2437MHz




ProjectNo.:2502V10500E-RF Tester:Conor Fu
Date: 21.OCT.2025 17:32:23

802.11b_2462MHz




ProjectNo.:2502V10500E-RF Tester:Conor Fu
Date: 21.OCT.2025 17:33:45

802.11g_2412MHz




ProjectNo.:2502V10500E-RF Tester:Conor Fu
Date: 21.OCT.2025 17:35:59

802.11g_2437MHz




ProjectNo.:2502V10500E-RF Tester:Conor Fu
Date: 21.OCT.2025 17:41:38

802.11g_2462MHz




ProjectNo.:2502V10500E-RF Tester:Conor Fu
Date: 21.OCT.2025 17:44:25

802.11n20_2412MHz




ProjectNo.:2502V10500E-RF Tester:Conor Fu
Date: 21.OCT.2025 17:46:52

802.11n20_2437MHz




ProjectNo.:2502V10500E-RF Tester:Conor Fu
Date: 21.OCT.2025 17:49:10

802.11n20_2462MHz




ProjectNo.:2502V10500E-RF Tester:Conor Fu
Date: 21.OCT.2025 17:54:36

802.11n40_2422MHz




ProjectNo.:2502V10500E-RF Tester:Conor Fu
Date: 21.OCT.2025 18:00:26

802.11n40_2437MHz



ProjectNo.:2502V10500E-RF Tester:Conor Fu
Date: 21.OCT.2025 18:05:18

802.11n40_2452MHz



ProjectNo.:2502V10500E-RF Tester:Conor Fu
Date: 21.OCT.2025 18:08:46

5.6 Duty Cycle

Test Information:

Serial No.:	366Z-5	Test Date:	2025/7/22
Test Site:	RF	Test Mode:	Transmitting
Tester:	Conor Fu	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	28.2	Relative Humidity: (%)	53	ATM Pressure: (kPa)	99.5
----------------------	------	------------------------------	----	------------------------	------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101589	2024/9/5	2025/9/4
Narda	Coaxial Attenuator	773-10	F-08-EM511	2025/6/6	2026/6/5

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).


Test Data:

Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	1/Ton (Hz)	VBW Setting (kHz)	Duty Cycle Factor (dB)
802.11b	2437	12.41	12.56	98.80	/	0.01	0
802.11g	2437	2.06	2.11	97.63	485	0.50	0.1
802.11n20	2437	1.92	1.96	98.01	/	0.01	0
802.11n40	2437	0.95	1.01	94.67	1051	2.00	0.24

Duty Cycle = Ton/(Ton+Toff)*100%


2.4G

802.11b_2437MHz




ProjectNo.:2502V10500E-RF Tester:Conor Fu
Date: 22.JUL.2025 16:11:39

802.11g_2437MHz




ProjectNo.:2502V10500E-RF Tester:Conor Fu
Date: 22.JUL.2025 16:13:52

802.11n20_2437MHz



ProjectNo.:2502V10500E-RF Tester:Conor Fu
Date: 22.JUL.2025 16:11:11

802.11n40_2437MHz



ProjectNo.:2502V10500E-RF Tester:Conor Fu
Date: 22.JUL.2025 16:17:14

EXHIBIT A - EUT PHOTOGRAPHS

Please refer to the attachment 2502V10500E-RF-EXP EUT EXTERNAL PHOTOGRAPHS and 2502V10500E-RF-INP EUT INTERNAL PHOTOGRAPHS.

EXHIBIT B - TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2502V10500E-RF-00B-TSP TEST SETUP PHOTOGRAPHS.

******* END OF REPORT *******