

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


Low Channel: 2412 MHz

Modulation: 802.11g

Frequency Range: 2483.5 MHz to 4750 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 15:04:07

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne

Mid Channel: 2437 MHz


Modulation: 802.11b

Frequency Range: 4750 MHz to 4900 MHz

Result: Pass

Upper Trace: Detector Function: Peak Limit: Peak

Lower Trace: Detector Function: Average Limit: Average



Date: 31.JAN.2026 15:13:46

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


Mid Channel: 2437 MHz

Modulation: 802.11b

Frequency Range: 4900 MHz to 5000 MHz

Result: Pass

Detector Function: Peak Limit: Average



Date: 31.JAN.2026 15:15:04

Client: Netradyme Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


Low Channel: 2412 MHz

Modulation: 802.11g

Frequency Range: 5000 MHz to 10000 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 15:15:38

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


Low Channel: 2412 MHz

Modulation: 802.11g

Frequency Range: 10000 MHz to 15000 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 15:16:26

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


Low Channel: 2412 MHz

Modulation: 802.11g

Frequency Range: 15000 MHz to 20000 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 15:16:58

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


Low Channel: 2412 MHz

Modulation: 802.11g

Frequency Range: 20000 MHz to 25000 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 15:17:33

Client: Netradyme Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


Mid Channel: 2437 MHz

Modulation: 802.11g

Frequency Range: 30 MHz to 1000 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 12:13:54

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


Mid Channel: 2437 MHz

Modulation: 802.11g

Frequency Range: 1000 MHz to 2402 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 15:18:39

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


Mid Channel: 2437 MHz

Modulation: 802.11g

Frequency Range: 2483.5 MHz to 4800 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 15:19:57

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne

Mid Channel: 2437 MHz


Modulation: 802.11b

Frequency Range: 4800 MHz to 4950 MHz

Result: Pass

Upper Trace: Detector Function: Peak Limit: Peak

Lower Trace: Detector Function: Average Limit: Average



Date: 31.JAN.2026 15:29:00

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


Mid Channel: 2437 MHz

Modulation: 802.11b

Frequency Range: 4950 MHz to 5000 MHz

Result: Pass

Detector Function: Peak Limit: Average



Date: 31.JAN.2026 15:30:05

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


Mid Channel: 2437 MHz

Modulation: 802.11g

Frequency Range: 5000 MHz to 10000 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 15:31:09

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


Mid Channel: 2437 MHz

Modulation: 802.11g

Frequency Range: 10000 MHz to 15000 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 15:31:50

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


Mid Channel: 2437 MHz

Modulation: 802.11g

Frequency Range: 15000 MHz to 20000 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 15:32:23

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


Mid Channel: 2437 MHz

Modulation: 802.11g

Frequency Range: 20000 MHz to 25000 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 15:32:57

Client: Netradyme Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


High Channel: 2462 MHz

Modulation: 802.11g

Frequency Range: 30 MHz to 1000 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 12:14:49

Client: Netradyme Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


High Channel: 2462 MHz

Modulation: 802.11g

Frequency Range: 1000 MHz to 2402 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 15:34:19

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne

Mid Channel: 2437 MHz


Modulation: 802.11b

Frequency Range: 2483.5 MHz to 2520 MHz

Result: Pass

Upper Trace: Detector Function: Peak Limit: Peak

Lower Trace: Detector Function: Average Limit: Average



Date: 31.JAN.2026 15:38:52

Client: Netradyme Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


High Channel: 2462 MHz

Modulation: 802.11g

Frequency Range: 2520 MHz to 4900 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 15:41:17

Client: Netradyme Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne

Mid Channel: 2437 MHz


Modulation: 802.11b

Frequency Range: 4900 MHz to 4950 MHz

Result: Pass

Upper Trace: Detector Function: Peak Limit: Peak

Lower Trace: Detector Function: Average Limit: Average



Date: 31.JAN.2026 15:50:54

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


High Channel: 2462 MHz

Modulation: 802.11g

Frequency Range: 4950 MHz to 10000 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 15:52:08

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


High Channel: 2462 MHz

Modulation: 802.11g

Frequency Range: 10000 MHz to 15000 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 15:52:46

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


High Channel: 2462 MHz

Modulation: 802.11g

Frequency Range: 15000 MHz to 20000 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 15:53:27

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


High Channel: 2462 MHz

Modulation: 802.11g

Frequency Range: 20000 MHz to 25000 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 15:54:03

Client: Netradyn Inc.

Date: 31 Jan 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne


Low Channel: 2412 MHz

Modulation: 802.11n

Frequency Range: 30 MHz to 1000 MHz

Result: Pass

Detector Function: Peak



Date: 31.JAN.2026 12:15:54

Client: Netradyme Inc.

Date: 1 Feb 2026

DNB Job: 56008

EUT: VDI3N001 Vehicle Data Logger

Model No: VDI3N001

Requirement: Emissions Below Restricted Band Limits

Tech: CL Payne

Low Channel: 2412 MHz

Modulation: 802.11n

Frequency Range: 1000 MHz to 2375 MHz

Result: Pass

Detector Function: Peak

