










NTNV-n66-PC3-15-5-L-DFT-256QAM-
Edge_1RB_Left-PASS




NTNV-n66-PC3-15-5-L-DFT-256QAM-Outer_Full-
PASS





NTNV-n66-PC3-15-5-L-CP-QPSK-
Edge_1RB_Left-PASS




NTNV-n66-PC3-15-5-L-CP-QPSK-Outer_Full-
PASS









NTNV-n66-PC3-15-40-H-DFT-BPSK-
Edge_1RB_Right-PASS





NTNV-n66-PC3-15-40-H-DFT-BPSK-Outer_Full-
PASS





NTNV-n66-PC3-15-40-H-DFT-QPSK-
Edge_1RB_Right-PASS




NTNV-n66-PC3-15-40-H-DFT-QPSK-Outer_Full-
PASS









NTNV-n66-PC3-15-40-H-CP-QPSK-Edge_1RB_Right-PASS





NTNV-n66-PC3-15-40-H-CP-QPSK-Outer_Full-PASS




NTNV-n66-PC3-15-40-H-CP-16QAM-Edge_1RB_Right-PASS



NTNV-n66-PC3-15-40-H-CP-16QAM-Outer_Full-PASS





Appendix E: Conducted Spurious Emission for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	StartFreq	StopFreq	Result	Limit	Verdict
n66	15	5	DFT-BPSK	L	Edge_1R B_Left	0.009	0.15	-82.68	≤-43dBm	PASS
n66	15	5	DFT-BPSK	L	Edge_1R B_Left	0.15	30	-74.82	≤-33dBm	PASS
n66	15	5	DFT-BPSK	L	Edge_1R B_Left	30	1000	-61.88	≤-23dBm	PASS
n66	15	5	DFT-BPSK	L	Edge_1R B_Left	1000	3000	-57.01	≤-13dBm	PASS
n66	15	5	DFT-BPSK	L	Edge_1R B_Left	3000	12000	-67.46	≤-13dBm	PASS
n66	15	5	DFT-BPSK	L	Edge_1R B_Left	12000	20000	-66.48	≤-13dBm	PASS
n66	15	5	DFT-BPSK	L	Inner_1R B_Left	0.009	0.15	-83.21	≤-43dBm	PASS
n66	15	5	DFT-BPSK	L	Inner_1R B_Left	0.15	30	-75.34	≤-33dBm	PASS
n66	15	5	DFT-BPSK	L	Inner_1R B_Left	30	1000	-63.64	≤-23dBm	PASS
n66	15	5	DFT-BPSK	L	Inner_1R B_Left	1000	3000	-57.57	≤-13dBm	PASS
n66	15	5	DFT-BPSK	L	Inner_1R B_Left	3000	12000	-67.96	≤-13dBm	PASS
n66	15	5	DFT-BPSK	L	Inner_1R B_Left	12000	20000	-66.81	≤-13dBm	PASS
n66	15	5	DFT-BPSK	L	Inner_1R B_Right	0.009	0.15	-83.09	≤-43dBm	PASS
n66	15	5	DFT-BPSK	L	Inner_1R B_Right	0.15	30	-75.83	≤-33dBm	PASS
n66	15	5	DFT-BPSK	L	Inner_1R B_Right	30	1000	-63.63	≤-23dBm	PASS
n66	15	5	DFT-BPSK	L	Inner_1R B_Right	1000	3000	-57.54	≤-13dBm	PASS
n66	15	5	DFT-BPSK	L	Inner_1R B_Right	3000	12000	-68.01	≤-13dBm	PASS
n66	15	5	DFT-BPSK	L	Inner_1R B_Right	12000	20000	-67.16	≤-13dBm	PASS
n66	15	5	DFT-BPSK	L	Edge_1R B_Right	0.009	0.15	-83.87	≤-43dBm	PASS
n66	15	5	DFT-BPSK	L	Edge_1R B_Right	0.15	30	-75.90	≤-33dBm	PASS
n66	15	5	DFT-	L	Edge_1R	30	1000	-63.75	≤-23dBm	PASS

			BPSK		B_Right					
n66	15	5	DFT-BPSK	L	Edge_1R B_Right	1000	3000	-57.65	≤-13dBm	PASS
n66	15	5	DFT-BPSK	L	Edge_1R B_Right	3000	12000	-67.72	≤-13dBm	PASS
n66	15	5	DFT-BPSK	L	Edge_1R B_Right	12000	20000	-67.32	≤-13dBm	PASS
n66	15	5	DFT-BPSK	L	Outer_Fu II	0.009	0.15	-83.26	≤-43dBm	PASS
n66	15	5	DFT-BPSK	L	Outer_Fu II	0.15	30	-76.25	≤-33dBm	PASS
n66	15	5	DFT-BPSK	L	Outer_Fu II	30	1000	-63.02	≤-23dBm	PASS
n66	15	5	DFT-BPSK	L	Outer_Fu II	1000	3000	-57.16	≤-13dBm	PASS
n66	15	5	DFT-BPSK	L	Outer_Fu II	3000	12000	-67.94	≤-13dBm	PASS
n66	15	5	DFT-BPSK	L	Outer_Fu II	12000	20000	-66.57	≤-13dBm	PASS
n66	15	5	DFT-QPSK	L	Edge_1R B_Left	0.009	0.15	-83.57	≤-43dBm	PASS
n66	15	5	DFT-QPSK	L	Edge_1R B_Left	0.15	30	-76.18	≤-33dBm	PASS
n66	15	5	DFT-QPSK	L	Edge_1R B_Left	30	1000	-63.46	≤-23dBm	PASS
n66	15	5	DFT-QPSK	L	Edge_1R B_Left	1000	3000	-57.31	≤-13dBm	PASS
n66	15	5	DFT-QPSK	L	Edge_1R B_Left	3000	12000	-67.99	≤-13dBm	PASS
n66	15	5	DFT-QPSK	L	Edge_1R B_Left	12000	20000	-67.00	≤-13dBm	PASS
n66	15	5	DFT-QPSK	L	Inner_1R B_Left	0.009	0.15	-83.69	≤-43dBm	PASS
n66	15	5	DFT-QPSK	L	Inner_1R B_Left	0.15	30	-74.86	≤-33dBm	PASS
n66	15	5	DFT-QPSK	L	Inner_1R B_Left	30	1000	-63.34	≤-23dBm	PASS
n66	15	5	DFT-QPSK	L	Inner_1R B_Left	1000	3000	-56.87	≤-13dBm	PASS
n66	15	5	DFT-QPSK	L	Inner_1R B_Left	3000	12000	-68.37	≤-13dBm	PASS
n66	15	5	DFT-QPSK	L	Inner_1R B_Left	12000	20000	-67.21	≤-13dBm	PASS
n66	15	5	DFT-	L	Inner_1R	0.009	0.15	-83.41	≤-43dBm	PASS

			QPSK		B_Right					
n66	15	5	DFT-QPSK	L	Inner_1R B_Right	0.15	30	-76.32	≤-33dBm	PASS
n66	15	5	DFT-QPSK	L	Inner_1R B_Right	30	1000	-63.42	≤-23dBm	PASS
n66	15	5	DFT-QPSK	L	Inner_1R B_Right	1000	3000	-57.48	≤-13dBm	PASS
n66	15	5	DFT-QPSK	L	Inner_1R B_Right	3000	12000	-68.74	≤-13dBm	PASS
n66	15	5	DFT-QPSK	L	Inner_1R B_Right	12000	20000	-67.25	≤-13dBm	PASS
n66	15	5	DFT-QPSK	L	Edge_1R B_Right	0.009	0.15	-82.93	≤-43dBm	PASS
n66	15	5	DFT-QPSK	L	Edge_1R B_Right	0.15	30	-76.73	≤-33dBm	PASS
n66	15	5	DFT-QPSK	L	Edge_1R B_Right	30	1000	-63.83	≤-23dBm	PASS
n66	15	5	DFT-QPSK	L	Edge_1R B_Right	1000	3000	-57.61	≤-13dBm	PASS
n66	15	5	DFT-QPSK	L	Edge_1R B_Right	3000	12000	-67.44	≤-13dBm	PASS
n66	15	5	DFT-QPSK	L	Edge_1R B_Right	12000	20000	-67.27	≤-13dBm	PASS
n66	15	5	DFT-QPSK	L	Outer_Fu II	0.009	0.15	-83.46	≤-43dBm	PASS
n66	15	5	DFT-QPSK	L	Outer_Fu II	0.15	30	-76.05	≤-33dBm	PASS
n66	15	5	DFT-QPSK	L	Outer_Fu II	30	1000	-63.62	≤-23dBm	PASS
n66	15	5	DFT-QPSK	L	Outer_Fu II	1000	3000	-56.74	≤-13dBm	PASS
n66	15	5	DFT-QPSK	L	Outer_Fu II	3000	12000	-68.56	≤-13dBm	PASS
n66	15	5	DFT-QPSK	L	Outer_Fu II	12000	20000	-67.10	≤-13dBm	PASS
n66	15	5	DFT-16QAM	L	Edge_1R B_Left	0.009	0.15	-81.59	≤-43dBm	PASS
n66	15	5	DFT-16QAM	L	Edge_1R B_Left	0.15	30	-75.10	≤-33dBm	PASS
n66	15	5	DFT-16QAM	L	Edge_1R B_Left	30	1000	-63.69	≤-23dBm	PASS
n66	15	5	DFT-16QAM	L	Edge_1R B_Left	1000	3000	-57.54	≤-13dBm	PASS
n66	15	5	DFT-16QAM	L	Edge_1R B_Left	3000	12000	-67.46	≤-13dBm	PASS
n66	15	5	DFT-16QAM	L	Edge_1R B_Left	12000	20000	-66.73	≤-13dBm	PASS
n66	15	5	DFT-	L	Inner_1R	0.009	0.15	-83.49	≤-43dBm	PASS

			16QAM		B_Left					
n66	15	5	DFT-16QAM	L	Inner_1R B_Left	0.15	30	-76.15	≤-33dBm	PASS
n66	15	5	DFT-16QAM	L	Inner_1R B_Left	30	1000	-64.08	≤-23dBm	PASS
n66	15	5	DFT-16QAM	L	Inner_1R B_Left	1000	3000	-57.38	≤-13dBm	PASS
n66	15	5	DFT-16QAM	L	Inner_1R B_Left	3000	12000	-67.38	≤-13dBm	PASS
n66	15	5	DFT-16QAM	L	Inner_1R B_Left	12000	20000	-66.69	≤-13dBm	PASS
n66	15	5	DFT-16QAM	L	Inner_1R B_Right	0.009	0.15	-83.34	≤-43dBm	PASS
n66	15	5	DFT-16QAM	L	Inner_1R B_Right	0.15	30	-76.00	≤-33dBm	PASS
n66	15	5	DFT-16QAM	L	Inner_1R B_Right	30	1000	-63.06	≤-23dBm	PASS
n66	15	5	DFT-16QAM	L	Inner_1R B_Right	1000	3000	-57.40	≤-13dBm	PASS
n66	15	5	DFT-16QAM	L	Inner_1R B_Right	3000	12000	-68.57	≤-13dBm	PASS
n66	15	5	DFT-16QAM	L	Inner_1R B_Right	12000	20000	-67.37	≤-13dBm	PASS
n66	15	5	DFT-16QAM	L	Edge_1R B_Right	0.009	0.15	-83.14	≤-43dBm	PASS
n66	15	5	DFT-16QAM	L	Edge_1R B_Right	0.15	30	-75.70	≤-33dBm	PASS
n66	15	5	DFT-16QAM	L	Edge_1R B_Right	30	1000	-63.75	≤-23dBm	PASS
n66	15	5	DFT-16QAM	L	Edge_1R B_Right	1000	3000	-57.02	≤-13dBm	PASS
n66	15	5	DFT-16QAM	L	Edge_1R B_Right	3000	12000	-68.49	≤-13dBm	PASS
n66	15	5	DFT-16QAM	L	Edge_1R B_Right	12000	20000	-67.13	≤-13dBm	PASS
n66	15	5	DFT-16QAM	L	Outer_Fu II	0.009	0.15	-83.20	≤-43dBm	PASS
n66	15	5	DFT-16QAM	L	Outer_Fu II	0.15	30	-75.60	≤-33dBm	PASS
n66	15	5	DFT-16QAM	L	Outer_Fu II	30	1000	-63.87	≤-23dBm	PASS
n66	15	5	DFT-16QAM	L	Outer_Fu II	1000	3000	-57.37	≤-13dBm	PASS
n66	15	5	DFT-16QAM	L	Outer_Fu II	3000	12000	-68.83	≤-13dBm	PASS

			16QAM		II					
n66	15	5	DFT-16QAM	L	Outer_Fu II	12000	20000	-66.91	≤-13dBm	PASS
n66	15	5	DFT-64QAM	L	Edge_1R B_Left	0.009	0.15	-83.33	≤-43dBm	PASS
n66	15	5	DFT-64QAM	L	Edge_1R B_Left	0.15	30	-75.32	≤-33dBm	PASS
n66	15	5	DFT-64QAM	L	Edge_1R B_Left	30	1000	-63.16	≤-23dBm	PASS
n66	15	5	DFT-64QAM	L	Edge_1R B_Left	1000	3000	-57.38	≤-13dBm	PASS
n66	15	5	DFT-64QAM	L	Edge_1R B_Left	3000	12000	-68.28	≤-13dBm	PASS
n66	15	5	DFT-64QAM	L	Edge_1R B_Left	12000	20000	-65.61	≤-13dBm	PASS
n66	15	5	DFT-64QAM	L	Inner_1R B_Left	0.009	0.15	-82.69	≤-43dBm	PASS
n66	15	5	DFT-64QAM	L	Inner_1R B_Left	0.15	30	-76.04	≤-33dBm	PASS
n66	15	5	DFT-64QAM	L	Inner_1R B_Left	30	1000	-63.32	≤-23dBm	PASS
n66	15	5	DFT-64QAM	L	Inner_1R B_Left	1000	3000	-57.53	≤-13dBm	PASS
n66	15	5	DFT-64QAM	L	Inner_1R B_Left	3000	12000	-68.18	≤-13dBm	PASS
n66	15	5	DFT-64QAM	L	Inner_1R B_Left	12000	20000	-66.97	≤-13dBm	PASS
n66	15	5	DFT-64QAM	L	Inner_1R B_Right	0.009	0.15	-82.77	≤-43dBm	PASS
n66	15	5	DFT-64QAM	L	Inner_1R B_Right	0.15	30	-75.14	≤-33dBm	PASS
n66	15	5	DFT-64QAM	L	Inner_1R B_Right	30	1000	-63.22	≤-23dBm	PASS
n66	15	5	DFT-64QAM	L	Inner_1R B_Right	1000	3000	-57.26	≤-13dBm	PASS
n66	15	5	DFT-64QAM	L	Inner_1R B_Right	3000	12000	-68.51	≤-13dBm	PASS
n66	15	5	DFT-64QAM	L	Inner_1R B_Right	12000	20000	-66.68	≤-13dBm	PASS
n66	15	5	DFT-64QAM	L	Edge_1R B_Right	0.009	0.15	-83.56	≤-43dBm	PASS
n66	15	5	DFT-64QAM	L	Edge_1R B_Right	0.15	30	-75.89	≤-33dBm	PASS
n66	15	5	DFT-64QAM	L	Edge_1R B_Right	30	1000	-63.07	≤-23dBm	PASS
n66	15	5	DFT-64QAM	L	Edge_1R B_Right	1000	3000	-57.32	≤-13dBm	PASS
n66	15	5	DFT-	L	Edge_1R	3000	12000	-68.27	≤-13dBm	PASS

			64QAM		B_Right					
n66	15	5	DFT-64QAM	L	Edge_1R B_Right	12000	20000	-66.64	≤-13dBm	PASS
n66	15	5	DFT-64QAM	L	Outer_Fu II	0.009	0.15	-82.27	≤-43dBm	PASS
n66	15	5	DFT-64QAM	L	Outer_Fu II	0.15	30	-73.52	≤-33dBm	PASS
n66	15	5	DFT-64QAM	L	Outer_Fu II	30	1000	-62.49	≤-23dBm	PASS
n66	15	5	DFT-64QAM	L	Outer_Fu II	1000	3000	-57.37	≤-13dBm	PASS
n66	15	5	DFT-64QAM	L	Outer_Fu II	3000	12000	-68.08	≤-13dBm	PASS
n66	15	5	DFT-64QAM	L	Outer_Fu II	12000	20000	-66.12	≤-13dBm	PASS
n66	15	5	DFT-256QAM	L	Edge_1R B_Left	0.009	0.15	-83.05	≤-43dBm	PASS
n66	15	5	DFT-256QAM	L	Edge_1R B_Left	0.15	30	-75.48	≤-33dBm	PASS
n66	15	5	DFT-256QAM	L	Edge_1R B_Left	30	1000	-63.14	≤-23dBm	PASS
n66	15	5	DFT-256QAM	L	Edge_1R B_Left	1000	3000	-57.26	≤-13dBm	PASS
n66	15	5	DFT-256QAM	L	Edge_1R B_Left	3000	12000	-68.29	≤-13dBm	PASS
n66	15	5	DFT-256QAM	L	Edge_1R B_Left	12000	20000	-66.89	≤-13dBm	PASS
n66	15	5	DFT-256QAM	L	Inner_1R B_Left	0.009	0.15	-83.84	≤-43dBm	PASS
n66	15	5	DFT-256QAM	L	Inner_1R B_Left	0.15	30	-75.06	≤-33dBm	PASS
n66	15	5	DFT-256QAM	L	Inner_1R B_Left	30	1000	-63.29	≤-23dBm	PASS
n66	15	5	DFT-256QAM	L	Inner_1R B_Left	1000	3000	-57.54	≤-13dBm	PASS
n66	15	5	DFT-256QAM	L	Inner_1R B_Left	3000	12000	-68.28	≤-13dBm	PASS
n66	15	5	DFT-256QAM	L	Inner_1R B_Left	12000	20000	-67.47	≤-13dBm	PASS
n66	15	5	DFT-256QAM	L	Inner_1R B_Right	0.009	0.15	-82.41	≤-43dBm	PASS
n66	15	5	DFT-256QAM	L	Inner_1R B_Right	0.15	30	-75.60	≤-33dBm	PASS
n66	15	5	DFT-	L	Inner_1R	30	1000	-63.76	≤-23dBm	PASS

			256QAM		B_Right					
n66	15	5	DFT- 256QAM	L	Inner_1R B_Right	1000	3000	-57.33	≤-13dBm	PASS
n66	15	5	DFT- 256QAM	L	Inner_1R B_Right	3000	12000	-68.64	≤-13dBm	PASS
n66	15	5	DFT- 256QAM	L	Inner_1R B_Right	12000	20000	-67.26	≤-13dBm	PASS
n66	15	5	DFT- 256QAM	L	Edge_1R B_Right	0.009	0.15	-82.94	≤-43dBm	PASS
n66	15	5	DFT- 256QAM	L	Edge_1R B_Right	0.15	30	-74.26	≤-33dBm	PASS
n66	15	5	DFT- 256QAM	L	Edge_1R B_Right	30	1000	-63.59	≤-23dBm	PASS
n66	15	5	DFT- 256QAM	L	Edge_1R B_Right	1000	3000	-57.14	≤-13dBm	PASS
n66	15	5	DFT- 256QAM	L	Edge_1R B_Right	3000	12000	-68.33	≤-13dBm	PASS
n66	15	5	DFT- 256QAM	L	Edge_1R B_Right	12000	20000	-67.62	≤-13dBm	PASS
n66	15	5	DFT- 256QAM	L	Outer_Fu ll	0.009	0.15	-83.40	≤-43dBm	PASS
n66	15	5	DFT- 256QAM	L	Outer_Fu ll	0.15	30	-76.12	≤-33dBm	PASS
n66	15	5	DFT- 256QAM	L	Outer_Fu ll	30	1000	-62.87	≤-23dBm	PASS
n66	15	5	DFT- 256QAM	L	Outer_Fu ll	1000	3000	-57.23	≤-13dBm	PASS
n66	15	5	DFT- 256QAM	L	Outer_Fu ll	3000	12000	-68.17	≤-13dBm	PASS
n66	15	5	DFT- 256QAM	L	Outer_Fu ll	12000	20000	-66.79	≤-13dBm	PASS
n66	15	5	CP- QPSK	L	Edge_1R B_Left	0.009	0.15	-83.72	≤-43dBm	PASS
n66	15	5	CP- QPSK	L	Edge_1R B_Left	0.15	30	-76.08	≤-33dBm	PASS
n66	15	5	CP- QPSK	L	Edge_1R B_Left	30	1000	-63.52	≤-23dBm	PASS
n66	15	5	CP- QPSK	L	Edge_1R B_Left	1000	3000	-57.30	≤-13dBm	PASS
n66	15	5	CP- QPSK	L	Edge_1R B_Left	3000	12000	-68.48	≤-13dBm	PASS
n66	15	5	CP- QPSK	L	Edge_1R B_Left	12000	20000	-67.75	≤-13dBm	PASS
n66	15	5	CP- QPSK	L	Inner_1R B_Left	0.009	0.15	-82.56	≤-43dBm	PASS
n66	15	5	CP- QPSK	L	Inner_1R B_Left	0.15	30	-75.73	≤-33dBm	PASS
n66	15	5	CP-	L	Inner_1R	30	1000	-63.69	≤-23dBm	PASS

			QPSK		B_Left					
n66	15	5	CP-QPSK	L	Inner_1R B_Left	1000	3000	-57.33	≤-13dBm	PASS
n66	15	5	CP-QPSK	L	Inner_1R B_Left	3000	12000	-68.80	≤-13dBm	PASS
n66	15	5	CP-QPSK	L	Inner_1R B_Left	12000	20000	-66.84	≤-13dBm	PASS
n66	15	5	CP-QPSK	L	Inner_1R B_Right	0.009	0.15	-82.93	≤-43dBm	PASS
n66	15	5	CP-QPSK	L	Inner_1R B_Right	0.15	30	-75.76	≤-33dBm	PASS
n66	15	5	CP-QPSK	L	Inner_1R B_Right	30	1000	-63.98	≤-23dBm	PASS
n66	15	5	CP-QPSK	L	Inner_1R B_Right	1000	3000	-56.92	≤-13dBm	PASS
n66	15	5	CP-QPSK	L	Inner_1R B_Right	3000	12000	-68.22	≤-13dBm	PASS
n66	15	5	CP-QPSK	L	Inner_1R B_Right	12000	20000	-67.36	≤-13dBm	PASS
n66	15	5	CP-QPSK	L	Edge_1R B_Right	0.009	0.15	-83.16	≤-43dBm	PASS
n66	15	5	CP-QPSK	L	Edge_1R B_Right	0.15	30	-76.22	≤-33dBm	PASS
n66	15	5	CP-QPSK	L	Edge_1R B_Right	30	1000	-63.90	≤-23dBm	PASS
n66	15	5	CP-QPSK	L	Edge_1R B_Right	1000	3000	-57.52	≤-13dBm	PASS
n66	15	5	CP-QPSK	L	Edge_1R B_Right	3000	12000	-67.00	≤-13dBm	PASS
n66	15	5	CP-QPSK	L	Edge_1R B_Right	12000	20000	-67.03	≤-13dBm	PASS
n66	15	5	CP-QPSK	L	Outer_Fu II	0.009	0.15	-82.46	≤-43dBm	PASS
n66	15	5	CP-QPSK	L	Outer_Fu II	0.15	30	-75.60	≤-33dBm	PASS
n66	15	5	CP-QPSK	L	Outer_Fu II	30	1000	-60.85	≤-23dBm	PASS
n66	15	5	CP-QPSK	L	Outer_Fu II	1000	3000	-57.74	≤-13dBm	PASS
n66	15	5	CP-QPSK	L	Outer_Fu II	3000	12000	-68.30	≤-13dBm	PASS
n66	15	5	CP-QPSK	L	Outer_Fu II	12000	20000	-67.42	≤-13dBm	PASS
n66	15	5	CP-	L	Edge_1R	0.009	0.15	-83.52	≤-43dBm	PASS

			16QAM		B_Left					
n66	15	5	CP-16QAM	L	Edge_1R B_Left	0.15	30	-75.56	≤-33dBm	PASS
n66	15	5	CP-16QAM	L	Edge_1R B_Left	30	1000	-63.58	≤-23dBm	PASS
n66	15	5	CP-16QAM	L	Edge_1R B_Left	1000	3000	-57.14	≤-13dBm	PASS
n66	15	5	CP-16QAM	L	Edge_1R B_Left	3000	12000	-69.17	≤-13dBm	PASS
n66	15	5	CP-16QAM	L	Edge_1R B_Left	12000	20000	-67.33	≤-13dBm	PASS
n66	15	5	CP-16QAM	L	Inner_1R B_Left	0.009	0.15	-83.11	≤-43dBm	PASS
n66	15	5	CP-16QAM	L	Inner_1R B_Left	0.15	30	-76.56	≤-33dBm	PASS
n66	15	5	CP-16QAM	L	Inner_1R B_Left	30	1000	-63.74	≤-23dBm	PASS
n66	15	5	CP-16QAM	L	Inner_1R B_Left	1000	3000	-57.31	≤-13dBm	PASS
n66	15	5	CP-16QAM	L	Inner_1R B_Left	3000	12000	-68.32	≤-13dBm	PASS
n66	15	5	CP-16QAM	L	Inner_1R B_Left	12000	20000	-66.91	≤-13dBm	PASS
n66	15	5	CP-16QAM	L	Inner_1R B_Right	0.009	0.15	-83.52	≤-43dBm	PASS
n66	15	5	CP-16QAM	L	Inner_1R B_Right	0.15	30	-75.74	≤-33dBm	PASS
n66	15	5	CP-16QAM	L	Inner_1R B_Right	30	1000	-64.01	≤-23dBm	PASS
n66	15	5	CP-16QAM	L	Inner_1R B_Right	1000	3000	-57.40	≤-13dBm	PASS
n66	15	5	CP-16QAM	L	Inner_1R B_Right	3000	12000	-67.98	≤-13dBm	PASS
n66	15	5	CP-16QAM	L	Inner_1R B_Right	12000	20000	-67.39	≤-13dBm	PASS
n66	15	5	CP-16QAM	L	Edge_1R B_Right	0.009	0.15	-82.81	≤-43dBm	PASS
n66	15	5	CP-16QAM	L	Edge_1R B_Right	0.15	30	-76.77	≤-33dBm	PASS
n66	15	5	CP-16QAM	L	Edge_1R B_Right	30	1000	-63.60	≤-23dBm	PASS
n66	15	5	CP-16QAM	L	Edge_1R B_Right	1000	3000	-57.42	≤-13dBm	PASS
n66	15	5	CP-16QAM	L	Edge_1R B_Right	3000	12000	-68.58	≤-13dBm	PASS
n66	15	5	CP-16QAM	L	Edge_1R B_Right	12000	20000	-67.28	≤-13dBm	PASS
n66	15	5	CP-	L	Outer_Fu	0.009	0.15	-83.20	≤-43dBm	PASS

			16QAM		II					
n66	15	5	CP-16QAM	L	Outer_Fu II	0.15	30	-75.70	≤-33dBm	PASS
n66	15	5	CP-16QAM	L	Outer_Fu II	30	1000	-63.96	≤-23dBm	PASS
n66	15	5	CP-16QAM	L	Outer_Fu II	1000	3000	-57.04	≤-13dBm	PASS
n66	15	5	CP-16QAM	L	Outer_Fu II	3000	12000	-66.26	≤-13dBm	PASS
n66	15	5	CP-16QAM	L	Outer_Fu II	12000	20000	-66.60	≤-13dBm	PASS
n66	15	5	CP-64QAM	L	Edge_1R B_Left	0.009	0.15	-82.94	≤-43dBm	PASS
n66	15	5	CP-64QAM	L	Edge_1R B_Left	0.15	30	-75.86	≤-33dBm	PASS
n66	15	5	CP-64QAM	L	Edge_1R B_Left	30	1000	-63.62	≤-23dBm	PASS
n66	15	5	CP-64QAM	L	Edge_1R B_Left	1000	3000	-57.03	≤-13dBm	PASS
n66	15	5	CP-64QAM	L	Edge_1R B_Left	3000	12000	-68.88	≤-13dBm	PASS
n66	15	5	CP-64QAM	L	Edge_1R B_Left	12000	20000	-67.39	≤-13dBm	PASS
n66	15	5	CP-64QAM	L	Inner_1R B_Left	0.009	0.15	-82.49	≤-43dBm	PASS
n66	15	5	CP-64QAM	L	Inner_1R B_Left	0.15	30	-75.78	≤-33dBm	PASS
n66	15	5	CP-64QAM	L	Inner_1R B_Left	30	1000	-63.46	≤-23dBm	PASS
n66	15	5	CP-64QAM	L	Inner_1R B_Left	1000	3000	-57.61	≤-13dBm	PASS
n66	15	5	CP-64QAM	L	Inner_1R B_Left	3000	12000	-68.01	≤-13dBm	PASS
n66	15	5	CP-64QAM	L	Inner_1R B_Left	12000	20000	-66.50	≤-13dBm	PASS
n66	15	5	CP-64QAM	L	Inner_1R B_Right	0.009	0.15	-83.11	≤-43dBm	PASS
n66	15	5	CP-64QAM	L	Inner_1R B_Right	0.15	30	-75.43	≤-33dBm	PASS
n66	15	5	CP-64QAM	L	Inner_1R B_Right	30	1000	-63.56	≤-23dBm	PASS
n66	15	5	CP-64QAM	L	Inner_1R B_Right	1000	3000	-57.03	≤-13dBm	PASS
n66	15	5	CP-	L	Inner_1R	3000	12000	-69.04	≤-13dBm	PASS

			64QAM		B_Right					
n66	15	5	CP-64QAM	L	Inner_1R B_Right	12000	20000	-66.87	≤-13dBm	PASS
n66	15	5	CP-64QAM	L	Edge_1R B_Right	0.009	0.15	-82.87	≤-43dBm	PASS
n66	15	5	CP-64QAM	L	Edge_1R B_Right	0.15	30	-75.74	≤-33dBm	PASS
n66	15	5	CP-64QAM	L	Edge_1R B_Right	30	1000	-63.14	≤-23dBm	PASS
n66	15	5	CP-64QAM	L	Edge_1R B_Right	1000	3000	-57.25	≤-13dBm	PASS
n66	15	5	CP-64QAM	L	Edge_1R B_Right	3000	12000	-69.17	≤-13dBm	PASS
n66	15	5	CP-64QAM	L	Edge_1R B_Right	12000	20000	-67.41	≤-13dBm	PASS
n66	15	5	CP-64QAM	L	Outer_Fu II	0.009	0.15	-82.89	≤-43dBm	PASS
n66	15	5	CP-64QAM	L	Outer_Fu II	0.15	30	-74.11	≤-33dBm	PASS
n66	15	5	CP-64QAM	L	Outer_Fu II	30	1000	-63.66	≤-23dBm	PASS
n66	15	5	CP-64QAM	L	Outer_Fu II	1000	3000	-57.51	≤-13dBm	PASS
n66	15	5	CP-64QAM	L	Outer_Fu II	3000	12000	-67.88	≤-13dBm	PASS
n66	15	5	CP-64QAM	L	Outer_Fu II	12000	20000	-67.29	≤-13dBm	PASS
n66	15	5	CP-256QAM	L	Edge_1R B_Left	0.009	0.15	-83.27	≤-43dBm	PASS
n66	15	5	CP-256QAM	L	Edge_1R B_Left	0.15	30	-76.43	≤-33dBm	PASS
n66	15	5	CP-256QAM	L	Edge_1R B_Left	30	1000	-63.26	≤-23dBm	PASS
n66	15	5	CP-256QAM	L	Edge_1R B_Left	1000	3000	-57.14	≤-13dBm	PASS
n66	15	5	CP-256QAM	L	Edge_1R B_Left	3000	12000	-68.83	≤-13dBm	PASS
n66	15	5	CP-256QAM	L	Edge_1R B_Left	12000	20000	-67.42	≤-13dBm	PASS
n66	15	5	CP-256QAM	L	Inner_1R B_Left	0.009	0.15	-83.25	≤-43dBm	PASS
n66	15	5	CP-256QAM	L	Inner_1R B_Left	0.15	30	-75.36	≤-33dBm	PASS
n66	15	5	CP-256QAM	L	Inner_1R B_Left	30	1000	-63.53	≤-23dBm	PASS
n66	15	5	CP-256QAM	L	Inner_1R B_Left	1000	3000	-57.38	≤-13dBm	PASS
n66	15	5	CP-	L	Inner_1R	3000	12000	-68.61	≤-13dBm	PASS

			256QAM		B_Left					
n66	15	5	CP-256QAM	L	Inner_1R B_Left	12000	20000	-67.64	≤-13dBm	PASS
n66	15	5	CP-256QAM	L	Inner_1R B_Right	0.009	0.15	-82.85	≤-43dBm	PASS
n66	15	5	CP-256QAM	L	Inner_1R B_Right	0.15	30	-75.53	≤-33dBm	PASS
n66	15	5	CP-256QAM	L	Inner_1R B_Right	30	1000	-63.85	≤-23dBm	PASS
n66	15	5	CP-256QAM	L	Inner_1R B_Right	1000	3000	-57.13	≤-13dBm	PASS
n66	15	5	CP-256QAM	L	Inner_1R B_Right	3000	12000	-68.55	≤-13dBm	PASS
n66	15	5	CP-256QAM	L	Inner_1R B_Right	12000	20000	-67.24	≤-13dBm	PASS
n66	15	5	CP-256QAM	L	Edge_1R B_Right	0.009	0.15	-83.36	≤-43dBm	PASS
n66	15	5	CP-256QAM	L	Edge_1R B_Right	0.15	30	-75.63	≤-33dBm	PASS
n66	15	5	CP-256QAM	L	Edge_1R B_Right	30	1000	-62.74	≤-23dBm	PASS
n66	15	5	CP-256QAM	L	Edge_1R B_Right	1000	3000	-56.78	≤-13dBm	PASS
n66	15	5	CP-256QAM	L	Edge_1R B_Right	3000	12000	-68.05	≤-13dBm	PASS
n66	15	5	CP-256QAM	L	Edge_1R B_Right	12000	20000	-67.08	≤-13dBm	PASS
n66	15	5	CP-256QAM	L	Outer_Fu II	0.009	0.15	-82.26	≤-43dBm	PASS
n66	15	5	CP-256QAM	L	Outer_Fu II	0.15	30	-75.00	≤-33dBm	PASS
n66	15	5	CP-256QAM	L	Outer_Fu II	30	1000	-62.96	≤-23dBm	PASS
n66	15	5	CP-256QAM	L	Outer_Fu II	1000	3000	-56.65	≤-13dBm	PASS
n66	15	5	CP-256QAM	L	Outer_Fu II	3000	12000	-66.04	≤-13dBm	PASS
n66	15	5	CP-256QAM	L	Outer_Fu II	12000	20000	-67.21	≤-13dBm	PASS
n66	15	40	DFT-BPSK	H	Edge_1R B_Left	0.009	0.15	-82.81	≤-43dBm	PASS
n66	15	40	DFT-BPSK	H	Edge_1R B_Left	0.15	30	-75.70	≤-33dBm	PASS
n66	15	40	DFT-	H	Edge_1R	30	1000	-62.17	≤-23dBm	PASS

			BPSK		B_Left					
n66	15	40	DFT-BPSK	H	Edge_1R B_Left	1000	3000	-57.11	≤-13dBm	PASS
n66	15	40	DFT-BPSK	H	Edge_1R B_Left	3000	12000	-68.52	≤-13dBm	PASS
n66	15	40	DFT-BPSK	H	Edge_1R B_Left	12000	20000	-67.74	≤-13dBm	PASS
n66	15	40	DFT-BPSK	H	Inner_1R B_Left	0.009	0.15	-83.40	≤-43dBm	PASS
n66	15	40	DFT-BPSK	H	Inner_1R B_Left	0.15	30	-75.33	≤-33dBm	PASS
n66	15	40	DFT-BPSK	H	Inner_1R B_Left	30	1000	-63.94	≤-23dBm	PASS
n66	15	40	DFT-BPSK	H	Inner_1R B_Left	1000	3000	-56.65	≤-13dBm	PASS
n66	15	40	DFT-BPSK	H	Inner_1R B_Left	3000	12000	-68.34	≤-13dBm	PASS
n66	15	40	DFT-BPSK	H	Inner_1R B_Left	12000	20000	-67.33	≤-13dBm	PASS
n66	15	40	DFT-BPSK	H	Inner_1R B_Right	0.009	0.15	-82.07	≤-43dBm	PASS
n66	15	40	DFT-BPSK	H	Inner_1R B_Right	0.15	30	-75.42	≤-33dBm	PASS
n66	15	40	DFT-BPSK	H	Inner_1R B_Right	30	1000	-64.21	≤-23dBm	PASS
n66	15	40	DFT-BPSK	H	Inner_1R B_Right	1000	3000	-57.88	≤-13dBm	PASS
n66	15	40	DFT-BPSK	H	Inner_1R B_Right	3000	12000	-61.14	≤-13dBm	PASS
n66	15	40	DFT-BPSK	H	Inner_1R B_Right	12000	20000	-66.52	≤-13dBm	PASS
n66	15	40	DFT-BPSK	H	Edge_1R B_Right	0.009	0.15	-82.60	≤-43dBm	PASS
n66	15	40	DFT-BPSK	H	Edge_1R B_Right	0.15	30	-76.45	≤-33dBm	PASS
n66	15	40	DFT-BPSK	H	Edge_1R B_Right	30	1000	-62.72	≤-23dBm	PASS
n66	15	40	DFT-BPSK	H	Edge_1R B_Right	1000	3000	-56.95	≤-13dBm	PASS
n66	15	40	DFT-BPSK	H	Edge_1R B_Right	3000	12000	-68.59	≤-13dBm	PASS
n66	15	40	DFT-BPSK	H	Edge_1R B_Right	12000	20000	-67.02	≤-13dBm	PASS
n66	15	40	DFT-BPSK	H	Outer_Fu ll	0.009	0.15	-82.06	≤-43dBm	PASS
n66	15	40	DFT-BPSK	H	Outer_Fu ll	0.15	30	-74.20	≤-33dBm	PASS
n66	15	40	DFT-	H	Outer_Fu	30	1000	-63.34	≤-23dBm	PASS

			BPSK		II					
n66	15	40	DFT-BPSK	H	Outer_Fu II	1000	3000	-57.15	≤-13dBm	PASS
n66	15	40	DFT-BPSK	H	Outer_Fu II	3000	12000	-68.61	≤-13dBm	PASS
n66	15	40	DFT-BPSK	H	Outer_Fu II	12000	20000	-67.18	≤-13dBm	PASS
n66	15	40	DFT-QPSK	H	Edge_1R B_Left	0.009	0.15	-83.16	≤-43dBm	PASS
n66	15	40	DFT-QPSK	H	Edge_1R B_Left	0.15	30	-74.97	≤-33dBm	PASS
n66	15	40	DFT-QPSK	H	Edge_1R B_Left	30	1000	-62.43	≤-23dBm	PASS
n66	15	40	DFT-QPSK	H	Edge_1R B_Left	1000	3000	-57.25	≤-13dBm	PASS
n66	15	40	DFT-QPSK	H	Edge_1R B_Left	3000	12000	-66.41	≤-13dBm	PASS
n66	15	40	DFT-QPSK	H	Edge_1R B_Left	12000	20000	-67.26	≤-13dBm	PASS
n66	15	40	DFT-QPSK	H	Inner_1R B_Left	0.009	0.15	-83.39	≤-43dBm	PASS
n66	15	40	DFT-QPSK	H	Inner_1R B_Left	0.15	30	-76.79	≤-33dBm	PASS
n66	15	40	DFT-QPSK	H	Inner_1R B_Left	30	1000	-63.58	≤-23dBm	PASS
n66	15	40	DFT-QPSK	H	Inner_1R B_Left	1000	3000	-57.12	≤-13dBm	PASS
n66	15	40	DFT-QPSK	H	Inner_1R B_Left	3000	12000	-68.47	≤-13dBm	PASS
n66	15	40	DFT-QPSK	H	Inner_1R B_Left	12000	20000	-67.54	≤-13dBm	PASS
n66	15	40	DFT-QPSK	H	Inner_1R B_Right	0.009	0.15	-82.31	≤-43dBm	PASS
n66	15	40	DFT-QPSK	H	Inner_1R B_Right	0.15	30	-75.18	≤-33dBm	PASS
n66	15	40	DFT-QPSK	H	Inner_1R B_Right	30	1000	-63.69	≤-23dBm	PASS
n66	15	40	DFT-QPSK	H	Inner_1R B_Right	1000	3000	-56.74	≤-13dBm	PASS
n66	15	40	DFT-QPSK	H	Inner_1R B_Right	3000	12000	-66.60	≤-13dBm	PASS
n66	15	40	DFT-QPSK	H	Inner_1R B_Right	12000	20000	-67.58	≤-13dBm	PASS
n66	15	40	DFT-	H	Edge_1R	0.009	0.15	-83.35	≤-43dBm	PASS

			QPSK		B_Right					
n66	15	40	DFT-QPSK	H	Edge_1R B_Right	0.15	30	-76.12	≤-33dBm	PASS
n66	15	40	DFT-QPSK	H	Edge_1R B_Right	30	1000	-62.75	≤-23dBm	PASS
n66	15	40	DFT-QPSK	H	Edge_1R B_Right	1000	3000	-56.79	≤-13dBm	PASS
n66	15	40	DFT-QPSK	H	Edge_1R B_Right	3000	12000	-68.89	≤-13dBm	PASS
n66	15	40	DFT-QPSK	H	Edge_1R B_Right	12000	20000	-67.47	≤-13dBm	PASS
n66	15	40	DFT-QPSK	H	Outer_Fu ll	0.009	0.15	-83.11	≤-43dBm	PASS
n66	15	40	DFT-QPSK	H	Outer_Fu ll	0.15	30	-74.81	≤-33dBm	PASS
n66	15	40	DFT-QPSK	H	Outer_Fu ll	30	1000	-62.82	≤-23dBm	PASS
n66	15	40	DFT-QPSK	H	Outer_Fu ll	1000	3000	-57.14	≤-13dBm	PASS
n66	15	40	DFT-QPSK	H	Outer_Fu ll	3000	12000	-65.01	≤-13dBm	PASS
n66	15	40	DFT-QPSK	H	Outer_Fu ll	12000	20000	-66.62	≤-13dBm	PASS
n66	15	40	DFT-16QAM	H	Edge_1R B_Left	0.009	0.15	-82.87	≤-43dBm	PASS
n66	15	40	DFT-16QAM	H	Edge_1R B_Left	0.15	30	-75.74	≤-33dBm	PASS
n66	15	40	DFT-16QAM	H	Edge_1R B_Left	30	1000	-64.28	≤-23dBm	PASS
n66	15	40	DFT-16QAM	H	Edge_1R B_Left	1000	3000	-57.74	≤-13dBm	PASS
n66	15	40	DFT-16QAM	H	Edge_1R B_Left	3000	12000	-68.01	≤-13dBm	PASS
n66	15	40	DFT-16QAM	H	Edge_1R B_Left	12000	20000	-67.19	≤-13dBm	PASS
n66	15	40	DFT-16QAM	H	Inner_1R B_Left	0.009	0.15	-82.51	≤-43dBm	PASS
n66	15	40	DFT-16QAM	H	Inner_1R B_Left	0.15	30	-74.84	≤-33dBm	PASS
n66	15	40	DFT-16QAM	H	Inner_1R B_Left	30	1000	-63.92	≤-23dBm	PASS
n66	15	40	DFT-16QAM	H	Inner_1R B_Left	1000	3000	-57.40	≤-13dBm	PASS
n66	15	40	DFT-16QAM	H	Inner_1R B_Left	3000	12000	-67.54	≤-13dBm	PASS
n66	15	40	DFT-16QAM	H	Inner_1R B_Left	12000	20000	-66.40	≤-13dBm	PASS
n66	15	40	DFT-	H	Inner_1R	0.009	0.15	-82.70	≤-43dBm	PASS

			16QAM		B_Right					
n66	15	40	DFT-16QAM	H	Inner_1R B_Right	0.15	30	-76.24	≤-33dBm	PASS
n66	15	40	DFT-16QAM	H	Inner_1R B_Right	30	1000	-63.62	≤-23dBm	PASS
n66	15	40	DFT-16QAM	H	Inner_1R B_Right	1000	3000	-58.00	≤-13dBm	PASS
n66	15	40	DFT-16QAM	H	Inner_1R B_Right	3000	12000	-62.83	≤-13dBm	PASS
n66	15	40	DFT-16QAM	H	Inner_1R B_Right	12000	20000	-67.08	≤-13dBm	PASS
n66	15	40	DFT-16QAM	H	Edge_1R B_Right	0.009	0.15	-83.32	≤-43dBm	PASS
n66	15	40	DFT-16QAM	H	Edge_1R B_Right	0.15	30	-74.16	≤-33dBm	PASS
n66	15	40	DFT-16QAM	H	Edge_1R B_Right	30	1000	-63.47	≤-23dBm	PASS
n66	15	40	DFT-16QAM	H	Edge_1R B_Right	1000	3000	-57.94	≤-13dBm	PASS
n66	15	40	DFT-16QAM	H	Edge_1R B_Right	3000	12000	-68.17	≤-13dBm	PASS
n66	15	40	DFT-16QAM	H	Edge_1R B_Right	12000	20000	-66.28	≤-13dBm	PASS
n66	15	40	DFT-16QAM	H	Outer_Fu II	0.009	0.15	-82.84	≤-43dBm	PASS
n66	15	40	DFT-16QAM	H	Outer_Fu II	0.15	30	-74.83	≤-33dBm	PASS
n66	15	40	DFT-16QAM	H	Outer_Fu II	30	1000	-64.05	≤-23dBm	PASS
n66	15	40	DFT-16QAM	H	Outer_Fu II	1000	3000	-57.88	≤-13dBm	PASS
n66	15	40	DFT-16QAM	H	Outer_Fu II	3000	12000	-67.56	≤-13dBm	PASS
n66	15	40	DFT-16QAM	H	Outer_Fu II	12000	20000	-67.00	≤-13dBm	PASS
n66	15	40	DFT-64QAM	H	Edge_1R B_Left	0.009	0.15	-83.66	≤-43dBm	PASS
n66	15	40	DFT-64QAM	H	Edge_1R B_Left	0.15	30	-74.40	≤-33dBm	PASS
n66	15	40	DFT-64QAM	H	Edge_1R B_Left	30	1000	-63.44	≤-23dBm	PASS
n66	15	40	DFT-64QAM	H	Edge_1R B_Left	1000	3000	-57.95	≤-13dBm	PASS
n66	15	40	DFT-	H	Edge_1R	3000	12000	-68.24	≤-13dBm	PASS

			64QAM		B_Left					
n66	15	40	DFT-64QAM	H	Edge_1R B_Left	12000	20000	-66.56	≤-13dBm	PASS
n66	15	40	DFT-64QAM	H	Inner_1R B_Left	0.009	0.15	-82.75	≤-43dBm	PASS
n66	15	40	DFT-64QAM	H	Inner_1R B_Left	0.15	30	-75.47	≤-33dBm	PASS
n66	15	40	DFT-64QAM	H	Inner_1R B_Left	30	1000	-63.93	≤-23dBm	PASS
n66	15	40	DFT-64QAM	H	Inner_1R B_Left	1000	3000	-57.50	≤-13dBm	PASS
n66	15	40	DFT-64QAM	H	Inner_1R B_Left	3000	12000	-68.21	≤-13dBm	PASS
n66	15	40	DFT-64QAM	H	Inner_1R B_Left	12000	20000	-66.79	≤-13dBm	PASS
n66	15	40	DFT-64QAM	H	Inner_1R B_Right	0.009	0.15	-82.67	≤-43dBm	PASS
n66	15	40	DFT-64QAM	H	Inner_1R B_Right	0.15	30	-75.92	≤-33dBm	PASS
n66	15	40	DFT-64QAM	H	Inner_1R B_Right	30	1000	-63.96	≤-23dBm	PASS
n66	15	40	DFT-64QAM	H	Inner_1R B_Right	1000	3000	-57.83	≤-13dBm	PASS
n66	15	40	DFT-64QAM	H	Inner_1R B_Right	3000	12000	-67.71	≤-13dBm	PASS
n66	15	40	DFT-64QAM	H	Inner_1R B_Right	12000	20000	-66.31	≤-13dBm	PASS
n66	15	40	DFT-64QAM	H	Edge_1R B_Right	0.009	0.15	-83.01	≤-43dBm	PASS
n66	15	40	DFT-64QAM	H	Edge_1R B_Right	0.15	30	-76.39	≤-33dBm	PASS
n66	15	40	DFT-64QAM	H	Edge_1R B_Right	30	1000	-63.55	≤-23dBm	PASS
n66	15	40	DFT-64QAM	H	Edge_1R B_Right	1000	3000	-58.08	≤-13dBm	PASS
n66	15	40	DFT-64QAM	H	Edge_1R B_Right	3000	12000	-65.89	≤-13dBm	PASS
n66	15	40	DFT-64QAM	H	Edge_1R B_Right	12000	20000	-66.45	≤-13dBm	PASS
n66	15	40	DFT-64QAM	H	Outer_Fu II	0.009	0.15	-82.03	≤-43dBm	PASS
n66	15	40	DFT-64QAM	H	Outer_Fu II	0.15	30	-76.10	≤-33dBm	PASS
n66	15	40	DFT-64QAM	H	Outer_Fu II	30	1000	-63.25	≤-23dBm	PASS
n66	15	40	DFT-64QAM	H	Outer_Fu II	1000	3000	-57.77	≤-13dBm	PASS
n66	15	40	DFT-	H	Outer_Fu	3000	12000	-68.18	≤-13dBm	PASS

			64QAM		II					
n66	15	40	DFT-64QAM	H	Outer_Fu II	12000	20000	-66.70	≤-13dBm	PASS
n66	15	40	DFT-256QAM	H	Edge_1R B_Left	0.009	0.15	-83.09	≤-43dBm	PASS
n66	15	40	DFT-256QAM	H	Edge_1R B_Left	0.15	30	-76.64	≤-33dBm	PASS
n66	15	40	DFT-256QAM	H	Edge_1R B_Left	30	1000	-63.84	≤-23dBm	PASS
n66	15	40	DFT-256QAM	H	Edge_1R B_Left	1000	3000	-57.80	≤-13dBm	PASS
n66	15	40	DFT-256QAM	H	Edge_1R B_Left	3000	12000	-67.93	≤-13dBm	PASS
n66	15	40	DFT-256QAM	H	Edge_1R B_Left	12000	20000	-66.82	≤-13dBm	PASS
n66	15	40	DFT-256QAM	H	Inner_1R B_Left	0.009	0.15	-82.93	≤-43dBm	PASS
n66	15	40	DFT-256QAM	H	Inner_1R B_Left	0.15	30	-76.39	≤-33dBm	PASS
n66	15	40	DFT-256QAM	H	Inner_1R B_Left	30	1000	-63.72	≤-23dBm	PASS
n66	15	40	DFT-256QAM	H	Inner_1R B_Left	1000	3000	-57.82	≤-13dBm	PASS
n66	15	40	DFT-256QAM	H	Inner_1R B_Left	3000	12000	-68.00	≤-13dBm	PASS
n66	15	40	DFT-256QAM	H	Inner_1R B_Left	12000	20000	-67.03	≤-13dBm	PASS
n66	15	40	DFT-256QAM	H	Inner_1R B_Right	0.009	0.15	-82.01	≤-43dBm	PASS
n66	15	40	DFT-256QAM	H	Inner_1R B_Right	0.15	30	-76.78	≤-33dBm	PASS
n66	15	40	DFT-256QAM	H	Inner_1R B_Right	30	1000	-63.89	≤-23dBm	PASS
n66	15	40	DFT-256QAM	H	Inner_1R B_Right	1000	3000	-57.83	≤-13dBm	PASS
n66	15	40	DFT-256QAM	H	Inner_1R B_Right	3000	12000	-67.78	≤-13dBm	PASS
n66	15	40	DFT-256QAM	H	Inner_1R B_Right	12000	20000	-66.68	≤-13dBm	PASS
n66	15	40	DFT-256QAM	H	Edge_1R B_Right	0.009	0.15	-83.60	≤-43dBm	PASS
n66	15	40	DFT-256QAM	H	Edge_1R B_Right	0.15	30	-74.54	≤-33dBm	PASS
n66	15	40	DFT-	H	Edge_1R	30	1000	-63.88	≤-23dBm	PASS

			256QAM		B_Right					
n66	15	40	DFT-256QAM	H	Edge_1R B_Right	1000	3000	-57.84	≤-13dBm	PASS
n66	15	40	DFT-256QAM	H	Edge_1R B_Right	3000	12000	-68.20	≤-13dBm	PASS
n66	15	40	DFT-256QAM	H	Edge_1R B_Right	12000	20000	-66.38	≤-13dBm	PASS
n66	15	40	DFT-256QAM	H	Outer_Fu II	0.009	0.15	-82.57	≤-43dBm	PASS
n66	15	40	DFT-256QAM	H	Outer_Fu II	0.15	30	-74.60	≤-33dBm	PASS
n66	15	40	DFT-256QAM	H	Outer_Fu II	30	1000	-63.73	≤-23dBm	PASS
n66	15	40	DFT-256QAM	H	Outer_Fu II	1000	3000	-57.90	≤-13dBm	PASS
n66	15	40	DFT-256QAM	H	Outer_Fu II	3000	12000	-67.36	≤-13dBm	PASS
n66	15	40	DFT-256QAM	H	Outer_Fu II	12000	20000	-66.97	≤-13dBm	PASS
n66	15	40	CP-QPSK	H	Edge_1R B_Left	0.009	0.15	-83.16	≤-43dBm	PASS
n66	15	40	CP-QPSK	H	Edge_1R B_Left	0.15	30	-75.45	≤-33dBm	PASS
n66	15	40	CP-QPSK	H	Edge_1R B_Left	30	1000	-62.75	≤-23dBm	PASS
n66	15	40	CP-QPSK	H	Edge_1R B_Left	1000	3000	-57.39	≤-13dBm	PASS
n66	15	40	CP-QPSK	H	Edge_1R B_Left	3000	12000	-68.41	≤-13dBm	PASS
n66	15	40	CP-QPSK	H	Edge_1R B_Left	12000	20000	-65.98	≤-13dBm	PASS
n66	15	40	CP-QPSK	H	Inner_1R B_Left	0.009	0.15	-81.99	≤-43dBm	PASS
n66	15	40	CP-QPSK	H	Inner_1R B_Left	0.15	30	-75.70	≤-33dBm	PASS
n66	15	40	CP-QPSK	H	Inner_1R B_Left	30	1000	-63.46	≤-23dBm	PASS
n66	15	40	CP-QPSK	H	Inner_1R B_Left	1000	3000	-57.86	≤-13dBm	PASS
n66	15	40	CP-QPSK	H	Inner_1R B_Left	3000	12000	-67.89	≤-13dBm	PASS
n66	15	40	CP-QPSK	H	Inner_1R B_Left	12000	20000	-66.67	≤-13dBm	PASS
n66	15	40	CP-QPSK	H	Inner_1R B_Right	0.009	0.15	-83.13	≤-43dBm	PASS
n66	15	40	CP-QPSK	H	Inner_1R B_Right	0.15	30	-74.91	≤-33dBm	PASS
n66	15	40	CP-	H	Inner_1R	30	1000	-63.60	≤-23dBm	PASS

			QPSK		B_Right					
n66	15	40	CP-QPSK	H	Inner_1R B_Right	1000	3000	-57.51	≤-13dBm	PASS
n66	15	40	CP-QPSK	H	Inner_1R B_Right	3000	12000	-67.24	≤-13dBm	PASS
n66	15	40	CP-QPSK	H	Inner_1R B_Right	12000	20000	-66.98	≤-13dBm	PASS
n66	15	40	CP-QPSK	H	Edge_1R B_Right	0.009	0.15	-82.82	≤-43dBm	PASS
n66	15	40	CP-QPSK	H	Edge_1R B_Right	0.15	30	-76.09	≤-33dBm	PASS
n66	15	40	CP-QPSK	H	Edge_1R B_Right	30	1000	-63.12	≤-23dBm	PASS
n66	15	40	CP-QPSK	H	Edge_1R B_Right	1000	3000	-57.72	≤-13dBm	PASS
n66	15	40	CP-QPSK	H	Edge_1R B_Right	3000	12000	-67.77	≤-13dBm	PASS
n66	15	40	CP-QPSK	H	Edge_1R B_Right	12000	20000	-67.16	≤-13dBm	PASS
n66	15	40	CP-QPSK	H	Outer_Fu II	0.009	0.15	-82.62	≤-43dBm	PASS
n66	15	40	CP-QPSK	H	Outer_Fu II	0.15	30	-75.44	≤-33dBm	PASS
n66	15	40	CP-QPSK	H	Outer_Fu II	30	1000	-63.46	≤-23dBm	PASS
n66	15	40	CP-QPSK	H	Outer_Fu II	1000	3000	-57.38	≤-13dBm	PASS
n66	15	40	CP-QPSK	H	Outer_Fu II	3000	12000	-68.47	≤-13dBm	PASS
n66	15	40	CP-QPSK	H	Outer_Fu II	12000	20000	-64.96	≤-13dBm	PASS
n66	15	40	CP-16QAM	H	Edge_1R B_Left	0.009	0.15	-83.12	≤-43dBm	PASS
n66	15	40	CP-16QAM	H	Edge_1R B_Left	0.15	30	-76.47	≤-33dBm	PASS
n66	15	40	CP-16QAM	H	Edge_1R B_Left	30	1000	-62.50	≤-23dBm	PASS
n66	15	40	CP-16QAM	H	Edge_1R B_Left	1000	3000	-57.30	≤-13dBm	PASS
n66	15	40	CP-16QAM	H	Edge_1R B_Left	3000	12000	-67.84	≤-13dBm	PASS
n66	15	40	CP-16QAM	H	Edge_1R B_Left	12000	20000	-66.80	≤-13dBm	PASS
n66	15	40	CP-	H	Inner_1R	0.009	0.15	-83.08	≤-43dBm	PASS


			16QAM		B_Left					
n66	15	40	CP-16QAM	H	Inner_1R B_Left	0.15	30	-76.05	≤-33dBm	PASS
n66	15	40	CP-16QAM	H	Inner_1R B_Left	30	1000	-64.20	≤-23dBm	PASS
n66	15	40	CP-16QAM	H	Inner_1R B_Left	1000	3000	-57.23	≤-13dBm	PASS
n66	15	40	CP-16QAM	H	Inner_1R B_Left	3000	12000	-68.38	≤-13dBm	PASS
n66	15	40	CP-16QAM	H	Inner_1R B_Left	12000	20000	-66.95	≤-13dBm	PASS
n66	15	40	CP-16QAM	H	Inner_1R B_Right	0.009	0.15	-82.78	≤-43dBm	PASS
n66	15	40	CP-16QAM	H	Inner_1R B_Right	0.15	30	-74.53	≤-33dBm	PASS
n66	15	40	CP-16QAM	H	Inner_1R B_Right	30	1000	-63.10	≤-23dBm	PASS
n66	15	40	CP-16QAM	H	Inner_1R B_Right	1000	3000	-57.38	≤-13dBm	PASS
n66	15	40	CP-16QAM	H	Inner_1R B_Right	3000	12000	-68.67	≤-13dBm	PASS
n66	15	40	CP-16QAM	H	Inner_1R B_Right	12000	20000	-66.77	≤-13dBm	PASS
n66	15	40	CP-16QAM	H	Edge_1R B_Right	0.009	0.15	-83.97	≤-43dBm	PASS
n66	15	40	CP-16QAM	H	Edge_1R B_Right	0.15	30	-76.35	≤-33dBm	PASS
n66	15	40	CP-16QAM	H	Edge_1R B_Right	30	1000	-63.26	≤-23dBm	PASS
n66	15	40	CP-16QAM	H	Edge_1R B_Right	1000	3000	-57.70	≤-13dBm	PASS
n66	15	40	CP-16QAM	H	Edge_1R B_Right	3000	12000	-68.30	≤-13dBm	PASS
n66	15	40	CP-16QAM	H	Edge_1R B_Right	12000	20000	-67.23	≤-13dBm	PASS
n66	15	40	CP-16QAM	H	Outer_Fu II	0.009	0.15	-82.86	≤-43dBm	PASS
n66	15	40	CP-16QAM	H	Outer_Fu II	0.15	30	-74.02	≤-33dBm	PASS
n66	15	40	CP-16QAM	H	Outer_Fu II	30	1000	-62.41	≤-23dBm	PASS
n66	15	40	CP-16QAM	H	Outer_Fu II	1000	3000	-57.49	≤-13dBm	PASS
n66	15	40	CP-16QAM	H	Outer_Fu II	3000	12000	-66.28	≤-13dBm	PASS
n66	15	40	CP-16QAM	H	Outer_Fu II	12000	20000	-66.90	≤-13dBm	PASS
n66	15	40	CP-	H	Edge_1R	0.009	0.15	-83.19	≤-43dBm	PASS


			64QAM		B_Left					
n66	15	40	CP-64QAM	H	Edge_1R B_Left	0.15	30	-75.82	≤-33dBm	PASS
n66	15	40	CP-64QAM	H	Edge_1R B_Left	30	1000	-63.47	≤-23dBm	PASS
n66	15	40	CP-64QAM	H	Edge_1R B_Left	1000	3000	-57.52	≤-13dBm	PASS
n66	15	40	CP-64QAM	H	Edge_1R B_Left	3000	12000	-67.02	≤-13dBm	PASS
n66	15	40	CP-64QAM	H	Edge_1R B_Left	12000	20000	-67.07	≤-13dBm	PASS
n66	15	40	CP-64QAM	H	Inner_1R B_Left	0.009	0.15	-83.69	≤-43dBm	PASS
n66	15	40	CP-64QAM	H	Inner_1R B_Left	0.15	30	-75.88	≤-33dBm	PASS
n66	15	40	CP-64QAM	H	Inner_1R B_Left	30	1000	-63.44	≤-23dBm	PASS
n66	15	40	CP-64QAM	H	Inner_1R B_Left	1000	3000	-57.33	≤-13dBm	PASS
n66	15	40	CP-64QAM	H	Inner_1R B_Left	3000	12000	-67.39	≤-13dBm	PASS
n66	15	40	CP-64QAM	H	Inner_1R B_Left	12000	20000	-66.30	≤-13dBm	PASS
n66	15	40	CP-64QAM	H	Inner_1R B_Right	0.009	0.15	-82.85	≤-43dBm	PASS
n66	15	40	CP-64QAM	H	Inner_1R B_Right	0.15	30	-75.19	≤-33dBm	PASS
n66	15	40	CP-64QAM	H	Inner_1R B_Right	30	1000	-63.62	≤-23dBm	PASS
n66	15	40	CP-64QAM	H	Inner_1R B_Right	1000	3000	-57.51	≤-13dBm	PASS
n66	15	40	CP-64QAM	H	Inner_1R B_Right	3000	12000	-68.43	≤-13dBm	PASS
n66	15	40	CP-64QAM	H	Inner_1R B_Right	12000	20000	-66.97	≤-13dBm	PASS
n66	15	40	CP-64QAM	H	Edge_1R B_Right	0.009	0.15	-83.27	≤-43dBm	PASS
n66	15	40	CP-64QAM	H	Edge_1R B_Right	0.15	30	-76.15	≤-33dBm	PASS
n66	15	40	CP-64QAM	H	Edge_1R B_Right	30	1000	-63.03	≤-23dBm	PASS
n66	15	40	CP-64QAM	H	Edge_1R B_Right	1000	3000	-57.40	≤-13dBm	PASS
n66	15	40	CP-64QAM	H	Edge_1R	3000	12000	-67.81	≤-13dBm	PASS


			64QAM		B_Right					
n66	15	40	CP-64QAM	H	Edge_1R B_Right	12000	20000	-66.75	≤-13dBm	PASS
n66	15	40	CP-64QAM	H	Outer_Fu ll	0.009	0.15	-82.76	≤-43dBm	PASS
n66	15	40	CP-64QAM	H	Outer_Fu ll	0.15	30	-74.62	≤-33dBm	PASS
n66	15	40	CP-64QAM	H	Outer_Fu ll	30	1000	-63.69	≤-23dBm	PASS
n66	15	40	CP-64QAM	H	Outer_Fu ll	1000	3000	-57.42	≤-13dBm	PASS
n66	15	40	CP-64QAM	H	Outer_Fu ll	3000	12000	-68.90	≤-13dBm	PASS
n66	15	40	CP-64QAM	H	Outer_Fu ll	12000	20000	-66.68	≤-13dBm	PASS
n66	15	40	CP-256QAM	H	Edge_1R B_Left	0.009	0.15	-82.37	≤-43dBm	PASS
n66	15	40	CP-256QAM	H	Edge_1R B_Left	0.15	30	-75.60	≤-33dBm	PASS
n66	15	40	CP-256QAM	H	Edge_1R B_Left	30	1000	-63.41	≤-23dBm	PASS
n66	15	40	CP-256QAM	H	Edge_1R B_Left	1000	3000	-57.37	≤-13dBm	PASS
n66	15	40	CP-256QAM	H	Edge_1R B_Left	3000	12000	-68.07	≤-13dBm	PASS
n66	15	40	CP-256QAM	H	Edge_1R B_Left	12000	20000	-67.21	≤-13dBm	PASS
n66	15	40	CP-256QAM	H	Inner_1R B_Left	0.009	0.15	-83.40	≤-43dBm	PASS
n66	15	40	CP-256QAM	H	Inner_1R B_Left	0.15	30	-75.98	≤-33dBm	PASS
n66	15	40	CP-256QAM	H	Inner_1R B_Left	30	1000	-62.95	≤-23dBm	PASS
n66	15	40	CP-256QAM	H	Inner_1R B_Left	1000	3000	-57.72	≤-13dBm	PASS
n66	15	40	CP-256QAM	H	Inner_1R B_Left	3000	12000	-68.84	≤-13dBm	PASS
n66	15	40	CP-256QAM	H	Inner_1R B_Left	12000	20000	-67.35	≤-13dBm	PASS
n66	15	40	CP-256QAM	H	Inner_1R B_Right	0.009	0.15	-83.67	≤-43dBm	PASS
n66	15	40	CP-256QAM	H	Inner_1R B_Right	0.15	30	-76.03	≤-33dBm	PASS
n66	15	40	CP-256QAM	H	Inner_1R B_Right	30	1000	-63.02	≤-23dBm	PASS
n66	15	40	CP-256QAM	H	Inner_1R B_Right	1000	3000	-57.61	≤-13dBm	PASS
n66	15	40	CP-	H	Inner_1R	3000	12000	-68.23	≤-13dBm	PASS

			256QAM		B_Right					
n66	15	40	CP- 256QAM	H	Inner_1R B_Right	12000	20000	-67.23	≤-13dBm	PASS
n66	15	40	CP- 256QAM	H	Edge_1R B_Right	0.009	0.15	-83.92	≤-43dBm	PASS
n66	15	40	CP- 256QAM	H	Edge_1R B_Right	0.15	30	-75.98	≤-33dBm	PASS
n66	15	40	CP- 256QAM	H	Edge_1R B_Right	30	1000	-63.57	≤-23dBm	PASS
n66	15	40	CP- 256QAM	H	Edge_1R B_Right	1000	3000	-56.84	≤-13dBm	PASS
n66	15	40	CP- 256QAM	H	Edge_1R B_Right	3000	12000	-68.27	≤-13dBm	PASS
n66	15	40	CP- 256QAM	H	Edge_1R B_Right	12000	20000	-67.07	≤-13dBm	PASS
n66	15	40	CP- 256QAM	H	Outer_Fu II	0.009	0.15	-83.05	≤-43dBm	PASS
n66	15	40	CP- 256QAM	H	Outer_Fu II	0.15	30	-75.94	≤-33dBm	PASS
n66	15	40	CP- 256QAM	H	Outer_Fu II	30	1000	-62.72	≤-23dBm	PASS
n66	15	40	CP- 256QAM	H	Outer_Fu II	1000	3000	-57.39	≤-13dBm	PASS
n66	15	40	CP- 256QAM	H	Outer_Fu II	3000	12000	-67.87	≤-13dBm	PASS
n66	15	40	CP- 256QAM	H	Outer_Fu II	12000	20000	-67.44	≤-13dBm	PASS


Test Graphs









NTNV-n66-PC3-15-5-L-DFT-BPSK-
Inner_1RB_Left-30-1000-PASS



NTNV-n66-PC3-15-5-L-DFT-BPSK-
Inner_1RB_Left-1000-3000-PASS



NTNV-n66-PC3-15-5-L-DFT-BPSK-
Inner_1RB_Left-3000-12000-PASS



NTNV-n66-PC3-15-5-L-DFT-BPSK-
Inner_1RB_Left-12000-20000-PASS

